

Salesforce User Manual



Introduction to Salesforce: A Guide for Protect Our Winters

Welcome to the Salesforce User Manual, used to provide detailed insights into how Protect Our Winter's team utilizes Salesforce. Harnessing the power of Salesforce's Nonprofit Success Pack (NPSP), the aim of this manual and Salesforce is to streamline constituent management, centralize data tracking, and scale fundraising efforts. This manual serves as your comprehensive resource, guiding you through Salesforce's features and functionalities, enabling you to maximize our collective impact in advancing environmental advocacy and action.

Introduction	2
Purpose of the Document	2
Overview of NPSP Instance	2
Key Stakeholders	3
Salesforce Org Overview	3
Integration Overview	3
Data Model Overview	4
Standard Objects	4
Custom Objects	5
Custom Fields	5
Relationships Between Objects	5
Record Types	5
Household Model	6
Explanation of Household Account Model	6
Customizations to Household Model	6
Record Types (Households, Organizations, etc.)	6
Donations Management	6
Opportunity Management (Donation Types)	6
Recurring Donations (Setup & Configuration)	6
Payment Processing Setup	6
Grant Management Overview (if applicable)	6
Custom Automation	6
◦ Workflow Rules	6
◦ Process Builders	6
◦ Flows	6
◦ Apex Triggers (if any)	6
◦ Automation Dependencies	6
Custom Integrations	6
◦ External Tools (Classy, QuickBooks, Mailchimp, etc.)	6
◦ Integration Patterns (API, Webhooks, Middleware)	6
◦ Data Sync Frequencies and Fields Mapped	6
Custom Reports and Dashboards	6
◦ Key Reports (Donation Reports, LYBUNT, SYBUNT)	6
◦ Dashboards for Fundraising, Grant Tracking, etc.	6
◦ Custom Report Types	6
Security and Access Control	6
◦ Profiles	7
◦ Roles	7
◦ Sharing Rules	7
◦ Permission Sets	7
Data Management	7

○ Data Import & Export Processes	7
○ Data Validation Rules	7
○ Duplicate Management Strategy	7
○ Data Archiving Strategy	7
Engagement and Communication	7
○ Email Templates	7
○ Campaigns and Campaign Hierarchies	7
○ Engagement Plans and Levels	7
○ Custom Email Alerts and Automations	7
User Training and Adoption	7
○ Key User Roles and Responsibilities	7
○ Training Materials	7
○ User Guides for Specific Features	7
○ Ongoing Support and Feedback Loops	7
System Maintenance and Governance	7
○ Backup and Restore Processes	7
○ System Health Checks	7
○ Audit Trail for Key Changes	7
○ Release Management Strategy (updating NPSP and custom packages)	7
Technical Debt and Cleanup	7
○ Overview of Existing Technical Debt	7
○ Plans for Reducing Technical Debt	8
○ Custom Code and its Purpose (Apex, Visualforce, LWC)	8
Future Enhancements	8
○ Potential System Upgrades	8
○ Additional Features (e.g., Einstein for Nonprofits)	8
○ Roadmap for future automations, integrations, or customizations	8
Appendix	8
○ Glossary of Terms	8
○ Useful Resources (NPSP Documentation, Salesforce Support)	8
○ Contact Information for Key Support	8

Introduction

Purpose of the Document

This document serves as a comprehensive resource for the Salesforce instance used by the organization *Protect Our Winters* (POW). It is designed to assist Salesforce administrators and staff members in addressing questions related to the configuration, use, and maintenance of the system. The goal is to ensure that the organization's staff can effectively utilize Salesforce to fulfill their mission and manage constituent relationships.

Overview of NPSP Instance

The core mission of *Protect Our Winters* is:

"We turn passionate outdoor people into climate advocates, working together to protect the places and experiences they love from climate change."

Salesforce's Nonprofit Success Pack (NPSP) plays a central role in supporting this mission by providing a 360-degree view of all interactions with constituents. This includes managing donations, advocates, alliance members, partnerships, events, board members, email lists, and other touchpoints with POW's stakeholders.

The NPSP instance has several customizations, particularly around the membership program, which differs from the standard NPSP membership objects. Additionally, the instance integrates with various tools that enhance its capabilities, including:

- **360MatchPro** by Double the Donation
- **Blackthorn Events**
- **Classy**
- **Cloudingo**
- **DonorSearch 360io**
- **Formstack for Salesforce**
- **Gmail Extension**
- **KnowWho**
- **Mailchimp/Cazoomi Sync Apps**
- **Phone2Action**
- **woocommerce????!**

These integrations, along with customizations, enable POW to better manage their data and relationships, furthering their advocacy efforts.

Key Stakeholders

- **Joe Bouchard**, Resin LLC
- Department Leads at Protect Our Winters

Salesforce Org Overview

- **Org Name:** Protect Our Winters
- **Org ID:** 00D4P000001dRZ9
- **Salesforce Edition:** Enterprise Edition
- **NPSP Version:** 3.229
- **NPSP Licenses:** 36

Integration Overview

The *Protect Our Winters* Salesforce instance integrates with several external tools to streamline operations, including managing donations, events, data hygiene, and communications. The following integrations are currently active:

- **360MatchPro** by Double the Donation: Used to track and manage corporate matching gifts, providing an easy way to identify eligible donors and match opportunities.
- **Blackthorn Events:** Facilitates event management within Salesforce, enabling POW to organize, track, and report on events while providing attendees with a seamless registration experience.
- **Classy:** An online fundraising platform that syncs with Salesforce to track donations, campaigns, and donor engagement within the CRM.
- **Cloudingo:** A data cleansing tool used to manage duplicate records, ensuring data accuracy and consistency across the Salesforce instance.
- **DonorSearch 360io:** Provides wealth screening and donor prospecting capabilities, integrating insights about donors' philanthropic histories directly into Salesforce.
- **Formstack:** A form-building tool integrated into Salesforce to manage and capture data from forms, including donor forms and event registrations.
- **Gmail Extension:** Integrates Gmail with Salesforce, allowing users to easily log emails, create contacts, and update records directly from their inbox.
- **KnowWho:** A tool to manage and track communications with government representatives, advocacy efforts, and legislative impacts.
- **Mailchimp/Cazoomi Sync Apps:** Facilitates email marketing by syncing Mailchimp lists and campaigns with Salesforce data for targeted email outreach.
- **Phone2Action:** An advocacy tool that helps manage grassroots campaigns, track interactions with constituents, and drive engagement with policymakers.
- **woocommerce/merchandise integration:**

Each integration provides a key function to support POW's mission, enabling efficient management of data and interactions with their stakeholders.

Data Model Overview

Standard Objects

- **Account:** Represents an individual's household, organization, or partner of *Protect Our Winters* (POW). There are three key record types:
 - **Household Accounts:** Automatically created when a new contact is added.
 - **Organization Accounts:** Used for foundations, nonprofits, and non-partner companies.
 - **Partner Accounts:** Represents organizations that are pledge or current POW partners.
- **Affiliation:** Tracks relationships between contacts and organizations, such as when an individual works for an organization that is part of POW's network.
- **Attendee:** A custom object used to capture and manage details of individuals attending POW events through Blackthorn.
- **Campaign:** Used to track activities such as fundraising events, email campaigns, and advocacy efforts.
 - **Default Campaigns:** For fundraising, advocacy, and email outreach.
 - **Parent Campaigns:** Used for campaign hierarchies if the campaign is a parent campaign.
- **Campaign Member:** Describes the relationship between a contact and a campaign.
- **Case:** Used for managing external requests and inquiries.
 - **Default Case:** General inquiries from the website's "Contact Us" form.
- **Contact:** Represents individuals, including donors, advocates, and volunteers.
 - **Contact Record Type:** For general constituents.
 - **Alliance Member Record Type:** For athletes, scientists, and creatives in POW's Alliance.
- **Event:** Used to manage both in-person and virtual events.
 - **In-Person Event:** Manages physical events.
 - **Virtual Event:** Manages online events.
- **GAU:** Represents a specific fund or allocation category within an organization's accounting structure.
- **GAU Allocations:** Tracks the allocation of individual donations (Opportunities) to one or more GAUs
- **Opportunity:** Manages various donation types and merchandise purchases:
 - **Classy:** Online donation platform.
 - **Corporate:** Non-partner company donations.
 - **Donation:** Individual donations.
 - **Grant:** Donations from foundations.
 - **Partner Commitments:** Partner organization donations.
 - **Matching Gifts:** Corporate matching of individual donations.
 - **In-Kind Gifts:** Non-monetary donations.
 - **Merchandise:** Tracks merchandise sales.
- **Partial Soft Credit:** links a donation (Opportunity) to additional Contacts who should receive recognition for the gift, even though they are not the primary donor.
- **Payment:** Tracks individual payments associated with opportunities.
- **Product:** Tracks merchandise items related to opportunities for merchandise purchases, providing visibility into the actual products sold.

- **Task:** Standard Salesforce object used to manage to-dos and tasks assigned to users across the organization.

Custom Objects

- **L2 Data:** Custom object holding fields related to L2 data, voter election data, from the 2022 election
- **Partner Deliverables:** holds information about the deliverables the partner or POW completed related to the partnership

Custom Fields and/or Notes on Certain Fields

Contact Object

- **Description:** This field is used for contact bios and other timeless data. I.e. data related to the contact that does not change
- **Context:** Current must knows, including connection to POW
- **Talking Points:** This field is used to house important high level points on the contact
- **Major Donor Potential:** If this is checked as true, the contact has a potential for major giving (\$1,000+)
- **Donor Level:** These levels are automatically assigned using Salesforce standard object 'Levels'. Criteria on assignment is as follows: Ally - 18 Month Giving <\$1,000, Advocate - 18 Month Giving \$1,000 - \$4,999 Enthusiast - 18 Month Giving \$5,000 - \$9,999 Champion - 18 Month Giving \$10,000 - \$24,999 Titan - 18 Month Giving >\$25,000
- **Previous Donor Level:** The level the donor was at before their current donor level. This will be null if they were never at a previous donor level.
- **Membership Status:** Populates to Current or Expired based on membership criteria. Please see membership section for more information
- **Member ID:** Contact's Salesforce ID
- **Membership Join Date:** The date the contact took their first membership action
- **Last Membership Date:** The date of their last membership action
- **Membership Opt Out:** This contact has opted out of their POW membership
- **Initial Entry Point:** The contact's first membership action. Values will be 'Advocacy Action', 'Donation', 'Event Attendee', 'Merchandise Purchase', 'Partner Opt In', or 'POW Opt In'
- **Most Recent Entry Point:** The contact's most recent membership action. Values will be 'Advocacy Action', 'Donation', 'Event Attendee', 'Merchandise Purchase', 'Partner Opt In', or 'POW Opt In'
- **Member Entry Points:** All membership actions the contact has taken. Values will be 'Advocacy Action', 'Donation', 'Event Attendee', 'Merchandise Purchase', 'Partner Opt In', and/or 'POW Opt In'
- **Membership End Date:** This will be 365 days after their last membership date. I.e. 365 days from their last membership action. Once this date has passed, their membership status will change to 'Expired'

- **Membership Years:** The years the contact has been a member
- **Last Membership Amount:** The contacts most recent membership amount donated
- **Total Membership Amount:** The total amount a contact has donated towards membership
- **First Merchandise Amount:** A contact's first merchandise purchase amount
- **Last Merchandise Amount:** A contact's last merchandise purchase amount
- **Total Merchandise Amount:** The total amount of all merchandise purchases the contact has made
- **Last Merchandise Date:** The date the contact last purchased merchandise
- **MailChimp Bounce Data:** Data from Mailchimp on deliverability
- **POW:** If 'Yes', the contact will be added to the Mailchimp Protect Our Winters audience. If not, the contact will not be added to the Mailchimp Protect Our Winters audience. By default, it is marked as 'Yes'
- **POW Action Fund:** If 'Yes', the contact will be added to the Mailchimp Protect Our Winters Action Fund audience. If not, the contact will not be added to the Mailchimp Protect Our Winters Action Fund audience.
- **8000ers:** Is marked as TRUE, then the contact has a high potential for fundraising
- **POW Internal Team:** If marked as TRUE, this contact will be tagged as 'POW Internal Team' in Mailchimp for internal emails
- **Sport Interest:** Picklist of sports the contact said they are interested in. This is sent to Mailchimp for segmentation purposes
- **Archived:** Populated based on POW's Data Retention Policy (please see section for more info)
- **Federal House District:** The U.S. congressional district in which the voter is registered, determining their representative in the U.S. House of Representatives.
- **State House District:** The state legislative district that elects a representative to the state's House of Representatives (or equivalent lower chamber).
- **City District:** The municipal or local district in which the voter resides, determining local representation and governance.
- **State Senate District:** The legislative district that elects a representative to the state's Senate (or equivalent upper chamber).
- **2014 General Election Voting Method:** The method the voter used to cast their ballot in the 2014 general election (e.g., in-person, early voting, mail-in).
- **2014 Primary Election Voting Method:** The method the voter used to cast their ballot in the 2014 primary election.
- **2016 General Election Voting Method:** The method the voter used to vote in the 2016 general election.
- **2016 Presidential Election Voting Method:** The method the voter used to vote in the 2016 presidential election.
- **2016 Primary Election Voting Method:** The method the voter used to vote in the 2016 primary election.
- **2018 General Election Voting Method:** The method the voter used to vote in the 2018 general election.

- **2018 Primary Election Voting Method:** The method the voter used to vote in the 2018 primary election.
- **2020 Primary Election Voting Method:** The method the voter used to vote in the 2020 primary election.
- **2020 Presidential Primary Voting Method:** The method the voter used to vote in the 2020 presidential primary election.
- **2020 General Election Voting Method:** The method the voter used to vote in the 2020 general election.
- **2014 Primary Election Party:** The political party the voter was affiliated with when voting in the **2014 primary election**.
- **2016 Presidential Primary Election Party:** The political party the voter was affiliated with when voting in the **2016 presidential primary election**.
- **2016 Primary Election Party:** The political party the voter was affiliated with when voting in the **2016 primary election**.
- **2018 Primary Election Party:** The political party the voter was affiliated with when voting in the **2018 primary election**.
- **Voter Status:** The current **registration status** of the voter (e.g., Active, Inactive, Removed).
- **2020 General Election Vote Propensity:** A calculated likelihood (or score) estimating how likely the voter was to cast a ballot in the **2020 general election**.
- **Ballot Requested:** Indicates whether the voter requested a mail-in or absentee ballot for an election.
- **Ballot Requested Date:** The date the voter requested a mail-in or absentee ballot.
- **Ballot Sent:** Indicates whether an election office sent a mail-in or absentee ballot to the voter.
- **Ballot Sent Date:** The date an election office sent the mail-in or absentee ballot.
- **Ballot Returned:** Indicates whether the voter **returned their ballot** (i.e., it was received by the election office).
- **Ballot Returned Date:** The date the election office received the voter's returned ballot.
- **Voter Rating:** A score or classification assigned to the voter based on engagement, voting history, or predictive modeling.
- **Political Party:** The **political party affiliation** of the voter, as recorded in their voter registration.

Account Object

- **Partner Level:** Indicates the tier or status of the partner within the organization's partnership program
- **Contract Needed:** Yes/No field that specifies whether a formal contract is required for the partnership.
- **Contract Start Date:** The date the partnership contract begins, marking the official start of the agreement.
- **Contract Amount:** The monetary value of the contract, representing the total financial commitment agreed upon between the organization and the partner.

- **Renewal Date:** The date the partnership contract is set for renewal, indicating when the agreement should be reviewed or extended.

Opportunity Object:

- **Discount Code:** The discount code the contact used on the merchandise purchase
- **Fund Designation:** Designates whether the opportunity is for POW, POW Action Fund or Other.
- **Order ID:** The ID of the woocommerce related merchandise order

Campaign Object:

- **OKR Win/Loss:** Determines if the campaign was considered a 'Win' or a 'Loss'
- **OKR Type:** The type of OKR the campaign supports
- **Alliance Mobilization Type:** The type of 'Alliance mobilization'. Used for tracking program OKR's
- **Alliance Training Type:** The type of 'Alliance training'. Used for tracking program OKR's
- **Alliance Training Category:** The category of the Alliance training. Used for tracking program OKR's
- **Membership Campaign Type:** The type of membership campaign.

Household Model

Explanation of Household Account Model

The **Household Account Model** in NPSP is designed to group individual Contacts into a single Household Account, making it easier for nonprofits to manage relationships, donations, and communications at both the individual and household levels.

Key Points:

1. **Household Account:** A Household Account represents a group of individuals (Contacts) living together or sharing a family relationship. It provides a single record for tracking overall household engagement and donations.
2. **Automatic Household Creation:** When a new Contact is created, NPSP automatically generates a Household Account. If multiple Contacts belong to the same household, they are linked to the same account.
3. **Household Naming:** NPSP automatically names households based on the last names of the Contacts.
4. **Household-Level Donations:** Donations from all household members are rolled up to the Household Account, providing a total view of household giving.
5. **Streamlined Communication:** Nonprofits can send one communication to an entire household, reducing duplicate outreach and improving communication efficiency.
6. **Customizable Reports:** Household Accounts enable reporting on household-level giving and engagement, helping nonprofits track their most valuable supporters.

Donations Management

Opportunity Management (Donation Types)

In the Protect Our Winters Salesforce instance, opportunities are categorized by the following record types to track various types of donations and contributions:

1. **Donation:** Represents standard one-time monetary gifts made by individuals or organizations. These are typically direct donations entered manually by the team
2. **Classy:** Tracks online donations processed through the Classy platform, syncing donor and payment details directly into Salesforce.
3. **Event Ticket:** Captures revenue generated from ticket sales for in-person or virtual events, allowing for tracking of event-specific fundraising efforts.
4. **Grant:** Used to track funding received from foundations or other granting entities. These opportunities may include additional details such as grant application statuses and reporting deadlines.
5. **In-Kind:** Tracks non-monetary contributions, such as donated goods or services. This type ensures a comprehensive view of all support received by POW.
6. **Matching Gift:** Represents donations matched by an employer or another organization. These opportunities are linked to the original donation for tracking purposes.
7. **Merchandise:** Tracks purchases of branded merchandise, allowing for an understanding of revenue generated through these sales.
8. **Partner Commitment:** Represents financial contributions made by partner organizations, reflecting their pledged or fulfilled commitments to POW's mission.

Dashboards for Donation Management

To analyze and forecast donation data, POW utilizes two key dashboards:

1. [**POW Development Forecasting**](#): This dashboard provides a forward-looking perspective on expected revenue. It helps the development team monitor potential incoming donations and assess progress toward fundraising goals.
2. [**POW Development Analysis**](#): Focused on historical performance, this dashboard tracks trends, evaluates donor retention, and measures the effectiveness of campaigns and events.

These dashboards are tailored to provide actionable insights to support strategic planning and donor engagement.

Recurring Donations (Setup & Configuration)

Recurring donations are managed through the Classy platform and synced into Salesforce via the **Classy Recurring Donors** object.

- **Setup:** No additional customizations have been applied to recurring donations in Salesforce.
 - **Resources:** For further details on managing recurring donations, refer to the [Classy Recurring Donations Documentation](#).
 - **Reporting:** To analyze recurring donations, access the [All Recurring Donations Report](#) in Salesforce.
-

Payment Processing Setup

POW processes payments using multiple systems integrated with Salesforce:

1. **Classy:** Payments are processed via Classy Pay and PayPal.
2. **Blackthorn Events:** Payments are processed through Stripe for event ticket sales.
3. **Merchandise:** Payments for merchandise purchases are also handled through Stripe.
- **Reconciliation Rules:**
 - Use the **payment date** as the **payout date** for donations processed via Classy and Stripe to ensure alignment with system payouts.
 - Stripe payouts are reconciled monthly in Salesforce using the payout date to align with financial reports. Resin oversees this reconciliation process.

Membership Program

Membership Program in Salesforce

The membership program for Protect Our Winters (POW) is fully customized in Salesforce to accommodate multiple types of activities that define membership. Standard NPSP membership fields and rollups are not used, as the definition of a "Team POW" member extends beyond donations to include advocacy, events, merchandise purchases, and more.

Definition of Membership

To be considered a current Team POW member, a constituent must have participated in one of the following activities within the last 365 days:

1. **Donation:** Made a one-time or recurring donation (any Opportunity record type).
2. **POW Opt-In:** Formally opted in to Team POW via the POW website (tracked through Formstack forms).
3. **Partner Opt-In:** Formally opted in to Team POW through a partner website (e.g., Ikon, Aspen, etc., tracked through Formstack forms).
4. **Merchandise:** Purchased POW merchandise (tracked through Opportunity records with the Merchandise record type).
5. **Event:** Attended a POW-organized event (tracked through Blackthorn Event records).

6. **Advocacy:** Participated in a Quorum campaign (tracked through Advocacy Campaign records).

Membership Status

Membership status is determined using a formula field based on the "Last Membership Date" field. A membership is considered "Current" if the "Last Membership Date" is within the past 365 days. Otherwise, the status is updated to "Expired."

Formula:

```
IF(
  ISBLANK(Last_Membership_Date_v2__c),
  NULL,
  IF(
    Last_Membership_Date_v2__c >= TODAY() - 365,
    "Current",
    "Expired"
  )
)
```

Criteria or Automations:

The formula field on the "Membership Status" field automatically updates based on changes to the "Last Membership Date" field.

Membership Actions

The following actions qualify as membership interactions and are automatically tracked in Salesforce:

1. **Donation:** Tracked via Opportunity records.
2. **POW Opt-In:** Tracked via Formstack submissions.
3. **Partner Opt-In:** Tracked via Formstack submissions from partner websites.
4. **Merchandise:** Tracked via Opportunity records with the Merchandise record type.
5. **Event:** Tracked via Blackthorn Event attendance records.
6. **Advocacy:** Tracked via Quorum campaign interactions.

Membership-related fields are populated through automations, further detailed in the **Automation for Memberships** section.

Membership Metrics

The following metrics are tracked for each constituent:

- **Membership Status:** Indicates whether the membership is Current or Expired (based on "Last Membership Date").
- **Member ID:** The Salesforce Contact ID, uniquely identifying each member.
- **Membership Join Date:** The date of the first membership action.
- **Membership Opt-Out:** Indicates whether the contact has opted out of membership.
- **Last Membership Date:** The date of the most recent membership action.
- **Membership End Date:** Calculated as 365 days after the last membership action.
- **Initial Entry Point:** The first membership action taken, with values including Donation, Advocacy, Event, etc.
- **Most Recent Entry Point:** The latest membership action, reflecting the same value set as Initial Entry Point.

These metrics are displayed on the Contact record and are calculated via custom Flows.

Automation for Memberships

Membership details are maintained and updated through five custom Flows:

1. **Membership Flow - Campaign Membership Type:** Sets the "Membership Campaign Type" field on Campaigns to either Donation (Classy campaigns), Advocacy Action (P2A campaigns), or Event Attendee (Blackthorn campaigns).
2. **Membership Flow - Campaigns (P2A/Opt-In):** Updates the entry point fields on Contacts to "Advocacy" and updates membership dates.
3. **Membership Flow - Event Attendee:** Updates entry point fields on Contacts to "Event Attendee" and membership dates.
4. **Membership Flow - Opportunities (Donations/Merchandise):** Updates entry point fields on Contacts to either "Donation" or "Merchandise" and updates membership dates.
5. **Membership Flow - Opportunities (Soft Credits):** Updates membership fields if a Contact receives a soft credit for a donation.

These automations ensure seamless rollups of membership actions and maintain accurate data on Contacts.

Reporting on Memberships

POW uses a **Membership Dashboard** to track key membership metrics, including:

- Membership growth trends.
- Renewal rates for Current members.
- Churn rates (members who transition from Current to Expired).

This dashboard provides a comprehensive view of membership performance and trends.

Custom Automation

- Workflow Rules

- i. **Account Partner/Org Stage - Current:** When an organization has donated within the last 365 days, they will be marked as current
- ii. **Account Foundation Stage - Lapsed:** When an organization account hasn't donated in greater than 365 days but less than 730 days, this workflow changes the account stage to Lapsed
- iii. **Account Foundation Stage - Lost:** A foundation account's stage will change to lost after not donating for over 730 days
- iv. **Account Partner Stage - Lapsed:** When a partner account hasn't donated in greater than 365 days but less than 730 days, this workflow changes the account stage to Lapsed
- v. **Account Partner Stage - Lost:** A partner account's stage will change to lost after not donating for over 730 days
- vi. **Alliance Member One Year Anniversary**
- vii. **Partner Contract Expiring:** When a partnership's renewal date is within the next 30 days, this workflow triggers a task to the account owner of that partner.
- viii. **Capitalization of Name:** Capitalizes first and last name on a contact
- ix. **Case - Media Requests:** Assigns the case to related user and sends an email alert to the user.
- x. **Case - Memberships:** Assigns the case to related user and sends an email alert to the user.
- xi. **Case - Partnerships:** Assigns the case to related user and sends an email alert to the user.
- xii. **Case - Events and Fundraising:** Assigns the case to related user and sends an email alert to the user.
- xiii. **Case - POW International:** Assigns the case to related user and sends an email alert to the user.
- xiv. **Case - Merchandise:** Assigns the case to related user and sends an email alert to the user.
- xv. **Case - Donor Relations:** Assigns the case to related user and sends an email alert to the user.
- xvi. **Case - Other:** Assigns the case to related user and sends an email alert to the user.
- xvii. **KnowWho Contact No email list:** Removes any KnowWho contacts from POW and POW AF email lists (POW = No and POW AF = No on the contact)

- Process Builders

- i. **DS data transfer from Leads to Accounts and Contacts after conversion:** DS data transfer from Leads to Accounts and Contacts after conversion

- Flows

- i. **Account: Bypass Dupe Rule Scheduled Flow:** Runs daily to find and revert accounts that have duplication rule exemption.
- ii. **Account - Update Billing State:** Updates billing state based on zip code. Optimized Flow for fast field Updates (before-save). Includes duplicate rule workaround checkbox. International exemption criteria included.
- iii. **Alliance Registration Email Alert:** Sends an email alert to the alliance group captain when a new alliance member is added
- iv. **Campaign Member Status:** Sets campaign member status for Event Attendee campaign types. Campaign member statuses are 'To Invite', 'Invited', and 'Registered'
- v. **Campaign Flow:** Sets OKR type on the campaign record to either 'Fundraise', if the campaign is a Classy campaign, or 'Mobilize', if the campaign is a Quorum campaign
- vi. **Classy Recurring Donations Main Flow:** Creates a task assigned to a user if a recurring donation amount is changed. This flow also will change 'Pledged' recurring donations/opportunities to 'Closed Lost' if the recurring donation is no longer active.
- vii. **Contact Stages - v2:** Updates contact stages to either 'Current' or 'Lapsed'. Current = Donated within the last 18 months and 'Lapsed' if the contacts last donation is greater than 18 months ago.
- viii. **Contact - Update State from Zip Code:** Updates the contacts Zip Code based on their State if they don't have any other address information
- ix. **Data Retention Policy - Contact Archive Scheduled Flow:** Sets 'Archived' = TRUE based on POW's Data Retention Policy
- x. **Engagement Record Creation:**
- xi. **Engagement - Attendee**
- xii. **Engagement - Emails**
- xiii. **Engagement - Campaign Member**
- xiv. **Grant Tasks**
- xv. **Membership Flow - Campaign Membership Type**
- xvi. **Membership Flow - Event Attendee 2**
- xvii. **Membership Flow - Campaigns (P2A/Opt In) 2**
- xviii. **Membership Flow - Opportunities (Donations/Merchandise) 3**
- xix. **Membership Flow - Opportunities (Soft Credits)**
- xx. **POW Opportunity Flow**
- xxi. **Recurring Donor Level Task - 30 or 90 Days**

Custom Integrations

- External Tools (Classy, QuickBooks, Mailchimp, etc.)
- Integration Patterns (API, Webhooks, Middleware)
- Data Sync Frequencies and Fields Mapped

Custom Reports and Dashboards

- Key Reports (Donation Reports, LYBUNT, SYBUNT)
- Dashboards for Fundraising, Grant Tracking, etc.
- Custom Report Types

Security and Access Control

- Profiles
- Roles
- Sharing Rules
- Permission Sets

Data Management

- Data Import & Export Processes
- Data Validation Rules

Data Retention Policy

Purpose

The purpose of this data retention policy is to establish clear guidelines for the storage, archiving, and deletion of data within Salesforce and related systems. This policy ensures compliance with operational needs, minimizes storage costs, and enhances data management efficiency.

Data Retention Guidelines

1. Contact Records

- **Retention Period:** Retain indefinitely unless marked as 'Archived' based on specific criteria.
- **Archival or Deletion Criteria:**
 - Mark contacts as 'Archived' if they meet **all** the following conditions:

- No gifts
 - No affiliations
 - Email opt-out = true
 - Not an Alliance member
 - Not a Team POW member
 - No advocacy actions
 - Hasn't attended an event
 - Created date is greater than three years ago
-

2. Campaign Records and Campaign Members

- **Retention Period:**
 - Retain active campaigns indefinitely unless they meet specific criteria for deletion.
 - **Archival or Deletion Criteria:**
 - Campaigns with no contacts and created more than 90 days ago will be deleted, **excluding the following types of campaigns:**
 - Event-related campaigns.
 - Classy campaigns.
 - Phone2Action campaigns.
 - **No campaign members will be deleted.**
 - **Campaign Owner Responsibility:**
 - Campaign owners are responsible for regularly reviewing and cleaning up their campaigns if they are no longer needed.
-

3. Email Activity

- **Mailchimp Activity Data:**
 - Retain Mailchimp email activity data (e.g., received, opened, clicked) **in the activity pane on the contact record for 30 days.**
 - All email activity data older than 30 days will be deleted.
 - **Retention Applies to All Contacts:** This includes Alliance members.
 - **Gmail Messages:**
 - Gmail messages will never be deleted.
-

4. Form Submissions

- **Retention Period:** Retain Formstack submissions for up to three years.
- **Archival or Deletion Criteria:**

- Delete Formstack submissions older than three years, **excluding Alliance forms**.
 - This deletion policy does not affect any data tied to a contact record. For example:
 - If a contact signs up for Team POW through a form, all submitted data (e.g., address, email) will remain on the contact record, but the actual form submission will be deleted.
-

Retention of Other Data

Unless otherwise specified in this policy, **all other data is retained indefinitely** to ensure data integrity, compliance, and support for ongoing organizational needs.

Processes for Maintaining Guidelines

Contacts

- A **scheduled flow** runs once a week in Salesforce to identify contacts that meet the archival criteria.
- The flow automatically **checks the 'Archived' checkbox** for these contacts.

Campaigns

- A **delete filter in Cloudingo** identifies campaigns that meet the deletion criteria.
- Campaigns fitting these criteria are automatically deleted **90 days after their creation date**.

Mailchimp Activity

- A **delete filter in Cloudingo** automates the removal of Mailchimp email activity older than 30 days.

Form Submissions

- A **delete filter in Cloudingo** automates the removal of Formstack submissions older than three years, except for those associated with Alliance forms.

Implementation and Oversight

1. Data Review Schedule

- Conduct quarterly data reviews to ensure adherence to retention guidelines.
- Review archived data annually to determine if further action (e.g., deletion) is needed.

2. Storage Solutions

- Use Salesforce for active data critical to daily operations.
- Move archival data to cost-effective solutions like AWS S3, Google Drive, or a data lake for long-term storage.

3. Stakeholder Involvement

- Collaborate with department leads to identify high-priority data for retention.
- Establish a cross-functional data governance committee to monitor and enforce this policy.

Policy Review

This policy will be reviewed annually to align with evolving organizational needs and technical capabilities. Adjustments will be made as necessary to maintain data quality and operational efficiency.

Duplicate Management Strategy

Effective data management is crucial for maintaining the integrity of our Salesforce system. Duplicate management plays a key role in ensuring that our data remains accurate and clean. Below is an outline of the tools and strategies we use to prevent and manage duplicate records.

Duplicate Rules in Salesforce

Duplicate rules help detect and manage potential duplicate records during data entry or updates. These rules trigger alerts or take actions when records with similar information are identified.

Contact Duplicate Rules:

- **POW Contact - Email Only:** This rule matches on exact email only. It is designed to catch duplicate contacts based solely on the email address.
- **NPSP Contact Personal Email Match:** This rule identifies duplicates based on a fuzzy match for first name, an exact match for last name, and an exact match for personal email. It's particularly useful for managing personal email variations.
- **Contact Address:** This rule is set up to catch duplicates based on an exact match for last name and mailing state, a fuzzy match for first name and mailing city, and an exact match for mailing zip. It helps identify potential duplicates based on partial address information.
- **Contact Phone:** This rule matches on an exact mobile phone number, along with exact matches for first name and last name, ensuring duplicate contacts are flagged if phone numbers and names align.

Account Duplicate Rule:

- **POW Account:** We use the Salesforce **Standard Account Matching Rule**, which compares account name and billing address to identify duplicates. This rule looks for an exact match on account name and a fuzzy match on billing street address to account for minor variations like abbreviations or misspellings in account names and addresses.

Matching Rules in Salesforce

Matching rules are the foundation that support duplicate rules by defining how Salesforce compares records to identify potential duplicates. They specify which fields to compare and whether to apply exact or fuzzy matching criteria.

Matching rules and duplicate rules work together in Salesforce to prevent and manage duplicates. Matching rules determine how records are compared—whether through strict exact matches or more flexible fuzzy matches. These rules are linked to duplicate rules, which then act on the identified duplicates. When a duplicate rule is triggered, it checks records based on the criteria set by the matching rule and either alerts the user, blocks the record creation, or allows the user to decide on further action.

Cloudingo

Cloudingo provides advanced duplicate management functionality and integrates with Salesforce. It allows us to automate duplicate checks, apply custom filters, and manually review potential duplicates. Cloudingo's filters are designed to match our Salesforce duplicate and matching rules, maintaining consistency across platforms.

We run duplicate merges on a weekly basis using Cloudingo, based on the following criteria. All KnowWho contacts and Alliance contacts are not included:

- **Contact (Email + Full Name):** This filter runs weekly and merges contacts that have an exact match on email, an exact match on last name, and a fuzzy match on first name. This process excludes KnowWho contacts and Alliance members to ensure specific records are not impacted by automatic merges.
- **Contact Personal and Alternate Email Cross Match:** This filter runs weekly and merges contacts that have an exact match between personal email and alternate email.
- **Contact Personal and Work Email Cross Match:** This filter runs weekly and merges contacts that have an exact match between personal email and work email.
- **Contact Work and Alternate Email Cross Match:** This filter runs weekly and merges contacts that have an exact match between alternate email and work email.
- **Contact (Phone Number & exact name):** This filter does not run automatically. If run, it will merge contacts that have an exact match on phone number and full name.
- **Contact Full Name + Address:** This filter does not run automatically. If run, it will merge contacts that have an exact match on address and full name.

- **Account Full Name + Address:** This filter does not run automatically. If run, it will merge accounts with an exact match on account name and billing address

- Data Retention Policy

Engagement and Communication

- Email Templates
- Campaigns and Campaign Hierarchies
- Engagement Plans and Levels
- Custom Email Alerts and Automations

User Training and Adoption

- Key User Roles and Responsibilities
- Training Materials
- User Guides for Specific Features
- Ongoing Support and Feedback Loops

System Maintenance and Governance

- Backup and Restore Processes
- System Health Checks
- Audit Trail for Key Changes
- Release Management Strategy (updating NPSP and custom packages)

Technical Debt and Cleanup

- Overview of Existing Technical Debt
- Plans for Reducing Technical Debt
- Custom Code and its Purpose (Apex, Visualforce, LWC)

Future Enhancements

- Potential System Upgrades
- Additional Features (e.g., Einstein for Nonprofits)
- Roadmap for future automations, integrations, or customizations

Appendix

- Glossary of Terms
- Useful Resources (NPSP Documentation, Salesforce Support)
- Contact Information for Key Support