Schema documentation for massdot-itmsevents-feed.xsd

february 22, 2019

Table of Contents

chema(s)
Main schema massdot-itms-events-feed.xsd
lement(s)
Element EventsFeed
Element EventsFeed / UpdateTimestamp
Element EventsFeed / Events
Element EventsFeed / Events / PlannedEvent
Element EventsFeed / Events / UnplannedEvent


Schema(s)

Main schema massdot-itms-events-feed.xsd

Properties	attribute form default:	unqualified
	element form default:	unqualified


Element(s)

Element EventsFeed




```
<xs:annotation>
          <xs:documentation source="DYNAC-generated, minus unconfirmed events">Includes all
published planned/unplanned events.</xs:documentation>
       </xs:annotation>
       <xs:complexType>
         <xs:choice minOccurs="0" maxOccurs="unbounded">
           <xs:element name="PlannedEvent" type="plannedEvent">
             <xs:annotation>
                <xs:documentation source="DYNAC DSM-based user input, minus the type exclusions">A
planned event that affects the roadway - e.g. planned construction work.</xs:documentation>
              </xs:annotation>
            </xs:element>
           <xs:element name="UnplannedEvent" type="unplannedEvent">
             <xs:annotation>
               <xs:documentation source="DYNAC DSM-based user input, minus the type exclusions">An
unplanned event that is affecting the roadway - e.g. a crash.</xs:documentation>
             </xs:annotation>
           </xs:element>
         </xs:choice>
       </xs:complexType>
     </xs:element>
    </xs:sequence>
 </xs:complexType>
</xs:element>
```

Element EventsFeed / UpdateTimestamp




Element EventsFeed / Events



```
<UnplannedEvent category="">{1,1}</UnplannedEvent>
Source
                                       <xs:element name="Events">
                                             <xs:annotation>
                                                    <xs:documentation source="DYNAC-generated, minus unconfirmed events">Includes all published
                                          planned/unplanned events.</xs:documentation>
                                              </xs:annotation>
                                             <xs:complexType>
                                                    <xs:annotation>
                                                                       <xs:documentation source="DYNAC DSM-based user input, minus the type exclusions">A planned
                                          event that affects the roadway - e.g. planned construction work.</xs:documentation>
                                                                 </xs:annotation>
                                                           </xs:element>
                                                           <xs:element name="UnplannedEvent" type="unplannedEvent">
                                                                 <xs:annotation>
                                                                       \verb|\array| < xs: documentation source="DYNAC DSM-based user input, minus the type exclusions"> An allowed the type exclusions | allowed the type | allowed the ty
                                          unplanned event that is affecting the roadway - e.g. a crash.
</rs>:documentation>
                                                                </xs:annotation>
                                                           </xs:element>
                                                    </xs:choice>
                                             </xs:complexType>
                                       </re>
```

Element EventsFeed / Events / PlannedEvent


Annotations	DYNAC DSM-based user input, minus the type exclusions
	A planned event that affects the roadway - e.g. planned construction work.



Type	plannedEvent				
Type hierar- chy	• event				
,	• plannedEvent				
Properties	content: complex				
Model	Name , CreatedAt , ConfirmedAt , UpdatedAt , StartDate , Location , Status , LaneInfo{0,1} , EndDate , TypeSpecific , Occurrences				
Children	ConfirmedAt, CreatedAt, EndD	ate, LaneInfo, Location, Name, O	ccurrences, StartDate	e, Status, TypeSpecific, UpdatedAt	
Instance	<pre><plannedevent type=""></plannedevent></pre>				
Attributes	QName	Туре	Use		
	type	plannedEventType	required		
		DYNAC DSM-based user input The ascribed type of a planned event.			
Source	<pre><xs:element name="PlannedEvent" type="plannedEvent"> <xs:annotation> <xs:documentation source="DYNAC DSM-based user input, minus the type exclusions">A planned event that affects the roadway - e.g. planned construction work.</xs:documentation> </xs:annotation> </xs:element></pre>				

Element EventsFeed / Events / UnplannedEvent

Annota	ations	DYNAC DSM-based user input, minus the type exclusions
		An unplanned event that is affecting the roadway - e.g. a crash.



Properties	content: complex			
Model	Name, CreatedAt, ConfirmedAt, UpdatedAt, StartDate, Location, Status, LaneInfo{0,1}, CategorySpecific			
Children	CategorySpecific, Confir	medAt, CreatedAt, LaneInfo, Location	n, Name, StartDate,	Status, UpdatedAt
Instance	<unplannedevent category=""></unplannedevent>			
Attributes	QName	Туре	Use	
	category	unplannedEventCategory	required	
		•	DYNAC DSM-based user input The category of an Unplanned Event or of a weather event.	
Source	<pre><xs:element name="UnplannedEvent" type="unplannedEvent"> <xs:annotation> <xs:documentation source="DYNAC DSM-based user input, minus the type exclusions">An unplanned event that is affecting the roadway - e.g. a crash.</xs:documentation> </xs:annotation> </xs:element></pre>			