

ICPSR 33523

**Uniform Crime Reporting Program  
Data: County-Level Detailed Arrest  
and Offense Data, 2010**

*United States Department of Justice.  
Office of Justice Programs. Federal  
Bureau of Investigation*

Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33523/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## TABLE OF CONTENTS

	no.
INTRODUCTION	
ICPSR Data Collection Description	i
Parts 1-3: Codebook for UCR County-Level Arrests Data	1
Parts 5-7: Codebook for Allocated Statewide Data for Arrests	5
Part 4: Codebook for UCR County-Level Crimes Reported Data	9
Part 8: Codebook for Allocated Statewide Data for Crimes Reported	11
APPENDIX	
FIPS Codes for UCR County-Level Data	13



## ICPSR DATA COLLECTION DESCRIPTION

The UNIFORM CRIME REPORTING PROGRAM DATA: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2010 reports counts of arrests and offenses for the Uniform Crime Reports (UCR) Part I crimes: murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson. The UCR County-level Arrest files also report arrests for additional (Part II) crimes such as forgery, fraud, vice offenses, and drug possession or sale. The data were originally collected by the Federal Bureau of Investigation (FBI) from reports submitted by agencies and states participating in the UCR Program. Each agency or jurisdiction is uniquely identified in the collection by the UCR Originating Agency Identifier (ORI). In describing this data collection the terms agency, jurisdiction, and ORI are used synonymously. Detailed discussions of reporting procedures are found in the UNIFORM CRIME REPORTING HANDBOOK (Washington, DC: U.S. Government Printing Office, 1980), and in the codebooks for the ICPSR's Agency-level UCR data collections (see ICPSR 9028).

It should be emphasized that, while UCR staff were consulted in developing the new adjustment procedures, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at the ICPSR.

## BREAK IN SERIES

Two major changes to the UCR county-level files were implemented with the 1994 data and are continued through the 2010 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions has been adopted. Also, a new Coverage Indicator has been created to provide users with a diagnostic measure of aggregated data quality in a particular county. These developments are described in greater detail below. The changes were instituted in response to comments from a number of users and after almost a year of discussions by UCR file users, the FBI, the Bureau of Justice Statistics, and the Inter-university Consortium for Political and Social Research.

These changes result in a break in series from previous UCR county-level files. Data from earlier year files should not be compared to data from 1994 and subsequent years. Changes in procedures used to adjust for incomplete reporting at the ORI or jurisdiction level may be expected to have an impact on aggregates for counties in which some ORIs have not reported for all 12 months. However, the new adjustment procedures should result in county-level data that are less sensitive to changes between years in the extent of reporting by ORIs within a county. Consequently, data from 1994 forward should be more accurate estimates for longitudinal analysis.

The crimes reported data prior to 2009 included the variables INDEX and MODINDEX. For 2009 forward these variables, INDEX (The sum of variables MURDERS through MVTHEFT) and MODINDEX (The sum of variables MURDERS through ARSON), were replaced with VIOL (The sum of variables MURDERS through AGALST) and PROPERTY (The sum of variables BURGLRY through MVTHEFT). While variable ARSON is listed separately for the crime reported data, it is included in property crimes for the arrest data.

## CHANGES IN IMPUTATION PROCEDURES FOR INCOMPLETE REPORTING

IMPUTATION PROCEDURES USED FOR 1977-1993 UCR COUNTY-LEVEL FILES: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting six to 11 months were increased by a weight of [12/months reported]. Data for any ORI reporting less than 6 months were deleted from the county total, and the population served by that ORI was deleted from the county population total to help control for differential data quality across counties.

The aim of this procedure was to produce comparable data cross-sectionally across all counties. However, if there were major changes in the ORIs that reported in a county across years, artifactual changes in the longitudinal data for a county could be introduced because of potential variation in the type of ORIs used to compute imputed county totals and rates each year.

IMPUTATION PROCEDURES USED FOR 1994 UCR COUNTY-LEVEL FILES AND ONWARD: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting 3 to 11 months were increased by a weight of [12/months reported]. For ORIs reporting 0 to 2 months in the arrest files or 1 to 2 months in the crimes reported files, data for these ORIs were set to zero and then data were estimated using rates calculated from ORIs reporting 12 months of data located in the ORI's geographic stratum based on UCR Population Groups within their state. UCR Population Groups are defined as follows:

## Population Group

-----

- 1) Cities 250,000 and over
- 2) Cities 100,000 - 249,999
- 3) Cities 50,000 - 99,999
- 4) Cities 25,000 - 49,999
- 5) Cities 10,000 - 24,999
- 6) Cities 2,500 - 9,999
- 7) Cities under 2,500
- 8) Non-MSA counties and non-MSA State Police
- 9) MSA counties and MSA State Police

There is an important distinction in estimation procedures for the arrest versus the crimes reported files. For the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0-2 months based on the procedures mentioned above. However, due to the structure of the original data received from the FBI, ICPSR was only able to estimate data for agencies reporting 1-2 months in the crimes reported files (Parts 4 and 8). No estimations are provided for agencies reporting 0 months. To assist users, the county population figures and number of agencies reporting for both the arrest and crimes reported data files were added to the crimes reported files. These variables provide users with information that can be used to

determine the proportion of the population or agencies not included in the crime reported files due to the absence of records for agencies reporting 0 months. Users should keep in mind these differences when doing their analyses.

#### COVERAGE INDICATOR

For releases of UCR county-level files before 1994, data from jurisdictions reporting less than 6 months of data were not included in county totals in an effort to ensure cross-sectional data comparability and quality. With the new procedures to adjust for incomplete reporting, data will be provided for each active ORI that reports less than 12 months of data, whether through weighting of partial year data or substitution of a value based on population group and state. Instead of exercising an a priori judgment that 6 months of data is the minimum threshold for acceptable data quality, a new Coverage Indicator variable has been created that will allow users to set their own threshold for acceptable data quality and to include or exclude data based on the standards they set themselves. The Coverage Indicator variable represents the proportion of county data that is reported for a given year. The indicator ranges from 0 to 100. A value of 0 indicates that no data for the county were reported and all data have been imputed. A value of 100 indicates that all ORIs in the county reported for all 12 months in the year.

Coverage Indicator is calculated as follows:

$$CI_x = 100 * ( 1 - \text{SUM}_i \{ [ORIPOP_i / COUNTYPOP] * [ (12 - MONTHSREPORTED_i) / 12 ] \} )$$

where CI = Coverage Indicator  
 x = county  
 i = ORI within county

Some ORIs do not have a population associated with their jurisdiction. These ORIs report for jurisdictions such as national parks, colleges and universities, toll bridges and tunnels, and most state police departments. As the coverage indicator is based on months of reporting and the population of each agency, this variable will not show estimation that did occur for statewide ORIs and for ORIs as listed above that do not have a population but reported 3 to 11 months of data. Conversely, the coverage indicator will indicate that estimation has occurred for ORIs with a population that reported 3 to 11 months of data even if the ORIs actually reported no crimes or arrests. Similarly, the coverage indicator will indicate that estimation had occurred for ORIs with a population that reported 0 to 2 months of arrest data and 1 to 2 months of crimes reported data, even though no rate was calculated to estimate data because of the lack of ORIs in the agency's geographic stratum reporting 12 months of data. Finally, since data for ORIs that reported 0 to 2 months of arrest and 1 to 2 months of crime are set to zero, users should be aware that no estimation of data was possible for ORIs in these categories without a population. In the crimes reported files, no estimation was possible for agencies

reporting 0 months because population figures for these agencies were not provided in the original files from the FBI.

#### COMPARING "CRIME IN THE UNITED STATES 2010" TO ICPSR 33523

"Crime in the United States 2010" is a publication prepared by the Federal Bureau of Investigation and provides estimations of national reported crime activity and arrest statistics from law enforcement agencies in the UCR Program. Users of this data collection prepared by ICPSR may not be able to match the statistics presented in "Crime in the United States 2010" due to several factors:

- (1) The UCR staff continue to update agency records when additions or corrections are received by the UCR Program. The FBI statistics presented in "Crime in the United States 2010" are based on the data that the FBI has received prior to their established publication deadlines. The data used by ICPSR to prepare the data in ICPSR 33523 may contain additions or corrections to the data submitted to the FBI after their publication deadline for producing "Crime in the United States 2010."
- (2) The new imputation algorithm that ICPSR implemented in 1994 approximates the estimation procedures that the FBI uses to adjust for incomplete or unreported data from individual law enforcement jurisdictions. Limited or no crime or arrest data were available for some states in 2010. For some tables in "Crime in the United States 2010" (for example, Section II, Table 2: Total Crime Counts in the United States, and Section IV, Table 29: Estimated Arrests), the FBI provided estimated crime counts and arrest totals for some of these states (see Appendix I -- Methodology for the FBI's estimation methods). The ICPSR algorithm estimates data for agencies reporting less than three months of data by calculating rates from agencies reporting 12 months of data located in the agency's geographic stratum within that state. Since data for these states were very limited or not present in the original data, estimates for the entire state could not be produced by ICPSR.
- (3) Some tables in "Crime in the United States 2010" were prepared using data only from agencies submitting complete reports for the 12 months for 2010 prior to the publication deadline (for example, Section IV, Table 69: Arrests by State). For this ICPSR data collection, all law enforcement agency records present in the original FBI data were used in the aggregation to the county level. County records with a coverage indicator value of 100 contain only 12-month reporting agencies (see last paragraph of the Coverage Indicator section in the Introduction for possible exceptions). Agencies reporting 12 months of data within a county with a coverage indicator value less than 100 cannot be separately identified in this dataset aggregated at the county level.



## IDENTIFYING MISSING DATA

In this data collection, zeroes may represent both true zeroes or missing data, and it is possible to distinguish between the two. In the arrest files (Parts 1-3 and 5-7), the coverage indicator alone does not indicate whether or not zeroes are true or missing values. A county can have a coverage indicator of zero, but still contain arrest data. ICPSR can estimate arrest data for a county that did not report any arrests based on data for other counties of comparable population size in the same state that did report 12 months of data.

In order to distinguish true zeroes from missing values, the user has to look at the coverage indicator for a county in conjunction with the arrest variables. If an arrest variable for a particular county has a value of zero and the coverage indicator is greater than zero, then the arrest variable contains a true zero. This true zero is not necessarily a reported zero as it may have been estimated. If an arrest variable for a particular county has a value of zero and the coverage indicator for that county is zero, then the user must check the values of ALL of the arrest variables. If some arrest variables contain zeroes and some contain other values, then the zeroes for this county are true. If ALL arrest variables and the coverage indicator for the county in question contain zeroes, then these indicate missing data.

In the crimes reported file (Part 4), data can not be estimated for non-reporting agencies. Therefore, counties with no population for reporting agencies will also have a coverage indicator of zero and all crime variables will have a value of zero. These zeroes indicate missing data. If a county has one or more offense variables with a value of zero, but has a value of greater than zero for the population and coverage indicator variables, then the zeroes for these particular offense variables should be considered true zeroes for the purposes of analysis.

## SUMMARY OF HOW TO IDENTIFY MISSING DATA

	ARREST FILES		CRIMES REPORTED
TRUE ZERO	Coverage indicator > 0		Coverage indicator > 0
	or		
	Coverage indicator = 0		
	AND at least one arrest count variable > 0		
<hr/>			
MISSING DATA	Coverage indicator = 0		Coverage indicator = 0
	AND all arrest count variables = 0		AND all other crime count variables will necessarily = 0

## NOTES ON FIPS CODES

Cities designated by the Census Bureau as independent cities are reported separately and have their own "county" codes (see Appendix). Some jurisdictions, such as state parks and some state police, provide data only on a statewide basis. In these cases, data are allocated to counties proportionate to their share of the total state population. Parts 5 to 8 contain the amount of statewide data allocated to each county. To obtain the county total without the statewide allocation, the statewide values can be subtracted from the county data.

State Police data for Vermont were not reported within a county and the State Police data for Alaska and Connecticut are not allocated to the counties. These three State Police records are identified by the county code 999. In the 1997 data and onward another 999 county code was added to these data files. The New York/New Jersey Port Authority reported data in 1997 through two agencies, one in New York and one in New Jersey. The FBI included the New York Port Authority agency as part of New York county. However, the FBI did not assign a UCR county code for the New Jersey Port Authority and did not provide a population figure for the area covered by this jurisdiction. Therefore, the New Jersey/New York Port Authority (NJNYPOA) is a separate record in the data files from 1997 onward with a county code of 999. New York City Metro Transportation Authority (NY03083) is a separate record from 2007 onward with a county code of 999. From 2008, tribal agencies began to report offense data. Data for those agencies in each state will be in one record identified by the county code of 777.

ICPSR uses FIPS Publication 6-4 "Counties and Equivalent Entities of the United States, Its Possessions, and Associated Areas" from the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, as a reference for assigning FIPS codes for the counties in this data collection. ICPSR consults this publication annually to note changes in FIPS codes that may affect this collection.

The borough of Denali, Alaska (FIPS code 02068) was created from part of the Yukon-Koyukuk Census Area (FIPS code 02290) and unpopulated part of the Southeast Fairbanks Census Area (FIPS code 02240) effective December 7, 1990. The Denali Borough is NOT a record in the data. However, since no agency record from Denali was present in the original FBI data for either the arrest or crimes reported files, no data are missing from the ICPSR data.

In May 1995, NIST announced that the independent city of South Boston, Virginia reverted to town status and became part of Halifax County as of June 30, 1995. The Virginia FIPS county code of 780 no longer exists and South Boston is included in FIPS county code 083. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from South Boston with Halifax County.

In July 1999, NIST announced that Yellowstone National Park, which had been treated as a county equivalent, is legally part of Gallatin County and Park County, Montana. Yellowstone National Park was left as

a county equivalent in this data collection to remain consistent with earlier years.

In July 1999, NIST announced that as of November 13, 1993 Dade County, Florida officially changed its name to Miami-Dade County. The county was assigned a new FIPS code (086) to maintain the alphanumeric sequence of counties. In the 1997 data collection and onward, ICPSR also changed the Miami-Dade county code from 025 to 086 to match the change in the FIPS publication. However, the 1993-1996 UCR county-level data collections still used the old name and FIPS county code.

In July 2001, NIST announced that the independent city (county-equivalent) of Clifton Forge, Virginia, had reverted to town status, effective midnight, July 1, 2001. Clifton Forge is now an incorporated place within Alleghany County, rather than a separate county-equivalent surrounded by Alleghany County. This action will reduce the number of Virginia independent cities to 39 and the number of United States counties and equivalent areas to 3,141. The action reduces the total number of independent cities in the United States to 42. The FIPS county code of 560 for Clifton Forge, Virginia, is deleted. The FIPS-55 class code will change from C7 to C1. The census place code of 0285 and FIPS-55 code of 17440 are unaffected. The FIPS county code of 005 for Alleghany County remains unchanged. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from Clifton Forge with Alleghany County.

In January 2002, NIST announced that Broomfield County, Colorado, had been created from parts of Adams (001), Boulder (013), Jefferson (059), and Weld (123) counties effective November 15, 2001. The boundaries of Broomfield County reflect the boundaries of Broomfield city legally in effect on November 15, 2001. To maintain the alphanumeric sequence of counties, Broomfield County will have a code of 014 for FIPS 6-4, Counties and Equivalent Entities of the United States, Its Possessions and Associated Areas. ICPSR created county code 014 for Broomfield County to match the change in the FIPS publication.

#### ADDITIONAL NOTES

In the UCR county-level arrest files, the population and data for jurisdictions located in multiple counties are provided only in the county containing the largest population component of the jurisdiction. Counties containing smaller population components of multiple-county jurisdictions will contain no population or arrest data for these jurisdictions. Data in counties affected by one or more multiple-county jurisdictions are indicated by a multi-county jurisdiction flag variable. In the county-level crimes reported files, the population and crime data for jurisdictions located in multiple counties are provided by the UCR proportioned to each county (maximum of three) in which the jurisdiction is located.

Drunkenness (FBI offense code 23) is not considered a crime in some states. States that do not consider drunkenness a crime, but which report data through the NIBRS system, such as North Dakota, may show arrest data for the offense in this data collection. This is because drunkenness may be listed as an incident in the NIBRS reporting system, even though there was technically no arrest in these states. Agencies in states where drunkenness is not a crime may use their own discretion in reporting drunkenness as an incident. Users should exercise caution when analyzing this variable because of these differences in reporting.

The original data from the FBI contain one record for New York City. Data from New York City are allocated into New York City's five counties on the basis of the proportion of the population in each county. For example, the population for Queens county is divided by the total population of New York City and the resulting proportion is multiplied with data from each of New York City's arrest and offense categories to apportion data to Queens county. The total population for New York City and the population for each of the five counties from the 2010 U.S. Census were used to calculate these proportions. The population of Goodlettsville City, Tennessee is proportioned to both Davidson County and Sumner County. Population from the 2010 U.S. Census was used to calculate the population breakdown of Goodlettsville, Tennessee.

Seven dummy records were created for the arrest data files and 65 dummy records were created for the crimes reported data files for counties not represented in the original FBI file. These county records provide only the state and county FIPS codes with the rest of the variables following county FIPS in the data file filled with zeros. No arrest data were provided for Florida. Limited arrest data were available for Illinois. Limited crimes reported data were available for Alaska, Kentucky, Mississippi, Montana, and South Dakota.

One SPSS data definition statement file and one SAS data definition statement file are provided for the one arrest data file (all ages) and one SPSS data definition statement file and one SAS data definition statement file are provided for the crimes reported data file (crimes reported). One SPSS data definition statement file and one SAS data definition statement file are provided for the one allocated statewide data for arrests files and one SPSS data definition statement file and one SAS data definition statement file are provided for the allocated statewide data for crimes reported file. The arrest data file has 56 variables, the crimes reported data file has 21 variables, the allocated statewide data for arrests file has 57 variables and the allocated statewide data for crimes reported file has 22 variables. All data files contain 3,177 cases.

CODEBOOK FOR UCR COUNTY-LEVEL ARRESTS DATA 2010  
(ICPSR 33523, Parts 1-3)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER Part 1: Arrest Data, All Ages Part 2: Arrest Data, Adults Part 3: Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		24-26	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		27	1
COVIND	COVERAGE INDICATOR see Introduction		28-35	8.4
GRNDTOT	GRAND TOTAL Total number of arrests. Includes both Part I and Part II crimes.		36-41	6
P1TOT	PART I TOTAL Total number of Part I (index) crimes. This is the sum of variables MURDER through ARSON.		42-47	6
P1VLNT	PART I VIOLENT CRIMES Sum of variables MURDER through AGASSLT.		48-52	5

Var #	Variable	FBI Offense Code	Columns	Width
P1PRPTY	PART I PROPERTY CRIMES Sum of variables BURGLRY through ARSON.		53-57	5
MURDER	MURDERS	011	58-61	4
RAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male.  Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SEXOFF), Prostitution and Commercialized Vice (See COMVICE).	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5
AGASSLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-80	5
LARCENY	LARCENIES	06	81-85	5
MVTHEFT	MOTOR VEHICLE THEFTS	07	86-90	5
ARSON	ARSONS	09	91-93	3
OTHASLT	OTHER ASSAULTS	08	94-98	5
FRGYCNT	FORGERY/COUNTERFEITING	10	99-102	4
FRAUD	FRAUD	11	103-107	5
EMBEZL	EMBEZZLEMENT	12	108-110	3
STLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	111-114	4
VANDLSM	VANDALISM	14	115-119	5
WEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	120-124	5
COMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	125-128	4

Var #	Variable	FBI Offense Code	Columns	Width
SEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook ( <a href="http://www.fbi.gov/about-us/cjis/ucr/additional-ucr-publications/ucr_handbook.pdf">www.fbi.gov/about-us/cjis/ucr/ additional-ucr-publications/ ucr_handbook.pdf</a> ) for more details.  Excludes: Forcible Rape (See RAPE), Prostitution and Commercialized Vice (See COMVICE).	17	129-132	4
DRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables DRGSALE and DRGPOSS.	18	133-137	5
DRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables COCSALE through OTHSALE.	180	138-142	5
COCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	143-147	5
MJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	148-151	4
SYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	152-155	4
OTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	156-160	4
DRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables COCPOSS through OTHPOSS.	185	161-165	5

Var #	Variable	FBI Offense Code	Columns	Width
COCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	166-170	5
MJPOSS	MARIJUANA-POSSESSION	18F	171-175	5
SYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	176-179	4
OTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	180-184	5
GAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables BOOKMKG through OTGAMBL.	19	185-188	4
BOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	189-191	3
NUMBERS	NUMBERS & LOTTERY	19B	192-194	3
OTGAMBL	GAMBLING-ALL OTHER	19C	195-198	4
OFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	199-202	4
DUI	DRIVING UNDER INFLUENCE	21	203-207	5
LIQUOR	LIQUOR LAW VIOLATIONS	22	208-212	5
DRUNK	DRUNKENNESS	23	213-217	5
DISORDR	DISORDERLY CONDUCT	24	218-222	5
VAGRANT	VAGRANCY	25	223-226	4
ALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	227-232	6
SUSPICN	SUSPICION	27	233-236	4
CURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	237-241	5
RUNAWAY	RUNAWAYS Juveniles only.	29	242-246	5



CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR ARRESTS 2010  
(ICPSR 33523, Parts 5-7)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER Part 5: Statewide Arrest Data, All Ages Part 6: Statewide Arrest Data, Adults Part 7: Statewide Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION		16-23	8
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		35	1
SCOVIND	COVERAGE INDICATOR see Introduction		36-43	8.4
SGRNDTOT	GRAND TOTAL Total number of arrests. Includes both Part I and Part II crimes.		44-49	6
SP1TOT	PART I TOTAL Total number of Part I (index) crimes. This is the sum of variables SMURDER through SARSON.		50-55	6

Var #	Variable	FBI Offense Code	Columns	Width
SP1VLNT	PART I VIOLENT CRIMES Sum of variables SMURDER through SAGASSLT.		56-60	5
SP1PRPTY	PART I PROPERTY CRIMES Sum of variables SBURGLRY through SARSON.		61-65	5
SMURDER	MURDERS	011	66-69	4
SRAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male.  Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SSEXOFF), Prostitution and Commercialized Vice (See SCOMVICE).	02	70-73	4
SROBBERY	ROBBERIES	03	74-78	5
SAGASSLT	AGGRAVATED ASSAULTS	04	79-83	5
SBURGLRY	BURGLARIES	05	84-88	5
SLARCENY	LARCENIES	06	89-93	5
SMVTHEFT	MOTOR VEHICLE THEFTS	07	94-98	5
SARSON	ARSONS	09	99-101	3
SOTHASLT	OTHER ASSAULTS	08	102-106	5
SFRGYCNT	FORGERY/COUNTERFEITING	10	107-110	4
SFRAUD	FRAUD	11	111-115	5
SEMBEZL	EMBEZZLEMENT	12	116-118	3
SSTLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	119-122	4
SVANDLSM	VANDALISM	14	123-127	5
SWEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	128-132	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	133-136	4
SSEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook ( <a href="http://www.fbi.gov/about-us/cjis/ucr/additional-ucr-publications/ucr_handbook.pdf">www.fbi.gov/about-us/cjis/ucr/ additional-ucr-publications/ ucr_handbook.pdf</a> ) for more details.  Excludes: Forcible Rape (See SRAPE), Prostitution and Commercialized Vice (See SCOMVICE).	17	137-140	4
SDRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables SDRGSALE and SDRGPOSS.	18	141-145	5
SDRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables SCOCSALE through OTHSALE.	180	146-150	5
SCOCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	151-155	5
SMJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	156-159	4
SSYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	160-163	4
SOTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	164-167	4
SDRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables SCOCPOSS and SOTHPOSS.	185	168-172	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	173-177	5
SMJPOSS	MARIJUANA-POSSESSION	18F	178-181	4
SSYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	182-184	3
SOTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	185-189	5
SGAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables SBOOKMKG through SOTGAMBL.	19	190-193	4
SBOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	194-196	3
SNUMBERS	NUMBERS & LOTTERY	19B	197-199	3
SOTGAMBL	GAMBLING-ALL OTHER	19C	200-203	4
SOFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	204-207	4
SDUI	DRIVING UNDER INFLUENCE	21	208-212	5
SLIQUOR	LIQUOR LAW VIOLATIONS	22	213-217	5
SDRUNK	DRUNKENNESS	23	218-222	5
SDISORDR	DISORDERLY CONDUCT	24	223-227	5
SVAGRANT	VAGRANCY	25	228-231	4
SALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	232-237	6
SSUSPICN	SUSPICION	27	238-241	4
SCURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	242-245	4
SRUNAWAY	RUNAWAYS Juveniles only.	29	246-250	5

CODEBOOK FOR UCR COUNTY-LEVEL CRIMES REPORTED DATA 2010  
(ICPSR 33523, Part 4)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER-4		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		35-37	3
COVIND	COVERAGE INDICATOR see Introduction		38-45	8.4
VIOL	TOTAL VIOLENT CRIMES The sum of variables MURDER through AGASLT.		46-51	6
PROPERTY	TOTAL PROPERTY CRIMES The sum of variables BURGLRY through MVTHEFT.		52-57	6
MURDER	MURDERS	011	58-61	4
RAPE	FORCIBLE RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5

Var #	Variable	FBI Offense Code	Columns	Width
AGASLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-81	6
LARCENY	LARCENIES	06	82-87	6
MVTHEFT	MOTOR VEHICLE THEFTS	07	88-93	6
ARSON	ARSONS This variable is listed separately and not included in VIOL or PROPERTY.	09	94-97	4

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR CRIMES REPORTED 2010  
(ICPSR 33523, Part 8)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER-8		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION OF AGENCIES REPORTING ARRESTS		16-23	8
SPOPCRIM	STATE POPULATION OF AGENCIES REPORTING CRIMES		24-31	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		32-38	7
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		39-41	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		42-44	3
COVIND	COVERAGE INDICATOR see Introduction		45-52	8.4
SVIOL	TOTAL VIOLENT CRIMES The sum of variables SMURDER through SAGASLT.		53-58	6
SPROPERTY	TOTAL PROPERTY CRIMES The sum of variables SBURGLRY through SMVTHEFT.		59-64	6
SMURDER	MURDERS	011	65-68	4
SRAPE	FORCIBLE RAPES	02	69-72	4

Var #	Variable	FBI Offense Code	Columns	Width
SROBBERY	ROBBERIES	03	73-77	5
SAGASLT	AGGRAVATED ASSAULTS	04	78-82	5
SBURGLRY	BURGLARIES	05	83-88	6
SLARCENY	LARCENIES	06	89-94	6
SMVTHEFT	MOTOR VEHICLE THEFTS	07	95-100	6
SARSON	ARSONS This variable is listed separately and not included in SVIOL or SPROPERTY.	09	101-104	4



## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

01	Alabama	01097	Mobile
-----		01099	Monroe
01001	Autauga	01101	Montgomery
01003	Baldwin	01103	Morgan
01005	Barbour	01105	Perry
01007	Bibb	01107	Pickens
01009	Blount	01109	Pike
01011	Bullock	01111	Randolph
01013	Butler	01113	Russell
01015	Calhoun	01115	St Clair
01017	Chambers	01117	Shelby
01019	Cherokee	01119	Sumter
01021	Chilton	01121	Talladega
01023	Choctaw	01123	Tallapoosa
01025	Clarke	01125	Tuscaloosa
01027	Clay	01127	Walker
01029	Cleburne	01129	Washington
01031	Coffee	01131	Wilcox
01033	Colbert	01133	Winston
01035	Conecuh		
01037	Coosa	02	Alaska
01039	Covington	-----	
01041	Crenshaw	02013	Aleutians East
01043	Cullman	02016	Aleutians West
01045	Dale	02020	Anchorage
01047	Dallas	02050	Bethel
01049	De Kalb	02060	Bristol Bay
01051	Elmore	02070	Dillingham
01053	Escambia	02090	Fairbanks North Star
01055	Etowah	02100	Haines
01057	Fayette	02110	Juneau
01059	Franklin	02122	Kenai Peninsula
01061	Geneva	02130	Ketchikan Gateway
01063	Greene	02150	Kodiak Island
01065	Hale	02164	Lake and Peninsula
01067	Henry	02170	Matanuska-Susitna
01069	Houston	02180	Nome
01071	Jackson	02185	North Slope
01073	Jefferson	02188	Northwest Arctic
01075	Lamar	02201	Prince of Wales-Outer Ketchikan
01077	Lauderdale	02220	Sitka
01079	Lawrence	02232	Skagway-Hoonah-Angoon
01081	Lee	02240	Southeast Fairbanks
01083	Limestone	02261	Valdez-Cordova
01085	Lowndes	02270	Wade Hampton
01087	Macon	02280	Wrangell-Petersburg
01089	Madison	02282	Yakutat
01091	Marengo	02290	Yukon-Koyukuk
01093	Marion		
01095	Marshall		

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

04	Arizona	05061	Howard
-----		05063	Independence
04001	Apache	05065	Izard
04003	Cochise	05067	Jackson
04005	Coconino	05069	Jefferson
04007	Gila	05071	Johnson
04009	Graham	05073	Lafayette
04011	Greenlee	05075	Lawrence
04012	La Paz	05077	Lee
04013	Maricopa	05079	Lincoln
04015	Mohave	05081	Little River
04017	Navajo	05083	Logan
04019	Pima	05085	Lonoke
04021	Pinal	05087	Madison
04023	Santa Cruz	05089	Marion
04025	Yavapai	05091	Miller
04027	Yuma	05093	Mississippi
		05095	Monroe
05	Arkansas	05097	Montgomery
-----		05099	Nevada
05001	Arkansas	05101	Newton
05003	Ashley	05103	Ouachita
05005	Baxter	05105	Perry
05007	Benton	05107	Phillips
05009	Boone	05109	Pike
05011	Bradley	05111	Poinsett
05013	Calhoun	05113	Polk
05015	Carroll	05115	Pope
05017	Chicot	05117	Prairie
05019	Clark	05119	Pulaski
05021	Clay	05121	Randolph
05023	Cleburne	05123	St Francis
05025	Cleveland	05125	Saline
05027	Columbia	05127	Scott
05029	Conway	05129	Searcy
05031	Craighead	05131	Sebastian
05033	Crawford	05133	Sevier
05035	Crittenden	05135	Sharp
05037	Cross	05137	Stone
05039	Dallas	05139	Union
05041	Desha	05141	Van Buren
05043	Drew	05143	Washington
05045	Faulkner	05145	White
05047	Franklin	05147	Woodruff
05049	Fulton	05149	Yell
05051	Garland		
05053	Grant	06	California
05055	Greene	-----	
05057	Hempstead	06001	Alameda
05059	Hot Spring	06003	Alpine

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

06005 Amador	06105 Trinity
06007 Butte	06107 Tulare
06009 Calaveras	06109 Tuolumne
06011 Colusa	06111 Ventura
06013 Contra Costa	06113 Yolo
06015 Del Norte	06115 Yuba
06017 El Dorado	
06019 Fresno	08 Colorado
06021 Glenn	-----
06023 Humboldt	08001 Adams
06025 Imperial	08003 Alamosa
06027 Inyo	08005 Arapahoe
06029 Kern	08007 Archuleta
06031 Kings	08009 Baca
06033 Lake	08011 Bent
06035 Lassen	08013 Boulder
06037 Los Angeles	08014 Broomfield
06039 Madera	08015 Chaffee
06041 Marin	08017 Cheyenne
06043 Mariposa	08019 Clear Creek
06045 Mendocino	08021 Conejos
06047 Merced	08023 Costilla
06049 Modoc	08025 Crowley
06051 Mono	08027 Custer
06053 Monterey	08029 Delta
06055 Napa	08031 Denver
06057 Nevada	08033 Dolores
06059 Orange	08035 Douglas
06061 Placer	08037 Eagle
06063 Plumas	08039 Elbert
06065 Riverside	08041 El Paso
06067 Sacramento	08043 Fremont
06069 San Benito	08045 Garfield
06071 San Bernardino	08047 Gilpin
06073 San Diego	08049 Grand
06075 San Francisco	08051 Gunnison
06077 San Joaquin	08053 Hinsdale
06079 San Luis Obispo	08055 Huerfano
06081 San Mateo	08057 Jackson
06083 Santa Barbara	08059 Jefferson
06085 Santa Clara	08061 Kiowa
06087 Santa Cruz	08063 Kit Carson
06089 Shasta	08065 Lake
06091 Sierra	08067 La Plata
06093 Siskiyou	08069 Larimer
06095 Solano	08071 Las Animas
06097 Sonoma	08073 Lincoln
06099 Stanislaus	08075 Logan
06101 Sutter	08077 Mesa
06103 Tehama	08079 Mineral

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

08081 Moffat	12007 Bradford
08083 Montezuma	12009 Brevard
08085 Montrose	12011 Broward
08087 Morgan	12013 Calhoun
08089 Otero	12015 Charlotte
08091 Ouray	12017 Citrus
08093 Park	12019 Clay
08095 Phillips	12021 Collier
08097 Pitkin	12023 Columbia
08099 Prowers	12027 De Soto
08101 Pueblo	12029 Dixie
08103 Rio Blanco	12031 Duval
08105 Rio Grande	12033 Escambia
08107 Routt	12035 Flagler
08109 Saguache	12037 Franklin
08111 San Juan	12039 Gadsden
08113 San Miguel	12041 Gilchrist
08115 Sedgwick	12043 Glades
08117 Summit	12045 Gulf
08119 Teller	12047 Hamilton
08121 Washington	12049 Hardee
08123 Weld	12051 Hendry
08125 Yuma	12053 Hernando
	12055 Highlands
09 Connecticut	12057 Hillsborough
-----	12059 Holmes
09001 Fairfield	12061 Indian River
09003 Hartford	12063 Jackson
09005 Litchfield	12065 Jefferson
09007 Middlesex	12067 Lafayette
09009 New Haven	12069 Lake
09011 New London	12071 Lee
09013 Tolland	12073 Leon
09015 Windham	12075 Levy
	12077 Liberty
10 Delaware	12079 Madison
-----	12081 Manatee
10001 Kent	12083 Marion
10003 New Castle	12085 Martin
10005 Sussex	12086 Miami-Dade
	12087 Monroe
11 District of Columbia	12089 Nassau
-----	12091 Okaloosa
11001 District of Columbia	12093 Okeechobee
	12095 Orange
12 Florida	12097 Osceola
-----	12099 Palm Beach
12001 Alachua	12101 Pasco
12003 Baker	12103 Pinellas
12005 Bay	12105 Polk

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

12107 Putnam	13069 Coffee
12109 St Johns	13071 Colquitt
12111 St Lucie	13073 Columbia
12113 Santa Rosa	13075 Cook
12115 Sarasota	13077 Coweta
12117 Seminole	13079 Crawford
12119 Sumter	13081 Crisp
12121 Suwannee	13083 Dade
12123 Taylor	13085 Dawson
12125 Union	13087 Decatur
12127 Volusia	13089 De Kalb
12129 Wakulla	13091 Dodge
12131 Walton	13093 Dooly
12133 Washington	13095 Dougherty
	13097 Douglas
13 Georgia	13099 Early
-----	13101 Echols
13001 Appling	13103 Effingham
13003 Atkinson	13105 Elbert
13005 Bacon	13107 Emanuel
13007 Baker	13109 Evans
13009 Baldwin	13111 Fannin
13011 Banks	13113 Fayette
13013 Barrow	13115 Floyd
13015 Bartow	13117 Forsyth
13017 Ben Hill	13119 Franklin
13019 Berrien	13121 Fulton
13021 Bibb	13123 Gilmer
13023 Bleckley	13125 Glascock
13025 Brantley	13127 Glynn
13027 Brooks	13129 Gordon
13029 Bryan	13131 Grady
13031 Bulloch	13133 Greene
13033 Burke	13135 Gwinnett
13035 Butts	13137 Habersham
13037 Calhoun	13139 Hall
13039 Camden	13141 Hancock
13043 Candler	13143 Haralson
13045 Carroll	13145 Harris
13047 Catoosa	13147 Hart
13049 Charlton	13149 Heard
13051 Chatham	13151 Henry
13053 Chattahoochee	13153 Houston
13055 Chattooga	13155 Irwin
13057 Cherokee	13157 Jackson
13059 Clarke	13159 Jasper
13061 Clay	13161 Jeff Davis
13063 Clayton	13163 Jefferson
13065 Clinch	13165 Jenkins
13067 Cobb	13167 Johnson

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

13169 Jones	13271 Telfair
13171 Lamar	13273 Terrell
13173 Lanier	13275 Thomas
13175 Laurens	13277 Tift
13177 Lee	13279 Toombs
13179 Liberty	13281 Towns
13181 Lincoln	13283 Treutlen
13183 Long	13285 Troup
13185 Lowndes	13287 Turner
13187 Lumpkin	13289 Twiggs
13189 McDuffie	13291 Union
13191 McIntosh	13293 Upson
13193 Macon	13295 Walker
13195 Madison	13297 Walton
13197 Marion	13299 Ware
13199 Meriwether	13301 Warren
13201 Miller	13303 Washington
13205 Mitchell	13305 Wayne
13207 Monroe	13307 Webster
13209 Montgomery	13309 Wheeler
13211 Morgan	13311 White
13213 Murray	13313 Whitfield
13215 Muscogee	13315 Wilcox
13217 Newton	13317 Wilkes
13219 Oconee	13319 Wilkinson
13221 Oglethorpe	13321 Worth
13223 Paulding	
13225 Peach	15 Hawaii
13227 Pickens	-----
13229 Pierce	15001 Hawaii
13231 Pike	15003 Honolulu
13233 Polk	15005 Kalawao
13235 Pulaski	15007 Kauai
13237 Putnam	15009 Maui
13239 Quitman	
13241 Rabun	16 Idaho
13243 Randolph	-----
13245 Richmond	16001 Ada
13247 Rockdale	16003 Adams
13249 Schley	16005 Bannock
13251 Screven	16007 Bear Lake
13253 Seminole	16009 Benewah
13255 Spalding	16011 Bingham
13257 Stephens	16013 Blaine
13259 Stewart	16015 Boise
13261 Sumter	16017 Bonner
13263 Talbot	16019 Bonneville
13265 Taliaferro	16021 Boundary
13267 Tattnall	16023 Butte
13269 Taylor	16025 Camas

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

16027 Canyon	17033 Crawford
16029 Caribou	17035 Cumberland
16031 Cassia	17037 De Kalb
16033 Clark	17039 De Witt
16035 Clearwater	17041 Douglas
16037 Custer	17043 Du Page
16039 Elmore	17045 Edgar
16041 Franklin	17047 Edwards
16043 Fremont	17049 Effingham
16045 Gem	17051 Fayette
16047 Gooding	17053 Ford
16049 Idaho	17055 Franklin
16051 Jefferson	17057 Fulton
16053 Jerome	17059 Gallatin
16055 Kootenai	17061 Greene
16057 Latah	17063 Grundy
16059 Lemhi	17065 Hamilton
16061 Lewis	17067 Hancock
16063 Lincoln	17069 Hardin
16065 Madison	17071 Henderson
16067 Minidoka	17073 Henry
16069 Nez Perce	17075 Iroquois
16071 Oneida	17077 Jackson
16073 Owyhee	17079 Jasper
16075 Payette	17081 Jefferson
16077 Power	17083 Jersey
16079 Shoshone	17085 Jo Daviess
16081 Teton	17087 Johnson
16083 Twin Falls	17089 Kane
16085 Valley	17091 Kankakee
16087 Washington	17093 Kendall
	17095 Knox
17 Illinois	17097 Lake
-----	17099 La Salle
17001 Adams	17101 Lawrence
17003 Alexander	17103 Lee
17005 Bond	17105 Livingston
17007 Boone	17107 Logan
17009 Brown	17109 McDonough
17011 Bureau	17111 McHenry
17013 Calhoun	17113 McLean
17015 Carroll	17115 Macon
17017 Cass	17117 Macoupin
17019 Champaign	17119 Madison
17021 Christian	17121 Marion
17023 Clark	17123 Marshall
17025 Clay	17125 Mason
17027 Clinton	17127 Massac
17029 Coles	17129 Menard
17031 Cook	17131 Mercer

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

17133 Monroe	18023 Clinton
17135 Montgomery	18025 Crawford
17137 Morgan	18027 Daviess
17139 Moultrie	18029 Dearborn
17141 Ogle	18031 Decatur
17143 Peoria	18033 De Kalb
17145 Perry	18035 Delaware
17147 Piatt	18037 Dubois
17149 Pike	18039 Elkhart
17151 Pope	18041 Fayette
17153 Pulaski	18043 Floyd
17155 Putnam	18045 Fountain
17157 Randolph	18047 Franklin
17159 Richland	18049 Fulton
17161 Rock Island	18051 Gibson
17163 St Clair	18053 Grant
17165 Saline	18055 Greene
17167 Sangamon	18057 Hamilton
17169 Schuyler	18059 Hancock
17171 Scott	18061 Harrison
17173 Shelby	18063 Hendricks
17175 Stark	18065 Henry
17177 Stephenson	18067 Howard
17179 Tazewell	18069 Huntington
17181 Union	18071 Jackson
17183 Vermilion	18073 Jasper
17185 Wabash	18075 Jay
17187 Warren	18077 Jefferson
17189 Washington	18079 Jennings
17191 Wayne	18081 Johnson
17193 White	18083 Knox
17195 Whiteside	18085 Kosciusko
17197 Will	18087 Lagrange
17199 Williamson	18089 Lake
17201 Winnebago	18091 La Porte
17203 Woodford	18093 Lawrence
	18095 Madison
18 Indiana	18097 Marion
-----	18099 Marshall
18001 Adams	18101 Martin
18003 Allen	18103 Miami
18005 Bartholomew	18105 Monroe
18007 Benton	18107 Montgomery
18009 Blackford	18109 Morgan
18011 Boone	18111 Newton
18013 Brown	18113 Noble
18015 Carroll	18115 Ohio
18017 Cass	18117 Orange
18019 Clark	18119 Owen
18021 Clay	18121 Parke



## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

18123 Perry	19033 Cerro Gordo
18125 Pike	19035 Cherokee
18127 Porter	19037 Chickasaw
18129 Posey	19039 Clarke
18131 Pulaski	19041 Clay
18133 Putnam	19043 Clayton
18135 Randolph	19045 Clinton
18137 Ripley	19047 Crawford
18139 Rush	19049 Dallas
18141 St Joseph	19051 Davis
18143 Scott	19053 Decatur
18145 Shelby	19055 Delaware
18147 Spencer	19057 Des Moines
18149 Starke	19059 Dickinson
18151 Steuben	19061 Dubuque
18153 Sullivan	19063 Emmet
18155 Switzerland	19065 Fayette
18157 Tippecanoe	19067 Floyd
18159 Tipton	19069 Franklin
18161 Union	19071 Fremont
18163 Vanderburgh	19073 Greene
18165 Vermillion	19075 Grundy
18167 Vigo	19077 Guthrie
18169 Wabash	19079 Hamilton
18171 Warren	19081 Hancock
18173 Warrick	19083 Hardin
18175 Washington	19085 Harrison
18177 Wayne	19087 Henry
18179 Wells	19089 Howard
18181 White	19091 Humboldt
18183 Whitley	19093 Ida
	19095 Iowa
19 Iowa	19097 Jackson
-----	19099 Jasper
19001 Adair	19101 Jefferson
19003 Adams	19103 Johnson
19005 Allamakee	19105 Jones
19007 Appanoose	19107 Keokuk
19009 Audubon	19109 Kossuth
19011 Benton	19111 Lee
19013 Black Hawk	19113 Linn
19015 Boone	19115 Louisa
19017 Bremer	19117 Lucas
19019 Buchanan	19119 Lyon
19021 Buena Vista	19121 Madison
19023 Butler	19123 Mahaska
19025 Calhoun	19125 Marion
19027 Carroll	19127 Marshall
19029 Cass	19129 Mills
19031 Cedar	19131 Mitchell

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

19133	Monona	20029	Cloud
19135	Monroe	20031	Coffey
19137	Montgomery	20033	Comanche
19139	Muscatine	20035	Cowley
19141	O'Brien	20037	Crawford
19143	Osceola	20039	Decatur
19145	Page	20041	Dickinson
19147	Palo Alto	20043	Doniphan
19149	Plymouth	20045	Douglas
19151	Pocahontas	20047	Edwards
19153	Polk	20049	Elk
19155	Pottawattamie	20051	Ellis
19157	Poweshiek	20053	Ellsworth
19159	Ringgold	20055	Finney
19161	Sac	20057	Ford
19163	Scott	20059	Franklin
19165	Shelby	20061	Geary
19167	Sioux	20063	Gove
19169	Story	20065	Graham
19171	Tama	20067	Grant
19173	Taylor	20069	Gray
19175	Union	20071	Greeley
19177	Van Buren	20073	Greenwood
19179	Wapello	20075	Hamilton
19181	Warren	20077	Harper
19183	Washington	20079	Harvey
19185	Wayne	20081	Haskell
19187	Webster	20083	Hodgeman
19189	Winnebago	20085	Jackson
19191	Winneshiek	20087	Jefferson
19193	Woodbury	20089	Jewell
19195	Worth	20091	Johnson
19197	Wright	20093	Kearny
		20095	Kingman
20	Kansas	20097	Kiowa
-----		20099	Labette
20001	Allen	20101	Lane
20003	Anderson	20103	Leavenworth
20005	Atchison	20105	Lincoln
20007	Barber	20107	Linn
20009	Barton	20109	Logan
20011	Bourbon	20111	Lyon
20013	Brown	20113	McPherson
20015	Butler	20115	Marion
20017	Chase	20117	Marshall
20019	Chautauqua	20119	Meade
20021	Cherokee	20121	Miami
20023	Cheyenne	20123	Mitchell
20025	Clark	20125	Montgomery
20027	Clay	20127	Morris

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

20129 Morton	21013 Bell
20131 Nemaha	21015 Boone
20133 Neosho	21017 Bourbon
20135 Ness	21019 Boyd
20137 Norton	21021 Boyle
20139 Osage	21023 Bracken
20141 Osborne	21025 Breathitt
20143 Ottawa	21027 Breckinridge
20145 Pawnee	21029 Bullitt
20147 Phillips	21031 Butler
20149 Pottawatomie	21033 Caldwell
20151 Pratt	21035 Calloway
20153 Rawlins	21037 Campbell
20155 Reno	21039 Carlisle
20157 Republic	21041 Carroll
20159 Rice	21043 Carter
20161 Riley	21045 Casey
20163 Rooks	21047 Christian
20165 Rush	21049 Clark
20167 Russell	21051 Clay
20169 Saline	21053 Clinton
20171 Scott	21055 Crittenden
20173 Sedgwick	21057 Cumberland
20175 Seward	21059 Daviess
20177 Shawnee	21061 Edmonson
20179 Sheridan	21063 Elliott
20181 Sherman	21065 Estill
20183 Smith	21067 Fayette
20185 Stafford	21069 Fleming
20187 Stanton	21071 Floyd
20189 Stevens	21073 Franklin
20191 Sumner	21075 Fulton
20193 Thomas	21077 Gallatin
20195 Trego	21079 Garrard
20197 Wabaunsee	21081 Grant
20199 Wallace	21083 Graves
20201 Washington	21085 Grayson
20203 Wichita	21087 Green
20205 Wilson	21089 Greenup
20207 Woodson	21091 Hancock
20209 Wyandotte	21093 Hardin
	21095 Harlan
21 Kentucky	21097 Harrison
-----	21099 Hart
21001 Adair	21101 Henderson
21003 Allen	21103 Henry
21005 Anderson	21105 Hickman
21007 Ballard	21107 Hopkins
21009 Barren	21109 Jackson
21011 Bath	21111 Jefferson

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

21113	Jessamine	21213	Simpson
21115	Johnson	21215	Spencer
21117	Kenton	21217	Taylor
21119	Knott	21219	Todd
21121	Knox	21221	Trigg
21123	Larue	21223	Trimble
21125	Laurel	21225	Union
21127	Lawrence	21227	Warren
21129	Lee	21229	Washington
21131	Leslie	21231	Wayne
21133	Letcher	21233	Webster
21135	Lewis	21235	Whitley
21137	Lincoln	21237	Wolfe
21139	Livingston	21239	Woodford
21141	Logan		
21143	Lyon	22	Louisiana (Parishes)
21145	McCracken	-----	
21147	McCreary	22001	Acadia
21149	McLean	22003	Allen
21151	Madison	22005	Ascension
21153	Magoffin	22007	Assumption
21155	Marion	22009	Avoyelles
21157	Marshall	22011	Beauregard
21159	Martin	22013	Bienville
21161	Mason	22015	Bossier
21163	Meade	22017	Caddo
21165	Menifee	22019	Calcasieu
21167	Mercer	22021	Caldwell
21169	Metcalfe	22023	Cameron
21171	Monroe	22025	Catahoula
21173	Montgomery	22027	Claiborne
21175	Morgan	22029	Concordia
21177	Muhlenberg	22031	De Soto
21179	Nelson	22033	East Baton Rouge
21181	Nicholas	22035	East Carroll
21183	Ohio	22037	East Feliciana
21185	Oldham	22039	Evangeline
21187	Owen	22041	Franklin
21189	Owsley	22043	Grant
21191	Pendleton	22045	Iberia
21193	Perry	22047	Iberville
21195	Pike	22049	Jackson
21197	Powell	22051	Jefferson
21199	Pulaski	22053	Jefferson Davis
21201	Robertson	22055	Lafayette
21203	Rockcastle	22057	Lafourche
21205	Rowan	22059	La Salle
21207	Russell	22061	Lincoln
21209	Scott	22063	Livingston
21211	Shelby	22065	Madison

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

22067 Morehouse	
22069 Natchitoches	24 Maryland
22071 Orleans	-----
22073 Ouachita	24001 Allegany
22075 Plaquemines	24003 Anne Arundel
22077 Pointe Coupee	24005 Baltimore
22079 Rapides	24009 Calvert
22081 Red River	24011 Caroline
22083 Richland	24013 Carroll
22085 Sabine	24015 Cecil
22087 St Bernard	24017 Charles
22089 St Charles	24019 Dorchester
22091 St Helena	24021 Frederick
22093 St James	24023 Garrett
22095 St John The Baptist	24025 Harford
22097 St Landry	24027 Howard
22099 St Martin	24029 Kent
22101 St Mary	24031 Montgomery
22103 St Tammany	24033 Prince George's
22105 Tangipahoa	24035 Queen Anne's
22107 Tensas	24037 St Mary's
22109 Terrebonne	24039 Somerset
22111 Union	24041 Talbot
22113 Vermilion	24043 Washington
22115 Vernon	24045 Wicomico
22117 Washington	24047 Worcester
22119 Webster	24510 Baltimore city
22121 West Baton Rouge	
22123 West Carroll	25 Massachusetts
22125 West Feliciana	-----
22127 Winn	25001 Barnstable
	25003 Berkshire
23 Maine	25005 Bristol
-----	25007 Dukes
23001 Androscoggin	25009 Essex
23003 Aroostook	25011 Franklin
23005 Cumberland	25013 Hampden
23007 Franklin	25015 Hampshire
23009 Hancock	25017 Middlesex
23011 Kennebec	25019 Nantucket
23013 Knox	25021 Norfolk
23015 Lincoln	25023 Plymouth
23017 Oxford	25025 Suffolk
23019 Penobscot	25027 Worcester
23021 Piscataquis	
23023 Sagadahoc	26 Michigan
23025 Somerset	-----
23027 Waldo	26001 Alcona
23029 Washington	26003 Alger
23031 York	26005 Allegan

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

26007 Alpena	26107 Mecosta
26009 Antrim	26109 Menominee
26011 Arenac	26111 Midland
26013 Baraga	26113 Missaukee
26015 Barry	26115 Monroe
26017 Bay	26117 Montcalm
26019 Benzie	26119 Montmorency
26021 Berrien	26121 Muskegon
26023 Branch	26123 Newaygo
26025 Calhoun	26125 Oakland
26027 Cass	26127 Oceana
26029 Charlevoix	26129 Ogemaw
26031 Cheboygan	26131 Ontonagon
26033 Chippewa	26133 Osceola
26035 Clare	26135 Oscoda
26037 Clinton	26137 Otsego
26039 Crawford	26139 Ottawa
26041 Delta	26141 Presque Isle
26043 Dickinson	26143 Roscommon
26045 Eaton	26145 Saginaw
26047 Emmet	26147 St Clair
26049 Genesee	26149 St Joseph
26051 Gladwin	26151 Sanilac
26053 Gogebic	26153 Schoolcraft
26055 Grand Traverse	26155 Shiawassee
26057 Gratiot	26157 Tuscola
26059 Hillsdale	26159 Van Buren
26061 Houghton	26161 Washtenaw
26063 Huron	26163 Wayne
26065 Ingham	26165 Wexford
26067 Ionia	
26069 Iosco	27 Minnesota
26071 Iron	-----
26073 Isabella	27001 Aitkin
26075 Jackson	27003 Anoka
26077 Kalamazoo	27005 Becker
26079 Kalkaska	27007 Beltrami
26081 Kent	27009 Benton
26083 Keweenaw	27011 Big Stone
26085 Lake	27013 Blue Earth
26087 Lapeer	27015 Brown
26089 Leelanau	27017 Carlton
26091 Lenawee	27019 Carver
26093 Livingston	27021 Cass
26095 Luce	27023 Chippewa
26097 Mackinac	27025 Chisago
26099 Macomb	27027 Clay
26101 Manistee	27029 Clearwater
26103 Marquette	27031 Cook
26105 Mason	27033 Cottonwood

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

27035	Crow Wing	27135	Roseau
27037	Dakota	27137	St Louis
27039	Dodge	27139	Scott
27041	Douglas	27141	Sherburne
27043	Faribault	27143	Sibley
27045	Fillmore	27145	Stearns
27047	Freeborn	27147	Steele
27049	Goodhue	27149	Stevens
27051	Grant	27151	Swift
27053	Hennepin	27153	Todd
27055	Houston	27155	Traverse
27057	Hubbard	27157	Wabasha
27059	Isanti	27159	Wadena
27061	Itasca	27161	Waseca
27063	Jackson	27163	Washington
27065	Kanabec	27165	Watonwan
27067	Kandiyohi	27167	Wilkin
27069	Kittson	27169	Winona
27071	Koochiching	27171	Wright
27073	Lac qui Parle	27173	Yellow Medicine
27075	Lake		
27077	Lake Of The Woods	28	Mississippi
27079	Le Sueur	-----	
27081	Lincoln	28001	Adams
27083	Lyon	28003	Alcorn
27085	McLeod	28005	Amite
27087	Mahnomen	28007	Attala
27089	Marshall	28009	Benton
27091	Martin	28011	Bolivar
27093	Meeker	28013	Calhoun
27095	Mille Lacs	28015	Carroll
27097	Morrison	28017	Chickasaw
27099	Mower	28019	Choctaw
27101	Murray	28021	Claiborne
27103	Nicollet	28023	Clarke
27105	Nobles	28025	Clay
27107	Norman	28027	Coahoma
27109	Olmsted	28029	Copiah
27111	Otter Tail	28031	Covington
27113	Pennington	28033	De Soto
27115	Pine	28035	Forrest
27117	Pipestone	28037	Franklin
27119	Polk	28039	George
27121	Pope	28041	Greene
27123	Ramsey	28043	Grenada
27125	Red Lake	28045	Hancock
27127	Redwood	28047	Harrison
27129	Renville	28049	Hinds
27131	Rice	28051	Holmes
27133	Rock	28053	Humphreys

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

28055	Issaquena	28155	Webster
28057	Itawamba	28157	Wilkinson
28059	Jackson	28159	Winston
28061	Jasper	28161	Yalobusha
28063	Jefferson	28163	Yazoo
28065	Jefferson Davis		
28067	Jones	29	Missouri
28069	Kemper	-----	
28071	Lafayette	29001	Adair
28073	Lamar	29003	Andrew
28075	Lauderdale	29005	Atchison
28077	Lawrence	29007	Audrain
28079	Leake	29009	Barry
28081	Lee	29011	Barton
28083	Leflore	29013	Bates
28085	Lincoln	29015	Benton
28087	Lowndes	29017	Bollinger
28089	Madison	29019	Boone
28091	Marion	29021	Buchanan
28093	Marshall	29023	Butler
28095	Monroe	29025	Caldwell
28097	Montgomery	29027	Callaway
28099	Neshoba	29029	Camden
28101	Newton	29031	Cape Girardeau
28103	Noxubee	29033	Carroll
28105	Oktibbeha	29035	Carter
28107	Panola	29037	Cass
28109	Pearl River	29039	Cedar
28111	Perry	29041	Chariton
28113	Pike	29043	Christian
28115	Pontotoc	29045	Clark
28117	Prentiss	29047	Clay
28119	Quitman	29049	Clinton
28121	Rankin	29051	Cole
28123	Scott	29053	Cooper
28125	Sharkey	29055	Crawford
28127	Simpson	29057	Dade
28129	Smith	29059	Dallas
28131	Stone	29061	Daviess
28133	Sunflower	29063	De Kalb
28135	Tallahatchie	29065	Dent
28137	Tate	29067	Douglas
28139	Tippah	29069	Dunklin
28141	Tishomingo	29071	Franklin
28143	Tunica	29073	Gasconade
28145	Union	29075	Gentry
28147	Walthall	29077	Greene
28149	Warren	29079	Grundy
28151	Washington	29081	Harrison
28153	Wayne	29083	Henry



## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

29085 Hickory	29185 St Clair
29087 Holt	29186 Ste Genevieve
29089 Howard	29187 St Francois
29091 Howell	29189 St Louis
29093 Iron	29195 Saline
29095 Jackson	29197 Schuyler
29097 Jasper	29199 Scotland
29099 Jefferson	29201 Scott
29101 Johnson	29203 Shannon
29103 Knox	29205 Shelby
29105 Laclede	29207 Stoddard
29107 Lafayette	29209 Stone
29109 Lawrence	29211 Sullivan
29111 Lewis	29213 Taney
29113 Lincoln	29215 Texas
29115 Linn	29217 Vernon
29117 Livingston	29219 Warren
29119 McDonald	29221 Washington
29121 Macon	29223 Wayne
29123 Madison	29225 Webster
29125 Maries	29227 Worth
29127 Marion	29229 Wright
29129 Mercer	29510 St Louis city
29131 Miller	
29133 Mississippi	30 Montana
29135 Moniteau	-----
29137 Monroe	30001 Beaverhead
29139 Montgomery	30003 Big Horn
29141 Morgan	30005 Blaine
29143 New Madrid	30007 Broadwater
29145 Newton	30009 Carbon
29147 Nodaway	30011 Carter
29149 Oregon	30013 Cascade
29151 Osage	30015 Chouteau
29153 Ozark	30017 Custer
29155 Pemiscot	30019 Daniels
29157 Perry	30021 Dawson
29159 Pettis	30023 Deer Lodge
29161 Phelps	30025 Fallon
29163 Pike	30027 Fergus
29165 Platte	30029 Flathead
29167 Polk	30031 Gallatin
29169 Pulaski	30033 Garfield
29171 Putnam	30035 Glacier
29173 Ralls	30037 Golden Valley
29175 Randolph	30039 Granite
29177 Ray	30041 Hill
29179 Reynolds	30043 Jefferson
29181 Ripley	30045 Judith Basin
29183 St Charles	30047 Lake

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

30049	Lewis and Clark	31029	Chase
30051	Liberty	31031	Cherry
30053	Lincoln	31033	Cheyenne
30055	McCone	31035	Clay
30057	Madison	31037	Colfax
30059	Meagher	31039	Cuming
30061	Mineral	31041	Custer
30063	Missoula	31043	Dakota
30065	Musselshell	31045	Dawes
30067	Park	31047	Dawson
30069	Petroleum	31049	Deuel
30071	Phillips	31051	Dixon
30073	Pondera	31053	Dodge
30075	Powder River	31055	Douglas
30077	Powell	31057	Dundy
30079	Prairie	31059	Fillmore
30081	Ravalli	31061	Franklin
30083	Richland	31063	Frontier
30085	Roosevelt	31065	Furnas
30087	Rosebud	31067	Gage
30089	Sanders	31069	Garden
30091	Sheridan	31071	Garfield
30093	Silver Bow	31073	Gosper
30095	Stillwater	31075	Grant
30097	Sweet Grass	31077	Greeley
30099	Teton	31079	Hall
30101	Toole	31081	Hamilton
30103	Treasure	31083	Harlan
30105	Valley	31085	Hayes
30107	Wheatland	31087	Hitchcock
30109	Wibaux	31089	Holt
30111	Yellowstone	31091	Hooker
30113	Yellowstone National Park	31093	Howard
		31095	Jefferson
31	Nebraska	31097	Johnson
-----		31099	Kearney
31001	Adams	31101	Keith
31003	Antelope	31103	Keya Paha
31005	Arthur	31105	Kimball
31007	Banner	31107	Knox
31009	Blaine	31109	Lancaster
31011	Boone	31111	Lincoln
31013	Box Butte	31113	Logan
31015	Boyd	31115	Loup
31017	Brown	31117	McPherson
31019	Buffalo	31119	Madison
31021	Burt	31121	Merrick
31023	Butler	31123	Morrill
31025	Cass	31125	Nance
31027	Cedar	31127	Nemaha

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

31129 Nuckolls	33 New Hampshire
31131 Otoe	-----
31133 Pawnee	33001 Belknap
31135 Perkins	33003 Carroll
31137 Phelps	33005 Cheshire
31139 Pierce	33007 Coos
31141 Platte	33009 Grafton
31143 Polk	33011 Hillsborough
31145 Red Willow	33013 Merrimack
31147 Richardson	33015 Rockingham
31149 Rock	33017 Strafford
31151 Saline	33019 Sullivan
31153 Sarpy	
31155 Saunders	34 New Jersey
31157 Scotts Bluff	-----
31159 Seward	34001 Atlantic
31161 Sheridan	34003 Bergen
31163 Sherman	34005 Burlington
31165 Sioux	34007 Camden
31167 Stanton	34009 Cape May
31169 Thayer	34011 Cumberland
31171 Thomas	34013 Essex
31173 Thurston	34015 Gloucester
31175 Valley	34017 Hudson
31177 Washington	34019 Hunterdon
31179 Wayne	34021 Mercer
31181 Webster	34023 Middlesex
31183 Wheeler	34025 Monmouth
31185 York	34027 Morris
	34029 Ocean
32 Nevada	34031 Passaic
-----	34033 Salem
32001 Churchill	34035 Somerset
32003 Clark	34037 Sussex
32005 Douglas	34039 Union
32007 Elko	34041 Warren
32009 Esmeralda	
32011 Eureka	35 New Mexico
32013 Humboldt	-----
32015 Lander	35001 Bernalillo
32017 Lincoln	35003 Catron
32019 Lyon	35005 Chaves
32021 Mineral	35006 Cibola
32023 Nye	35007 Colfax
32027 Pershing	35009 Curry
32029 Storey	35011 De Baca
32031 Washoe	35013 Dona Ana
32033 White Pine	35015 Eddy
32510 Carson City	35017 Grant
	35019 Guadalupe

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

35021	Harding	36051	Livingston
35023	Hidalgo	36053	Madison
35025	Lea	36055	Monroe
35027	Lincoln	36057	Montgomery
35028	Los Alamos	36059	Nassau
35029	Luna	36061	New York
35031	McKinley	36063	Niagara
35033	Mora	36065	Oneida
35035	Otero	36067	Onondaga
35037	Quay	36069	Ontario
35039	Rio Arriba	36071	Orange
35041	Roosevelt	36073	Orleans
35043	Sandoval	36075	Oswego
35045	San Juan	36077	Otsego
35047	San Miguel	36079	Putnam
35049	Santa Fe	36081	Queens
35051	Sierra	36083	Rensselaer
35053	Socorro	36085	Richmond
35055	Taos	36087	Rockland
35057	Torrance	36089	St Lawrence
35059	Union	36091	Saratoga
35061	Valencia	36093	Schenectady
		36095	Schoharie
36	New York	36097	Schuyler
-----		36099	Seneca
36001	Albany	36101	Steuben
36003	Allegany	36103	Suffolk
36005	Bronx	36105	Sullivan
36007	Broome	36107	Tioga
36009	Cattaraugus	36109	Tompkins
36011	Cayuga	36111	Ulster
36013	Chautauqua	36113	Warren
36015	Chemung	36115	Washington
36017	Chenango	36117	Wayne
36019	Clinton	36119	Westchester
36021	Columbia	36121	Wyoming
36023	Cortland	36123	Yates
36025	Delaware		
36027	Dutchess	37	North Carolina
36029	Erie	-----	
36031	Essex	37001	Alamance
36033	Franklin	37003	Alexander
36035	Fulton	37005	Alleghany
36037	Genesee	37007	Anson
36039	Greene	37009	Ashe
36041	Hamilton	37011	Avery
36043	Herkimer	37013	Beaufort
36045	Jefferson	37015	Bertie
36047	Kings	37017	Bladen
36049	Lewis	37019	Brunswick

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

37021 Buncombe	37121 Mitchell
37023 Burke	37123 Montgomery
37025 Cabarrus	37125 Moore
37027 Caldwell	37127 Nash
37029 Camden	37129 New Hanover
37031 Carteret	37131 Northampton
37033 Caswell	37133 Onslow
37035 Catawba	37135 Orange
37037 Chatham	37137 Pamlico
37039 Cherokee	37139 Pasquotank
37041 Chowan	37141 Pender
37043 Clay	37143 Perquimans
37045 Cleveland	37145 Person
37047 Columbus	37147 Pitt
37049 Craven	37149 Polk
37051 Cumberland	37151 Randolph
37053 Currituck	37153 Richmond
37055 Dare	37155 Robeson
37057 Davidson	37157 Rockingham
37059 Davie	37159 Rowan
37061 Duplin	37161 Rutherford
37063 Durham	37163 Sampson
37065 Edgecombe	37165 Scotland
37067 Forsyth	37167 Stanly
37069 Franklin	37169 Stokes
37071 Gaston	37171 Surry
37073 Gates	37173 Swain
37075 Graham	37175 Transylvania
37077 Granville	37177 Tyrrell
37079 Greene	37179 Union
37081 Guilford	37181 Vance
37083 Halifax	37183 Wake
37085 Harnett	37185 Warren
37087 Haywood	37187 Washington
37089 Henderson	37189 Watauga
37091 Hertford	37191 Wayne
37093 Hoke	37193 Wilkes
37095 Hyde	37195 Wilson
37097 Iredell	37197 Yadkin
37099 Jackson	37199 Yancey
37101 Johnston	
37103 Jones	38 North Dakota
37105 Lee	-----
37107 Lenoir	38001 Adams
37109 Lincoln	38003 Barnes
37111 McDowell	38005 Benson
37113 Macon	38007 Billings
37115 Madison	38009 Bottineau
37117 Martin	38011 Bowman
37119 Mecklenburg	38013 Burke

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

38015 Burleigh	39 Ohio
38017 Cass	-----
38019 Cavalier	39001 Adams
38021 Dickey	39003 Allen
38023 Divide	39005 Ashland
38025 Dunn	39007 Ashtabula
38027 Eddy	39009 Athens
38029 Emmons	39011 Auglaize
38031 Foster	39013 Belmont
38033 Golden Valley	39015 Brown
38035 Grand Forks	39017 Butler
38037 Grant	39019 Carroll
38039 Griggs	39021 Champaign
38041 Hettinger	39023 Clark
38043 Kidder	39025 Clermont
38045 La Moure	39027 Clinton
38047 Logan	39029 Columbiana
38049 McHenry	39031 Coshocton
38051 McIntosh	39033 Crawford
38053 McKenzie	39035 Cuyahoga
38055 McLean	39037 Darke
38057 Mercer	39039 Defiance
38059 Morton	39041 Delaware
38061 Mountrail	39043 Erie
38063 Nelson	39045 Fairfield
38065 Oliver	39047 Fayette
38067 Pembina	39049 Franklin
38069 Pierce	39051 Fulton
38071 Ramsey	39053 Gallia
38073 Ransom	39055 Geauga
38075 Renville	39057 Greene
38077 Richland	39059 Guernsey
38079 Rolette	39061 Hamilton
38081 Sargent	39063 Hancock
38083 Sheridan	39065 Hardin
38085 Sioux	39067 Harrison
38087 Slope	39069 Henry
38089 Stark	39071 Highland
38091 Steele	39073 Hocking
38093 Stutsman	39075 Holmes
38095 Towner	39077 Huron
38097 Traill	39079 Jackson
38099 Walsh	39081 Jefferson
38101 Ward	39083 Knox
38103 Wells	39085 Lake
38105 Williams	39087 Lawrence
	39089 Licking
	39091 Logan
	39093 Lorain
	39095 Lucas

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

39097 Madison	40015 Caddo
39099 Mahoning	40017 Canadian
39101 Marion	40019 Carter
39103 Medina	40021 Cherokee
39105 Meigs	40023 Choctaw
39107 Mercer	40025 Cimarron
39109 Miami	40027 Cleveland
39111 Monroe	40029 Coal
39113 Montgomery	40031 Comanche
39115 Morgan	40033 Cotton
39117 Morrow	40035 Craig
39119 Muskingum	40037 Creek
39121 Noble	40039 Custer
39123 Ottawa	40041 Delaware
39125 Paulding	40043 Dewey
39127 Perry	40045 Ellis
39129 Pickaway	40047 Garfield
39131 Pike	40049 Garvin
39133 Portage	40051 Grady
39135 Preble	40053 Grant
39137 Putnam	40055 Greer
39139 Richland	40057 Harmon
39141 Ross	40059 Harper
39143 Sandusky	40061 Haskell
39145 Scioto	40063 Hughes
39147 Seneca	40065 Jackson
39149 Shelby	40067 Jefferson
39151 Stark	40069 Johnston
39153 Summit	40071 Kay
39155 Trumbull	40073 Kingfisher
39157 Tuscarawas	40075 Kiowa
39159 Union	40077 Latimer
39161 Van Wert	40079 Le Flore
39163 Vinton	40081 Lincoln
39165 Warren	40083 Logan
39167 Washington	40085 Love
39169 Wayne	40087 McClain
39171 Williams	40089 McCurtain
39173 Wood	40091 McIntosh
39175 Wyandot	40093 Major
	40095 Marshall
40 Oklahoma	40097 Mayes
-----	40099 Murray
40001 Adair	40101 Muskogee
40003 Alfalfa	40103 Noble
40005 Atoka	40105 Nowata
40007 Beaver	40107 Okfuskee
40009 Beckham	40109 Oklahoma
40011 Blaine	40111 Okmulgee
40013 Bryan	40113 Osage

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

40115	Ottawa	41055	Sherman
40117	Pawnee	41057	Tillamook
40119	Payne	41059	Umatilla
40121	Pittsburg	41061	Union
40123	Pontotoc	41063	Wallowa
40125	Pottawatomie	41065	Wasco
40127	Pushmataha	41067	Washington
40129	Roger Mills	41069	Wheeler
40131	Rogers	41071	Yamhill
40133	Seminole		
40135	Sequoyah	42	Pennsylvania
40137	Stephens	-----	
40139	Texas	42001	Adams
40141	Tillman	42003	Allegheny
40143	Tulsa	42005	Armstrong
40145	Wagoner	42007	Beaver
40147	Washington	42009	Bedford
40149	Washita	42011	Berks
40151	Woods	42013	Blair
40153	Woodward	42015	Bradford
		42017	Bucks
41	Oregon	42019	Butler
-----		42021	Cambria
41001	Baker	42023	Cameron
41003	Benton	42025	Carbon
41005	Clackamas	42027	Centre
41007	Clatsop	42029	Chester
41009	Columbia	42031	Clarion
41011	Coos	42033	Clearfield
41013	Crook	42035	Clinton
41015	Curry	42037	Columbia
41017	Deschutes	42039	Crawford
41019	Douglas	42041	Cumberland
41021	Gilliam	42043	Dauphin
41023	Grant	42045	Delaware
41025	Harney	42047	Elk
41027	Hood River	42049	Erie
41029	Jackson	42051	Fayette
41031	Jefferson	42053	Forest
41033	Josephine	42055	Franklin
41035	Klamath	42057	Fulton
41037	Lake	42059	Greene
41039	Lane	42061	Huntingdon
41041	Lincoln	42063	Indiana
41043	Linn	42065	Jefferson
41045	Malheur	42067	Juniata
41047	Marion	42069	Lackawanna
41049	Morrow	42071	Lancaster
41051	Multnomah	42073	Lawrence
41053	Polk	42075	Lebanon



## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

42077	Lehigh	45021	Cherokee
42079	Luzerne	45023	Chester
42081	Lycoming	45025	Chesterfield
42083	McKean	45027	Clarendon
42085	Mercer	45029	Colleton
42087	Mifflin	45031	Darlington
42089	Monroe	45033	Dillon
42091	Montgomery	45035	Dorchester
42093	Montour	45037	Edgefield
42095	Northampton	45039	Fairfield
42097	Northumberland	45041	Florence
42099	Perry	45043	Georgetown
42101	Philadelphia	45045	Greenville
42103	Pike	45047	Greenwood
42105	Potter	45049	Hampton
42107	Schuylkill	45051	Horry
42109	Snyder	45053	Jasper
42111	Somerset	45055	Kershaw
42113	Sullivan	45057	Lancaster
42115	Susquehanna	45059	Laurens
42117	Tioga	45061	Lee
42119	Union	45063	Lexington
42121	Venango	45065	McCormick
42123	Warren	45067	Marion
42125	Washington	45069	Marlboro
42127	Wayne	45071	Newberry
42129	Westmoreland	45073	Oconee
42131	Wyoming	45075	Orangeburg
42133	York	45077	Pickens
		45079	Richland
44	Rhode Island	45081	Saluda
-----		45083	Spartanburg
44001	Bristol	45085	Sumter
44003	Kent	45087	Union
44005	Newport	45089	Williamsburg
44007	Providence	45091	York
44009	Washington		
		46	South Dakota
45	South Carolina	-----	
-----		46003	Aurora
45001	Abbeville	46005	Beadle
45003	Aiken	46007	Bennett
45005	Allendale	46009	Bon Homme
45007	Anderson	46011	Brookings
45009	Bamberg	46013	Brown
45011	Barnwell	46015	Brule
45013	Beaufort	46017	Buffalo
45015	Berkeley	46019	Butte
45017	Calhoun	46021	Campbell
45019	Charleston	46023	Charles Mix

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

46025 Clark	46125 Turner
46027 Clay	46127 Union
46029 Codington	46129 Walworth
46031 Corson	46135 Yankton
46033 Custer	46137 Ziebach
46035 Davison	
46037 Day	47 Tennessee
46039 Deuel	-----
46041 Dewey	47001 Anderson
46043 Douglas	47003 Bedford
46045 Edmunds	47005 Benton
46047 Fall River	47007 Bledsoe
46049 Faulk	47009 Blount
46051 Grant	47011 Bradley
46053 Gregory	47013 Campbell
46055 Haakon	47015 Cannon
46057 Hamlin	47017 Carroll
46059 Hand	47019 Carter
46061 Hanson	47021 Cheatham
46063 Harding	47023 Chester
46065 Hughes	47025 Claiborne
46067 Hutchinson	47027 Clay
46069 Hyde	47029 Cocke
46071 Jackson	47031 Coffee
46073 Jerauld	47033 Crockett
46075 Jones	47035 Cumberland
46077 Kingsbury	47037 Davidson
46079 Lake	47039 Decatur
46081 Lawrence	47041 De Kalb
46083 Lincoln	47043 Dickson
46085 Lyman	47045 Dyer
46087 McCook	47047 Fayette
46089 McPherson	47049 Fentress
46091 Marshall	47051 Franklin
46093 Meade	47053 Gibson
46095 Mellette	47055 Giles
46097 Miner	47057 Grainger
46099 Minnehaha	47059 Greene
46101 Moody	47061 Grundy
46103 Pennington	47063 Hamblen
46105 Perkins	47065 Hamilton
46107 Potter	47067 Hancock
46109 Roberts	47069 Hardeman
46111 Sanborn	47071 Hardin
46113 Shannon	47073 Hawkins
46115 Spink	47075 Haywood
46117 Stanley	47077 Henderson
46119 Sully	47079 Henry
46121 Todd	47081 Hickman
46123 Tripp	47083 Houston

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

47085 Humphreys	47185 White
47087 Jackson	47187 Williamson
47089 Jefferson	47189 Wilson
47091 Johnson	
47093 Knox	48 Texas
47095 Lake	-----
47097 Lauderdale	48001 Anderson
47099 Lawrence	48003 Andrews
47101 Lewis	48005 Angelina
47103 Lincoln	48007 Aransas
47105 Loudon	48009 Archer
47107 McMinn	48011 Armstrong
47109 McNairy	48013 Atascosa
47111 Macon	48015 Austin
47113 Madison	48017 Bailey
47115 Marion	48019 Bandera
47117 Marshall	48021 Bastrop
47119 Maury	48023 Baylor
47121 Meigs	48025 Bee
47123 Monroe	48027 Bell
47125 Montgomery	48029 Bexar
47127 Moore	48031 Blanco
47129 Morgan	48033 Borden
47131 Obion	48035 Bosque
47133 Overton	48037 Bowie
47135 Perry	48039 Brazoria
47137 Pickett	48041 Brazos
47139 Polk	48043 Brewster
47141 Putnam	48045 Briscoe
47143 Rhea	48047 Brooks
47145 Roane	48049 Brown
47147 Robertson	48051 Burleson
47149 Rutherford	48053 Burnet
47151 Scott	48055 Caldwell
47153 Sequatchie	48057 Calhoun
47155 Sevier	48059 Callahan
47157 Shelby	48061 Cameron
47159 Smith	48063 Camp
47161 Stewart	48065 Carson
47163 Sullivan	48067 Cass
47165 Sumner	48069 Castro
47167 Tipton	48071 Chambers
47169 Troupdale	48073 Cherokee
47171 Unicoi	48075 Childress
47173 Union	48077 Clay
47175 Van Buren	48079 Cochran
47177 Warren	48081 Coke
47179 Washington	48083 Coleman
47181 Wayne	48085 Collin
47183 Weakley	48087 Collingsworth

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48089 Colorado	48189 Hale
48091 Comal	48191 Hall
48093 Comanche	48193 Hamilton
48095 Concho	48195 Hansford
48097 Cooke	48197 Hardeman
48099 Coryell	48199 Hardin
48101 Cottle	48201 Harris
48103 Crane	48203 Harrison
48105 Crockett	48205 Hartley
48107 Crosby	48207 Haskell
48109 Culberson	48209 Hays
48111 Dallam	48211 Hemphill
48113 Dallas	48213 Henderson
48115 Dawson	48215 Hidalgo
48117 Deaf Smith	48217 Hill
48119 Delta	48219 Hockley
48121 Denton	48221 Hood
48123 De Witt	48223 Hopkins
48125 Dickens	48225 Houston
48127 Dimmit	48227 Howard
48129 Donley	48229 Hudspeth
48131 Duval	48231 Hunt
48133 Eastland	48233 Hutchinson
48135 Ector	48235 Irion
48137 Edwards	48237 Jack
48139 Ellis	48239 Jackson
48141 El Paso	48241 Jasper
48143 Erath	48243 Jeff Davis
48145 Falls	48245 Jefferson
48147 Fannin	48247 Jim Hogg
48149 Fayette	48249 Jim Wells
48151 Fisher	48251 Johnson
48153 Floyd	48253 Jones
48155 Foard	48255 Karnes
48157 Fort Bend	48257 Kaufman
48159 Franklin	48259 Kendall
48161 Freestone	48261 Kenedy
48163 Frio	48263 Kent
48165 Gaines	48265 Kerr
48167 Galveston	48267 Kimble
48169 Garza	48269 King
48171 Gillespie	48271 Kinney
48173 Glasscock	48273 Kleberg
48175 Goliad	48275 Knox
48177 Gonzales	48277 Lamar
48179 Gray	48279 Lamb
48181 Grayson	48281 Lampasas
48183 Gregg	48283 La Salle
48185 Grimes	48285 Lavaca
48187 Guadalupe	48287 Lee

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48289 Leon	48389 Reeves
48291 Liberty	48391 Refugio
48293 Limestone	48393 Roberts
48295 Lipscomb	48395 Robertson
48297 Live Oak	48397 Rockwall
48299 Llano	48399 Runnels
48301 Loving	48401 Rusk
48303 Lubbock	48403 Sabine
48305 Lynn	48405 San Augustine
48307 McCulloch	48407 San Jacinto
48309 McLennan	48409 San Patricio
48311 McMullen	48411 San Saba
48313 Madison	48413 Schleicher
48315 Marion	48415 Scurry
48317 Martin	48417 Shackelford
48319 Mason	48419 Shelby
48321 Matagorda	48421 Sherman
48323 Maverick	48423 Smith
48325 Medina	48425 Somervell
48327 Menard	48427 Starr
48329 Midland	48429 Stephens
48331 Milam	48431 Sterling
48333 Mills	48433 Stonewall
48335 Mitchell	48435 Sutton
48337 Montague	48437 Swisher
48339 Montgomery	48439 Tarrant
48341 Moore	48441 Taylor
48343 Morris	48443 Terrell
48345 Motley	48445 Terry
48347 Nacogdoches	48447 Throckmorton
48349 Navarro	48449 Titus
48351 Newton	48451 Tom Green
48353 Nolan	48453 Travis
48355 Nueces	48455 Trinity
48357 Ochiltree	48457 Tyler
48359 Oldham	48459 Upshur
48361 Orange	48461 Upton
48363 Palo Pinto	48463 Uvalde
48365 Panola	48465 Val Verde
48367 Parker	48467 Van Zandt
48369 Parmer	48469 Victoria
48371 Pecos	48471 Walker
48373 Polk	48473 Waller
48375 Potter	48475 Ward
48377 Presidio	48477 Washington
48379 Rains	48479 Webb
48381 Randall	48481 Wharton
48383 Reagan	48483 Wheeler
48385 Real	48485 Wichita
48387 Red River	48487 Wilbarger

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48489	Willacy	50011	Franklin
48491	Williamson	50013	Grand Isle
48493	Wilson	50015	Lamoille
48495	Winkler	50017	Orange
48497	Wise	50019	Orleans
48499	Wood	50021	Rutland
48501	Yoakum	50023	Washington
48503	Young	50025	Windham
48505	Zapata	50027	Windsor
48507	Zavala		
		51	Virginia
49	Utah	-----	
-----		51001	Accomack
49001	Beaver	51003	Albemarle
49003	Box Elder	51005	Alleghany
49005	Cache	51007	Amelia
49007	Carbon	51009	Amherst
49009	Daggett	51011	Appomattox
49011	Davis	51013	Arlington
49013	Duchesne	51015	Augusta
49015	Emery	51017	Bath
49017	Garfield	51019	Bedford
49019	Grand	51021	Bland
49021	Iron	51023	Botetourt
49023	Juab	51025	Brunswick
49025	Kane	51027	Buchanan
49027	Millard	51029	Buckingham
49029	Morgan	51031	Campbell
49031	Piute	51033	Caroline
49033	Rich	51035	Carroll
49035	Salt Lake	51036	Charles City
49037	San Juan	51037	Charlotte
49039	Sanpete	51041	Chesterfield
49041	Sevier	51043	Clarke
49043	Summit	51045	Craig
49045	Tooele	51047	Culpeper
49047	Uintah	51049	Cumberland
49049	Utah	51051	Dickenson
49051	Wasatch	51053	Dinwiddie
49053	Washington	51057	Essex
49055	Wayne	51059	Fairfax
49057	Weber	51061	Fauquier
		51063	Floyd
50	Vermont	51065	Fluvanna
-----		51067	Franklin
50001	Addison	51069	Frederick
50003	Bennington	51071	Giles
50005	Caledonia	51073	Gloucester
50007	Chittenden	51075	Goochland
50009	Essex	51077	Grayson

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

51079 Greene	51185 Tazewell
51081 Greensville	51187 Warren
51083 Halifax	51191 Washington
51085 Hanover	51193 Westmoreland
51087 Henrico	51195 Wise
51089 Henry	51197 Wythe
51091 Highland	51199 York
51093 Isle Of Wight	51510 Alexandria city
51095 James City	51515 Bedford city
51097 King and Queen	51520 Bristol city
51099 King George	51530 Buena Vista city
51101 King William	51540 Charlottesville city
51103 Lancaster	51550 Chesapeake city
51105 Lee	51560 Clifton Forge city
51107 Loudoun	51570 Colonial Heights city
51109 Louisa	51580 Covington city
51111 Lunenburg	51590 Danville city
51113 Madison	51595 Emporia city
51115 Mathews	51600 Fairfax city
51117 Mecklenburg	51610 Falls Church city
51119 Middlesex	51620 Franklin city
51121 Montgomery	51630 Fredericksburg city
51125 Nelson	51640 Galax city
51127 New Kent	51650 Hampton city
51131 Northampton	51660 Harrisonburg city
51133 Northumberland	51670 Hopewell city
51135 Nottoway	51678 Lexington city
51137 Orange	51680 Lynchburg city
51139 Page	51683 Manassas city
51141 Patrick	51685 Manassas Park city
51143 Pittsylvania	51690 Martinsville city
51145 Powhatan	51700 Newport News city
51147 Prince Edward	51710 Norfolk city
51149 Prince George	51720 Norton city
51153 Prince William	51730 Petersburg city
51155 Pulaski	51735 Poquoson city
51157 Rappahannock	51740 Portsmouth city
51159 Richmond	51750 Radford city
51161 Roanoke	51760 Richmond city
51163 Rockbridge	51770 Roanoke city
51165 Rockingham	51775 Salem city
51167 Russell	51780 South Boston city
51169 Scott	51790 Staunton city
51171 Shenandoah	51800 Suffolk city
51173 Smyth	51810 Virginia Beach city
51175 Southampton	51820 Waynesboro city
51177 Spotsylvania	51830 Williamsburg city
51179 Stafford	51840 Winchester city
51181 Surry	
51183 Sussex	53 Washington

## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

-----	54015 Clay
53001 Adams	54017 Doddridge
53003 Asotin	54019 Fayette
53005 Benton	54021 Gilmer
53007 Chelan	54023 Grant
53009 Clallam	54025 Greenbrier
53011 Clark	54027 Hampshire
53013 Columbia	54029 Hancock
53015 Cowlitz	54031 Hardy
53017 Douglas	54033 Harrison
53019 Ferry	54035 Jackson
53021 Franklin	54037 Jefferson
53023 Garfield	54039 Kanawha
53025 Grant	54041 Lewis
53027 Grays Harbor	54043 Lincoln
53029 Island	54045 Logan
53031 Jefferson	54047 McDowell
53033 King	54049 Marion
53035 Kitsap	54051 Marshall
53037 Kittitas	54053 Mason
53039 Klickitat	54055 Mercer
53041 Lewis	54057 Mineral
53043 Lincoln	54059 Mingo
53045 Mason	54061 Monongalia
53047 Okanogan	54063 Monroe
53049 Pacific	54065 Morgan
53051 Pend Oreille	54067 Nicholas
53053 Pierce	54069 Ohio
53055 San Juan	54071 Pendleton
53057 Skagit	54073 Pleasants
53059 Skamania	54075 Pocahontas
53061 Snohomish	54077 Preston
53063 Spokane	54079 Putnam
53065 Stevens	54081 Raleigh
53067 Thurston	54083 Randolph
53069 Wahkiakum	54085 Ritchie
53071 Walla Walla	54087 Roane
53073 Whatcom	54089 Summers
53075 Whitman	54091 Taylor
53077 Yakima	54093 Tucker
	54095 Tyler
54 West Virginia	54097 Upshur
-----	54099 Wayne
54001 Barbour	54101 Webster
54003 Berkeley	54103 Wetzel
54005 Boone	54105 Wirt
54007 Braxton	54107 Wood
54009 Brooke	54109 Wyoming
54011 Cabell	
54013 Calhoun	



## APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

55      Wisconsin

-----

55001 Adams  
 55003 Ashland  
 55005 Barron  
 55007 Bayfield  
 55009 Brown  
 55011 Buffalo  
 55013 Burnett  
 55015 Calumet  
 55017 Chippewa  
 55019 Clark  
 55021 Columbia  
 55023 Crawford  
 55025 Dane  
 55027 Dodge  
 55029 Door  
 55031 Douglas  
 55033 Dunn  
 55035 Eau Claire  
 55037 Florence  
 55039 Fond du Lac  
 55041 Forest  
 55043 Grant  
 55045 Green  
 55047 Green Lake  
 55049 Iowa  
 55051 Iron  
 55053 Jackson  
 55055 Jefferson  
 55057 Juneau  
 55059 Kenosha  
 55061 Kewaunee  
 55063 La Crosse  
 55065 Lafayette  
 55067 Langlade  
 55069 Lincoln  
 55071 Manitowoc  
 55073 Marathon  
 55075 Marinette  
 55077 Marquette  
 55078 Menominee  
 55079 Milwaukee  
 55081 Monroe  
 55083 Oconto  
 55085 Oneida  
 55087 Outagamie  
 55089 Ozaukee  
 55091 Pepin  
 55093 Pierce

55095 Polk

55097 Portage

55099 Price

55101 Racine

55103 Richland

55105 Rock

55107 Rusk

55109 St Croix

55111 Sauk

55113 Sawyer

55115 Shawano

55117 Sheboygan

55119 Taylor

55121 Trempealeau

55123 Vernon

55125 Vilas

55127 Walworth

55129 Washburn

55131 Washington

55133 Waukesha

55135 Waupaca

55137 Waushara

55139 Winnebago

55141 Wood

56      Wyoming

-----

56001 Albany

56003 Big Horn

56005 Campbell

56007 Carbon

56009 Converse

56011 Crook

56013 Fremont

56015 Goshen

56017 Hot Springs

56019 Johnson

56021 Laramie

56023 Lincoln

56025 Natrona

56027 Niobrara

56029 Park

56031 Platte

56033 Sheridan

56035 Sublette

56037 Sweetwater

56039 Teton

56041 Uinta

56043 Washakie

56045 Weston