```
/Users/josejimenez/PycharmProjects/Phase2/venv/bin/python
/Users/josejimenez/PycharmProjects/Phase2/main.py
2022-12-09 18:23:38,774 INFO sqlalchemy.engine.Engine select
pg catalog.version()
2022-12-09 18:23:38,774 INFO sqlalchemy.engine.Engine [raw sql] {}
2022-12-09 18:23:38,776 INFO sqlalchemy.engine.Engine select
current schema()
2022-12-09 18:23:38,776 INFO sqlalchemy.engine.Engine [raw sql] {}
2022-12-09 18:23:38,776 INFO sqlalchemy.engine.Engine show
standard conforming strings
2022-12-09 18:23:38,776 INFO sqlalchemy.engine.Engine [raw sql] {}
2022-12-09 18:23:38,777 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,778 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,778 INFO sqlalchemy.engine.Engine [generated in
0.00018s] {'schema': 'Phase2', 'name': 'buildings'}
2022-12-09 18:23:38,779 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,779 INFO sqlalchemy.engine.Engine [cached since
0.001803s ago] {'schema': 'Phase2', 'name': 'rooms'}
2022-12-09 18:23:38,780 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,781 INFO sqlalchemy.engine.Engine [cached since
0.002877s ago] {'schema': 'Phase2', 'name': 'door names'}
2022-12-09 18:23:38,781 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,781 INFO sqlalchemy.engine.Engine [cached since
0.003583s ago] {'schema': 'Phase2', 'name': 'accesses'}
2022-12-09 18:23:38,782 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,782 INFO sqlalchemy.engine.Engine [cached since
0.004249s ago] {'schema': 'Phase2', 'name': 'doors'}
2022-12-09 18:23:38,783 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,783 INFO sqlalchemy.engine.Engine [cached since
0.00523s ago] {'schema': 'Phase2', 'name': 'requests'}
2022-12-09 18:23:38,784 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,784 INFO sqlalchemy.engine.Engine [cached since
0.006132s ago] {'schema': 'Phase2', 'name': 'hooks'}
2022-12-09 18:23:38,784 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,785 INFO sqlalchemy.engine.Engine [cached since
0.006896s ago] {'schema': 'Phase2', 'name': 'keys'}
```

```
2022-12-09 18:23:38,785 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,785 INFO sqlalchemy.engine.Engine [cached since
0.007672s ago] {'schema': 'Phase2', 'name': 'employees'}
2022-12-09 18:23:38,786 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,786 INFO sqlalchemy.engine.Engine [cached since
0.008518s ago] {'schema': 'Phase2', 'name': 'return_keys'}
2022-12-09 18:23:38,787 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,787 INFO sqlalchemy.engine.Engine [cached since
0.00931s ago] {'schema': 'Phase2', 'name': 'lost keys'}
2022-12-09 18:23:38,788 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".lost keys
2022-12-09 18:23:38,788 INFO sqlalchemy.engine.Engine [no key 0.00009s] {}
2022-12-09 18:23:38,789 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".return keys
2022-12-09 18:23:38,789 INFO sqlalchemy.engine.Engine [no key 0.00010s] {}
2022-12-09 18:23:38,796 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".accesses
2022-12-09 18:23:38,796 INFO sqlalchemy.engine.Engine [no key 0.00018s] {}
2022-12-09 18:23:38,798 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".requests
2022-12-09 18:23:38,798 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,799 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".doors
2022-12-09 18:23:38,799 INFO sqlalchemy.engine.Engine [no key 0.00010s] {}
2022-12-09 18:23:38,800 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".keys
2022-12-09 18:23:38,800 INFO sqlalchemy.engine.Engine [no key 0.00009s] {}
2022-12-09 18:23:38,802 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".rooms
2022-12-09 18:23:38,802 INFO sqlalchemy.engine.Engine [no key 0.00010s] {}
2022-12-09 18:23:38,803 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".employees
2022-12-09 18:23:38,803 INFO sqlalchemy.engine.Engine [no key 0.00013s] {}
2022-12-09 18:23:38,804 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".hooks
2022-12-09 18:23:38,804 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,805 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".door names
2022-12-09 18:23:38,805 INFO sqlalchemy.engine.Engine [no key 0.00008s] {}
2022-12-09 18:23:38,805 INFO sqlalchemy.engine.Engine
DROP TABLE "Phase2".buildings
2022-12-09 18:23:38,805 INFO sqlalchemy.engine.Engine [no key 0.00007s] {}
2022-12-09 18:23:38,806 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,810 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,811 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
```

```
2022-12-09 18:23:38,811 INFO sqlalchemy.engine.Engine [cached since
0.03322s ago] {'schema': 'Phase2', 'name': 'buildings'}
2022-12-09 18:23:38,812 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,812 INFO sqlalchemy.engine.Engine [cached since
0.03406s ago] {'schema': 'Phase2', 'name': 'rooms'}
2022-12-09 18:23:38,812 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,812 INFO sqlalchemy.engine.Engine [cached since
0.03483s ago] {'schema': 'Phase2', 'name': 'door names'}
2022-12-09 18:23:38,813 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,813 INFO sqlalchemy.engine.Engine [cached since
0.03542s ago] {'schema': 'Phase2', 'name': 'accesses'}
2022-12-09 18:23:38,814 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,814 INFO sqlalchemy.engine.Engine [cached since
0.03601s ago] {'schema': 'Phase2', 'name': 'doors'}
2022-12-09 18:23:38,814 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,814 INFO sqlalchemy.engine.Engine [cached since
0.03661s ago] {'schema': 'Phase2', 'name': 'requests'}
2022-12-09 18:23:38,815 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,815 INFO sqlalchemy.engine.Engine [cached since
0.03741s ago] {'schema': 'Phase2', 'name': 'hooks'}
2022-12-09 18:23:38,816 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,816 INFO sqlalchemy.engine.Engine [cached since
0.03805s ago] {'schema': 'Phase2', 'name': 'keys'}
2022-12-09 18:23:38,816 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,816 INFO sqlalchemy.engine.Engine [cached since
0.03883s ago] {'schema': 'Phase2', 'name': 'employees'}
2022-12-09 18:23:38,817 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,817 INFO sqlalchemy.engine.Engine [cached since
0.03959s ago] {'schema': 'Phase2', 'name': 'return keys'}
2022-12-09 18:23:38,818 INFO sqlalchemy.engine.Engine select relname from
pg class c join pg namespace n on n.oid=c.relnamespace where
n.nspname=%(schema)s and relname=%(name)s
2022-12-09 18:23:38,818 INFO sqlalchemy.engine.Engine [cached since
0.04028s ago] {'schema': 'Phase2', 'name': 'lost keys'}
2022-12-09 18:23:38,819 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".buildings (
```

```
building name VARCHAR(50) NOT NULL,
     PRIMARY KEY (building name)
)
2022-12-09 18:23:38,819 INFO sqlalchemy.engine.Engine [no key 0.00009s] {}
2022-12-09 18:23:38,822 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".door names (
     door name VARCHAR(50) NOT NULL,
     PRIMARY KEY (door name)
)
2022-12-09 18:23:38,822 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,823 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".hooks (
     hook number INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1),
     PRIMARY KEY (hook_number)
)
2022-12-09 18:23:38,823 INFO sqlalchemy.engine.Engine [no key 0.00014s] {}
2022-12-09 18:23:38,825 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".employees (
     employee id INTEGER GENERATED BY DEFAULT AS IDENTITY (START WITH 1
CYCLE),
     first name VARCHAR(50) NOT NULL,
     last name VARCHAR(50) NOT NULL,
     PRIMARY KEY (employee id)
)
2022-12-09 18:23:38,825 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,828 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".rooms (
     building name VARCHAR (50) NOT NULL,
     room number INTEGER NOT NULL,
     PRIMARY KEY (building name, room number),
     FOREIGN KEY (building name) REFERENCES "Phase2".buildings
(building name)
)
2022-12-09 18:23:38,828 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,831 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".keys (
     key number INTEGER NOT NULL,
     key id INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1),
     PRIMARY KEY (key number, key id),
     FOREIGN KEY(key number) REFERENCES "Phase2".hooks (hook number)
)
2022-12-09 18:23:38,831 INFO sqlalchemy.engine.Engine [no key 0.00017s] {}
```

```
2022-12-09 18:23:38,834 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".doors (
     door name VARCHAR(50) NOT NULL,
     room number INTEGER NOT NULL,
     building name VARCHAR (50) NOT NULL,
     PRIMARY KEY (door name, room number, building name),
     CONSTRAINT fk doors rooms 01 FOREIGN KEY(room number, building name)
REFERENCES "Phase2".rooms (room number, building name),
     FOREIGN KEY(door name) REFERENCES "Phase2".door names (door name)
)
2022-12-09 18:23:38,834 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,841 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".requests (
     room number INTEGER NOT NULL,
     building name VARCHAR(50) NOT NULL,
     employee id INTEGER NOT NULL,
     requested date TIMESTAMP WITHOUT TIME ZONE NOT NULL,
     key number INTEGER NOT NULL,
     key id INTEGER NOT NULL,
     request id INTEGER GENERATED BY DEFAULT AS IDENTITY (START WITH 1
CYCLE),
     PRIMARY KEY (request id),
     FOREIGN KEY(room number, building name) REFERENCES "Phase2".rooms
(room number, building name),
     FOREIGN KEY(employee id) REFERENCES "Phase2".employees
(employee id),
     FOREIGN KEY(key number, key id) REFERENCES "Phase2".keys
(key number, key id)
2022-12-09 18:23:38,841 INFO sqlalchemy.engine.Engine [no key 0.00016s] {}
2022-12-09 18:23:38,845 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".accesses (
     door name VARCHAR(50) NOT NULL,
     room number INTEGER NOT NULL,
     building name VARCHAR(50) NOT NULL,
     hook number INTEGER NOT NULL,
     PRIMARY KEY (door name, room number, building name, hook number),
     CONSTRAINT fk hook doors doors 01 FOREIGN KEY (door name,
room number, building name) REFERENCES "Phase2".doors (door name,
room number, building name),
     FOREIGN KEY(hook number) REFERENCES "Phase2".hooks (hook number)
)
2022-12-09 18:23:38,845 INFO sqlalchemy.engine.Engine [no key 0.00015s] {}
2022-12-09 18:23:38,848 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".return keys (
     loaned out date TIMESTAMP WITHOUT TIME ZONE NOT NULL,
     request id INTEGER NOT NULL,
     return date TIMESTAMP WITHOUT TIME ZONE NOT NULL,
```

```
PRIMARY KEY (loaned out date, request id, return date),
     FOREIGN KEY (request id) REFERENCES "Phase2".requests (request id)
)
2022-12-09 18:23:38,848 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,850 INFO sqlalchemy.engine.Engine
CREATE TABLE "Phase2".lost keys (
     request id INTEGER NOT NULL,
     loaned out date TIMESTAMP WITHOUT TIME ZONE NOT NULL,
     lost date TIMESTAMP WITHOUT TIME ZONE NOT NULL,
     PRIMARY KEY (request id, loaned out date, lost date),
     FOREIGN KEY(request id) REFERENCES "Phase2".requests (request id)
)
2022-12-09 18:23:38,850 INFO sqlalchemy.engine.Engine [no key 0.00011s] {}
2022-12-09 18:23:38,853 INFO sqlalchemy.engine.Engine COMMIT
Inside the session, woo hoo.
2022-12-09 18:23:38,886 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,887 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".buildings (building name) VALUES (%(building name)s)
2022-12-09 18:23:38,887 INFO sqlalchemy.engine.Engine [generated in
0.00016s] ({'building name': 'Engineering and Computer Science'},
{'building name': 'Fine Arts 1'}, {'building name': 'Hall of Science'},
{'building name': 'Horn Center'}, {'building name': 'Psychology'},
{'building name': 'Peterson Hall'})
2022-12-09 18:23:38,889 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,890 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,892 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = % (pk 1)s
2022-12-09 18:23:38,892 INFO sqlalchemy.engine.Engine [generated in
0.00012s] {'pk 1': 'Engineering and Computer Science'}
2022-12-09 18:23:38,893 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = % (pk 1)s
2022-12-09 18:23:38,893 INFO sqlalchemy.engine.Engine [cached since
0.001398s ago] {'pk 1': 'Fine Arts 1'}
2022-12-09 18:23:38,894 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = % (pk 1)s
2022-12-09 18:23:38,894 INFO sqlalchemy.engine.Engine [cached since
0.002215s ago] {'pk 1': 'Psychology'}
2022-12-09 18:23:38,895 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = % (pk 1)s
2022-12-09 18:23:38,895 INFO sqlalchemy.engine.Engine [cached since
0.003019s ago] {'pk 1': 'Peterson Hall'}
```

```
2022-12-09 18:23:38,896 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = %(pk 1)s
2022-12-09 18:23:38,896 INFO sqlalchemy.engine.Engine [cached since
0.004287s ago] {'pk_1': 'Hall of Science'}
2022-12-09 18:23:38,897 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = %(pk 1)s
2022-12-09 18:23:38,897 INFO sqlalchemy.engine.Engine [cached since
0.005388s ago] {'pk 1': 'Horn Center'}
2022-12-09 18:23:38,899 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".rooms (building name, room number) VALUES (% (building name)s,
% (room number)s)
2022-12-09 18:23:38,899 INFO sqlalchemy.engine.Engine [generated in
0.00019s] ({'building name': 'Engineering and Computer Science',
'room number': 100}, {'building name': 'Fine Arts 1', 'room_number': 101},
{'building_name': 'Psychology', 'room_number': 200}, {'building name':
'Peterson Hall', 'room number': 107}, {'building name': 'Hall of Science',
'room number': 419}, {'building name': 'Horn Center', 'room number': 124},
{'building_name': 'Hall of Science', 'room_number': 518})
2022-12-09 18:23:38,901 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,901 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,902 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".door names (door name) VALUES (%(door name)s)
2022-12-09 18:23:38,902 INFO sqlalchemy.engine.Engine [generated in
0.00013s] ({'door name': 'North'}, {'door name': 'West'}, {'door name':
'South'}, {'door name': 'East'}, {'door name': 'Front'}, {'door name':
'Back'})
2022-12-09 18:23:38,903 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,904 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,905 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:23:38,905 INFO sqlalchemy.engine.Engine [generated in
0.00011s] {'pk 1': 'North'}
2022-12-09 18:23:38,907 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,907 INFO sqlalchemy.engine.Engine [generated in
0.00013s] {'pk 1': 'Engineering and Computer Science', 'pk 2': 100}
2022-12-09 18:23:38,908 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:23:38,908 INFO sqlalchemy.engine.Engine [cached since
0.002853s ago] {'pk 1': 'West'}
```

```
2022-12-09 18:23:38,908 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = % (pk 2)s
2022-12-09 18:23:38,908 INFO sqlalchemy.engine.Engine [cached since
0.001823s ago] {'pk 1': 'Fine Arts 1', 'pk 2': 101}
2022-12-09 18:23:38,909 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:23:38,909 INFO sqlalchemy.engine.Engine [cached since
0.004318s ago] {'pk_1': 'South'}
2022-12-09 18:23:38,910 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = % (pk 2)s
2022-12-09 18:23:38,910 INFO sqlalchemy.engine.Engine [cached since
0.00362s ago] {'pk_1': 'Psychology', 'pk_2': 200}
2022-12-09 18:23:38,911 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = % (pk 1) s AND
"Phase2".rooms.room number = % (pk 2)s
2022-12-09 18:23:38,911 INFO sqlalchemy.engine.Engine [cached since
0.004637s ago] {'pk_1': 'Peterson Hall', 'pk_2': 107}
2022-12-09 18:23:38,912 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,912 INFO sqlalchemy.engine.Engine [cached since
0.005668s ago] {'pk 1': 'Hall of Science', 'pk 2': 419}
2022-12-09 18:23:38,913 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,913 INFO sqlalchemy.engine.Engine [cached since
0.006769s ago] {'pk 1': 'Horn Center', 'pk 2': 124}
2022-12-09 18:23:38,914 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:23:38,914 INFO sqlalchemy.engine.Engine [cached since
0.009436s ago] {'pk 1': 'Front'}
```

```
2022-12-09 18:23:38,915 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = % (pk 2)s
2022-12-09 18:23:38,915 INFO sqlalchemy.engine.Engine [cached since
0.008519s ago] {'pk 1': 'Hall of Science', 'pk 2': 518}
2022-12-09 18:23:38,916 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:23:38,916 INFO sqlalchemy.engine.Engine [cached since
0.01124s ago] {'pk 1': 'Back'}
2022-12-09 18:23:38,918 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".doors (door name, room number, building name) VALUES
(%(door name)s, %(room number)s, %(building name)s)
2022-12-09 18:23:38,918 INFO sqlalchemy.engine.Engine [generated in
0.00017s] ({'door name': 'North', 'room number': 100, 'building name':
'Engineering and Computer Science'}, {'door name': 'West', 'room number':
101, 'building name': 'Fine Arts 1'}, {'door name': 'South',
'room_number': 200, 'building_name': 'Psychology'}, {'door_name': 'West',
'room number': 107, 'building name': 'Peterson Hall'}, {'door name':
'North', 'room_number': 419, 'building_name': 'Hall of Science'},
{'door name': 'South', 'room number': 124, 'building name': 'Horn
Center'}, {'door name': 'Front', 'room_number': 518, 'building_name':
'Hall of Science'}, {'door name': 'North', 'room number': 124,
'building name': 'Horn Center'}, {'door name': 'Back', 'room number': 101,
'building name': 'Fine Arts 1'})
2022-12-09 18:23:38,920 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,921 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,922 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".hooks (hook number) VALUES (DEFAULT) RETURNING
"Phase2".hooks.hook number
2022-12-09 18:23:38,922 INFO sqlalchemy.engine.Engine [generated in
0.00012s] ({}, {}, {}, {}, {}, {})
2022-12-09 18:23:38,923 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,924 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,924 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,924 INFO sqlalchemy.engine.Engine [generated in
0.00012s] {'pk 1': 2}
2022-12-09 18:23:38,925 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,925 INFO sqlalchemy.engine.Engine [cached since
0.001117s ago] {'pk 1': 1}
2022-12-09 18:23:38,926 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
```

```
2022-12-09 18:23:38,926 INFO sqlalchemy.engine.Engine [cached since
0.001764s ago] {'pk 1': 5}
2022-12-09 18:23:38,926 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,926 INFO sqlalchemy.engine.Engine [cached since
0.002374s ago] {'pk 1': 6}
2022-12-09 18:23:38,927 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,927 INFO sqlalchemy.engine.Engine [cached since
0.003215s ago] {'pk 1': 8}
2022-12-09 18:23:38,928 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,928 INFO sqlalchemy.engine.Engine [cached since
0.003914s ago] {'pk 1': 7}
2022-12-09 18:23:38,929 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,929 INFO sqlalchemy.engine.Engine [cached since
0.004632s ago] {'pk_1': 3}
2022-12-09 18:23:38,929 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,930 INFO sqlalchemy.engine.Engine [cached since
0.005482s ago] {'pk 1': 4}
2022-12-09 18:23:38,931 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".keys (key number) VALUES (%(key number)s) RETURNING
"Phase2".keys.key id
2022-12-09 18:23:38,932 INFO sqlalchemy.engine.Engine [generated in
0.00016s] ({'key number': 2}, {'key number': 1}, {'key number': 5},
{'key number': 2}, {'key number': 6}, {'key number': 8}, {'key number':
7}, {'key number': 2} ... displaying 10 of 13 total bound parameter sets
... {'key number': 7}, {'key number': 4})
2022-12-09 18:23:38,933 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,934 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,935 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,935 INFO sqlalchemy.engine.Engine [cached since
0.01057s ago] {'pk 1': 1}
2022-12-09 18:23:38,936 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook_number AS "Phase2_accesses_hook_number"
FROM "Phase2".accesses
```

```
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,936 INFO sqlalchemy.engine.Engine [generated in
0.00015s] {'param 1': 1}
2022-12-09 18:23:38,938 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,938 INFO sqlalchemy.engine.Engine [generated in
0.00015s] {'pk 1': 'North', 'pk 2': 100, 'pk 3': 'Engineering and Computer
Science'}
2022-12-09 18:23:38,940 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook_number AS "Phase2_accesses_hook_number"
FROM "Phase2".accesses
WHERE % (param 1)s = "Phase2".accesses.door name AND % (param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,940 INFO sqlalchemy.engine.Engine [generated in
0.00015s] {'param 1': 'North', 'param 2': 100, 'param 3': 'Engineering and
Computer Science'}
2022-12-09 18:23:38,942 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-12-09 18:23:38,942 INFO sqlalchemy.engine.Engine [generated in
0.00014s] {'door name': 'North', 'room number': 100, 'building name':
'Engineering and Computer Science', 'hook number': 1}
2022-12-09 18:23:38,944 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,944 INFO sqlalchemy.engine.Engine [cached since
0.005373s ago] {'pk 1': 'West', 'pk 2': 101, 'pk 3': 'Fine Arts 1'}
2022-12-09 18:23:38,945 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,945 INFO sqlalchemy.engine.Engine [cached since
0.004416s ago] {'param 1': 'West', 'param 2': 101, 'param 3': 'Fine Arts
1'}
```

```
2022-12-09 18:23:38,946 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
% (hook number)s)
2022-12-09 18:23:38,946 INFO sqlalchemy.engine.Engine [cached since
0.003735s ago] {'door name': 'West', 'room number': 101, 'building name':
'Fine Arts 1', 'hook number': 1}
2022-12-09 18:23:38,947 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,947 INFO sqlalchemy.engine.Engine [cached since
0.02289s ago] {'pk 1': 2}
2022-12-09 18:23:38,948 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE % (param 1) s = "Phase2".accesses.hook number
2022-12-09 18:23:38,948 INFO sqlalchemy.engine.Engine [cached since
0.01161s ago] {'param 1': 2}
2022-12-09 18:23:38,948 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,948 INFO sqlalchemy.engine.Engine [cached since
0.01021s ago] {'pk 1': 'South', 'pk 2': 200, 'pk 3': 'Psychology'}
2022-12-09 18:23:38,949 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,949 INFO sqlalchemy.engine.Engine [cached since
0.009268s ago] {'param 1': 'South', 'param 2': 200, 'param 3':
'Psychology'}
2022-12-09 18:23:38,951 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (%(door name)s, %(room number)s, %(building name)s,
% (hook number)s)
2022-12-09 18:23:38,951 INFO sqlalchemy.engine.Engine [cached since
0.008823s ago] {'door name': 'South', 'room number': 200, 'building name':
'Psychology', 'hook number': 2}
2022-12-09 18:23:38,952 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
```

```
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,952 INFO sqlalchemy.engine.Engine [cached since
0.01378s ago] {'pk 1': 'West', 'pk 2': 107, 'pk 3': 'Peterson Hall'}
2022-12-09 18:23:38,953 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,953 INFO sqlalchemy.engine.Engine [cached since
0.01281s ago] {'param 1': 'West', 'param 2': 107, 'param 3': 'Peterson
Hall'}
2022-12-09 18:23:38,954 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-12-09 18:23:38,954 INFO sqlalchemy.engine.Engine [cached since
0.01212s ago] {'door name': 'West', 'room number': 107, 'building name':
'Peterson Hall', 'hook number': 2}
2022-12-09 18:23:38,955 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,955 INFO sqlalchemy.engine.Engine [cached since
0.03106s ago] {'pk 1': 3}
2022-12-09 18:23:38,956 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook_number
2022-12-09 18:23:38,956 INFO sqlalchemy.engine.Engine [cached since
0.01967s ago] {'param 1': 3}
2022-12-09 18:23:38,957 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,957 INFO sqlalchemy.engine.Engine [cached since
0.01839s ago] {'pk 1': 'Back', 'pk 2': 101, 'pk 3': 'Fine Arts 1'}
2022-12-09 18:23:38,957 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2_accesses_hook_number"
FROM "Phase2".accesses
```

```
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,957 INFO sqlalchemy.engine.Engine [cached since
0.0173s ago] {'param 1': 'Back', 'param 2': 101, 'param 3': 'Fine Arts 1'}
2022-12-09 18:23:38,959 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-\overline{12}-09 18:23:38,959 INFO sqlalchemy.engine.Engine [cached since
0.01646s ago] {'door name': 'Back', 'room number': 101, 'building name':
'Fine Arts 1', 'hook number': 3}
2022-12-09 18:23:38,959 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,959 INFO sqlalchemy.engine.Engine [cached since
0.03538s ago] {'pk 1': 4}
2022-12-09 18:23:38,960 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,960 INFO sqlalchemy.engine.Engine [cached since
0.02392s ago] {'param 1': 4}
2022-12-09 18:23:38,961 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-12-09 18:23:38,961 INFO sqlalchemy.engine.Engine [cached since
0.01898s ago] {'door name': 'West', 'room number': 107, 'building name':
'Peterson Hall', 'hook number': 4}
2022-12-09 18:23:38,962 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,962 INFO sqlalchemy.engine.Engine [cached since
0.03793s ago] {'pk 1': 5}
2022-12-09 18:23:38,963 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE % (param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,963 INFO sqlalchemy.engine.Engine [cached since
0.02666s ago] {'param 1': 5}
2022-12-09 18:23:38,964 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
```

```
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,964 INFO sqlalchemy.engine.Engine [cached since
0.02563s ago] {'pk 1': 'North', 'pk 2': 419, 'pk 3': 'Hall of Science'}
2022-12-09 18:23:38,965 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door_name AND %(param_2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,965 INFO sqlalchemy.engine.Engine [cached since
0.02463s ago] {'param 1': 'North', 'param 2': 419, 'param 3': 'Hall of
Science'}
2022-12-09 18:23:38,966 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-\overline{12}-09 18:23:38,966 INFO sqlalchemy.engine.Engine [cached since
0.02382s ago] {'door_name': 'North', 'room number': 419, 'building name':
'Hall of Science', 'hook number': 5}
2022-12-09 18:23:38,967 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,967 INFO sqlalchemy.engine.Engine [cached since
0.04279s ago] {'pk 1': 6}
2022-12-09 18:23:38,967 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,967 INFO sqlalchemy.engine.Engine [cached since
0.03139s ago] {'param 1': 6}
2022-12-09 18:23:38,968 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,968 INFO sqlalchemy.engine.Engine [cached since
0.03009s ago] {'pk 1': 'South', 'pk 2': 124, 'pk 3': 'Horn Center'}
2022-12-09 18:23:38,969 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
```

```
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,969 INFO sqlalchemy.engine.Engine [cached since
0.02898s ago] {'param 1': 'South', 'param 2': 124, 'param 3': 'Horn
Center'}
2022-12-09 18:23:38,971 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-12-09 18:23:38,971 INFO sqlalchemy.engine.Engine [cached since
0.02836s ago] {'door name': 'South', 'room number': 124, 'building name':
'Horn Center', 'hook number': 6}
2022-12-09 18:23:38,971 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk_1)s
2022-12-09 18:23:38,971 INFO sqlalchemy.engine.Engine [cached since
0.04728s ago] {'pk 1': 7}
2022-12-09 18:23:38,972 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room_number AS "Phase2_accesses_room_number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,972 INFO sqlalchemy.engine.Engine [cached since
0.03593s ago] {'param 1': 7}
2022-12-09 18:23:38,973 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door_name AS "Phase2_doors_door_name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,973 INFO sqlalchemy.engine.Engine [cached since
0.03457s ago] {'pk 1': 'Front', 'pk 2': 518, 'pk 3': 'Hall of Science'}
2022-12-09 18:23:38,973 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND % (param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,974 INFO sqlalchemy.engine.Engine [cached since
0.03337s ago] {'param 1': 'Front', 'param 2': 518, 'param 3': 'Hall of
Science'}
2022-12-09 18:23:38,975 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (%(door name)s, %(room number)s, %(building name)s,
%(hook number)s)
```

```
2022-12-09 18:23:38,975 INFO sqlalchemy.engine.Engine [cached since
0.03263s ago] {'door name': 'Front', 'room number': 518, 'building name':
'Hall of Science', 'hook number': 7}
2022-12-09 18:23:38,976 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:38,976 INFO sqlalchemy.engine.Engine [cached since
0.05151s ago] {'pk 1': 8}
2022-12-09 18:23:38,976 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:23:38,976 INFO sqlalchemy.engine.Engine [cached since
0.04013s ago] {'param 1': 8}
2022-12-09 18:23:38,977 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room number AS "Phase2 doors room number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:23:38,977 INFO sqlalchemy.engine.Engine [cached since
0.0388s ago] {'pk 1': 'North', 'pk 2': 124, 'pk 3': 'Horn Center'}
2022-12-09 18:23:38,978 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room_number AS "Phase2_accesses_room_number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND % (param 3)s =
"Phase2".accesses.building name
2022-12-09 18:23:38,978 INFO sqlalchemy.engine.Engine [cached since
0.03773s ago] {'param 1': 'North', 'param 2': 124, 'param 3': 'Horn
Center' }
2022-12-09 18:23:38,979 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (% (door name)s, % (room number)s, % (building name)s,
%(hook number)s)
2022-12-09 18:23:38,979 INFO sqlalchemy.engine.Engine [cached since
0.03689s ago] {'door name': 'North', 'room number': 124, 'building name':
'Horn Center', 'hook number': 8}
2022-12-09 18:23:38,980 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,981 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,982 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".employees (first name, last name) VALUES (%(first name)s,
%(last name)s) RETURNING "Phase2".employees.employee id
2022-12-09 18:23:38,982 INFO sqlalchemy.engine.Engine [generated in
0.00012s] ({'first name': 'Jose', 'last name': 'Jimenez'}, {'first name':
'Darin', 'last name': 'Goldstein'}, {'first name': 'Sarah', 'last name':
```

```
'Taylor'}, {'first name': 'Frank', 'last name': 'Murgolo'}, {'first name':
'David', 'last name': 'Brown'}, {'first name': 'Neal', 'last name':
'Terrell'})
2022-12-09 18:23:38,983 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:38,984 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:38,984 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,985 INFO sqlalchemy.engine.Engine [cached since
0.07805s ago] {'pk 1': 'Horn Center', 'pk 2': 124}
2022-12-09 18:23:38,986 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(pk 1)s
2022-12-09 18:23:38,986 INFO sqlalchemy.engine.Engine [generated in
0.00020s] {'pk 1': 1}
2022-12-09 18:23:38,988 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = %(pk 1)s AND "Phase2".keys.key id =
%(pk 2)s
2022-12-09 18:23:38,988 INFO sqlalchemy.engine.Engine [generated in
0.00015s] {'pk 1': 6, 'pk 2': 5}
2022-12-09 18:23:38,989 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,989 INFO sqlalchemy.engine.Engine [cached since
0.08282s ago] {'pk 1': 'Hall of Science', 'pk 2': 419}
2022-12-09 18:23:38,990 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(pk 1)s
2022-12-09 18:23:38,991 INFO sqlalchemy.engine.Engine [cached since
0.004238s ago] {'pk 1': 5}
2022-12-09 18:23:38,991 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = %(pk 1)s AND "Phase2".keys.key id =
%(pk 2)s
2022-12-09 18:23:38,991 INFO sqlalchemy.engine.Engine [cached since
0.0034s ago] {'pk 1': 5, 'pk 2': 3}
```

```
2022-12-09 18:23:38,992 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = % (pk 2)s
2022-12-09 18:23:38,992 INFO sqlalchemy.engine.Engine [cached since
0.08595s ago] {'pk 1': 'Fine Arts 1', 'pk 2': 101}
2022-12-09 18:23:38,993 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(pk 1)s
2022-12-09 18:23:38,993 INFO sqlalchemy.engine.Engine [cached since
0.007027s ago] {'pk 1': 3}
2022-12-09 18:23:38,994 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = % (pk 1) s AND "Phase2".keys.key id =
2022-12-09 18:23:38,994 INFO sqlalchemy.engine.Engine [cached since
0.006208s ago] {'pk 1': 2, 'pk 2': 1}
2022-12-09 18:23:38,995 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk_1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,995 INFO sqlalchemy.engine.Engine [cached since
0.08896s ago] {'pk 1': 'Engineering and Computer Science', 'pk 2': 100}
2022-12-09 18:23:38,997 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(pk 1)s
2022-12-09 18:23:38,997 INFO sqlalchemy.engine.Engine [cached since
0.01054s ago] {'pk 1': 2}
2022-12-09 18:23:38,998 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = % (pk 1) s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:38,998 INFO sqlalchemy.engine.Engine [cached since
0.09151s ago] {'pk 1': 'Peterson Hall', 'pk 2': 107}
2022-12-09 18:23:38,999 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = %(pk 1)s AND "Phase2".keys.key id =
%(pk 2)s
```

```
2022-12-09 18:23:38,999 INFO sqlalchemy.engine.Engine [cached since
0.01096s ago] {'pk_1': 2, 'pk 2': 4}
2022-12-09 18:23:39,000 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:23:39,000 INFO sqlalchemy.engine.Engine [cached since
0.09364s ago] {'pk 1': 'Psychology', 'pk 2': 200}
2022-12-09 18:23:39,001 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(pk 1)s
2022-12-09 18:23:39,001 INFO sqlalchemy.engine.Engine [cached since
0.01484s ago] {'pk 1': 4}
2022-12-09 18:23:39,002 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = %(pk 1)s AND "Phase2".keys.key id =
2022-12-09 18:23:39,002 INFO sqlalchemy.engine.Engine [cached since
0.01399s ago] {'pk 1': 1, 'pk 2': 2}
2022-12-09 18:23:39,004 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".requests (room number, building name, employee id,
requested date, key number, key id) VALUES (% (room number)s,
%(building name)s, %(employee id)s, now(), %(key number)s, %(key id)s)
RETURNING "Phase2".requests.request id
2022-12-09 18:23:39,004 INFO sqlalchemy.engine.Engine [generated in
0.00018s] ({'room number': 124, 'building name': 'Horn Center',
'employee id': 1, 'key number': 6, 'key id': 5}, {'room number': 419,
'building_name': 'Hall of Science', 'employee id': 5, 'key number': 5,
'key id': 3}, {'room number': 101, 'building name': 'Fine Arts 1',
'employee_id': 3, 'key_number': 2, 'key_id': 1}, {'room_number': 100,
'building name': 'Engineering and Computer Science', 'employee id': 2,
'key_number': 2, 'key_id': 1}, {'room_number': 107, 'building name':
'Peterson Hall', 'employee id': 3, 'key number': 2, 'key id': 4},
{'room number': 200, 'building name': 'Psychology', 'employee id': 4,
'key number': 1, 'key id': 2})
2022-12-09 18:23:39,007 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:39,008 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:39,009 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2_requests_request_id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
```

```
2022-12-09 18:23:39,010 INFO sqlalchemy.engine.Engine [generated in
0.00015s] {'pk 1': 1}
2022-12-09 18:23:39,011 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,011 INFO sqlalchemy.engine.Engine [cached since
0.001438s ago] {'pk 1': 4}
2022-12-09 18:23:39,012 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,012 INFO sqlalchemy.engine.Engine [cached since
0.002353s ago] {'pk_1': 3}
2022-12-09 18:23:39,013 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee_id AS "Phase2_requests_employee_id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,013 INFO sqlalchemy.engine.Engine [cached since
0.003608s ago] {'pk_1': 2}
2022-12-09 18:23:39,014 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key_id AS "Phase2_requests_key_id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,014 INFO sqlalchemy.engine.Engine [cached since
0.00473s ago] {'pk 1': 6}
2022-12-09 18:23:39,016 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".lost keys (request id, loaned out date, lost date) VALUES
(%(request id)s, %(loaned out date)s, now()) RETURNING
"Phase2".lost keys.lost date
```

```
2022-12-09 18:23:39,016 INFO sqlalchemy.engine.Engine [generated in
0.00019s] ({'request id': 1, 'loaned out date': datetime.datetime(2022,
11, 15, 0, 0)}, {'request id': 4, 'loaned out date':
datetime.datetime(2020, 3, 21, 0, 0)), {'request id': 3,
'loaned out date': datetime.datetime(2021, 7, 11, 0, 0)}, {'request id':
2, 'loaned out date': datetime.datetime(2019, 7, 5, 0, 0)}, {'request id':
1, 'loaned out date': datetime.datetime(2022, 2, 7, 0, 0)}, {'request id':
1, 'loaned out date': datetime.datetime(2022, 9, 10, 0, 0)},
{'request id': 6, 'loaned out date': datetime.datetime(2022, 11, 30, 0,
2022-12-09 18:23:39,019 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:23:39,020 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:39,020 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,020 INFO sqlalchemy.engine.Engine [cached since
0.01095s ago] {'pk 1': 1}
2022-12-09 18:23:39,021 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,022 INFO sqlalchemy.engine.Engine [cached since
0.01213s ago] {'pk 1': 4}
2022-12-09 18:23:39,022 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,022 INFO sqlalchemy.engine.Engine [cached since
0.01306s ago] {'pk 1': 3}
2022-12-09 18:23:39,024 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
```

```
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,024 INFO sqlalchemy.engine.Engine [cached since
0.01419s ago] {'pk 1': 2}
2022-12-09 18:23:39,024 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee_id AS "Phase2_requests_employee_id",
"Phase2".requests.requested_date AS "Phase2_requests_requested_date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.request id = %(pk 1)s
2022-12-09 18:23:39,025 INFO sqlalchemy.engine.Engine [cached since
0.01515s ago] {'pk 1': 6}
2022-12-09 18:23:39,026 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".return keys (loaned out date, request id, return date) VALUES
(%(loaned out date)s, %(request id)s, now()) RETURNING
"Phase2".return keys.return date
2022-12-09 18:23:39,026 INFO sqlalchemy.engine.Engine [generated in
0.00016s] ({'loaned out date': datetime.datetime(2022, 11, 10, 0, 0),
'request id': 1}, {'loaned out date': datetime.datetime(2022, 3, 21, 0,
0), 'request id': 4}, {'loaned out date': datetime.datetime(2021, 7, 6, 0,
0), 'request id': 3}, {'loaned out date': datetime.datetime(2001, 9, 14,
0, 0), 'request id': 2}, {'loaned out date': datetime.datetime(2022, 8,
13, 0, 0), 'request id': 1}, {'loaned out date': datetime.datetime(2022,
9, 10, 0, 0), 'request_id': 1}, {'loaned_out_date':
datetime.datetime(2022, 11, 13, 0, 0), 'request id': 6})
2022-12-09 18:23:39,029 INFO sqlalchemy.engine.Engine COMMIT
Ready to create a new key? yes
2022-12-09 18:23:46,715 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:23:46,716 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:23:46,716 INFO sqlalchemy.engine.Engine [cached since 7.792s
ago] {'pk 1': 1}
2022-12-09 18:23:46,717 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".keys (key number) VALUES (%(key number)s) RETURNING
"Phase2".keys.key id
2022-12-09 18:23:46,718 INFO sqlalchemy.engine.Engine [generated in
0.00016s] {'key number': 1}
2022-12-09 18:23:46,718 INFO sqlalchemy.engine.Engine COMMIT
check data grip Key & Hook Table
Ready to request access to a given room by a given employee? yes
We will use Professor Brown employee id 5 for this example
All of the rooms:
2022-12-09 18:24:16,346 INFO sqlalchemy.engine.Engine BEGIN (implicit)
```

```
2022-12-09 18:24:16,347 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
2022-12-09 18:24:16,347 INFO sqlalchemy.engine.Engine [generated in
0.00016s] {}
                          Building Name: Engineering and Computer Science
0 . Room Number: 100
1 . Room Number: 101
                         Building Name: Fine Arts 1
2 . Room Number: 200 Building Name: Psychology
3 . Room Number: 107 Building Name: Peterson Hall
4 . Room Number: 419
                        Building Name: Hall of Science
5 . Room Number: 124
                         Building Name: Horn Center
6 . Room Number: 518
                         Building Name: Hall of Science
Enter row number of the room number you would like to enter: 0
2022-12-09 18:24:25,945 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2 rooms room number"
FROM "Phase2".rooms
LIMIT % (param 1)s
2022-12-09 18:24:25,945 INFO sqlalchemy.engine.Engine [generated in
0.00024s] {'param 1': 1}
Room Number: 100
                    Building Name: Engineering and Computer Science
2022-12-09 18:24:25,947 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.room number = % (room number 1) s
2022-12-09 18:24:25,947 INFO sqlalchemy.engine.Engine [generated in
0.00019s] {'room number 1': 100}
2022-12-09 18:24:25,949 INFO sqlalchemy.engine.Engine SELECT
"Phase2".return keys.request id AS "Phase2 return keys request id",
"Phase2".return keys.loaned out date AS
"Phase2 return keys loaned out date", "Phase2".return keys.return date AS
"Phase2 return keys return date"
FROM "Phase2".return keys
WHERE "Phase2".return keys.request id = %(request id 1)s
2022-12-09 18:24:25,949 INFO sqlalchemy.engine.Engine [generated in
0.00014s] {'request id 1': 4}
2022-12-09 18:24:25,950 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2_employees_employee_id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
LIMIT % (param 1) s
2022-12-09 18:24:25,950 INFO sqlalchemy.engine.Engine [generated in
0.00016s] {'employee id 1': 5, 'param_1': 1}
2022-12-09 18:24:25,952 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
```

```
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE "Phase2".accesses.room number = % (room number 1) s
LIMIT % (param 1)s
2022-12-09 18:24:25,953 INFO sqlalchemy.engine.Engine [generated in
0.00017s] {'room number 1': 100, 'param 1': 1}
2022-12-09 18:24:25,954 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key number = %(key number 1)s
LIMIT % (param 1)s
2022-12-09 18:24:25,955 INFO sqlalchemy.engine.Engine [generated in
0.00020s] {'key number 1': 1, 'param 1': 1}
2022-12-09 18:24:25,956 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".requests (room number, building name, employee id,
requested date, key number, key id) VALUES (%(room number)s,
%(building name)s, %(employee id)s, now(), %(key number)s, %(key id)s)
RETURNING "Phase2".requests.request id
2022-12-09 18:24:25,956 INFO sqlalchemy.engine.Engine [generated in
0.00022s] {'room number': 100, 'building name': 'Engineering and Computer
Science', 'employee id': 5, 'key number': 1, 'key id': 2}
2022-12-09 18:24:25,957 INFO sqlalchemy.engine.Engine COMMIT
Successfully submitted a Request check request table on datagrip
Ready to capture the issue of a key to an employee? yes
Unfortunately I wasn't sure what this one meant and how to solve it : (
Ready to capture losing a key? yes
We are getting rid of key 4 since you have lost it!!
2022-12-09 18:24:56,519 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:24:56,520 INFO sqlalchemy.engine.Engine SELECT
"Phase2".keys.key number AS "Phase2 keys key number", "Phase2".keys.key id
AS "Phase2 keys key id"
FROM "Phase2".keys
WHERE "Phase2".keys.key id = %(key id 1)s
LIMIT % (param 1)s
2022-12-09 18:24:56,520 INFO sqlalchemy.engine.Engine [generated in
0.00018s] {'key id 1': 4, 'param 1': 1}
2022-12-09 18:24:56,523 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2_requests_room_number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2_requests_request_id"
FROM "Phase2".requests
WHERE "Phase2".requests.key_id = %(key_id_1)s
```

```
2022-12-09 18:24:56,523 INFO sqlalchemy.engine.Engine [generated in
0.00035s] {'key id 1': 4}
2022-12-09 18:24:56,525 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".return keys WHERE % (param 1)s = "Phase2".return keys.request id
2022-12-09 18:24:56,525 INFO sqlalchemy.engine.Engine [generated in
0.00018s] {'param 1': 5}
2022-12-09 18:24:56,526 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".lost keys WHERE % (param 1)s = "Phase2".lost keys.request id
2022-12-09 18:24:56,526 INFO sqlalchemy.engine.Engine [generated in
0.00016s] {'param 1': 5}
2022-12-09 18:24:56,527 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".requests WHERE "Phase2".requests.key id = %(key id 1)s
2022-12-09 18:24:56,527 INFO sqlalchemy.engine.Engine [generated in
0.00018s] {'key id 1': 4}
2022-12-09 18:24:56,529 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".keys WHERE "Phase2".keys.key id = %(key id 1)s
2022-12-09 18:24:56,529 INFO sqlalchemy.engine.Engine [generated in
0.00013s] {'key id 1': 4}
2022-12-09 18:2\overline{4}:5\overline{6},529 INFO sqlalchemy.engine.Engine COMMIT
deleted the key check the table keys on data grip
ALSO YOU OWE $25 DOLLARS FOR LOSING THEY KEY
Ready to report out all the rooms that an employee can enter, given the
keys that he/she already has? yes
Checking employee David Brown with employee id 5
2022-12-09 18:25:27,211 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:25:27,213 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room_number AS "Phase2_requests_room_number",
"Phase2".requests.building_name AS "Phase2_requests_building_name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:25:27,213 INFO sqlalchemy.engine.Engine [generated in
0.00024s] {'employee id 1': 5}
Rooms can enter are 419
Rooms can enter are 100
Ready to delete key? yes
Deleting Key 1
2022-12-09 18:25:58,383 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2_requests_request_id"
FROM "Phase2".requests
WHERE "Phase2".requests.key_id = %(key_id_1)s
```

```
2022-12-09 18:25:58,383 INFO sqlalchemy.engine.Engine [cached since 61.86s
ago] {'key_id_1': 1}
2022-12-09 18:25:58,386 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".return keys WHERE "Phase2".return keys.request id =
%(request id 1)s
2022-12-09 18:25:58,386 INFO sqlalchemy.engine.Engine [generated in
0.00027s] {'request id 1': 3}
2022-12-09 18:25:58,388 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".lost keys WHERE "Phase2".lost keys.request id = %(request id 1)s
2022-12-09 18:25:58,388 INFO sqlalchemy.engine.Engine [generated in
0.00026s] {'request id 1': 3}
2022-12-09 18:25:58,394 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".return keys WHERE "Phase2".return keys.request id =
%(request id 1)s
2022-12-09 18:25:58,394 INFO sqlalchemy.engine.Engine [cached since
0.008263s ago] {'request id 1': 4}
2022-12-09 18:25:58,395 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".lost keys WHERE "Phase2".lost keys.request id = %(request id 1)s
2022-12-09 18:25:58,395 INFO sqlalchemy.engine.Engine [cached since
0.007292s ago] {'request id 1': 4}
2022-12-09 18:25:58,396 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".requests WHERE "Phase2".requests.key id = %(key id 1)s
2022-12-09 18:25:58,396 INFO sqlalchemy.engine.Engine [cached since 61.87s
ago] {'key id 1': 1}
2022-12-09 18:25:58,398 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".keys WHERE "Phase2".keys.key id = %(key id 1)s
2022-12-09 18:25:58,398 INFO sqlalchemy.engine.Engine [cached since 61.87s
ago] {'key id 1': 1}
2022-12-09 18:25:58,399 INFO sqlalchemy.engine.Engine COMMIT
check data grip key table
Ready to delete employee? yes
2022-12-09 18:26:27,131 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:26:27,132 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
LIMIT % (param 1) s
2022-12-09 18:\overline{2}6:27,132 INFO sqlalchemy.engine.Engine [cached since 121.2s
ago] {'employee id 1': 1, 'param 1': 1}
2022-12-09 18:26:27,134 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building_name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:26:27,134 INFO sqlalchemy.engine.Engine [cached since 59.92s
ago] {'employee id 1': 1}
```

```
2022-12-09 18:26:27,135 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".return keys WHERE % (param 1) s = "Phase2".return keys.request id
2022-12-09 18:26:27,136 INFO sqlalchemy.engine.Engine [cached since 90.61s
ago] {'param 1': 1}
2022-12-09 18:26:27,137 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".lost keys WHERE %(param 1)s = "Phase2".lost keys.request id
2022-12-09 18:26:27,137 INFO sqlalchemy.engine.Engine [cached since 90.61s
ago] {'param 1': 1}
2022-12-09 18:26:27,139 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".requests WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:26:27,139 INFO sqlalchemy.engine.Engine [generated in
0.00021s] {'employee id 1': 1}
2022-12-09 18:26:27,141 INFO sqlalchemy.engine.Engine DELETE FROM
"Phase2".employees WHERE "Phase2".employees.employee id =
%(employee id 1)s
2022-12-09 18:26:27,141 INFO sqlalchemy.engine.Engine [generated in
0.00017s] {'employee id 1': 1}
2022-12-09 18:26:27,141 INFO sqlalchemy.engine.Engine COMMIT
check data grip employee table
Ready to add a new door that can be opened by an existing hook? yes
2022-12-09 18:27:01,736 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:27:01,737 INFO sqlalchemy.engine.Engine SELECT
"Phase2".buildings.building name AS "Phase2 buildings building name"
FROM "Phase2".buildings
WHERE "Phase2".buildings.building name = % (pk 1)s
2022-12-09 18:27:01,737 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'pk 1': 'Engineering and Computer Science'}
2022-12-09 18:27:01,739 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".rooms (building name, room number) VALUES (%(building name)s,
%(room number)s)
2022-\overline{12}-09 18:27:01,740 INFO sqlalchemy.engine.Engine [generated in
0.00016s] {'building name': 'Engineering and Computer Science',
'room number': 200}
2022-12-09 18:27:01,740 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:27:01,743 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:27:01,744 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".door names (door name) VALUES (% (door name)s)
2022-12-09 18:27:01,744 INFO sqlalchemy.engine.Engine [generated in
0.00013s] {'door name': 'SouthWest'}
2022-12-09 18:27:01,744 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:27:01,745 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:27:01,745 INFO sqlalchemy.engine.Engine SELECT
"Phase2".door names.door name AS "Phase2 door names door name"
FROM "Phase2".door names
WHERE "Phase2".door names.door name = %(pk 1)s
2022-12-09 18:27:01,745 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'pk 1': 'SouthWest'}
2022-12-09 18:27:01,746 INFO sqlalchemy.engine.Engine SELECT
"Phase2".rooms.building name AS "Phase2 rooms building name",
"Phase2".rooms.room number AS "Phase2_rooms_room_number"
FROM "Phase2".rooms
```

```
WHERE "Phase2".rooms.building name = %(pk 1)s AND
"Phase2".rooms.room number = %(pk 2)s
2022-12-09 18:27:01,746 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'pk 1': 'Engineering and Computer Science', 'pk 2': 200}
2022-12-09 18:27:01,748 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".doors (door name, room number, building name) VALUES
(%(door_name)s, %(room_number)s, %(building name)s)
2022-12-09 18:27:01,748 INFO sqlalchemy.engine.Engine [generated in
0.00013s] {'door name': 'SouthWest', 'room number': 200, 'building name':
'Engineering and Computer Science'}
2022-12-09 18:27:01,748 INFO sqlalchemy.engine.Engine COMMIT
2022-12-09 18:27:01,750 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:27:01,750 INFO sqlalchemy.engine.Engine SELECT
"Phase2".hooks.hook number AS "Phase2 hooks hook number"
FROM "Phase2".hooks
WHERE "Phase2".hooks.hook number = %(pk 1)s
2022-12-09 18:27:01,750 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'pk 1': 1}
2022-12-09 18:27:01,751 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.hook number
2022-12-09 18:27:01,751 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'param 1': 1}
2022-12-09 18:27:01,752 INFO sqlalchemy.engine.Engine SELECT
"Phase2".doors.door name AS "Phase2 doors door name",
"Phase2".doors.room_number AS "Phase2_doors_room_number",
"Phase2".doors.building name AS "Phase2 doors building name"
FROM "Phase2".doors
WHERE "Phase2".doors.door name = %(pk 1)s AND "Phase2".doors.room number =
%(pk 2)s AND "Phase2".doors.building name = %(pk 3)s
2022-12-09 18:27:01,752 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'pk 1': 'SouthWest', 'pk 2': 200, 'pk 3': 'Engineering and Computer
Science'}
2022-12-09 18:27:01,753 INFO sqlalchemy.engine.Engine SELECT
"Phase2".accesses.door name AS "Phase2 accesses door name",
"Phase2".accesses.room number AS "Phase2 accesses room number",
"Phase2".accesses.building name AS "Phase2 accesses building name",
"Phase2".accesses.hook number AS "Phase2 accesses hook number"
FROM "Phase2".accesses
WHERE %(param 1)s = "Phase2".accesses.door name AND %(param 2)s =
"Phase2".accesses.room number AND %(param 3)s =
"Phase2".accesses.building name
2022-12-09 18:27:01,753 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'param 1': 'SouthWest', 'param 2': 200, 'param 3': 'Engineering and
Computer Science'}
2022-12-09 18:27:01,792 INFO sqlalchemy.engine.Engine INSERT INTO
"Phase2".accesses (door name, room number, building name, hook number)
VALUES (%(door name)s, %(room number)s, %(building name)s,
%(hook number)s)
```

```
2022-12-09 18:27:01,792 INFO sqlalchemy.engine.Engine [cached since 202.8s
ago] {'door name': 'SouthWest', 'room number': 200, 'building name':
'Engineering and Computer Science', 'hook number': 1}
2022-12-09 18:27:01,793 INFO sqlalchemy.engine.Engine COMMIT
check data grip DoorNames, Room, and Accesses
Ready to update an access request to move it to a new employee? yes
Unfortunately I could not solve this one :(
Ready to report out all the employees who can get into a room? yes
2022-12-09 18:27:55,651 INFO sqlalchemy.engine.Engine BEGIN (implicit)
2022-12-09 18:27:55,656 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
2022-12-09 18:27:55,657 INFO sqlalchemy.engine.Engine [generated in
0.00067s] {'employee id 1': 0}
2022-12-09 18:27:55,660 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
2022-12-09 18:27:55,660 INFO sqlalchemy.engine.Engine [cached since
0.003872s ago] {'employee id 1': 1}
2022-12-09 18:27:55,661 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
2022-12-09 18:27:55,661 INFO sqlalchemy.engine.Engine [cached since
0.004631s ago] {'employee id 1': 2}
2022-12-09 18:27:55,662 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:27:55,662 INFO sqlalchemy.engine.Engine [cached since 148.4s
ago] {'employee id 1': 2}
2022-12-09 18:27:55,663 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
```

```
WHERE "Phase2".employees.employee id = %(employee id 1)s
2022-12-09 18:27:55,663 INFO sqlalchemy.engine.Engine [cached since
0.00685s ago] {'employee id 1': 3}
2022-12-09 18:27:55,663 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:27:55,663 INFO sqlalchemy.engine.Engine [cached since 148.4s
ago] {'employee id 1': 3}
2022-12-09 18:27:55,664 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = %(employee id 1)s
2022-12-09 18:27:55,664 INFO sqlalchemy.engine.Engine [cached since
0.008133s ago] {'employee id 1': 4}
2022-12-09 18:27:55,665 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2 requests room number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key_id AS "Phase2_requests_key_id",
"Phase2".requests.request id AS "Phase2 requests request id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
2022-12-09 18:27:55,665 INFO sqlalchemy.engine.Engine [cached since 148.4s
ago] {'employee id 1': 4}
Employee Frank Murgolo can enter these rooms 200
2022-12-09 18:27:55,666 INFO sqlalchemy.engine.Engine SELECT
"Phase2".employees.employee id AS "Phase2 employees employee id",
"Phase2".employees.first name AS "Phase2 employees first name",
"Phase2".employees.last name AS "Phase2 employees last name"
FROM "Phase2".employees
WHERE "Phase2".employees.employee id = % (employee id 1)s
2022-12-09 18:27:55,666 INFO sqlalchemy.engine.Engine [cached since
0.009599s ago] {'employee id 1': 5}
2022-12-09 18:27:55,666 INFO sqlalchemy.engine.Engine SELECT
"Phase2".requests.room number AS "Phase2_requests_room_number",
"Phase2".requests.building name AS "Phase2 requests building name",
"Phase2".requests.employee id AS "Phase2 requests employee id",
"Phase2".requests.requested date AS "Phase2 requests requested date",
"Phase2".requests.key number AS "Phase2 requests key number",
"Phase2".requests.key id AS "Phase2 requests key id",
"Phase2".requests.request id AS "Phase2_requests_request_id"
FROM "Phase2".requests
WHERE "Phase2".requests.employee id = %(employee id 1)s
```

2022-12-09 18:27:55,666 INFO sqlalchemy.engine.Engine [cached since 148.5s ago] {'employee_id_1': 5}
Employee David Brown can enter these rooms 419
Employee David Brown can enter these rooms 100
2022-12-09 18:27:55,667 INFO sqlalchemy.engine.Engine ROLLBACK
Exiting Normally

Process finished with exit code 0