

1) Non repeatable read

```
1  -- non-repeatable read
2  BEGIN;
3  SELECT price FROM invoice_pos WHERE id_invoice = 2 AND article_number = 2;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	price numeric (12,4)
1	68700.0000

```
1  -- non-repeatable read
2  BEGIN;
3  UPDATE invoice_pos SET price = 100 WHERE id_invoice = 2 AND article_number = 2;
4  COMMIT;
```

```
4  SELECT price FROM invoice_pos WHERE id_invoice = 2 AND article_number = 2;
5  COMMIT;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	price numeric (12,4)
1	100.0000

2) Phantom read

```
7  -- phantom read
8  BEGIN; |
9  SELECT count(*) FROM invoice_pos WHERE price > 10000;
```

Data Output Messages Notifications

Showing rows: 1 to 1 of 1

	count bigint
1	8

```
6  -- phantom read
7  BEGIN;
8  INSERT INTO invoice_pos (id_invoice, article_number, quantity, price) VALUES (112, 100, 500, 50000.00);
9  COMMIT;
```

```

10 SELECT count(*) FROM invoice_pos WHERE price > 10000;
11 COMMIT;

```

Data Output Messages Notifications

Showing

	count bigint
1	9

3) Write skew

```

55 BEGIN;
56 SELECT * FROM product WHERE article_number = 100;

```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	article_number [PK] integer	name_product character varying (50)	q_certificate_number character varying (50)	package boolean	name_manufacture character varying (50)	stock_quantity integer	me cha
1	100	Наушники Xiaomi КОНФЕРЕНЦИЯ-8...	CERT-6818-5686	false	Xiaomi	45	odi

```

13 BEGIN;
14 SELECT * FROM product WHERE article_number = 100;
15 UPDATE product SET stock_quantity = stock_quantity - 19 WHERE article_number = 100;
16 COMMIT;

```

Data Output Messages Notifications

COMMIT

```

55 BEGIN;
56 SELECT * FROM product WHERE article_number = 100;
57 UPDATE product SET stock_quantity = stock_quantity - 25 WHERE article_number = 100;
58 COMMIT;

```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	article_number [PK] integer	name_product character varying (50)	q_certificate_number character varying (50)	package boolean	name_manufacture character varying (50)	stock_quantity integer
1	100	Наушники Xiaomi КОНФЕРЕНЦИЯ-8...	CERT-6818-5686	false	Xiaomi	1

4) Savepoint

	id_unit [PK] bigint	name_unit character (3)	country_unit character varying (20)	information text
1	1	RUB	RU	Российский рубль
2	2	USD	US	Доллар США
3	3	EUR	EU	Евро
4	4	CNY	CN	Китайский юань
5	5	GBP	GB	Фунт стерлингов
6	6	JPY	JP	Японская иена
7	7	CHF	CH	Швейцарский фра...
8	8	CAD	CA	Канадский доллар

```

29 BEGIN;
30 INSERT INTO money_unit (name_unit, country_unit, information)
31 VALUES ('AUD', 'AU', 'Австралийский доллар');
32 SAVEPOINT point1;
33 INSERT INTO money_unit (name_unit, country_unit, information)
34 VALUES ('dkk', 'DK', 'Датская крона');
35 ROLLBACK TO point1;
36 INSERT INTO money_unit (name_unit, country_unit, information)
37 VALUES ('ZAR', 'ZA', 'Южноафриканский ранд');
38 COMMIT;

```

Data Output Messages Notifications

ERROR: новая строка в отношении "money_unit" нарушает ограничение-проверку "money_unit_name_unit_check"
Ошибочная строка содержит (14, dkk, DK, Датская крона).

ОШИБКА: новая строка в отношении "money_unit" нарушает ограничение-проверку "money_unit_name_unit_check"
SQL state: 23514

Detail: Ошибочная строка содержит (14, dkk, DK, Датская крона).

```

65 SELECT * FROM money_unit;
66

```

Data Output Messages Notifications

	id_unit [PK] bigint	name_unit character (3)	country_unit character varying (20)	information text
1	1	RUB	RU	Российский рубль
2	2	USD	US	Доллар США
3	3	EUR	EU	Евро
4	4	CNY	CN	Китайский юань
5	5	GBP	GB	Фунт стерлингов
6	6	JPY	JP	Японская иена
7	7	CHF	CH	Швейцарский франк
8	8	CAD	CA	Канадский доллар
9	11	AUD	AU	Австралийский доллар
10	13	ZAR	ZA	Южноафриканский ра...