

Group Theory Notes

Jesse Oldroyd

June 25, 2026

2026-06-25

Group Theory Notes

Group Theory Notes

Jesse Oldroyd
June 25, 2026

Introduction

Examples of Groups

Permutations

Rubik's cube group

2026-06-25

└ Outline

Introduction

Examples of Groups

Permutations

Rubik's cube group

2026-06-25

Group Theory Notes
└ Introduction

Introduction

Introduction

Example (Rubik's cube)

Consider the Rubik's cube (for an online example, see [here](#)). What moves can we perform on a Rubik's cube?

Rules of moves

There are many, *many* different configurations (or states) possible, but only one solution. We can get from one state to another by performing a valid movement of the cube. These movements have the following properties:

1. There is an unchanging list of allowable moves.
2. Every move is reversible.
3. Every move is deterministic.
4. Moves can be combined.

2026-06-25

Group Theory Notes

└ Introduction

└ Rubik's Cube

Example (Rubik's cube)

Consider the Rubik's cube (for an online example, see [here](#)). What moves can we perform on a Rubik's cube?

Rules of moves

There are many, many different configurations (or states) possible, but only one solution. We can get from one state to another by performing a valid movement of the cube. These movements have the following properties:

1. There is an unchanging list of allowable moves.
2. Every move is reversible.
3. Every move is deterministic.
4. Moves can be combined.

Example (Generators of Rubik's cube motions)

The website above uses twelve basic moves: F , F' , U , U' , and so on.

- How can you write F' in terms of F ?
- What is the smallest number of moves you can find that represent all of the basic moves on a Rubik's cube?

Example (Generators of Rubik's cube motions)

The website above uses twelve basic moves: F , F' , U , U' , and so on.

- How can you write F' in terms of F ?
- What is the smallest number of moves you can find that represent all of the basic moves on a Rubik's cube?

The observations above form the basis of a mathematical structure called a **group**. Groups appear throughout mathematics and its applications.

2026-06-25

Group Theory Notes

└ Introduction

└ Groups

Groups

The observations above form the basis of a mathematical structure called a **group**. Groups appear throughout mathematics and its applications.

2026-06-25

Group Theory Notes
└ Examples of Groups

Examples of Groups

Examples of Groups

Example (Coins in a line)

Consider placing a penny and a nickel side by side in front of you. Is the action of swapping the positions of both coins a group? Note that you will need to specify an appropriate list of moves and determine if that list satisfies the above rules.

Example (Marbles in piles)

Suppose you have five marbles in each of two piles in front of you. You have two actions available to you: you can take a marble from the left pile and move it to the right pile, *or* you can take a marble from the right pile and add it to the left pile. Is this a group?

2026-06-25

Group Theory Notes

- └ Examples of Groups
 - └ Swaps

Example (Coins in a line)

Consider placing a penny and a nickel side by side in front of you. Is the action of swapping the positions of both coins a group? Note that you will need to specify an appropriate list of moves and determine if that list satisfies the above rules.

Example (Marbles in piles)

Suppose you have five marbles in each of two piles in front of you. You have two actions available to you: you can take a marble from the left pile and move it to the right pile, or you can take a marble from the right pile and add it to the left pile. Is this a group?

Example (Three letter words)

Consider all possible three letter "words" that can be formed from the letters $\{A, B, C\}$, where each letter must be used precisely once.

1. How many words are possible?
2. Consider two actions: swapping the first and second letter of a word, and swapping the second and third letter of a word. Can these two actions alone generate all of the words possible starting from ABC ?
3. Is this a group?

2026-06-25

Group Theory Notes

└ Examples of Groups

└ Actions on Words

Example (Three letter words)

Consider all possible three letter "words" that can be formed from the letters $\{A, B, C\}$, where each letter must be used precisely once.

1. How many words are possible?
2. Consider two actions: swapping the first and second letter of a word, and swapping the second and third letter of a word. Can these two actions alone generate all of the words possible starting from ABC ?
3. Is this a group?

End of class <2026-06-22 Mon>

At this point, you might start thinking of a group as a set of objects that we can move around in a nice way. Group theory is about the study of such sets following the rules outlined above.

Example (Coins in a line (again))

Consider the group of coins in a line.

1. By rule 4, the action from this exercise when performed twice in a row yields another action in the group. What is this action?
2. Does every group have an action like this?

2026-06-25

Group Theory Notes

└ Examples of Groups

└ Group Theory

As a reminder, the group rules are as follows:

1. There is an unchanging list of moves.
2. Every move is reversible.
3. Every move is deterministic.
4. Moves can be combined.

At this point, you might start thinking of a group as a set of objects that we can move around in a nice way. Group theory is about the study of such sets following the rules outlined above.

Example (Coins in a line (again))

Consider the group of coins in a line.

1. By rule 4, the action from this exercise when performed twice in a row yields another action in the group. What is this action?
2. Does every group have an action like this?

Example (Symmetry groups)

Describe the symmetry group of an equilateral triangle and a non-square rectangle.

Recall that the symmetry group of a shape is the set of reflections/rotations that leaves the shape unchanged.

Example (Groups with restrictions)

Try to find or construct groups that satisfy the following constraints:

1. The order in which the actions are performed matters.
2. The order in which the actions are performed doesn't matter.
3. There are exactly three actions.
4. There are exactly four actions.
5. There are infinitely many actions.

2026-06-25

Group Theory Notes

└ Examples of Groups

└ Groups with Certain Properties

1. Rubik's cube group or symmetry group of triangle/square
2. Symmetry group of non-square rectangle or coin group
3. Look at triangle
4. Look at square or non-square rectangle
5. Can use the integers or an infinite chain

Example (Groups with restrictions)

Try to find or construct groups that satisfy the following constraints:

1. The order in which the actions are performed matters.
2. The order in which the actions are performed doesn't matter.
3. There are exactly three actions.
4. There are exactly four actions.
5. There are infinitely many actions.

Example (Sets that break group rules)

Devise a situation that satisfies all of the group rules except for the second, third or fourth depending on your group.

2026-06-25

Group Theory Notes

└ Examples of Groups

└ Nonexamples of Groups

Example (Sets that break group rules)

Devise a situation that satisfies all of the group rules except for the second, third or fourth depending on your group.

Break class into three groups (count off 1, 2, 3) and have the groups focus on breaking a single rule from group rules.

1. Breaks second rule: can use naturals with addition or an action that "erases" information.
2. Think of symmetry group where we rotate or flip based on results of coin toss.
3. We already have an example of this. We can also look at limited symmetry groups (i.e., subgroups that aren't closed).

2026-06-25

Group Theory Notes
└ Permutations

Permutations

Permutations

- A **permutation** of an ordered collection of objects is a rearrangement of those objects.
- Every group action we've looked at so far is an example of a permutation.

Example (Permutations and groups)

List the permutations and the objects being permuted for the following groups:

1. The three letter word group (see Example (Three letter words)).
2. The symmetry group of the equilateral triangle (see Symmetry Groups (slide)).

2026-06-25

Group Theory Notes

└ Permutations

└ Permutations

- A **permutation** of an ordered collection of objects is a rearrangement of those objects.
- Every group action we've looked at so far is an example of a permutation.

Example (Permutations and groups)

List the permutations and the objects being permuted for the following groups:

1. The three letter word group (see Example (Three letter words)).
2. The symmetry group of the equilateral triangle (see Symmetry Groups (slide)).

- Shapes have symmetry groups (also called *dihedral groups*).
- Collections of objects also have symmetry groups. The actions are permutations.

Example (Elements of a symmetry group)

Give two elements of the symmetry group of $\{1, 2, 3, 4\}$.

Example (Number of elements of a symmetry group)

How many elements are in the symmetry group above?

2026-06-25

Group Theory Notes

└ Permutations

└ Symmetry Groups

Note the connection to previous permutations!

- Shapes have symmetry groups (also called *dihedral groups*).
- Collections of objects also have symmetry groups. The actions are permutations.

Example (Elements of a symmetry group)

Give two elements of the symmetry group of $\{1, 2, 3, 4\}$.

Example (Number of elements of a symmetry group)

How many elements are in the symmetry group above?

- Two permutations on the same set of elements can be combined.

Example (Combining permutations)

Let

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 3 & 5 & 4 & 6 & 2 & 1 \end{pmatrix}, \rho = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 3 & 1 & 4 & 6 & 2 & 5 \end{pmatrix}$$

Find $\sigma\rho$.

2026-06-25

Group Theory Notes

└ Permutations

└ Composition of Permutations

Composition of Permutations

- Two permutations on the same set of elements can be combined.

Example (Combining permutations)

Let

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 3 & 5 & 4 & 6 & 2 & 1 \end{pmatrix}, \rho = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 3 & 1 & 4 & 6 & 2 & 5 \end{pmatrix}$$

Find $\sigma\rho$.

- The permutation $\sigma \in S_3$ given by

$$\begin{pmatrix} 1 & 2 & 3 \\ 2 & 3 & 1 \end{pmatrix}$$

can be written as (231).

More cycles

Write the permutations σ and ρ from Example: Combining permutations using cycle notation.

2026-06-25

Group Theory Notes

└ Permutations

└ Cycle Notation

- The permutation $\sigma \in S_3$ given by

$$\begin{pmatrix} 1 & 2 & 3 \\ 2 & 3 & 1 \end{pmatrix}$$

can be written as (231).

More cycles

Write the permutations σ and ρ from Example: Combining permutations using cycle notation.

- The symmetry group on n elements is called S_n .
- You've already found S_3 !
- Permutations in S_n can be written in cycle notation.

Example (Cycle notation in S_4)

Write the permutations you found in Example (Elements of a symmetry group) using cycle notation.

2026-06-25

Group Theory Notes

└ Permutations

└ Cycle Notation Again

Cycle Notation Again

Example (Cycle notation in S_4)

Write the permutations you found in Example (Elements of a symmetry group) using cycle notation.

Combining Permutations Again

- Cycle notation provides a convenient way to combine permutations.

Example (Combining permutations with cycles)

Find $\sigma\rho$ using cycle notation.

2026-06-25

Group Theory Notes

└ Permutations

└ Combining Permutations Again

Combining Permutations Again

- Cycle notation provides a convenient way to combine permutations.

Example (Combining permutations with cycles)

Find $\sigma\rho$ using cycle notation.

Cayley Tables

A *Cayley table* is a multiplication table for a group.

Example (Cayley table for symmetry group)

Find the Cayley table for the symmetry group of the rectangle

A *Cayley table* is a multiplication table for a group.

Example (Cayley table for symmetry group)

Find the Cayley table for the symmetry group of the rectangle

Example (Cayley table for S_3)

Find the Cayley table for S_3 (i.e., the symmetry group of the equilateral triangle).

Even and Odd Permutations

- Permutations can be categorized as **even** or **odd** based on how many switches they perform
- This is called the **parity** of the permutation

Example (Determine parity in S_3)

Find the parity of the permutations (12) and (123).

Example (Determine parity in S_6)

Find the parity of the permutations σ , ρ and $\sigma\rho$.

2026-06-25

Group Theory Notes

└ Permutations

└ Even and Odd Permutations

Even and Odd Permutations

- Permutations can be categorized as **even** or **odd** based on how many switches they perform
- This is called the **parity** of the permutation

Example (Determine parity in S_3)

Find the parity of the permutations (12) and (123).

Example (Determine parity in S_6)

Find the parity of the permutations σ , ρ and $\sigma\rho$.

The 15-Puzzle

- The 15-Puzzle was a fad in nineteenth century America
- The goal is to solve the puzzle to put the numbers in order:

1	2	3	4
5	6	7	8
9	10	11	12
13	15	14	

Figure 1: The 15-puzzle

2026-06-25

Group Theory Notes

- └ Permutations

- └ The 15-Puzzle

The 15-Puzzle

- The 15-Puzzle was a fad in nineteenth century America
- The goal is to solve the puzzle to put the numbers in order:

1	2	3	4
5	6	7	8
9	10	11	12
13	15	14	

Figure 1: The 15-puzzle

Example (Model a configuration)

Use a permutation to describe the following arrangement of the 15-puzzle:

8	12	2	5
11	1	6	
7	14	10	15
9	4	3	13

Figure 2: A shuffled 15-puzzle

What permutation describes the solution?

2026-06-25

Group Theory Notes

└ Permutations

└ Permutations and the 15-Puzzle

Example (Model a configuration)

Use a permutation to describe the following arrangement of the 15-puzzle:

8	12	2	5
11	1	6	
7	14	10	15
9	4	3	13

Figure 2: A shuffled 15-puzzle

What permutation describes the solution?

Example (Find parity of configurations)

Determine the parities of the permutations corresponding to the puzzles in the previous examples, and find the parity of the solution of the 15-puzzle.

Parity of moves in the 15-puzzle

Every valid configuration in the 15-puzzle (that is, moves that place the empty spot in position 16) corresponds to an even permutation.

Example (Find parity of configurations)

Determine the parities of the permutations corresponding to the puzzles in the previous examples, and find the parity of the solution of the 15-puzzle.

Parity of moves in the 15-puzzle

Every valid configuration in the 15-puzzle (that is, moves that place the empty spot in position 16) corresponds to an even permutation.

Impossibility of the 15-Puzzle

Theorem (Nonexistence of solution)

There is no solution of the 15-puzzle.

2026-06-25

Group Theory Notes

└ Permutations

└ Impossibility of the 15-Puzzle

Impossibility of the 15-Puzzle

Theorem (Nonexistence of solution)

There is no solution of the 15-puzzle.

2026-06-25

Group Theory Notes
└─ Rubik's cube group

Rubik's cube group

Rubik's cube group

The **cubies** on a Rubik's cube can be placed in the following categories:

1. Corner cubies
2. Edge cubies
3. Center cubies

2026-06-25

Group Theory Notes
└ Rubik's cube group
└ Terminology

Terminology

The **cubies** on a Rubik's cube can be placed in the following categories:

1. Corner cubies
2. Edge cubies
3. Center cubies

- A **cubicle** is the position of a given cubie. Moves changes the positions of the cubies, but *not* the cubicles.
- Positions can be specified by listing incident faces: `ufr` represents the cubicle/cubie on the upper front right face (i.e., a corner).

Example (Edge Positions)

Give all positions for edge cubies on the back face of a cube.

2026-06-25

Group Theory Notes
└ Rubik's cube group

└ Cubies and Cubicles

- A **cubicle** is the position of a given cubie. Moves changes the positions of the cubies, but not the cubicles.
- Positions can be specified by listing incident faces: `ufr` represents the cubicle/cubie on the upper front right face (i.e., a corner).

Example (Edge Positions)

Give all positions for edge cubies on the back face of a cube.

Example (Generators Acting on Cubies)

What happens to cubies in the previous categories if you apply any of the six basic Rubik's cube actions?

Example (Generators Acting on Cubies)

What happens to cubies in the previous categories if you apply any of the six basic Rubik's cube actions?

Estimating Rubik's Cube Group

2026-06-25

Group Theory Notes

└ Rubik's cube group

└ Estimating Rubik's Cube Group

Example (Size of the Rubik's cube group)

The Rubik's cube group is based on the six fundamental motions F, B, U, D, L and R. How large could this group be? *Hint: try answering the following questions.*

1. How many different positions can the corner cubies be in?
2. How many different positions can the edge cubies be in?

Example (Size of the Rubik's cube group)

The Rubik's cube group is based on the six fundamental motions F, B, U, D, L and R. How large could this group be? *Hint: try answering the following questions.*

1. How many different positions can the corner cubies be in?
2. How many different positions can the edge cubies be in?

1. The corner cubies can be arranged in up to $8!$ ways with up to 3 different configurations each, giving an upper bound of $8!3^8$ arrangements for the corner cubies.
2. The edge cubies have an upper bound of $12!2^{12}$ arrangements.
3. The upper bound for moves is therefore $8!3^812!2^{12}$.