

people cards

Age

94

Cause of heart failure

High blood pressure

Long term high blood pressure leads to cardiomyopathy, or the thickening or enlargement of the heart wall. This makes the heart less efficient at pumping blood, leading to a lack of oxygen and nutrients in the body.



Other conditions

- Smoker
- Kidney disease

Age

75

Cause of heart failure

High blood pressure

Long term high blood pressure leads to cardiomyopathy, or the thickening or enlargement of the heart wall. This makes the heart less efficient at pumping blood, leading to a lack of oxygen and nutrients in the body.



Other conditions

- Lung disease
- History of alcohol abuse

Age 80

Cause of heart failure

High blood pressure

Long term high blood pressure causes arteries leading to the heart to narrow. This makes it harder for the heart to circulate enough blood.



Other conditions

- Lung disease
- High cholesterol

Age

79

Cause of heart failure

High blood pressure

Long term high blood pressure causes arteries leading to the heart to narrow. This makes it harder for the heart to circulate enough blood.



Other conditions

- Smoker
- Kidney disease
- Diabetes

Age

83

Cause of heart failure

High cholesterol

High cholesterol can cause arteries to narrow. This makes it harder for the heart to get and circulate enough blood.



Other conditions

- Smoker

- Cancer

Age

76

Cause of heart failure

Heart attack

Build up of fat in the arteries
cuts off the heart's oxygen
flow, leading a heart attack.
This destroys the heart's
muscles, weakening the heart's
pumping abilities.



Other conditions

- Liver disease

Age

88

Cause of heart failure

Heart attack

Build up of fat in the arteries
cuts off the heart's oxygen
flow, leading a heart attack.
This destroys the heart's
muscles, weakening the heart's
pumping abilities.



Other conditions

- Smoker
- High blood pressure

Age

87

Cause of heart failure

Heart attack

Build up of fat in the arteries
cuts off the heart's oxygen
flow, leading a heart attack.
This destroys the heart's
muscles, weakening the heart's
pumping abilities.



Other conditions

- History of alcohol abuse
- Lung disease

Age

91

Cause of heart failure

Heart attack

Build up of fat in the arteries
cuts off the heart's oxygen
flow, leading a heart attack.
This destroys the heart's
muscles, weakening the heart's
pumping abilities.



Other conditions

- Cancer

Age 58

Cause of heart failure

Diabetes

Higher glucose levels from diabetes can lead to blood vessel damage. This can make it harder for the heart to circulate enough blood.



Other conditions

- Kidney disease

Age

67

Cause of heart failure

Diabetes

Higher glucose levels from diabetes can lead to blood vessel damage. This can make it harder for the heart to circulate enough blood.



Other conditions

- High blood pressure
- High cholesterol

Age

74

Cause of heart failure

Drug overdose

Cardiomyopathy, or heart muscles damage, can be caused by the toxic effects of drugs. This leads the heart to weaken.



Other conditions

- Smoker
- History of alcohol abuse
- Lung disease

Age

81

Cause of heart failure

Alcohol overdose

Cardiomyopathy, or heart muscles damage, can be caused by the overuse of alcohol. This leads the heart to weaken.



Other conditions

- History of drug abuse
- Liver disease

Age 59

Cause of heart failure

Heart valve disease

Damaged heart valves causes the heart to need to work harder to circulate enough blood. This leads the heart to weaken.



Other conditions

- Liver disease
- High cholesterol

Age

82

Cause of heart failure

Heart valve disease

Damaged heart valves causes the heart to need to work harder to circulate enough blood. This leads the heart to weaken.



Other conditions

- High cholesterol
- Diabetes

Age 93

Cause of heart failure

Medication complications

Some medications can lead to various heart problems and heart failure.



Other conditions

- Smoker
- Diabetes

Age 85

Cause of heart failure

Cancer medication complications

Chemotherapy and other cancer treatments may have unintended side effects such as damaging blood vessels and heart muscles.



Other conditions

- High blood pressure
- History of drug abuse

Age

78

Cause of heart failure

Smoking

Irregular heart beat, also called heart arrhythmia, can be a side effect of smoking. This can lead to the heart pumping ineffectively and lacking sufficient blood flow to the body.



Other conditions


- Liver disease
- History of alcohol abuse

Age 65

Cause of heart failure

Accident

Bruising heart muscle through physical trauma or an accident may lead to irregular heart beat, or heart arrhythmia. This can lead to the heart pumping ineffectively and lacking sufficient blood flow to the body.



Other conditions

- Liver disease

Age

87

Cause of heart failure

Viral illness

A virus, such as myocarditis can inflame and damage heart muscle. This often leads to left-sided heart failure.



Other conditions

- High blood pressure

Age

44

Cause of heart failure

Heart attack

Build up of fat in the arteries
cuts off the heart's oxygen
flow, leading a heart attack.

This destroys the heart's
muscles, weakening the heart's
pumping abilities.



Other conditions

- Diabetes

Age

34

Cause of heart failure

High blood pressure

Long term high blood pressure causes arteries leading to the heart to narrow. This makes it harder for the heart to circulate enough blood.



Other conditions

- High cholesterol

Age

27

Cause of heart failure

Drug overdose

Cardiomyopathy, or heart muscles damage, can be caused by the toxic effects of drugs. This leads the heart to weaken.



Other conditions

- History of alcohol abuse

Age

48

Cause of heart failure

Alcohol overdose

Cardiomyopathy, or heart muscles damage, can be caused by the overuse of alcohol. This leads the heart to weaken.



Other conditions

- Smoker

Age 39

Cause of heart failure

Accident

Physical trauma can lead to a ventricular rupture, or a tear in the heart wall. This bleeding can affect the heart's ability to fill with blood.



Other conditions

Age

42

Cause of heart failure

Accident

Bruising heart muscle through physical trauma or an accident may lead to irregular heart beat, or heart arrhythmia. This can lead to the heart pumping ineffectively and lacking sufficient blood flow to the body.



Other conditions

Age

51

Cause of heart failure

Viral illness

A virus, such as myocarditis can inflame and damage heart muscle. This often leads to left-sided heart failure.



Other conditions

Age

49

Cause of heart failure

Cancer medication complications

Chemotherapy and other cancer treatments may have unintended side effects such as damaging blood vessels and heart muscles.



Other conditions

- Smoker

Age 12

Cause of heart failure

Heart muscle disease

The thinning of heart muscle, called dilated cardiomyopathy, can cause the heart to weaken. Dilated cardiomyopathy have environmental and genetic causes.



Other conditions

Age

7

Cause of heart failure

Congenital heart defect

Congenital, or "present from birth", heart defects are problems with the heart's structure. This often involves structural problems with the walls, valves, arteries, or veins of the heart. These defects disrupt normal heart function and blood flow.



Other conditions