## 19. Create a Table as **workers** and the details are

S.No	Name	Designation	Branch
1	Martin	Manager	Chennai
2	Sopna	Supervisor	Madurai
3	Hunter	Assistant	Trichy

## Perform the following:

- Alter the table by adding a column **Salary**
- Alter the table by modifying the column **Name**
- Describe the table **worker**
- Copy the table worker as trainee
- Delete the Second row from the table
- Drop the table

## ANS:-

```
mysql> CREATE TABLE workers (
           S_No INT PRIMARY KEY,
           Name VARCHAR(50),
           Designation VARCHAR(50),
           Branch VARCHAR(50)
    -> );
Query OK, 0 rows affected (0.14 sec)
mysql>
mysql> -- Insert data into the workers table
mysql> INSERT INTO workers (S_No, Name, Designation, Branch)
    -> VALUES (1, 'Martin', 'Manager', 'Chennai'),
-> (2, 'Sopna', 'Supervisor', 'Madurai'),
-> (3, 'Hunter', 'Assistant', 'Trichy');
Query OK, 3 rows affected (0.07 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql>
mysql> -- Alter the table by adding a column Salary
mysql> ALTER TABLE workers ADD COLUMN Salary DECIMAL(10,2);
Query OK, 0 rows affected (0.71 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql>
mysql> -- Alter the table by modifying the column Name
mysql> ALTER TABLE workers CHANGE COLUMN Name EmployeeName VARCHAR(50);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql>
mysql> -- Describe the table worker
mysql> DESCRIBE workers;
                                 | Null | Key | Default | Extra
  Field
                Type
  S No
                 int
                                          PRI | NULL
                                   NO
  EmployeeName | varchar(50)
                                   YES
                                                 NULL
  Designation | varchar(50)
                                   YES
                                                 NULL
                varchar(50)
                                   YES
  Branch
                                                 NULL
  Salary
                decimal(10,2) YES
                                                NULL
 rows in set (0.28 sec)
```

```
mysql> -- Copy the table worker as trainee
mysql> CREATE TABLE trainee LIKE workers;
Query OK, 0 rows affected (0.08 sec)

mysql> INSERT INTO trainee SELECT * FROM workers;
Query OK, 3 rows affected (0.04 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql>
mysql> -- Delete the Second row from the table
mysql> DELETE FROM workers WHERE S_No = 2;
Query OK, 1 row affected (0.04 sec)

mysql>
mysql> -- Drop the table
mysql> -- Drop the table
mysql> DROP TABLE workers;
Query OK, 0 rows affected (0.04 sec)
```