

<JscriptZ>

Jscriptz Subcats

Magento 2 Subcategory Cards — User Guide

Version 2.1.x

Build flexible, card-style subcategory grids and sliders with images, descriptions, and custom ordering — without hand-coding blocks every time.

Live Demo: <https://hyva.jscriptz.com>

Purchase: <https://mage.jscriptz.com/jscriptz-subcats.html>

License Management: <https://mage.jscriptz.com>

Installation • Licensing • Configuration • Widgets • Troubleshooting

jscriptz.com

Table of Contents

1. Installation

- 1.1 Requirements
- 1.2 Install via Composer
- 1.3 Verify Installation

2. Licensing & Activation

- 2.1 Free Trial (30 Days)
- 2.2 Get a License
- 2.3 Find Your License Key
- 2.4 Managing Domains
- 2.5 Enter License in Magento

3. Global Configuration

- 3.1 General Settings
- 3.2 Design & Layout
- 3.3 Card Design
- 3.4 Card Title Design
- 3.5 Transitions
- 3.6 Theme Presets

4. Category-Level Setup

- 4.1 Enable Subcats on a Category
- 4.2 Upload Subcategory Images
- 4.3 Subcategory Order & Selection
- 4.4 Per-Category Column Overrides

5. Using the CMS Widget

- 5.1 Add Widget to a CMS Page
- 5.2 Widget Options Explained
- 5.3 Use in a CMS Block
- 5.4 Add CMS Block to Category

6. Creating a Standalone Widget

7. Image & Layout Behavior

- 7.1 Card Structure
- 7.2 Image Fallback Chain
- 7.3 Responsive Columns

8. Frontend Card Layout

9. Hyvä Theme Compatibility

10. Troubleshooting

1. Installation

1.1 Requirements

Before installing Jscriptz Subcats, ensure your environment meets the following requirements:

Requirement	Details
Magento	2.x (Adobe Commerce or Open Source)
PHP	7.4+ (PHP 8.x fully supported)
Composer	Access to your Magento project

1.2 Install via Composer


From your Magento root directory, run the following commands:

```
composer require jscriptz/module-subcats bin/magento module:enable Jscriptz_Subcats  
bin/magento setup:upgrade bin/magento setup:di:compile bin/magento cache:flush
```

Tip: If you use a build/deploy pipeline, run these commands in your build step as appropriate.

1.3 Verify Installation

After installation, navigate to **Stores** → **Configuration** in your Magento Admin. You should see a new **JSCRIPTZ** section in the left sidebar with **Jscriptz Subcats** listed underneath.



Configuration overview showing the JSCRIPTZ section in the admin sidebar

The configuration page displays several collapsible sections:

- **License** — Manage your license key and view license status
- **General Settings** — Enable/disable the module globally
- **Design & Layout** — Configure image dimensions and column layouts
- **Card Design** — Customize card appearance (borders, shadows, spacing)
- **Card Title Design** — Style the category titles on cards
- **Transitions** — Configure hover animations and effects


2. Licensing & Activation

Jscriptz Subcats uses a lightweight licensing system to manage free trials and full licenses. The extension includes a **30-day free trial** so you can fully evaluate all features before purchasing.

2.1 Free Trial (30 Days)

On first install, the extension automatically starts a **30-day free trial**. During this period:

- All features are fully functional
- The License Status will display: **"Free Trial (XX Days Remaining)"**
- The countdown decreases daily



License section showing Free Trial status with days remaining

2.2 Get a License

When you're ready to purchase a full license:

1. Visit: <https://mage.jscriptz.com/jscriptz-subcats.html>
2. Purchase a license (select the appropriate plan for your needs)
3. After checkout, you will receive a **license key** via email in your order confirmation and in your account area

2.3 Find Your License Key

To retrieve your license key at any time:

1. Log in to your account at <https://mage.jscripztz.com>
2. Navigate to **My Account** → **My Licenses** or go directly to: https://mage.jscripztz.com/jscripztz_license/account/index/
3. Your license key and status will be displayed

The screenshot shows the 'My Licenses' page for a user logged into the JscriptZ Magento extension. The page header includes the JscriptZ logo and navigation links for 'Magento Modules', 'Resources', 'Blog', and 'Contact Us'. The main content area displays a table with one license entry. The license key is '3b489f4518dc5a7ba22ccebab13f5cfb' and the status is 'active'. Below the table, there are input fields for 'Production Domain' (containing 'https://app.encanto.test') and 'Dev Domain / URL' (containing 'dev.encanto.test'). A '+ Add Domain' button is also present, with a note 'Up to 5 domain / dev pairs per license.' At the bottom of the main content area, there is a text input field for a full URL or host, followed by a 'Save Changes' button. The footer contains links for 'COMPANY' (About, My Account, Search Terms, Contact), 'LEGAL' (Privacy, Terms and Conditions), and a 'NEWSLETTER' sign-up form with a 'Subscribe' button. A reCAPTCHA notice is also visible in the footer.

My Licenses	License Key	Status
Module jscripztz_subcats	3b489f4518dc5a7ba22ccebab13f5cfb	active

Production Domain
https://app.encanto.test
+ Add Domain
Up to 5 domain / dev pairs per license.

Dev Domain / URL
dev.encanto.test

Enter a full URL, or just a host (for example: https://mage.example.com or mage.example.com). **Save Changes**

COMPANY
About
My Account
Search Terms
Contact

LEGAL
Privacy
Terms and Conditions

NEWSLETTER
Enter your email address
Subscribe

This form is protected by reCAPTCHA - the Google Privacy Policy and Terms of Service apply.

JscriptZ @ JscriptZ -- @hjscripztz

My Licenses page showing license key and status

2.4 Managing Domains

Each license allows you to register **production and development domain pairs** (up to 5 pairs per license). This lets you run the extension on both your live site and your staging/development environment.

This screenshot shows the 'My Licenses' page with the ability to manage multiple domain pairs. The license key and status remain the same. The 'Production Domain' field now contains five entries: 'https://app.encanto.test', 'another-prod.example.co', 'another-prod.example.co', 'another-prod.example.co', and 'another-prod.example.co'. The 'Dev Domain / URL' field also contains five entries: 'dev.encanto.test', 'another-dev.example.co', 'another-dev.example.co', 'another-dev.example.co', and 'another-dev.example.co'. The '+ Add Domain' button and the 'Up to 5 domain / dev pairs per license.' note are still present. The rest of the page, including the footer with company, legal, and newsletter links, is identical to the previous screenshot.

My Licenses	License Key	Status
Module jscripztz_subcats	3b489f4518dc5a7ba22ccebab13f5cfb	active

Production Domain
https://app.encanto.test
another-prod.example.co
another-prod.example.co
another-prod.example.co
another-prod.example.co
+ Add Domain
Up to 5 domain / dev pairs per license.

Dev Domain / URL
dev.encanto.test
another-dev.example.co
another-dev.example.co
another-dev.example.co
another-dev.example.co

Enter a full URL, or just a host (for example: https://mage.example.com or mage.example.com). **Save Changes**

COMPANY
About
My Account
Search Terms

LEGAL
Privacy
Terms and Conditions

NEWSLETTER
Enter your email address
Subscribe

This form is protected by reCAPTCHA - the Google Privacy Policy and Terms of Service apply.

My Licenses with domain management showing production and dev domain fields

To manage your domains:


1. Go to **My Licenses** in your Jscriptz account
2. Enter your **Production Domain** (e.g., <https://mystore.com>)
3. Enter your **Dev Domain / URL** (e.g., dev.mystore.com)
4. Click **+ Add Domain** to add additional domain pairs if needed
5. Click **Save Changes**

Tip: Enter a full URL or just a host (e.g., <https://mage.example.com> or mage.example.com).

2.5 Enter License in Magento

Once you have your license key:

1. In your Magento Admin, navigate to: **Stores** → **Configuration** → **JSCRIPTZ** → **Jscriptz Subcats**
2. Expand the **License** section
3. Enter your license key in the **License Key** field
4. Click **Save Config**
5. The **License Status** will update automatically



License configuration showing active license status

License Status Values:

Status	Meaning
✓ License is active.	License is valid and active
Free Trial (XX Days Remaining)	Trial period in progress
Expired	License has expired, needs renewal
Invalid	License key is incorrect or not registered for this domain

2.6 Clear Cache After License Changes

After saving your license key, clear the configuration cache:

```
bin/magento cache:clean config
```

3. Global Configuration

After installation and licensing, configure the global Subcats behavior. These settings serve as defaults that can be overridden at the category or widget level.

Navigate to: **Stores** → **Configuration** → **JSCRIPTZ** → **Jscriptz Subcats**

3.1 General Settings

The General Settings section controls whether the module is active.

Setting	Description
Enabled	Set to Yes to turn on Jscriptz Subcats globally. Set to No to disable all Subcats output across your store.

3.2 Design & Layout

The Design & Layout section controls the overall appearance and responsive behavior of your subcategory cards.

DASHBOARD

SALES

CATALOG

CUSTOMERS

SETTINGS

MARKETING

CONTENT

REPORTS

STORES

SYSTEM

FIND PARTNERS & EXTENSIONS

JSCRIPTZ SUBCATS

Configuration

Jscriptz Subcats

GENERAL

SECURITY

CATALOG

MOLLIE

CUSTOMERS

SALES

HYVA THEMES

SERVICES

ADVANCED

General Settings

Design & Layout

Card Design

Card Title Design

Transitions

Save Config

Section Title

Title displayed above the subcategory cards.

Subcategory Image Height

Default image height in pixels.

Subcategory Image Width

Default image width in pixels.

Use Product Image Fallback

When no custom or category image is set, use an image from a product in that category.

Desktop Columns

Number of cards per row on desktop.

Tablet Columns

Number of cards per row on tablet.

Smartphone Columns

Number of cards per row on mobile.

Design & Layout configuration panel

Setting	Description	Example
---------	-------------	---------

Section Title	Optional title displayed above the subcategory cards	"Shop by Category"
Subcategory Image Height	Default image height in pixels	500
Subcategory Image Width	Default image width in pixels	500
Use Product Image Fallback	When no custom or category image is set, use a product image from that category	Yes/No
Desktop Columns	Number of cards per row on desktop screens	4 Columns
Tablet Columns	Number of cards per row on tablet screens	2-3 Columns
Smartphone Columns	Number of cards per row on mobile screens	1 Column

Column Options Available: 1 Column, 2 Columns, 3 Columns, 4 Columns, 5 Columns, 6 Columns

Note: The column settings are responsive breakpoints. On smaller viewports, the module automatically reduces columns for optimal readability.

3.3 Card Design

The Card Design section provides extensive customization options for the appearance of each subcategory card. You can choose from **Theme Presets** or create a **Custom** design.

The screenshot shows the 'Configuration' panel for 'Card Design'. On the left is a sidebar with navigation links: DASHBOARD, SALES, CATALOG, CUSTOMERS, SETTINGS, MARKETING, CONTENT, REPORTS, STORES, SYSTEM, FIND PARTNERS & EXTENSIONS, and SCRIPTS SUBCATS. The main panel has a 'Configuration' header with a 'Save Config' button. Below the header is a list of configuration sections: SECURITY, CATALOG, MOLLIE, CUSTOMERS, SALES, HYVA THEMES, SERVICES, and ADVANCED. The 'Card Design' section is expanded, showing the following settings:


- Theme Preset** (store view): Custom. Choose a preset. Use Custom to fine tune card colors and spacing below.
- Card Corner Radius** (store view): 30px. Border radius for the card (e.g. 0, 4px, .5rem). Leave empty for default.
- Card Border** (store view): 1px solid #ccc. Any CSS border shorthand (e.g. 1px solid #ddd). Leave empty for no border.
- Card Spacing (Gap)** (store view): 15. Space between cards (e.g. 10px or 1.5rem). Leave empty to use the preset default.
- Card Background** (store view): #ffffff. Any valid CSS color (e.g. #ffffff, rgba(0,0,0,.03)). Leave empty for transparent.
- Card Shadow** (store view): 0 3px 4px rgba(0,0,0,0.05). CSS box-shadow for the card (e.g. 0 12px 30px rgba(0,0,0,0.5)). Leave empty for no shadow.
- Card Hover Shadow** (store view): Light. Shadow intensity applied to the card on hover.
- Card Hover Scale** (store view): Medium (1.05). How much the card zooms on hover.
- Image Border** (store view):. Any CSS border shorthand for the image (e.g. 1px solid #eee). Leave empty for none.

Card Design configuration panel with Theme Preset and customization options

Setting	Description	Example Value
Theme Preset	Choose a predefined style or select Custom	Custom, Modern, Classic
Card Corner Radius	Border radius for rounded corners	30px, 0, 4px, .5rem
Card Border	CSS border shorthand for card borders	1px solid #ccc
Card Spacing (Gap)	Space between cards	15, 10px, 1.5rem
Card Background	Background color for cards	#ffffff, rgba(0,0,0,.03)
Card Shadow	CSS box-shadow for cards	0 3px 4px rgba(0,0,0,0.05)
Card Hover Shadow	Shadow intensity applied on hover	Light, Medium, Heavy, None
Card Hover Scale	How much the card zooms on hover	Medium (1.05), Small, Large
Image Border	Border around the card image	1px solid #eee

3.4 Card Title Design

Customize how category names appear on each card.




Card Title Design configuration panel

Setting	Description	Example Value
Card Title Color	Text color for card titles	#007bff, #ff0000
Card Title Font Size	Font size for titles	1.6rem, 1.4rem, 18px
Card Title Font Weight	Font weight for titles	600, 400, 700, 900

Tip: Leave any field empty to inherit the default from your theme.

3.5 Transitions

Control the hover animations and interaction effects for your cards.



Transitions configuration panel

Setting	Description
Card Hover Transition	Enable/disable the hover transition effect on the entire card
Image Hover Transition	Enable/disable the hover transition on just the image
Text Hover Transition	Enable/disable hover transition on the title/description text

Set each to **Yes** to enable smooth hover animations, or **No** to disable them for a more static appearance.

3.6 Theme Presets

Jscriptz Subcats includes several **Theme Presets** that provide pre-configured styling combinations. This allows you to quickly achieve a polished look without manually adjusting each individual setting.

Available Theme Presets:

When you select a Theme Preset from the Card Design section, the following pre-configured styles are applied:

Preset	Description
Custom	No preset applied — manually configure all settings yourself
Modern	Clean, contemporary design with subtle shadows and rounded corners
Classic	Traditional e-commerce styling with defined borders
Minimal	Ultra-clean with minimal visual elements, focus on images
Bold	High-contrast design with prominent shadows and hover effects
Soft	Gentle styling with light backgrounds and soft shadows

How to Use Theme Presets:

1. Navigate to **Stores** → **Configuration** → **JSCRIPTZ** → **Jscriptz Subcats**
2. Expand the **Card Design** section
3. Find the **Theme Preset** dropdown at the top of the section
4. Select your desired preset
5. The fields below will update with the preset values
6. **Optionally**, select **Custom** and modify individual settings to fine-tune the appearance
7. Click **Save Config**
8. Flush cache: `bin/magento cache:flush`

Tip: Start with a Theme Preset that closely matches your design goals, then switch to **Custom** and adjust individual values to perfectly match your brand.


4. Category-Level Setup

This is where the magic happens. At the category level, you define which subcategories appear, in what order, and how they look. These settings override the global defaults when specified.

4.1 Enable Subcats on a Category

To configure Subcats for a category:

- 1. Go to **Catalog** → **Categories**
- 2. Select the **parent category** where you want subcategory cards to appear (e.g., Women, Men, Gear, Training)
- 3. In the left-side tabs, find and click the **Jscriptz Subcats** tab



Category edit page showing the Jscriptz Subcats tab

Jscriptz Subcats Tab Fields:


Field	Location	Description
Display this Subcategory?	Child categories	Controls whether this category appears as a card under its parent. Set to No to
Subcat Image	Each category	Upload a custom image specifically for the Subcats card display
Desktop Column Display	Per-category	Override the global desktop column count

Tablet Column Display	Per-category	Override the global tablet column count
Smartphone Column Display	Per-category	Override the global mobile column count
Subcategories to Display	Parent category	Multi-select to choose which child categories should be shown as cards

4.2 Upload Subcategory Images

Each subcategory card can have its own dedicated image, providing visual consistency across your store.

1. In **Catalog** → **Categories**, select the **child category** (the one that will appear as a card)
2. Open the **Jscriptz Subcats** tab
3. Find the **Subcat Image** field
4. Click **Upload** and select your image
5. Save the category



Category edit with Subcat Image uploaded showing preview thumbnail

Image Fallback Behavior:


The module uses an intelligent fallback system to ensure cards always have images:

Priority	Image Source
1 (Highest)	Subcat Image (uploaded in the Jscriptz Subcats tab)
2	Standard Category Image (from the Content tab)
3 (Lowest)	Product image from that category (if "Use Product Image Fallback" is enabled)

This means your cards will rarely appear without images, even if you haven't uploaded dedicated Subcat images for every category.

4.3 Subcategory Order & Selection

On the parent category, you can precisely control which subcategories appear and in what order.




Subcategories to Display multi-select with ordering controls

1. Select the **parent category** (e.g., "Tops")
2. Open the **Jscriptz Subcats** tab
3. In the **Subcategories to Display** field, you'll see a dropdown/multi-select list of all child categories
4. **Select** the categories you want to show as cards
5. **Use the ↑ and ↓ arrows** to reorder the selected subcategories
6. Leave empty to show **all active child categories**
7. Save the category

Example: If you have subcategories Jackets, Hoodies & Sweatshirts, Tees, and Bras & Tanks under "Tops," you can select only some of them and reorder them as needed.

4.4 Per-Category Column Overrides

You can override the global column settings for specific categories. This is useful when different categories have different numbers of subcategories.



Column display dropdowns showing 1-6 column options

Field	Options	Description
Desktop Column Display	1-6 Columns	Number of cards per row on desktop
Tablet Column Display	1-6 Columns	Number of cards per row on tablets
Smartphone Column Display	1-6 Columns	Number of cards per row on mobile


Tip: If a category has only 3 subcategories, setting Desktop Columns to 3 ensures they display in a single, balanced row.

5. Using the CMS Widget

Jscriptz Subcats can be rendered on any CMS page or static block using the bundled widget. This gives you complete flexibility to display subcategory cards anywhere on your site — home pages, landing pages, promotional blocks, and more.


5.1 Add Widget to a CMS Page

1. Go to **Content** → **Pages**
2. Edit the page where you want to add subcategory cards (e.g., Home Page)
3. In the **Content** section, click **Edit with Page Builder** (or access the WYSIWYG editor)
4. Position your cursor where you want the widget, or add a new row
5. Click the **Insert Widget** button (looks like a cookie/chip icon in the toolbar)



Page Builder interface with Insert Widget button highlighted

6. In the **Insert Widget** dialog, select **Widget Type: Jscriptz Subcats**




Widget Type dropdown showing Jscriptz Subcats option

7. Configure the Widget Options (see next section for details)

8. Click **Insert Widget**

9. Save the page



CMS Page with multiple Jscriptz Subcats widgets - Shop Women, Shop Men, Shop Gear

5.2 Widget Options Explained

When inserting a Jscriptz Subcats widget, you have extensive configuration options:

Find items

Layout

Row

Columns

Tabs

Elements

Text

Heading

Buttons

Divider

HTML Code

Media

Add Content

Insert Widget

Cancel

Insert Widget

Inserting a widget does not create a widget instance.

Widget Type *

Jscriptz Subcats

Display a grid of category cards using Jscriptz Subcats.

Widget Options

Template *

Default Subcats Grid

Autoplay Slider

No

Autoplay Delay (ms)

Time between slide changes in milliseconds (e.g. 5000). Used only when Autoplay is enabled.

Categories *

Available Categories

Men

Men / Tops

Men / Tops / Jackets

Men / Tops / Hoodies & Sweatshirts

Men / Tops / Tees

Men / Tops / Tanks

Men / Bottoms

Men / Bottoms / Pants

Men / Bottoms / Shorts

Women

Add

Remove

Final Order

Move Up

Move Down

Widget Options panel with all configuration fields


Basic Options:

Option	Description
Template	Choose the display template (Default Subcats Grid is standard)
Autoplay Slider	Enable carousel/slider mode with automatic rotation
Autoplay Delay (ms)	Time between slides in milliseconds (e.g., 5000 = 5 seconds). Only used when Autoplay is enable

Category Selection:

Show Title	Display a title/heading above the cards
------------	---

Title Styling Options (when Show Title is Yes):



The screenshot shows a 'Widgets' configuration page with a sidebar on the left containing icons for Dashboard, Sales, Catalog, Customers, Settings, Marketing, Content, Reports, Stores, System, Find Partners & Extensions, and JScripTz Subcats. The main area contains the following settings:

- Title:** A text input field containing 'Men'.
- Title Font Size:** A text input field containing '48px'. Below it, a note reads: 'CSS font-size value (e.g. 1.5rem, 24px). Leave empty to use the theme default.'
- Title Font Weight:** A text input field containing '700'. Below it, a note reads: 'CSS font-weight value (e.g. 400, 500, 700). Leave empty to use the theme default.'
- Title Alignment:** A dropdown menu with 'Left' selected.
- Title Color:** A text input field containing '#444'. Below it, a note reads: 'CSS color value (e.g. #2563eb, #111827, rgb(37,99,235)). Red, Blue, Yellow. Leave empty to inherit theme.'
- Title Margin:** A text input field containing '0'. Below it, a note reads: 'CSS margin value for the title (e.g. 0 0 1.5rem 0). Leave empty to use the theme default.'
- Title Padding:** A text input field containing '0.5rem 0'. Below it, a note reads: 'CSS padding value for the title (e.g. 0.5rem 0). Leave empty to use the theme default.'
- Card Title Font Size:** A text input field containing '1rem'. Below it, a note reads: 'CSS font-size for the card titles (e.g. 1rem, 18px). Leave empty to use the global Subcats configuration.'
- Card Title Font Weight:** A text input field containing '400'. Below it, a note reads: 'CSS font-weight for the card titles (e.g. 400, 500, 700). Leave empty to use the global Subcats configuration.'
- Card Title Color:** A text input field containing '#2563eb'. Below it, a note reads: 'CSS color for the card titles (e.g. #2563eb, #111827). Leave empty to use the global Subcats configuration.'


Widget title styling options

Option	Description	Example
Title	The heading text	"Men", "Women", "Shop Our Collection"
Title Font Size	CSS font-size value	48px, 2rem
Title Font Weight	CSS font-weight value	700, 400
Title Alignment	Left, Center, or Right	Left
Title Color	CSS color value	#444, blue
Title Margin	CSS margin value	Leave empty for default
Title Padding	CSS padding value	0.5rem 0
Card Title Font Size	Size for individual card titles	1rem, 18px
Card Title Font Weight	Weight for card titles	400, 600
Card Title Color	Color for card titles	#2563eb, #111827
Card Title Hover Color	Color when hovering on card titles	#1e40af

5.3 Use in a CMS Block

You can also add Jscriptz Subcats to a reusable CMS Block, which can then be placed in multiple locations.

1. Go to **Content** → **Blocks**
2. Click **Add New Block** or edit an existing block
3. Give the block a meaningful **Title** and **Identifier** (e.g., "Jscriptz Subcats Block")
4. In the **Content** area, click **Edit with Page Builder** or use the WYSIWYG
5. Insert the **Jscriptz Subcats** widget using the same process as CMS pages
6. Save the block




Content Blocks list in admin

5.4 Add CMS Block to Category

You can display your Jscriptz Subcats CMS Block directly on a category page using the **Add CMS Block** feature.

1. Go to **Catalog** → **Categories**
2. Select the category where you want to display the block
3. Scroll down to find the **Content** section
4. Find the **Add CMS Block** dropdown
5. Select your **Jscriptz Subcats Block** (or whatever you named it)
6. Save the category



Category edit showing Add CMS Block dropdown with Jscriptz Subcats Block option


Benefits of this approach:

- You create one reusable block with your widget configuration
- Apply it to multiple categories
- Update the block once, and all categories reflect the change

6. Creating a Standalone Widget

In addition to inserting widgets into CMS pages and blocks, you can create **standalone Widget Instances** that can be assigned to specific layout containers and pages.

1. Go to **Content** → **Widgets**
2. Click **Add Widget**
3. In the Settings panel: **Type:** Select **Jscriptz Subcats**; **Design Theme:** Select your active theme
4. Click **Continue**
5. Configure **Storefront Properties** (Widget Title, Store Views, Sort Order)
6. Configure **Layout Updates** to specify where the widget appears
7. Configure **Widget Options** (same as when inserting via Page Builder)
8. Click **Save**



Widget settings with Type and Design Theme selection


DASHBOARD


SALES


CATALOG


CUSTOMERS


SETTINGS


MARKETING


CONTENT


REPORTS


STORES


SYSTEM


THIRD PARTY INTEGRATIONS & EXTENSIONS


JSCRIPTZ SUBCATS

Widgets

WIDGET

Storefront Properties 

Widget Options

Storefront Properties

Type

Jscriptz Subcats

Design Package/Theme

Hyvä Default

Widget Title *

Jscriptz Subcats

Assign to Store Views *

All Store Views

Main Website

Main Website Store

Default Store View

Sort Order

0

Sort Order of widget instances in the same container

 van

← Back

Reset

Save and Continue Edit

Save

Widget Storefront Properties configuration

7. Image & Layout Behavior

7.1 Card Structure

Each subcategory card typically displays:

- **Category Image** — The visual centerpiece of the card
- **Category Name** — The title/label for the subcategory
- **Optional Description** — Controlled by global and category settings
- **Hover Effects** — Transitions, shadows, and scale effects on interaction

7.2 Image Fallback Chain

Jscriptz Subcats uses an intelligent image fallback system:

1. **Subcat Image** — Custom image uploaded in the Jscriptz Subcats tab (highest priority)
2. **Category Image** — Standard Magento category image from the Content tab
3. **Product Image** — A product image from within that category (if enabled in global settings)

This ensures cards rarely appear without images, providing a polished user experience even if dedicated images aren't uploaded for every subcategory.

7.3 Responsive Columns

The column system adapts to different screen sizes:

Breakpoint	Typical Width	Default Columns
Desktop	1024px+	4 columns
Tablet	768px - 1023px	2-3 columns
Mobile	< 768px	1-2 columns


These values can be configured globally and overridden per-category or per-widget.

8. Frontend Card Layout

Here's how Jscriptz Subcats appears on the frontend of your store.

8.1 Grid Display

The standard grid layout displays subcategory cards in a responsive row/column format:




Frontend display showing Shop Women and Shop Men sections with card grids

Each card includes: a prominent image, the category name below, smooth hover transitions (if enabled), and a clickable area that links to the subcategory page.

8.2 Category Page Integration

When configured on a category, the subcategory cards appear above the product listing:




Tops category page with subcategory cards displayed above products

This provides intuitive navigation for customers to drill down into specific product types.

8.3 Mobile Responsive View

On smaller screens, the layout automatically adjusts:



Mobile view showing 2-column layout on a mobile device

The responsive design ensures: cards stack appropriately for the screen width, touch-friendly sizing, readable text and imagery, and good Largest Contentful Paint (LCP) scores for Core Web Vitals.

8.4 Slider Mode

When **Autoplay Slider** is enabled, cards display in a carousel format with automatic rotation (configurable delay), navigation dots or arrows (theme-dependent), and smooth slide transitions.

9. Hyvä Theme Compatibility

Jscriptz Subcats is fully compatible with **Hyvä Themes**, the modern AlpineJS/Tailwind CSS-based Magento theme.


9.1 Theme Detection

The module includes intelligent theme detection that automatically:

- Detects when Hyvä is active
- Loads the appropriate templates and styling
- Uses Tailwind CSS utilities when appropriate

9.2 Hyvä-Specific Configuration

When using Hyvä, you may see additional configuration options. The module respects Hyvä's architecture by using AlpineJS for interactivity, leveraging Tailwind CSS for styling, and maintaining compatibility with Hyvä's performance optimizations.



Hyvä Themes configuration section in admin

9.3 Live Demo

Visit <https://hyva.jscriptz.com> to see Jscriptz Subcats running on a Hyvä theme installation.

10. Troubleshooting

10.1 No Subcategories Showing

Check the following on the parent category:

- Is the Jscriptz Subcats module **Enabled** globally? (Stores → Configuration → JSCRIPTZ → Jscriptz Subcats → General Settings → Enabled = Yes)
- Have you selected any subcategories in **Subcategories to Display**? If left empty, all active children should show.

Check the child categories:

- Is **Display this Subcategory?** set to **Yes** (or not explicitly set to No)?
- Is the child category **Enabled** and assigned to the correct **Store View**?

After making changes:

```
bin/magento indexer:reindex bin/magento cache:flush
```

10.2 License Shows "Free Trial" or "Expired"

1. Confirm you've entered your license key at: **Stores** → **Configuration** → **JSCRIPTZ** → **Jscriptz Subcats** → **License** → **License Key**
2. Check that your domain is registered in your Jscriptz account:
https://mage.jscriptz.com/jscriptz_license/account/index/
3. Ensure your server can outbound-connect to: `https://mage.jscriptz.com/`
4. Flush the config cache: `bin/magento cache:clean config`
5. Reload the configuration page — the License Check should refresh automatically

If status stays **Invalid** or **Expired** and you believe it's incorrect, contact support via your `mage.jscriptz.com` account.

10.3 Widget Appears But No Styling

If you see basic HTML with no card styling:

1. **Verify CSS is loading:** Check that your theme is including Jscriptz Subcats CSS
2. **Deploy static content:** `bin/magento setup:static-content:deploy -f`
3. **For Hyvä themes:** Ensure the Hyvä-specific layout XML is active
4. **Clear all caches:** `bin/magento cache:flush`

10.4 Images Not Displaying

1. **Check image upload:** Verify the Subcat Image is uploaded in the category's Jscriptz Subcats tab, or ensure the standard Category Image is set
2. **Check fallback settings:** If relying on product image fallback, ensure **Use Product Image Fallback** is enabled globally
3. **Check file permissions:** Ensure `pub/media/catalog/category/` is writable

Quick Reference: Configuration Hierarchy

Understanding the configuration override cascade helps troubleshoot unexpected behavior:

Widget Settings (highest priority) ↓ Category Settings ↓ Global Configuration (lowest priority)

For example, if you set Desktop Columns to **4** globally, but a specific widget sets Desktop Columns to **3**, that widget will display 3 columns.

Support

For additional help or to report issues:

Documentation & Updates: <https://mage.jscriptz.com>

License Management: https://mage.jscriptz.com/jscriptz_license/account/index/

Live Demo: <https://hyva.jscriptz.com>

Purchase/Upgrade: <https://mage.jscriptz.com/jscriptz-subcats.html>

© Jscriptz — Magento 2 Extensions

This guide is for Jscriptz Subcats version 2.1.x. Features and screenshots may vary slightly in newer versions.