# Microsoft DP-700 Actual Exam Questions

Last updated on Nov 04, 2026.
View Custom Settings Print Exam
97% Passed the exam with this material
161 Questions & Answers Included

**Question #1** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions.
Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.
Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers

Contoso has an Azure subscription.

The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.

The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.

Requirements. Planned Changes

Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.

Requirements. Technical Requirements

The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.

Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.

Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.

Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.

No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.

Development effort must be minimized and a built-in connection must be used to import the source data.

In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.

Requirements. Data Transformation

In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.

Requirements. Data Security

Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.

The data analysts must only have read access to the Delta tables in the gold layer.

The data analysts must NOT have access to the data in the bronze and silver layers.

The data engineers must be able to commit changes to source control in WorkspaceA.

You need to ensure that the data analysts can access the gold layer lakehouse.

What should you do?

- A. Add the DataAnalyst group to the Viewer role for WorkspaceA.
- B. Share the lakehouse with the DataAnalysts group and grant the Build reports on the default semantic model permission.
- C. Share the lakehouse with the DataAnalysts group and grant the Read all SQL Endpoint data permission. Most Voted
- D. Share the lakehouse with the DataAnalysts group and grant the Read all Apache Spark permission.

Reveal Solution Discussion 20

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #2** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace.
You have semi-structured data.
You need to read the data by using T-SQL, KQL, and Apache Spark. The data will only be written by using Spark.
What should you use to store the data?

- A. a lakehouse Most Voted
- B. an eventhouse
- C. a datamart
- D. a warehouse

Reveal Solution Discussion 90

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #3** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a warehouse named Warehouse1.
You have an on-premises Microsoft SQL Server database named Database1 that is accessed by using an on-premises data gateway.
You need to copy data from Database1 to Warehouse1.
Which item should you use?

- A. a Dataflow Gen1 dataflow
- B. a data pipeline Most Voted
- C. a KQL queryset
- D. a notebook

Reveal Solution Discussion 18

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #4** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a warehouse named Warehouse1.
You have an on-premises Microsoft SQL Server database named Database1 that is accessed by using an on-premises data gateway.
You need to copy data from Database1 to Warehouse1.
Which item should you use?

- A. an Apache Spark job definition
- B. a data pipeline Most Voted
- C. a Dataflow Gen1 dataflow
- D. an eventstream

Reveal Solution Discussion 11

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #5** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric F32 capacity that contains a workspace. The workspace contains a warehouse named DW1 that is modelled by using MD5 hash surrogate keys.
DW1 contains a single fact table that has grown from 200 million rows to 500 million rows during the past year.
You have Microsoft Power BI reports that are based on Direct Lake. The reports show year-over-year values.
Users report that the performance of some of the reports has degraded over time and some visuals show errors.
You need to resolve the performance issues. The solution must meet the following

requirements:
Provide the best query performance.
Minimize operational costs.
Which should you do?

- A. Change the MD5 hash to SHA256.
- B. Increase the capacity. Most Voted
- C. Enable V-Order.
- D. Modify the surrogate keys to use a different data type.
- E. Create views.

Reveal Solution Discussion 99

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #6 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1


HOTSPOT
You have a Fabric workspace that contains a warehouse named DW1. DW1 contains the following tables and columns.

| Table name | Column name | Description |
|---|---|---|
| SalesOrderDetail | ProductID | Contains the product ID of the ordered product |
| SalesOrderDetail | ModifiedDate | Contains the date of an order |
| SalesOrderDetail | OrderQty | Contains the order quantity |
| Product | ProductID | Contains the unique ID of a product |
| Product | Name | Contains a product name |

You need to create an output that presents the summarized values of all the order quantities by year and product. The results must include a summary of the order quantities at the year level for all the products.
How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**




Reveal Solution Discussion 30

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #7** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a lakehouse named Lakehouse1. Data is ingested into Lakehouse1 as one flat table. The table contains the following columns.

| Name | Description |
|---|---|
| TransactionID | Contains a unique ID for each transaction |
| Date | Contains the date of a transaction |
| ProductID | Contains a unique ID for each product |
| ProductColor | Contains a descriptive attribute that describes the color of each product |
| ProductName | Contains a unique name for each product |
| SalesAmount | Contains the sales amount of a transaction |

You plan to load the data into a dimensional model and implement a star schema.
From the original flat table, you create two tables named FactSales and DimProduct.
You will track changes in DimProduct.
You need to prepare the data.
Which three columns should you include in the DimProduct table? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Date
- B. ProductName
- C. ProductColor
- D. TransactionID
- E. SalesAmount
- F. ProductID

Reveal Solution Discussion 18

Correct Answer: BCF

Community vote currently supports Answer BCF

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #8** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains a notebook named Notebook1.
In Workspace1, you create a new notebook named Notebook2.
You need to ensure that you can attach Notebook2 to the same Apache Spark session as Notebook1.
What should you do?

- A. Enable high concurrency for notebooks. Most Voted
- B. Enable dynamic allocation for the Spark pool.

- C. Change the runtime version.
- D. Increase the number of executors.

Reveal Solution Discussion 13

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #9 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains a lakehouse named Lakehouse1. Lakehouse1 contains the following tables:
Orders
Customer
Employee
The Employee table contains Personally Identifiable Information (PII).
A data engineer is building a workflow that requires writing data to the Customer table, however, the user does NOT have the elevated permissions required to view the contents of the Employee table.
You need to ensure that the data engineer can write data to the Customer table without reading data from the Employee table.
Which three actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Share Lakehouse1 with the data engineer.
- B. Assign the data engineer the Contributor role for Workspace2.
- C. Assign the data engineer the Viewer role for Workspace2.
- D. Assign the data engineer the Contributor role for Workspace1.
- E. Migrate the Employee table from Lakehouse1 to Lakehouse2.
- F. Create a new workspace named Workspace2 that contains a new lakehouse named Lakehouse2.
- G. Assign the data engineer the Viewer role for Workspace1.

Reveal Solution Discussion 26

Correct Answer: DEF

Community vote currently supports Answer DEF

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #10 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric warehouse named DW1. DW1 contains a table that stores sales data and is used by multiple sales representatives.
You plan to implement row-level security (RLS).
You need to ensure that the sales representatives can see only their respective data.
Which warehouse object do you require to implement RLS?

- A. STORED PROCEDURE
- B. CONSTRAINT
- C. SCHEMA
- D. FUNCTION Most Voted

Reveal Solution Discussion 9

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #11 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT
You have a Fabric workspace named Workspace1_DEV that contains the following items:
10 reports
Four notebooks
Three lakehouses
Two data pipelines
Two Dataflow Gen1 dataflows
Three Dataflow Gen2 dataflows
Five semantic models that each has a scheduled refresh policy
You create a deployment pipeline named Pipeline1 to move items from Workspace1_DEV to a new workspace named Workspace1_TEST.
You deploy all the items from Workspace1_DEV to Workspace1_TEST.
For each of the following statements, select Yes if the statement is true. Otherwise,

select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

| Statements | Yes | No |
|---|---|---|
| Data from the semantic models will be deployed to the target stage. | ○ | ○ |
| The Dataflow Gen1 dataflows will be deployed to the target stage. | ○ | ○ |
| The scheduled refresh policies will be deployed to the target stage. | ○ | ○ |

Reveal Solution Discussion 30

Correct Answer:

| Statements | Yes | No |
|---|---|---|
| Data from the semantic models will be deployed to the target stage. | ○ | ◉ |
| The Dataflow Gen1 dataflows will be deployed to the target stage. | ◉ | ○ |
| The scheduled refresh policies will be deployed to the target stage. | ○ | ◉ |

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #12 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric deployment pipeline that uses three workspaces named Dev, Test, and Prod.
You need to deploy an eventhouse as part of the deployment process.
What should you use to add the eventhouse to the deployment process?

- A. GitHub Actions

- B. a deployment pipeline Most Voted
- C. an Azure DevOps pipeline

Reveal Solution Discussion 10

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #13** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains a warehouse named Warehouse1.
You plan to deploy Warehouse1 to a new workspace named Workspace2.
As part of the deployment process, you need to verify whether Warehouse1 contains invalid references. The solution must minimize development effort.
What should you use?

- A. a database project
- B. a deployment pipeline Most Voted
- C. a Python script
- D. a T-SQL script

Reveal Solution Discussion 20

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #14** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a Real-Time Intelligence solution and an eventhouse.
Users report that from OneLake file explorer, they cannot see the data from the eventhouse.

You enable OneLake availability for the eventhouse.
What will be copied to OneLake?

- A. only data added to new databases that are added to the eventhouse
- B. only the existing data in the eventhouse
- C. no data
- D. both new data and existing data in the eventhouse Most Voted
- E. only new data added to the eventhouse

Reveal Solution Discussion 54

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #15 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1.
You plan to integrate Workspace1 with Azure DevOps.
You will use a Fabric deployment pipeline named deployPipeline1 to deploy items from Workspace1 to higher environment workspaces as part of a medallion architecture. You will run deployPipeline1 by using an API call from an Azure DevOps pipeline.
You need to configure API authentication between Azure DevOps and Fabric.
Which type of authentication should you use?

- A. service principal Most Voted
- B. Microsoft Entra username and password
- C. managed private endpoint
- D. workspace identity

Reveal Solution Discussion 17

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #16 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Google Cloud Storage (GCS) container named storage1 that contains the files shown in the following table.

| Name | Size |
|---|---|
| ProductFile.parquet | 8 MB |
| StoreFile.json | 500 MB |
| TripsFile.csv | 99 MB |

You have a Fabric workspace named Workspace1 that has the cache for shortcuts enabled. Workspace1 contains a lakehouse named Lakehouse1. Lakehouse1 has the shortcuts shown in the following table.

| Name | Source | Last accessed |
|---|---|---|
| Products | ProductFile | 12 hours ago |
| Stores | StoreFile | 4 hours ago |
| Trips | TripsFile | 48 hours ago |

You need to read data from all the shortcuts.
Which shortcuts will retrieve data from the cache?

- A. Stores only
- B. Products only
- C. Stores and Products only Most Voted
- D. Products, Stores, and Trips
- E. Trips only
- F. Products and Trips only

Reveal Solution Discussion 44

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #17 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains an Apache Spark job definition named Job1.
You have an Azure SQL database named Source1 that has public internet access disabled.

You need to ensure that Job1 can access the data in Source1.
What should you create?

- A. an on-premises data gateway
- B. a managed private endpoint Most Voted
- C. an integration runtime
- D. a data management gateway

Reveal Solution Discussion 8

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #18 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have an Azure Data Lake Storage Gen2 account named storage1 and an Amazon S3 bucket named storage2.
You have the Delta Parquet files shown in the following table.

| Name | Stored in | Size | Description |
|---|---|---|---|
| ProductFile | storage1 | 50 MB | Contains a list of products and their details |
| TripsFile | storage2 | 2 GB | Contains one month's worth of taxi trip data |
| StoreFile | storage2 | 25 MB | Contains a list of stores and their addresses |

You have a Fabric workspace named Workspace1 that has the cache for shortcuts enabled. Workspace1 contains a lakehouse named Lakehouse1. Lakehouse1 has the following shortcuts:
A shortcut to ProductFile aliased as Products
A shortcut to StoreFile aliased as Stores
A shortcut to TripsFile aliased as Trips
The data from which shortcuts will be retrieved from the cache?

- A. Trips and Stores only
- B. Products and Store only
- C. Stores only Most Voted
- D. Products only
- E. Products, Stores, and Trips

Reveal Solution Discussion 63

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #19 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT
You have a Fabric workspace named Workspace1 that contains the items shown in the following table.

| Name | Type |
|---|---|
| Notebook1 | Notebook |
| Notebook2 | Notebook |
| Lakehouse1 | Lakehouse |
| Pipeline1 | Data pipeline |
| Model1 | Semantic model |

For Model1, the Keep your Direct Lake data up to date option is disabled.
You need to configure the execution of the items to meet the following requirements:
Notebook1 must execute every weekday at 8:00 AM.
Notebook2 must execute when a file is saved to an Azure Blob Storage container.
Model1 must refresh when Notebook1 has executed successfully.
How should you orchestrate each item? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Notebook1:

- Add Notebook1 to an Apache Spark job definition.
- Add Notebook1 to Pipeline1.
- From Real-Time hub, configure the execution of Notebook1.

Notebook2:

- Add Notebook2 to an Apache Spark job definition.
- Add Notebook2 to Pipeline1.
- From Real-Time hub, configure the execution of Notebook2.

Pipeline1:


- Add Pipeline1 to an Apache Spark job definition.
- Configure the execution of Pipeline1 by using a schedule.
- From Real-Time hub, configure the execution of Pipeline1.

Model1:

- Add Model1 to Pipeline1.
- From Real-Time hub, configure Model1 to refresh.
- Set Keep your Direct Lake data up to date to On.

Reveal Solution Discussion 9

Correct Answer:




Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #20 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Your company has a sales department that uses two Fabric workspaces named Workspace1 and Workspace2.
The company decides to implement a domain strategy to organize the workspaces.
You need to ensure that a user can perform the following tasks:
Create a new domain for the sales department.
Create two subdomains: one for the east region and one for the west region.
Assign Workspace1 to the east region subdomain.
Assign Workspace2 to the west region subdomain.
The solution must follow the principle of least privilege.
Which role should you assign to the user?

- A. workspace Admin

- B. domain admin
- C. domain contributor
- D. Fabric admin Most Voted

Reveal Solution Discussion 38

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #21 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains a warehouse named DW1 and a data pipeline named Pipeline1.
You plan to add a user named User3 to Workspace1.
You need to ensure that User3 can perform the following actions:
View all the items in Workspace1.
Update the tables in DW1.
The solution must follow the principle of least privilege.
You already assigned the appropriate object-level permissions to DW1.
Which workspace role should you assign to User3?

- A. Admin
- B. Member
- C. Viewer Most Voted
- D. Contributor

Reveal Solution Discussion 57

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #22 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric capacity that contains a workspace named Workspace1. Workspace1 contains a lakehouse named Lakehouse1, a data pipeline, a notebook, and several Microsoft Power BI reports.
A user named User1 wants to use SQL to analyze the data in Lakehouse1.
You need to configure access for User1. The solution must meet the following requirements:
Provide User1 with read access to the table data in Lakehouse1.
Prevent User1 from using Apache Spark to query the underlying files in Lakehouse1.
Prevent User1 from accessing other items in Workspace1.
What should you do?

- A. Share Lakehouse1 with User1 directly and select Read all SQL endpoint data. Most Voted
- B. Assign User1 the Viewer role for Workspace1. Share Lakehouse1 with User1 and select Read all SQL endpoint data.
- C. Share Lakehouse1 with User1 directly and select Build reports on the default semantic model.
- D. Assign User1 the Member role for Workspace1. Share Lakehouse1 with User1 and select Read all SQL endpoint data.

Reveal Solution Discussion 8

Correct Answer: A

Community vote currently supports Answer A


Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #23 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1


DRAG DROP
You are implementing the following data entities in a Fabric environment:
Entity1: Available in a lakehouse and contains data that will be used as a core organization entity
Entity2: Available in a semantic model and contains data that meets organizational standards
Entity3: Available in a Microsoft Power BI report and contains data that is ready for sharing and reuse
Entity4: Available in a Power BI dashboard and contains approved data for executive-level decision making
Your company requires that specific governance processes be implemented for the data.
You need to apply endorsement badges to the entities based on each entity's use

case.
Which badge should you apply to each entity? To answer, drag the appropriate badges the correct entities. Each badge may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.




Reveal Solution Discussion 19

Correct Answer:




Question #24 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT
You have three users named User1, User2, and User3.
You have the Fabric workspaces shown in the following table.

| Name | Workspace admin |
|---|---|
| Workspace1 | User1 |
| Workspace2 | User2 |

You have a security group named Group1 that contains User1 and User3.
The Fabric admin creates the domains shown in the following table.

| Name | Domain admin |
|---|---|
| Domain1 | User1 |
| Domain2 | User2 |

User1 creates a new workspace named Workspace3.
You add Group1 to the default domain of Domain1.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

**Answer Area**

| Statements | Yes | No |
|---|---|---|
| User3 has Viewer role access to Workspace3. | ○ | ○ |
| User3 has Domain contributor access to Domain1. | ○ | ○ |
| User2 has Contributor role access to Workspace3. | ○ | ○ |

Reveal Solution Discussion 23

Correct Answer:

| Statements | Yes | No |
|---|---|---|
| User3 has Viewer role access to Workspace3. | ◉ | ○ |
| User3 has Domain contributor access to Domain1. | ○ | ◉ |
| User2 has Contributor role access to Workspace3. | ○ | ◉ |

---

Question #25 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have two Fabric workspaces named Workspace1 and Workspace2.
You have a Fabric deployment pipeline named deployPipeline1 that deploys items from Workspace1 to Workspace2. DeployPipeline1 contains all the items in

Workspace1.
You recently modified the items in Workspaces1.
The workspaces currently contain the items shown in the following table.

| Workspace | Items |
|---|---|
| Workspace1 | Model1<br>Notebook1<br>Report1<br>Lakehouse1<br>Pipeline1 |
| Workspace2 | Model1<br>Notebook2<br>Report1<br>Lakehouse2 |

Items in Workspace1 that have the same name as items in Workspace2 are currently paired.
You need to ensure that the items in Workspace1 overwrite the corresponding items in Workspace2. The solution must minimize effort.
What should you do?

- A. Delete all the items in Workspace2, and then run deployPipeline1.
- B. Rename each item in Workspace2 to have the same name as the items in Workspace1.
- C. Back up the items in Workspace2, and then run deployPipeline1.
- D. Run deployPipeline1 without modifying the items in Workspace2. Most Voted

Reveal Solution Discussion 12

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #26 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains a data pipeline named Pipeline1 and a lakehouse named Lakehouse1.
You have a deployment pipeline named deployPipeline1 that deploys Workspace1 to Workspace2.
You restructure Workspace1 by adding a folder named Folder1 and moving Pipeline1 to Folder1.

You use deployPipeline1 to deploy Workspace1 to Workspace2.
What occurs to Workspace2?

- A. Folder1 is created, Pipeline1 moves to Folder1, and Lakehouse1 is deployed. Most Voted
- B. Only Pipeline1 and Lakehouse1 are deployed.
- C. Folder1 is created, and Pipeline1 and Lakehouse1 move to Folder1.
- D. Only Folder1 is created and Pipeline1 moves to Folder1.

Reveal Solution Discussion 11

Correct Answer: A


Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.


**Question #27** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

DRAG DROP
Your company has a team of developers. The team creates Python libraries of reusable code that is used to transform data.
You create a Fabric workspace name Workspace1 that will be used to develop extract, transform, and load (ETL) solutions by using notebooks.
You need to ensure that the libraries are available by default to new notebooks in Workspace1.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Reveal Solution Discussion 12

Correct Answer:




Question #28 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a lakehouse and a notebook named Notebook1. Notebook1 reads data into a DataFrame from a table named Table1 and applies transformation logic. The data from the DataFrame is then written to a new Delta table named Table2 by using a merge operation.
You need to consolidate the underlying Parquet files in Table1.
Which command should you run?

- A. VACUUM
- B. BROADCAST
- C. OPTIMIZE Most Voted
- D. CACHE

Reveal Solution Discussion 8

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #29 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have five Fabric workspaces.
You are monitoring the execution of items by using Monitoring hub.
You need to identify in which workspace a specific item runs.
Which column should you view in Monitoring hub?

- A. Start time
- B. Capacity
- C. Activity name
- D. Submitter
- E. Item type
- F. Job type
- G. Location Most Voted

Reveal Solution Discussion 11

Correct Answer: G

Community vote currently supports Answer G

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #30 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a warehouse named DW1. DW1 is loaded by using a notebook named Notebook1.
You need to identify which version of Delta was used when Notebook1 was executed.
What should you use?

- A. Real-Time hub
- B. OneLake data hub
- C. the Admin monitoring workspace
- D. Fabric Monitor Most Voted
- E. the Microsoft Fabric Capacity Metrics app

Reveal Solution Discussion 4

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution


The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #31 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

DRAG DROP
You have a Fabric workspace that contains a warehouse named Warehouse1.
In Warehouse1, you create a table named DimCustomer by running the following statement.


```
CREATE TABLE dbo.DimCustomer (
  CustomerKey VARCHAR(255) NOT NULL,
  Name VARCHAR(255) NOT NULL,
  Email VARCHAR(255) NOT NULL
  );
```

You need to set the Customerkey column as a primary key of the DimCustomer table.
Which three code segments should you run in sequence? To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.




Reveal Solution Discussion 18

Correct Answer:




Question #32 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a semantic model named Model1.
You need to dynamically execute and monitor the refresh progress of Model1.
What should you use?

- A. dynamic management views in Microsoft SQL Server Management Studio (SSMS)
- B. Monitoring hub
- C. dynamic management views in Azure Data Studio
- D. a semantic link in a notebook Most Voted

Reveal Solution Discussion 26

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #33 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Fabric eventstream that loads data into a table named Bike_Location in a KQL database. The table contains the following columns:
BikepointID
Street
Neighbourhood
No_Bikes
No_Empty_Docks
Timestamp

You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No_Bikes is at least 15. The results must be ordered by No_Bikes in ascending order.

Solution: You use the following code segment:

```
bike_location
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| sort by No_Bikes
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestam
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestam
```

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 16

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #34 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Fabric eventstream that loads data into a table named Bike_Location in a KQL database. The table contains the following columns:
BikepointID
Street
Neighbourhood
No_Bikes
No_Empty_Docks
Timestamp
You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No_Bikes is at least 15. The results must be ordered by No_Bikes in ascending order.

Solution: You use the following code segment:

```
bike_location
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| order by No_Bikes
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestam
```

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 16

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #35 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Fabric eventstream that loads data into a table named Bike_Location in a KQL database. The table contains the following columns:
BikepointID
Street
Neighbourhood
No_Bikes
No_Empty_Docks
Timestamp
You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No_Bikes is at least 15. The results must be ordered by No_Bikes in ascending order.

Solution: You use the following code segment:

```
bike_location
| filter Neighbourhood == "Sands End" and No_Bikes >= 15
| sort by No_Bikes asc
| project BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestam
```

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 17

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #36 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Fabric eventstream that loads data into a table named Bike_Location in a KQL database. The table contains the following columns:
BikepointID
Street
Neighbourhood
No_Bikes
No_Empty_Docks
Timestamp

You need to apply transformation and filter logic to prepare the data for consumption. The solution must return data for a neighbourhood named Sands End when No_Bikes is at least 15. The results must be ordered by No_Bikes in ascending order.

Solution: You use the following code segment:

```
SELECT BikepointID, Street, Neighbourhood, No_Bikes, No_Empty_Docks, Timestamp
FROM bike_location
WHERE neighbourhood = 'Sands End'
AND no_bikes >= 15
ORDER BY no_bikes
```

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 36

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #37 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers:

bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause

more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company's sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

• Process the SEO data in near-real-time (NRT).
• Make the book reviews available in the lakehouse without making a copy of the data.
• When a new book cover image arrives in the Files folder, process the image as soon as possible.

You need to ensure that processes for the bronze and silver layers run in isolation.

How should you configure the Apache Spark settings?

- A. Disable high concurrency.
- B. Create a custom pool. Most Voted
- C. Modify the number of executors.
- D. Set the default environment.

Reveal Solution Discussion 9

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #38 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

DRAG DROP

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

- Process the SEO data in near-real-time (NRT).
- Make the book reviews available in the lakehouse without making a copy of the

data.
• When a new book cover image arrives in the Files folder, process the image as soon as possible.

You need to ensure that the authors can see only their respective sales data.

How should you complete the statement? To answer, drag the appropriate values the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Values**

- AuthorSales
- AuthorEmail
- AuthorSales.AuthorEmail
- BLOCK
- FILTER
- INLINE
- SCHEMABINDING
- USER_NAME()

**Answer Area**

```
CREATE FUNCTION dbo.t
    RETURNS TABLE
WITH [          ]
AS
    RETURN SELECT 1 A
WHERE @Author = [   ]
GO

CREATE SECURITY POLIC
ADD FILTER PREDICATE
ON [            ]
WITH (STATE = ON)
```

Reveal Solution Discussion 7

Correct Answer:

**Answer Area**

```
CREATE FUNCTION dbo.tvf_rlspredicate(@Author AS varchar(50))
    RETURNS TABLE
WITH  SCHEMABINDING
AS
    RETURN SELECT 1 AS tvf_rlspredicate_result
WHERE @Author =  USER_NAME()
GO

CREATE SECURITY POLICY RLSFilter
ADD FILTER PREDICATE Security.tvf_rlspredicate(AuthorEmail)
ON  AuthorSales
WITH (STATE = ON)
```

Question #39 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure key vault named KeyVault1 that contains secrets.

You have a Fabric workspace named Workspace1. Workspace contains a notebook named Notebook1 that performs the following tasks:

- Loads stage data to the target tables in a lakehouse
- Triggers the refresh of a semantic model

You plan to add functionality to Notebook1 that will use the Fabric API to monitor the semantic model refreshes.

You need to retrieve the registered application ID and secret from KeyVault1 to generate the authentication token.

Solution: You use the following code segment:

Use notebookutils.credentials.getSecret and specify the key vault URL and key vault secret.

Does this meet the goal?

- A. Yes Most Voted
- B. No

Reveal Solution Discussion 15

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #40 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure key vault named KeyVault1 that contains secrets.

You have a Fabric workspace named Workspace1. Workspace contains a notebook named Notebook1 that performs the following tasks:

• Loads stage data to the target tables in a lakehouse
• Triggers the refresh of a semantic model

You plan to add functionality to Notebook1 that will use the Fabric API to monitor the semantic model refreshes.

You need to retrieve the registered application ID and secret from KeyVault1 to generate the authentication token.

Solution: You use the following code segment:

Use notebookutils.credentials.putSecret and specify the key vault URL and key vault secret.

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 3

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #41 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure key vault named KeyVault1 that contains secrets.

You have a Fabric workspace named Workspace1. Workspace contains a notebook named Notebook1 that performs the following tasks:

• Loads stage data to the target tables in a lakehouse
• Triggers the refresh of a semantic model

You plan to add functionality to Notebook1 that will use the Fabric API to monitor the semantic model refreshes.

You need to retrieve the registered application ID and secret from KeyVault1 to generate the authentication token.

Solution: You use the following code segment:

Use notebookutils.credentials.getSecret and specify the key vault URL and the name of a linked service.

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 9

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

**Question #42** (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

DRAG DROP

You have two Fabric notebooks named Load_Salesperson and Load_Orders that read data from Parquet files in a lakehouse. Load_Salesperson writes to a Delta table named dim_salesperson. Load_Orders writes to a Delta table named fact_orders and is dependent on the successful execution of Load_Salesperson.

You need to implement a pattern to dynamically execute Load_Salesperson and Load_Orders in the appropriate order by using a notebook.

How should you complete the code? To answer, drag the appropriate values the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Values**

- activities
- broadcast
- dependencies
- execute
- notebooks
- runMultiple

**Answer Area**




Reveal Solution Discussion 13

Correct Answer:

Answer Area

```
DAG = {
    "  activities  ": [
        {
            "name": "Load_Salesperson",
            "path": "Load_Salesperson",
            "timeoutPerCellInSeconds": 300,
        },
        {
            "name": "Load_Orders",
            "path": "Load_Orders",
            "timeoutPerCellInSeconds": 600,
            "  dependencies  ": ["Load_Salesperson"]
        }
    ],
    "timeoutInSeconds": 43200
}
mssparkutils.notebook.  runMultiple  (DAG)
```

Question #43 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT

You have a Fabric workspace named Workspace1 that contains a warehouse named Warehouse2.

A team of data analysts has Viewer role access to Workspace1.

You create a table by running the following statement.


```
CREATE TABLE [warehouse2].[dbo].[CreditCard]
(
  CreditCard varchar(20) NOT NULL
  ,CreditCardType varchar(10) NOT NULL)
GO
```

You need to ensure that the team can view only the first two characters and the last four characters of the CreditCard attribute.

How should you complete the statement? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

**Answer Area**




Reveal Solution Discussion 3


Correct Answer:




Question #44 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT

You are building a data orchestration pattern by using a Fabric data pipeline named Dynamic Data Copy as shown in the exhibit. (Click the Exhibit tab.)





Dynamic Data Copy does NOT use parametrization.

You need to configure the ForEach activity to receive the list of tables to be copied.


How should you complete the pipeline expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.




Reveal Solution Discussion 7

Correct Answer:




Question #45 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

HOTSPOT

You have a Fabric workspace that contains a warehouse named Warehouse1. Warehouse1 contains a table named DimCustomers. DimCustomers contains the following columns:

- CustomerName
- CustomerID
- BirthDate
- EmailAddress

You need to configure security to meet the following requirements:

- BirthDate in DimCustomer must be masked and display 1900-01-01.
- EmailAddress in DimCustomer must be masked and display only the first leading character and the last five characters.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

```
ALTER TABLE DimCustomer

ALTER COLUMN BirthDate

ADD MASKED WITH (FUNCTION = [ ▼ ]
                            'default()'
                            'partial(1900-01-01)'
                            'random(1900-01-01, 1900-01-01)'

ALTER TABLE DimCustomer

ALTER COLUMN EmailAddress

ADD MASKED WITH (FUNCTION = [ ▼ ]
                            'default()'
                            'email()'
                            'partial(1,"@",5)'
                            'random(1,"@",5)'
```

Reveal Solution Discussion 12

Correct Answer:

**Answer Area**

```
ALTER TABLE DimCustomer

ALTER COLUMN BirthDate

ADD MASKED WITH (FUNCTION = [ ▼ ]
                            'default()'
                            'partial(1900-01-01)'
                            'random(1900-01-01, 1900-01-01)'

ALTER TABLE DimCustomer

ALTER COLUMN EmailAddress

ADD MASKED WITH (FUNCTION = [ ▼ ]
                            'default()'
                            'email()'
                            'partial(1,"@",5)'
                            'random(1,"@",5)'
```

Question #46 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1 that contains the following items:

• A Microsoft Power BI report named Report1
• A Power BI dashboard named Dashboard1
• A semantic model named Model1
• A lakehouse name Lakehouse1

Your company requires that specific governance processes be implemented for the items.

Which items can you endorse in Fabric?

- A. Lakehouse1, Model1, and Dashboard1 only
- B. Lakehouse1, Model1, Report1 and Dashboard1
- C. Report1 and Dashboard1 only
- D. Model1, Report1, and Dashboard1 only
- E. Lakehouse1, Model1, and Report1 only Most Voted

Reveal Solution Discussion 10

Correct Answer: E

Community vote currently supports Answer E

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #47 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1.

Your company acquires GitHub licenses.

You need to configure source control for Workpace1 to use GitHub. The solution must follow the principle of least privilege.

Which permissions do you require to ensure that you can commit code to GitHub?

- A. Actions (Read and write) and Contents (Read and write)
- B. Actions (Read and write) only
- C. Contents (Read and write) only Most Voted

- D. Contents (Read) and Commit statuses (Read and write)

Reveal Solution Discussion 4

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #48 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace named Workspace1.

You plan to configure Git integration for Workspace1 by using an Azure DevOps Git repository.

An Azure DevOps admin creates the required artifacts to support the integration of Workspace1.

Which details do you require to perform the integration?

- A. the organization, project, Git repository, and branch Most Voted
- B. the personal access token (PAT) for Git authentication and the Git repository URL
- C. the project, Git repository, branch, and Git folder
- D. the Git repository URL and the Git folder

Reveal Solution Discussion 9

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #49 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a lakehouse and a semantic model named Model1.

You use a notebook named Notebook1 to ingest and transform data from an external data source.

You need to execute Notebook1 as part of a data pipeline named Pipeline1. The process must meet the following requirements:

• Run daily at 07:00 AM UTC.
• Attempt to retry Notebook1 twice if the notebook fails.
• After Notebook1 executes successfully, refresh Model1.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Place the Semantic model refresh activity after the Notebook activity and link the activities by using the On success condition.
- B. From the Schedule settings of Pipeline1, set the time zone to UTC.
- C. Set the Retry setting of the Notebook activity to 2.
- D. From the Schedule settings of Notebook1, set the time zone to UTC.
- E. Set the Retry setting of the Semantic model refresh activity to 2.
- F. Place the Semantic model refresh activity after the Notebook activity and link the activities by using an On completion condition.

Reveal Solution Discussion 7

Correct Answer: ABC

Community vote currently supports Answer ABC

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #50 (Topic: Topic 1, Implement and manage an analytics solution ) Topic 1

You have a Fabric workspace that contains a lakehouse named Lakehouse1.

You plan to create a data pipeline named Pipeline1 to ingest data into Lakehouse1. You will use a parameter named param1 to pass an external value into Pipeline1. The param1 parameter has a data type of int.

You need to ensure that the pipeline expression returns param1 as an int value.

How should you specify the parameter value?

- A. "@pipeline().parameters.param1" Most Voted
- B. "@{pipeline().parameters.param1}"
- C. "@{pipeline().parameters.[param1]}"
- D. "@@{pipeline().parameters.param1}"

Reveal Solution Discussion 12

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.