Microsoft DP-700 Actual Exam Questions

Last updated on Nov 04, 2026.
View Custom Settings Print Exam
97% Passed the exam with this material
161 Questions & Answers Included

Question #51 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that contains a lakehouse named Lakehouse1. Workspace1 contains the following items:

• A Dataflow Gen2 dataflow that copies data from an on-premises Microsoft SQL Server database to Lakehouse1
• A notebook that transforms files and loads the data to Lakehouse1
• A data pipeline that loads a CSV file to Lakehouse1

You need to develop an orchestration solution in Fabric that will load each item one after the other. The solution must be scheduled to run every 15 minutes.

Which type of item should you use?

- A. notebook
- B. warehouse
- C. Dataflow Gen2 dataflow
- D. data pipeline Most Voted

Reveal Solution Discussion 3

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #52 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You are building a Fabric notebook named MasterNotebook1 in a workspace. MasterNotebook1 contains the following code.

```
DAG = {
    "activities": [
        {   "name": "execute_notebook_1",
            "path": "notebook_01",
            "timeoutPerCellInSeconds": 600,
            "args": {
                        "input_value": "999"
                },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "execute_notebook_2",
            "path": "notebook_02",
            "timeoutPerCellInSeconds": 400,
            "args": {
                        "input_value": "888"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "execute_notebook_3",
            "path": "notebook_03",
            "timeoutPerCellInSeconds": 600,
            "args": {
                        "input_value": "777"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "execute_notebook_3",
            "path": "notebook_03",
            "timeoutPerCellInSeconds": 600,
            "args": {
                        "input_value": "777"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        }
        ],
    "timeoutInSeconds": 43200,
    "concurrency": 0
}

mssparkutils.notebook.runMultiple(DAG,{"displayDAGViaGraphviz": True})
```

You need to ensure that the notebooks are executed in the following sequence:

1. Notebook_03
2. Notebook_01
3. Notebook_02

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Move the declaration of Notebook_02 to the bottom of the Directed Acyclic Graph (DAG) definition.
- B. Add dependencies to the execution of Notebook_03.
- C. Split the Directed Acyclic Graph (DAG) definition into three separate definitions.
- D. Add dependencies to the execution of Notebook_02.
- E. Change the concurrency to 3.
- F. Move the declaration of Notebook_03 to the top of the Directed Acyclic Graph (DAG) definition.

Reveal Solution Discussion 25

Correct Answer: DF


Community vote currently supports Answer DF

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #53 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace that contains a data pipeline named Pipeline1 as shown in the exhibit. (Click the Exhibit tab.)



What will occur the next time Pipeline1 runs?

- A. Copy_kdi will run first, and then Execute procedure1 will run.
- B. Execute procedure1 will run first, and then Copy_kdi will run.
- C. Execute procedure1 will run and Copy_kdi will be skipped.
- D. Copy_kdi will run and Execute procedure1 will be skipped. Most Voted
- E. Both activities will run simultaneously.
- F. Both activities will be skipped.

Reveal Solution Discussion 11

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #54 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.

Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following three tables:

- Products
- ProductCategories
- ProductSubcategories

In the data, products are related to product subcategories, and subcategories are related to product categories.

Existing Environment. Azure

Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:

- DataAnalysts: Contains the data analysts
- DataEngineers: Contains the data engineers

Contoso has an Azure subscription.

The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.

Existing Environment. User Problems

The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.

The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.

Requirements. Planned Changes

Contoso plans to create the following two lakehouses:

• Lakehouse1: Will store both raw and cleansed data from the sources
• Lakehouse2: Will serve data in a dimensional model to users for analytical queries

Additional items will be added to facilitate data ingestion and transformation.

Contoso plans to use Azure Repos for source control in Fabric.

Requirements. Technical Requirements

The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.

Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.

Data imports must run simultaneously, when possible.

The use of email data from the Amazon S3 bucket must meet the following requirements:

• Minimize egress costs associated with cross-cloud data access.
• Prevent saving a copy of the raw data in the lakehouses.

Items that relate to data ingestion must meet the following requirements:

• The items must be source controlled alongside other workspace items.
• Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
• No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
• Development effort must be minimized and a built-in connection must be used to import the source data.
• In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.

Once a week, old files that are no longer referenced by a Delta table log must be removed.

Requirements. Data Transformation

In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.

Requirements. Data Security

Security in Fabric must meet the following requirements:

• The data engineers must have read and write access to all the lakehouses, including the underlying files.
• The data analysts must only have read access to the Delta tables in the gold layer.
• The data analysts must NOT have access to the data in the bronze and silver layers.
• The data engineers must be able to commit changes to source control in WorkspaceA.

You need to ensure that WorkspaceA can be configured for source control.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Tenant setting, set Users can synchronize workspace items with their Git repositories to Enabled.
- B. From Tenant setting, set Users can sync workspace items with GitHub repositories to Enabled.
- C. Configure WorkspaceA to use a Premium Per User (PPU) license.
- D. Assign WorkspaceA to Cap1.

Reveal Solution Discussion 2

Correct Answer: AD

Community vote currently supports Answer AD

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #55 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

HOTSPOT

You have a Fabric workspace that contains a warehouse named Warehouse1. Warehouse1 contains a table named Customer. Customer contains the following data.

CustomerID	FirstName	LastName	Phone	CreditCard
1	John	Doe	555-123-4567	1234567812345670
2	Jane	Smith	555-987-6543	8765432187654320
3	Michael	Johnson	555-555-5555	1234987654321230
4	Emily	Davis	555-222-3333	4321123456789870
5	David	Brown	555-444-5555	5678123498761230

You have an internal Microsoft Entra user named User1 that has an email address of .

You need to provide User1 with access to the Customer table. The solution must prevent User1 from accessing the CreditCard column.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Reveal Solution Discussion 6

Correct Answer:

Answer Area



Question #56 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric deployment pipeline that uses three workspaces named Dev, Test, and Prod.

You need to deploy an Eventhouse as part of the deployment process.

What should you use to add the Eventhouse to the deployment process?

- A. an Azure DevOps pipeline Most Voted
- B. an eventstream
- C. GitHub Actions

Reveal Solution Discussion 16

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #57 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric warehouse named DW1. DW1 contains a table that stores sales data and is used by multiple sales representatives.

You plan to implement row-level security (RLS).

You need to ensure that the sales representatives can see only their respective data.

Which warehouse object do you require to implement RLS?

- A. TRIGGER
- B. SCHEMA
- C. FUNCTION Most Voted
- D. DATABASE ROLE

Reveal Solution Discussion 6

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #58 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric warehouse named DW1. DW1 contains a table that stores sales data and is used by multiple sales representatives.

You plan to implement row-level security (RLS).

You need to ensure that the sales representatives can see only their respective data.

Which warehouse object do you require to implement RLS?

- A. SECURITY POLICY Most Voted
- B. TABLE
- C. TRIGGER
- D. STORED PROCEDURE

Reveal Solution Discussion 2

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #59 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric F32 capacity that contains a workspace. The workspace contains a warehouse named DW1 that is modelled by using MD5 hash surrogate keys.

DW1 contains a single fact table that has grown from 200 million rows to 500 million rows during the past year.

You have Microsoft Power BI reports that are based on Direct Lake. The reports show year-over-year values.

Users report that the performance of some of the reports has degraded over time and some visuals show errors.

You need to resolve the performance issues. The solution must meet the following requirements:

• Provide the best query performance.

• Minimize operational costs.

Which should you do?

- A. Create views.
- B. Modify the surrogate keys to use a different data type.
- C. Change the MD5 hash to SHA256.
- D. Increase the capacity. Most Voted
- E. Disable V-Order on the warehouse.

Reveal Solution Discussion 17

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #60 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that contains a warehouse named Warehouse1.

You plan to deploy Warehouse 1 to a new workspace named Workspace2.

As part of the deployment process, you need to verify whether Warehouse1 contains invalid references. The solution must minimize development effort and provide detailed information about the invalid references.

What should you use?

- A. a dbt project
- B. a deployment pipeline Most Voted
- C. a Python script
- D. a database project

Reveal Solution Discussion 6

Correct Answer: B


Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #61 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1


DRAG DROP



In the Development workspace, you build a new feature named Feature1.

You need to deploy Feature1 to the Test workspace. The solution must ensure that only a pipeline is deployed.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Reveal Solution Discussion 4

Answer Area

Select pipeline1.

Select the Test stage.

From Deploy from, select Development.

Select Deploy.

Correct Answer:

Question #62 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

HOTSPOT

You have a Fabric tenant that is linked to a Microsoft Entra tenant. The Microsoft Entra tenant contains a user named User1 and two groups named Group1 and Group2.

The Fabric tenant contains the workspaces shown in the following table.

Name	Contents
Workspace1	• A warehouse for the finance department • Reports for the finance department
Workspace2	• A warehouse for the human resources (HR) department • Reports for the HR department • A warehouse for the legal department • Reports for the legal department
Workspace3	A warehouse for the operations department
Workspace4	Reports for the operations department

You need to meet the following access requirements:


• User1 must have read access to the following:
• The operations department reports
• The HR department warehouse and reports
• The legal department warehouse and reports
• User1 must be able to create new items in Workspace2.
• Group1 must have access to the finance department warehouse and reports.
• Group1 must be able to add new users to the finance department workspace.
• Group2 must have access to only the HR warehouse and the legal warehouse.

The solution must follow the principle of least privilege.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area



Reveal Solution Discussion 2

Correct Answer:

Answer Area



Question #63 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that is connected to a GitHub repository named repo1. Workspace1 contains the items shown in the following table.

Name	Description	Size
Dataflow1	Dataflow Gen2	2 MB
Report1	Microsoft Power BI report in Import mode	60 MB
Semanticmodel1	Semantic model	26 MB
Semanticmodel2	Semantic model	14 MB
Report2	Microsoft Power BI report in Import mode	12 MB

You modify Semanticmodel1, Semanticmodel2, and Report2.

You need to commit the changes to repo1.

What is the minimum number of commits you should perform?

- A. 1
- B. 2 Most Voted
- C. 3
- D. 4

Reveal Solution Discussion 6

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #64 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace that contains a lakehouse named Lakehouse1. Lakehouse1 contains a table named Table1.

You need to ensure that a user named User1 can view only specific rows in Table1.

What should you do first?

- A. Create a security predicate.
- B. Create a function. Most Voted
- C. Create a security policy.
- D. Grant User1 the SELECT permission for Table1.

Reveal Solution Discussion 3

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #65 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that contains a lakehouse.

You have a Microsoft Entra tenant that contains a user named User1.

You need to ensure that User1 can create items in Workspace1. The solution must follow the principle of least privilege.

Which workspace role should you assign to User1?

- A. Member
- B. Contributor
- C. Admin
- D. Viewer

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #66 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure key vault named KeyVault1 that contains secrets.

You have a Fabric workspace named Workspace1. Workspace contains a notebook named Notebook1 that performs the following tasks:

• Loads stage data to the target tables in a lakehouse
• Triggers the refresh of a semantic model

You plan to add functionality to Notebook1 that will use the Fabric API to monitor the semantic model refreshes.

You need to retrieve the registered application ID and secret from KeyVault1 to generate the authentication token.

Solution: You use the following code segment:

Use notebookutils.credentials.putSecret and specify the key vault URL and the name of a linked service.

Does this meet the goal?

- A. Yes
- B. No

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #67 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that uses version control. Workspace1 and Azure DevOps are integrated.

In Azure DevOps, developers create a branch named Branch1 to test extract, transform, and load (ETL) updates.

You need to connect Workspace1 to Branch1. The solution must ensure that all the existing content in Branch1 is available in Workspace1.

What should you do?

- A. From Workspace1, select Source control, and then select Sync.
- B. From Workspace1, select Source control, select Current branch, select Branch1, and then select Commit.
- C. From Azure DevOps, merge the contents of the main branch into Branch1.
- D. From Workspace1, select Source control, and then select Branch out to new workspace. Most Voted

Reveal Solution Discussion 8

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #68 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

HOTSPOT

You have a Fabric workspace.

You plan to deploy two Apache Spark environments that will each contain one of the following notebooks:

- Notebook1: A data ingestion notebook that will run as a scheduled Spark job
- Notebook2: An ad hoc notebook for interactive data analysis that will be used by a team of analysts and data scientists

You need to configure the Spark environments to meet the following requirements:

- For the environment that contains Notebook1, minimize compute costs.
- For the environment that contains Notebook2, support multiple concurrent users.

What should you use for each environment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Environment for Notebook1:


- A custom Spark pool that has multiple nodes
- A custom Spark pool that has a single small no
- A serverless Spark environment
- A starter pool

Environment for Notebook2:

- A custom Spark pool that has multiple nodes
- A custom Spark pool that has a single small no
- A serverless Spark environment
- A starter pool

Reveal Solution Discussion 6

Correct Answer:



Question #69 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that contains a lakehouse named Lakehouse1.

You perform the following actions:

- Connect Workspace1 to a Git repository and select the main branch.
- Create a new branch named feature1 and modify Lakehouse1.
- Merge the changes from feature1 into the main branch.

You need to ensure that the changes are available in Workspace1. The solution must

minimize changes to Workspace1.

What should you do?

- A. Disconnect Workspace1 from the Git repository and reconnect Workspace1 to the main branch.
- B. From Workspace1, select Source control, and then select Updates. Most Voted
- C. From Workspace1, select Source control, and then select Commit.
- D. Switch Workspace1 to the feature1 branch and refresh the workspace.

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #70 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

HOTSPOT

You have a Fabric warehouse named Warehouse1 that contains a table named Table1. Table1 contains the following columns that store string values:

• FirstName
• Phone
• Email

You have two Microsoft Entra security groups named Group1 and Group2. The members of both groups can query Table1 and see full values for FirstName, Phone, and Email.


You need to configure Table1 to meet the following requirements:

• The members of Group1 must see masked values for Phone, showing only the last three characters of each phone number.
• The Group1 members must see unmasked values for FirstName.
• The members of Group2 must see unmasked values for all the columns.
• The solution must use Fabric warehouse-supported permissions and T-SQL.

What should you configure? To answer, select the appropriate options in the answer


area.

NOTE: Each correct selection is worth one point



Reveal Solution Discussion 1

Correct Answer:



Question #71 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace that contains a mirrored Azure SQL database named DB1 in OneLake.

You need to ensure that users can access updated data and build and view reports interactively. The solution must minimize the load on DB1.

What should you do?

- A. From Microsoft Power BI, configure a dataflow to extract the data from the Fabric mirrored lakehouse and load the data into a dataset.
- B. Use a semantic model in Direct Lake storage mode that is connected to the Fabric mirrored lakehouse.
- C. Create a Microsoft Power BI report in DirectQuery storage mode to connect to DB1.
- D. Use Import storage mode to load the data from the Fabric mirrored lakehouse into a Microsoft Power BI dataset.

Reveal Solution Discussion

Correct Answer: B

Question #72 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric warehouse named Warehouse1 that contains a table named Table1. Table1 has a column named EmailAddress. All users have access to Warehouse1.

You need to configure dynamic data masking for the EmailAddress column. The solution must meet the following requirements:

• The solution must NOT change the data in Warehouse1.
• The solution must NOT require changes to the queries that access Table1.
• The solution must NOT require changes to the security or permissions granted to Warehouse1.

What should you use?

- A. a Data Control Language (DCL) statement
- B. a dynamic management view (DMV)
- C. a Data Definition Language (DDL) statement
- D. a Data Manipulation Language (DML) statement

Reveal Solution Discussion

Correct Answer: C

Question #73 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace that contains a lakehouse named lakehouse1.

You plan to use Apache Spark to process the data in Lakehouse1.

You need to configure the workspace to ensure that users can share Spark cluster resources across notebooks. The solution must ensure that variables and code execution in one notebook remain isolated from those in other notebooks.

What should you do?

- A. Enable high concurrency mode.
- B. Modify the environment settings for each notebook.
- C. Enable autoscaling for the Spark pool.
- D. Enable the native execution engine.

Reveal Solution Discussion

Correct Answer: A

Question #74 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric workspace named Workspace1 that contains a warehouse named Warehouse1. Warehouse1 is integrated with a Git repository. Each branch in the repository is linked to a separate workspace in Fabric.

You perform the following actions:

• To Warehouse1, add a new table that is linked to the main branch and commit the change to source control.
• Create a new branch from the main branch, which also creates a second workspace named Workspace2.
• To Workspace2, add a stored procedure to Warehouse1 and commit the change to source control.

You need to ensure both the new table and the stored procedure are available in Workspace1. The solution must ensure that all performed commits are documented in the commit history of the main branch.

What should you do?

- A. Merge the feature branch into the main branch. Sync Workspace1 with the merged branch. Most Voted
- B. Merge the branches. Add a stored procedure to Warehouse1. Commit the change to source control. Sync Workspace1.
- C. Merge the branches. Clone the repository locally. Add a stored procedure to Warehouse1. Commit and push the change. Sync Workspace1.
- D. Add a stored procedure to the main branch of Workspace1 and commit the change to source control. Merge the branches. Sync Workspace1 with the updated branch.

Reveal Solution Discussion 1

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #75 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have an Azure SQL database named DB1. The data in DB1 is appended daily.

You have a Fabric workspace named Workspace1 that contains a semantic model named Model1. Model1 is sourced from DB1.

You need to configure Model1 to refresh only new and changed data during scheduled refreshes.

What should you do?

- A. From Power Query, define the RangeStart and RangeEnd parameters and filter table rows by using the parameters.
- B. For Workspace1, select Large semantic model storage format.
- C. In Model1, manually partition large tables by using monthly partitions.
- D. For Model1, change storage mode to Direct Query.

Reveal Solution Discussion

Correct Answer: A

Question #76 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

You have a Fabric data warehouse that contains the following tables.

Name	Type	
DimGeography	Dimension	None
DimCustomer	Dimension	DimGeog
DimVendor	Dimension	DimGeog
DimProduct	Dimension	None
FactSale	Fact	DimProdu
FactInventory	Fact	DimProdu

You need to refresh the tables by using an automated pipeline. The solution must ensure that table updates occur in the correct order to maintain referential integrity

Which two tables should you refresh first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. DimGeography
- B. DimCustomer
- C. DimProduct
- D. FactSale
- E. FactInventory

Reveal Solution Discussion 1

Correct Answer: AC

Community vote currently supports Answer AC

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #77 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1


HOTSPOT

You have a Fabric tenant that contains a primary workspace named WS1 and a downstream workspace named WS2. WS1 contains curated Delta tables use by multiple teams at your company.

You need to ensure that the company's data science team can read the curated tables in WS2 without creating another physical copy of the data. The solution must ensure that source security is enforced for each user.


What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Reveal Solution Discussion

Correct Answer:



Question #78 (Topic: Topic 1, Implement and manage an analytics solution) Topic 1

HOTSPOT

You have a Fabric workspace named WS1 that is connected to the main branch of an Azure DevOps Git repository. WS1 contains a lakehouse, a notebook, and a pipeline.

Two data engineers must update the notebook and pipeline concurrently for separate features.

You need to configure version control to support isolated feature development and controlled integration into the main branch. The solution must meet the following requirements:

• Prevent one engineer's unreviewed workspace changes from affecting the other engineer's workspace.
• Support a review before changes are integrated into the main branch.
• Track changes to the Fabric items in Git.

How should you configure the development workflow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area

Development environment for each engineer:	A dedicated deployme A dedicated Fabric wo A dedicated workspace A shared workspace
Branch connected to each development environment:	A dedicated feature bra A detached commit The main branch The same release bran
Integration method:	Modify the published fo Merge by using a pull re Deploy to the productio Publish from the develo

Reveal Solution Discussion

Correct Answer:

Answer Area



Question #79 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.
To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information

displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

Sales Date

Author

Price

Units

SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

Sales

Fabric Admins

Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while

running."
The data engineering team wants to debug the issue and find queries that cause more than one failure.
When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.
The company's sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.
Requirements. Planned Changes
Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.
Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.
Requirements. Version Control
Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.
Requirements. Governance Requirements
To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.
Requirements. Data Requirements
Litware identifies the following data requirements:
Process the SEO data in near-real-time (NRT).
Make the book reviews available in the lakehouse without making a copy of the data.
When a new book cover image arrives in the Files folder, process the image as soon as possible.
You need to implement the solution for the book reviews.
Which should you do?

- A. Create a Dataflow Gen2 dataflow.
- B. Create a shortcut. Most Voted
- C. Enable external data sharing.
- D. Create a data pipeline.

Reveal Solution Discussion 5

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #80 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study
This is a case study. Case studies are not timed separately. You can use as much

exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.
To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview
Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.
Existing Environment. Fabric Environment
Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.
The company has a data engineering team that uses Python for data processing.
Existing Environment. Data Processing
The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.
Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.
Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.
Existing Environment. Sales Data
Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.
In the source system, the sales data refreshes every six hours starting at midnight each day.
The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

Sales Date
Author
Price
Units
SKU
A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.
Existing Environment. Security Groups
Litware has the following security groups:
Sales
Fabric Admins
Streaming Admins
Existing Environment. Performance Issues
Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”
The data engineering team wants to debug the issue and find queries that cause more than one failure.
When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.
The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.
Requirements. Planned Changes
Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.
Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.
Requirements. Version Control
Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.
Requirements. Governance Requirements
To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.
Requirements. Data Requirements
Litware identifies the following data requirements:
Process the SEO data in near-real-time (NRT).
Make the book reviews available in the lakehouse without making a copy of the data.
When a new book cover image arrives in the Files folder, process the image as soon as possible.
You need to resolve the sales data issue. The solution must minimize the amount of data transferred.
What should you do?

- A. Spilt the dataflow into two dataflows.

- B. Configure scheduled refresh for the dataflow.
- C. Configure incremental refresh for the dataflow. Set Store rows from the past to 1 Month.
- D. Configure incremental refresh for the dataflow. Set Refresh rows from the past to 1 Year.
- E. Configure incremental refresh for the dataflow. Set Refresh rows from the past to 1 Month. Most Voted

Reveal Solution Discussion 6

Correct Answer: E

Community vote currently supports Answer E

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #81 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.
To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview. Company Overview
Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing


analytics.
Overview. IT Structure
The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.
The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.
The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.
Existing Environment. Fabric
Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.
Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.
Existing Environment. Source Systems
Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked.
POS1 contains all the sales transactions that were processed on the company's website.
The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.
Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.
Existing Environment. Product Data
POS1 contains a product list and related data. The data comes from the following three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers
Contoso has an Azure subscription.
The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.
The data engineering team has successfully exported data from MAR1. The team

experiences transient connectivity errors, which causes the data exports to fail.
Requirements. Planned Changes
Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.
Requirements. Technical Requirements
The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.
Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.
Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.
Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
Development effort must be minimized and a built-in connection must be used to import the source data.
In the event of a connectivity error, the ingestion processes must attempt the connection again.
Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.
Requirements. Data Transformation
In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.
Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.
Requirements. Data Security
Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.
The data analysts must only have read access to the Delta tables in the gold layer.
The data analysts must NOT have access to the data in the bronze and silver layers.
The data engineers must be able to commit changes to source control in WorkspaceA.

You need to recommend a method to populate the POS1 data to the lakehouse medallion layers.
What should you recommend for each layer? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area



Reveal Solution Discussion 12

Correct Answer:



Question #82 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.

Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following

three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers
Contoso has an Azure subscription.
The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.
The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.
Requirements. Planned Changes
Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.
Requirements. Technical Requirements
The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.
Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.
Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.
Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
Development effort must be minimized and a built-in connection must be used to import the source data.
In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.
Requirements. Data Transformation
In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.
Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.
Requirements. Data Security
Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.
The data analysts must only have read access to the Delta tables in the gold layer.
The data analysts must NOT have access to the data in the bronze and silver layers.
The data engineers must be able to commit changes to source control in WorkspaceA.
You need to ensure that usage of the data in the Amazon S3 bucket meets the technical requirements.
What should you do?

- A. Create a workspace identity and enable high concurrency for the notebooks.
- B. Create a shortcut and ensure that caching is disabled for the workspace.
- C. Create a workspace identity and use the identity in a data pipeline.
- D. Create a shortcut and ensure that caching is enabled for the workspace.
  Most Voted

Reveal Solution Discussion 32

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #83 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be

additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.
To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview. Company Overview
Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.
Overview. IT Structure
The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.
The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.
The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.
Existing Environment. Fabric
Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.
Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.
Existing Environment. Source Systems
Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.
The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.
Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12

files that range in size from 300 MB to 900 MB and relate to email interactions.
Existing Environment. Product Data
POS1 contains a product list and related data. The data comes from the following three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers
Contoso has an Azure subscription.
The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.
The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.
Requirements. Planned Changes
Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.
Requirements. Technical Requirements
The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.
Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.
Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.
Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
Development effort must be minimized and a built-in connection must be used to

import the source data.
In the event of a connectivity error, the ingestion processes must attempt the connection again.
Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.
Requirements. Data Transformation
In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.
Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.
Requirements. Data Security
Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.
The data analysts must only have read access to the Delta tables in the gold layer.
The data analysts must NOT have access to the data in the bronze and silver layers.
The data engineers must be able to commit changes to source control in WorkspaceA.
You need to create the product dimension.
How should you complete the Apache Spark SQL code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
SELECT ProductID, ProductNumber, ProductName, ModelName, SubCategoryNar

FROM ContosoLake.Products p


[ ▼ ]  ContosoLake.ProductSubCategories s ON p.SubCatego
        FULL JOIN
        INNER JOIN
        LEFT ANTI JOIN
        LEFT OUTER JOIN
        OUTER JOIN

[ ▼ ]  ContosoLake.ProductCategories c ON c.CategoryID =
        FULL JOIN
        INNER JOIN
        LEFT ANTI JOIN
        LEFT OUTER JOIN
        OUTER JOIN

WHERE [ ▼ ]
        CategoryID = 1;
        CategoryName is not null;
        IsActive = 1;
        IsActive is not null;
        ProductNumber is not null;
        SubCategoryID = 1;
        SubCategoryName is not null;
```

Reveal Solution Discussion 17

Correct Answer:



Question #84 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview. Company Overview
Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.
Overview. IT Structure
The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.
The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.
The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.
Existing Environment. Fabric
Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.
Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.
Existing Environment. Source Systems
Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked.
POS1 contains all the sales transactions that were processed on the company's website.
The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.
Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.
Existing Environment. Product Data
POS1 contains a product list and related data. The data comes from the following three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security

groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers
Contoso has an Azure subscription.
The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.
The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.
Requirements. Planned Changes
Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.
Requirements. Technical Requirements
The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.
Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.
Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.
Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
Development effort must be minimized and a built-in connection must be used to import the source data.
In the event of a connectivity error, the ingestion processes must attempt the connection again.
Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.
Requirements. Data Transformation
In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.
Requirements. Data Security
Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.
The data analysts must only have read access to the Delta tables in the gold layer.
The data analysts must NOT have access to the data in the bronze and silver layers.
The data engineers must be able to commit changes to source control in WorkspaceA.
You need to populate the MAR1 data in the bronze layer.
Which two types of activities should you include in the pipeline? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. ForEach
- B. Copy data
- C. WebHook
- D. Stored procedure

Reveal Solution Discussion 10

Correct Answer: AB

Community vote currently supports Answer AB

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #85 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
You have a Fabric workspace that contains a warehouse named Warehouse1.
Warehouse1 contains the following tables and columns.

Table name	Column name	Data type
Employee	EmployeeID	Int
Employee	EmployeeName	Varchar(128)
Employee	EmployeePosition	Varchar(64)
Contract	EmployeeID	Int
Contract	ContractType	Varchar(64)
Contract	StartDate	Datetime2
Contract	EndDate	Datetime2

You need to denormalize the tables and include the ContractType and StartDate columns in the Employee table. The solution must meet the following requirements:
Ensure that the StartDate column is of the date data type.
Ensure that all the rows from the Employee table are preserved and include any matching rows from the Contract table.
Ensure that the result set displays the total number of employees per contract type for all the contract types that have more than two employees.
How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
WITH result AS(
SELECT e.EmployeeID
  , e.EmployeeName
  , e.EmployeePosition
  , c.ContractType
  ,                                (date, c.StartDate) as StartDate
FROM Employee AS e
                                   Contract AS c on c.EmployeeID = e.EmployeeID
)
SELECT COUNT(DISTINCT EmployeeID) AS TotalEmployees
 , ContractType
FROM result
GROUP BY ContractType
                                   COUNT(DISTINCT EmployeeID) > 2
```

CAST
CONVERT
REPLACE
SUBSTRING

CROSS JOIN
INNER JOIN
LEFT OUTER JOIN
RIGHT OUTER JOIN

CONTAINS
HAVING
UMIT
WHERE

Reveal Solution Discussion 18

Correct Answer:




Question #86 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
You have an Azure Event Hubs data source that contains weather data.
You ingest the data from the data source by using an eventstream named Eventstream1. Eventstream1 uses a lakehouse as the destination.
You need to batch ingest only rows from the data source where the City attribute

has a value of Kansas. The filter must be added before the destination. The solution must minimize development effort.
What should you use for the data processor and filtering? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area



Reveal Solution Discussion 19

Correct Answer:



Question #87 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains an eventstream named Eventstream1. Eventstream1 processes data from a thermal sensor by using event stream processing, and then stores the data in a lakehouse.
You need to modify Eventstream1 to include the standard deviation of the temperature.
Which transform operator should you include in the Eventstream1 logic?

- A. Expand
- B. Group by Most Voted

- C. Union
- D. Aggregate

Reveal Solution Discussion 10

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #88 (Topic: Topic 2, Ingest and transform data) Topic 2

You have an Azure event hub. Each event contains the following fields:
BikepointID
Street
Neighbourhood
Latitude
Longitude
No_Bikes
No_Empty_Docks
You need to ingest the events. The solution must only retain events that have a Neighbourhood value of Chelsea, and then store the retained events in a Fabric lakehouse.
What should you use?

- A. a KQL queryset
- B. an eventstream Most Voted
- C. a streaming dataset
- D. Apache Spark Structured Streaming

Reveal Solution Discussion 7

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #89 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
You are building a data loading pattern for Fabric notebook workloads.
You have the following code segment:

```
def loading_pattern_sample(df_source):
    try:
        deltaTable = DeltaTable.forName(spark, target_table)
    except Exception:
        try:
            df_source.write.format('delta').mode('overwrite').saveAsTable(f"{tar
        except Exception as e:
            print(f':Load for table {target_table} failed with error: {str(e)}')
            raise
        return

    try:
        change_detection_columns = [col for col in df_source.columns if col not

        match_condition = ' AND '.join([f'target.{col} = source.{col}' for col i
        update_condition = ' OR '.join([f'target.{col} != source.{col}' for col

        update_expr = {col: f'source.{col}' for col in df_source.columns}

        merge_operation = deltaTable.alias('target').merge(
            source=df_source.alias('source'),
            condition=match_condition
        ).whenMatchedUpdate(
            condition=update_condition,
            set=update_expr
        ).whenNotMatchedInsertAll()

        merge_operation.execute()
    except Exception as e:
            print(f'Insert operation for table {target_table} failed with error:
    return
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The target table will always be overwritten.	○	○
The merge operation will always run.	○	○
The loading pattern supports both full and incremental loading requirements.	○	○

Reveal Solution Discussion 10

Correct Answer:

Statements	Yes	No
The target table will always be overwritten.	○	☑
The merge operation will always run.	○	☑
The loading pattern supports both full and incremental loading requirements.	☑	○

Question #90 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have a Fabric workspace that contains two lakehouses named Lakehouse1 and Lakehouse2. Lakehouse1 contains staging data in a Delta table named Orderlines. Lakehouse2 contains a Type 2 slowly changing dimension (SCD) dimension table named Dim_Customer.

You need to build a query that will combine data from Orderlines and Dim_Customer to create a new fact table named Fact_Orders. The new table must meet the following requirements:

Enable the analysis of customer orders based on historical attributes.

Enable the analysis of customer orders based on the current attributes.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
SELECT
  OrderLineID order_line_id
  ,OrderDate order_date
  ,c.customer_key
  ,c.customer_id
  ,Quantity order_quantity
  ,UnitPrice unit_price
  ,TaxRate tax_rate
FROM
  Lakehouse1.orderlines o
INNER JOIN
  Lakehouse2.dim_customer c
    ON o.customerid = c.customer_id
```

AND [ ]
- c.is_current = 1
- o.OrderDate > c.valid_to_datetime
- o.OrderDate >= c.valid_from_datetime t

AND [ ]
- c.is_current = 1
- o.OrderDate < c.valid_to_datetime
- o.OrderDate <= c.valid_from_datetime

Reveal Solution Discussion 9

Correct Answer:

AND [o.OrderDate >= c.valid_from_datetime t]

AND [o.OrderDate < c.valid_to_datetime]

Question #91 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1.
In an external data source, you have data files that are 500 GB each. A new file is added every day.
You need to ingest the data into Lakehouse1 without applying any transformations.
The solution must meet the following requirements
Trigger the process when a new file is added.
Provide the highest throughput.
Which type of item should you use to ingest the data?

- A. Eventstream
- B. Dataflow Gen2
- C. Streaming dataset
- D. Data pipeline Most Voted

Reveal Solution Discussion 11

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #92 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1.
In an external data source, you have data files that are 500 GB each. A new file is added every day.
You need to ingest the data into Lakehouse1 without applying any transformations.
The solution must meet the following requirements
Trigger the process when a new file is added.
Provide the highest throughput.
Which type of item should you use to ingest the data?

- A. Data pipeline Most Voted
- B. Environment
- C. KQL queryset
- D. Dataflow Gen2

Reveal Solution Discussion 10

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #93 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains an eventhouse and a KQL database named Database1. Database1 has the following:
A table named Table1
A table named Table2
An update policy named Policy1
Policy1 sends data from Table1 to Table2.
The following is a sample of the data in Table2.

Timestamp (datetime)	DeviceId (guid)	StreamData (dynamic)
2024-05-18 12:45:17.16524	81416f30-60a2-4e75-9b19-2a84ea059735	[{ "index": 0, "eventid": "719afca0-be30-4559-bb5e-59feade642f6" }]
2024-05-18 12:45:21.76423	bb664e1e-02aa-4e17-8c8a-116cd4458d52	[{ "index": 0, "eventid": "782222b2-fbcb-43c0-82d6-ecd49a99dbf5 }]
2024-05-18 12:45:23.98642	717bfe7d-0e5d-498f-9f21-e60aaf258056	[{ "index": 0, "eventid": "d5730286-0da4-41f8-8e59-f75e209310a9 }]

Recently, the following actions were performed on Table1:
An additional element named temperature was added to the StreamData column.
The data type of the Timestamp column was changed to date.
The data type of the DeviceId column was changed to string.
You plan to load additional records to Table2.
Which two records will load from Table1 to Table2? Each correct answer presents a

complete solution.
NOTE: Each correct selection is worth one point.

- A.

Timestamp (datetime)	DeviceId (guid)	StreamData (dynamic)
2024-05-18	81416f30-60a2-4e75-9b19-2a84ea059735	[{ "index": 40, "eventid": "729afca2-be30-4559-bb5e-59f "temperature": 32 }]

- B.

Timestamp (datetime)	DeviceId (guid)	StreamData (dynamic)
2024-05-21	81416f30	[{ "index": 0, "eventid": "719afca0-be30-4559-bb5e-5we "temperature": 27 }]

- C.

Timestamp (datetime)	DeviceId (guid)	StreamData (dyna
2024-05-23	81416f3060a24e759b192a84ea05973532dhdyte3	[{ "index": 0, "eventid": }]

- D.

Timestamp (datetime)	DeviceId (guid)	StreamData (dynamic)
2024-05-24	81416f30-60a2-4e75-9b19-2a84ea059735	[{ "index": 0, "eventid": "719afca0-be30-4559-bb5e-59f }]

Reveal Solution Discussion 15

Correct Answer: AD

Community vote currently supports Answer AD

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #94 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT
You have a Fabric workspace.
You are debugging a statement and discover the following issues:
Sometimes, the statement fails to return all the expected rows.
The PurchaseDate output column is NOT in the expected format of mmm dd, yy.
You need to resolve the issues. The solution must ensure that the data types of the results are retained. The results can contain blank cells.
How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


```
SELECT
  item_id as ItemId
  [ ▼ ] as ItemName
  ,item_description as ItemDescription
  [ ▼ ] as PurchaseDate
FROM
  Table1
WHERE
  item_type = @itemtype_parameter
```

- ,convert(varchar(20), item_name)
- ,convert(varchar(max), item_name)
- ,try_cast(item_name as varchar(20))

- ,convert(varchar, purchase_date, 7)
- ,convert(varchar, purchase_date, 109)
- ,convert(varchar, purchase_date, 112)

Reveal Solution Discussion 10

Correct Answer:



Question #95 (Topic: Topic 2, Ingest and transform data) Topic 2

You are developing a data pipeline named Pipeline1.
You need to add a Copy data activity that will copy data from a Snowflake data source to a Fabric warehouse.
What should you configure?

- A. Degree of copy parallelism
- B. Fault tolerance
- C. Enable staging Most Voted
- D. Enable logging

Reveal Solution Discussion 4

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #96 (Topic: Topic 2, Ingest and transform data) Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a KQL database that contains two tables named Stream and Reference.
Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.
You have the following KQL queryset.

```
01 Stream
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocation.
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | filter Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.
Solution: You change the join type to kind=outer.

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 4

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #97 (Topic: Topic 2, Ingest and transform data) Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a KQL database that contains two tables named Stream and Reference.
Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.
You have the following KQL queryset.

```
01 Stream
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocation.
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | filter Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.
Solution: You change project to extend.

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 3

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #98 (Topic: Topic 2, Ingest and transform data) Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a KQL database that contains two tables named Stream and Reference.
Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.
You have the following KQL queryset.

```
01 Stream
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocation.
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | filter Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.
Solution: You move the filter to line 02.

Does this meet the goal?

- A. Yes Most Voted
- B. No

Reveal Solution Discussion 5

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #99 (Topic: Topic 2, Ingest and transform data) Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a KQL database that contains two tables named Stream and Reference.
Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.
You have the following KQL queryset.

```
01 Stream
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocation.
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | filter Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.
Solution: You add the make_list() function to the output columns.

Does this meet the goal?

- A. Yes
- B. No Most Voted

Reveal Solution Discussion 3

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #100 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the

authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

- Process the SEO data in near-real-time (NRT).

• Make the book reviews available in the lakehouse without making a copy of the data.
• When a new book cover image arrives in the Files folder, process the image as soon as possible.

You need to create a workflow for the new book cover images.

Which two components should you include in the workflow? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a time-based schedule
- B. a streaming dataflow
- C. a blob storage action
- D. a data pipeline
- E. a notebook that uses Apache Spark Structured Streaming
- F. a reflex item

Reveal Solution Discussion 16

Correct Answer: DF

Community vote currently supports Answer DF

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Previous Questions

Viewing page 2 out of 4 pages.
Viewing questions 51-100 out of 161 questions