Microsoft DP-700 Actual Exam Questions

Last updated on Nov 04, 2026.
View Custom Settings Print Exam
97% Passed the exam with this material
161 Questions & Answers Included
Question #101 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

- Process the SEO data in near-real-time (NRT).
- Make the book reviews available in the lakehouse without making a copy of the data.
- When a new book cover image arrives in the Files folder, process the image as soon as possible.

What should you recommend that the data engineering team use to ingest the SEO data?

- A. a streaming dataflow
- B. a streaming dataset
- C. a notebook that uses Apache Spark Structured Streaming
- D. an eventstream Most Voted

Reveal Solution Discussion 10

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #102 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT


You have a Fabric warehouse named DW1 that contains four staging tables named ProductCategory, ProductSubcategory, Product, and SalesOrder. ProductCategory, ProductSubcategory, and Product are used often in analytical queries.

You need to implement a star schema for DW1. The solution must minimize development effort.

Which design approach should you use? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area



Reveal Solution Discussion 10

Correct Answer:



Question #103 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT


Your company has three newly created data engineering teams named Team1, Team2, and Team3 that plan to use Fabric. The teams have the following personas:

• Team1 consists of members who currently use Microsoft Power BI. The team wants to transform data by using by a low-code approach.
• Team2 consists of members that have a background in Python programming. The team wants to use PySpark code to transform data.
• Team3 consists of members who currently use Azure Data Factory. The team wants to move data between source and sink environments by using the least amount of effort.

You need to recommend tools for the teams based on their current personas.


What should you recommend for each team? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 6

Correct Answer:



Question #104 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You plan to process the following three datasets by using Fabric:


Dataset1: This dataset will be added to Fabric and will have a unique primary key between the source and the destination. The unique primary key will be an integer and will start from 1 and have an increment of 1.
Dataset2: This dataset contains semi-structured data that uses bulk data transfer. The dataset must be handled in one process between the source and the destination. The data transformation process will include the use of custom visuals to understand and work with the dataset in development mode.
Dataset3: This dataset is in a lakehouse. The data will be bulk loaded. The data transformation process will include row-based windowing functions during the loading process.

You need to identify which type of item to use for the datasets. The solution must minimize development effort and use built-in functionality, when possible.

What should you identify for each dataset? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area



Reveal Solution Discussion 13

Correct Answer:

Answer Area



Question #105 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have a Fabric workspace that contains a lakehouse named Lakehouse1. Lakehouse1 contains a table named Status_Target that has the following columns:

- Key
- Status
- LastModified

The data source contains a table named Status_Source that has the same columns as Status_Target. Status_Source is used to populate Status_Target.

In a notebook name Notebook1, you load Status_Source to a DataFrame named sourceDF and Status_Target to a DataFrame named targetDF.

You need to implement an incremental loading pattern by using Notebook1. The solution must meet the following requirements:

- For all the matching records that have the same value of key, update the value of LastModified in Status_Target to the value of LastModified in Status_Source.
- Insert all the records that exist in Status_Source that do NOT exist in Status_Target.
- Set the value of Status in Status_Target to inactive for all the records that were last modified more than seven days ago and that do NOT exist in Status_Source.

How should you complete the statement? To answer, select the appropriate options

in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
...

(targetDF

  .merge(sourceDF, "sourceDF.Key" = "targetDF.Key")

  [ ▼ ]
    .whenMatchedInsert(
    .whenMatchedUpdate(
    .whenNotMatchedBySourceInsert(
    .whenNotMatchedBySourceUpdate(
    .whenNotMatchedInsert(
    .whenNotMatchedUpdate(

  set = {"targetDF.LastModified": "sourceDF.LastModified"}

)

  [ ▼ ]
    .whenMatchedInsert(
    .whenMatchedUpdate(
    .whenNotMatchedBySourceInsert(
    .whenNotMatchedBySourceUpdate(
    .whenNotMatchedInsert(
    .whenNotMatchedUpdate(

  values = {

    "targetDF.Key": "sourceDF.Key",

    "targetDF.LastModified": "sourceDF.LastModified",

    "targetDF.Status": "sourceDF.Status"

  }

 )

  [ ▼ ]
    .whenMatchedInsert(
    .whenMatchedUpdate(
    .whenNotMatchedBySourceInsert(
    .whenNotMatchedBySourceUpdate(
    .whenNotMatchedInsert(
    .whenNotMatchedUpdate(

  condition="targetDF.LastModified > (current_date() - INTERVAL
```

Reveal Solution Discussion 4

Correct Answer:

Answer Area

```
...
(targetDF
  .merge(sourceDF, "sourceDF.Key" = "targetDF.Key")
  [ .whenMatchedInsert( ]
  [ .whenMatchedUpdate( ]
  [ .whenNotMatchedBySourceInsert( ]
  [ .whenNotMatchedBySourceUpdate( ]
  [ .whenNotMatchedInsert( ]
  [ .whenNotMatchedUpdate( ]
    set = {"targetDF.LastModified": "sourceDF.LastModified"}
)
  [ .whenMatchedInsert( ]
  [ .whenMatchedUpdate( ]
  [ .whenNotMatchedBySourceInsert( ]
  [ .whenNotMatchedBySourceUpdate( ]
  [ .whenNotMatchedInsert( ]
    values = {
      "targetDF.Key": "sourceDF.Key",
      "targetDF.LastModified": "sourceDF.LastModified",
      "targetDF.Status": "sourceDF.Status"
    }
  )
  [ .whenMatchedInsert( ]
  [ .whenMatchedUpdate( ]
  [ .whenNotMatchedBySourceInsert( ]
  [ .whenNotMatchedBySourceUpdate( ]
  [ .whenNotMatchedInsert( ]
  [ .whenNotMatchedUpdate( ]
    condition="targetDF.LastModified > (current_date() - INTERVAL '7' DAY)",
    set = {"targetDF.Status": "'inactive'"}
  )
  .execute()
)
...
```

Question #106 (Topic: Topic 2, Ingest and transform data) Topic 2

DRAG DROP


You are building a data loading pattern by using a Fabric data pipeline. The source is an Azure SQL database that contains 25 tables. The destination is a lakehouse.

In a warehouse, you create a control table named Control.Object as shown in the exhibit. (Click the Exhibit tab.)

	schema_name
1	Warehouse
2	Warehouse
3	Warehouse
4	Warehouse
5	Warehouse
6	dbo
7	dbo
8	Application
9	Purchasing
10	Purchasing

You need to build a data pipeline that will support the dynamic ingestion of the tables listed in the control table by using a single execution.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Reveal Solution Discussion 6

Answer Area

1. Add a Lookup activity to query Control.Object and generate a list of the schemas and tables to copy.
2. Add a ForEach activity to iterate over the list of tables and copy the source data to the lakehouse Delta tables.
3. Add a Copy data activity as an inner activity to the iterator activity.

Correct Answer:

Question #107 (Topic: Topic 2, Ingest and transform data) Topic 2

You are implementing a medallion architecture in a Fabric lakehouse.

You plan to create a dimension table that will contain the following columns:

- ID
- CustomerCode
- CustomerName
- CustomerAddress
- CustomerLocation
- ValidFrom
- ValidTo

You need to ensure that the table supports the analysis of historical sales data by

customer location at the time of each sale.

Which type of slowly changing dimension (SCD) should you use?

- A. Type 2 Most Voted
- B. Type 0
- C. Type 1
- D. Type 3

Reveal Solution Discussion 4

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #108 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains an eventstream named EventStream1. EventStream1 outputs events to a table named Table1 in a lakehouse. The streaming data is sourced from motorway sensors and represents the speed of cars.

You need to add a transformation to EventStream1 to average the car speeds. The speeds must be grouped by non-overlapping and contiguous time intervals of one minute. Each event must belong to exactly one window.

Which windowing function should you use?

- A. sliding
- B. hopping
- C. tumbling Most Voted
- D. session

Reveal Solution Discussion 4

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #109 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have a table in a Fabric lakehouse that contains the following data.

SalesOrderNumber	OrderDate	CustomerName	Email
SO49172	2021-01-01	Brian Howard	brian23@adventure-works.com
SO49173	2021-01-01	Linda Alvarez	linda19@adventure-works.com
SO49174	2021-01-01	Gina Hernandez	gina4@adventure-works.com
SO49178	2021-01-01	Beth Ruiz	beth4@adventure-works.com
SO49179	2021-01-01	Evan Ward	evan13@adventure-works.com

You have a notebook that contains the following code segment.

```
01 df = df.withColumn("CustomerName", when((col("CustomerName").isNull
02 df = df.withColumn("Username",split(col("Email"), "@").getItem(1))
03 df = df.dropDuplicates(["OrderDate"]).select(col("OrderDate"), year
04 display(df.head(10))
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements


Line 01 will replace all the null and empty values in the CustomerName col
Unknown value.

Line 02 will extract the value before the @ character and generate a new c
Username.

Line 03 will extract the year value from the OrderDate column and keep on
occurrence for each year.

Reveal Solution Discussion 18

Correct Answer:



Question #110 (Topic: Topic 2, Ingest and transform data) Topic 2

DRAG DROP


You have a Fabric workspace that contains an eventhouse named Eventhouse1.

In Eventhouse1, you plan to create a table named DeviceStreamData in a KQL database. The table will contain data based on the following sample.

Timestamp	DeviceId	StreamData
2024-05-18 12:45:17.16524	81416f30-60a2-4e75-9b19-2a84ea059735	[{ "index": 0, "eventid": "719afca0-be30-4559-bb5e-5 "isActive": false, "latitude": 5.390012, "longitude": -40.100235, "tags": ["tempor"] }]
2024-05-18 12:45:21.76423	bb664e1e-02aa-4e17-8c8a-116cd4458d52	[{ "index": 0, "eventid": "782222b2-fbcb-43c0-82d6-e "isActive": true, "latitude": -56.153786, "longitude": 130.870907, "tags": ["adipisicing"] }]
2024-05-18 12:45:23.98642	717bfe7d-0e5d-498f-9f21-e60aaf258056	[{ "index": 0, "eventid": "d5730286-0da4-41f8-8e59-f "isActive": true, "latitude": -21.39289, "longitude": 123.959442, "tags": ["ad"] }]
2024-05-18 12:45:25.39523	1a390e71-4faf-4df5-a479-2238d84001f7	[{ "index": 0, "eventid": "9572e141-8692-4d16-89e8-0 "isActive": true, "latitude": -84.926214, "longitude": -11.499007,

You need to use a KQL query to develop the solution for Eventhouse1.

Which three code segments should you run in sequence? To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.



Reveal Solution Discussion 5

Correct Answer:



Question #111 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a warehouse named Warehouse1.

You have an on-premises Microsoft SQL Server database named Database1 that is accessed by using an on-premises data gateway.

You need to copy data from Database1 to Warehouse1.

Which item should you use?

- A. a data pipeline Most Voted
- B. an Apache Spark job definition
- C. a streaming dataflow
- D. a notebook

Reveal Solution Discussion 5

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #112 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric warehouse named DW1 that contains a Type 2 slowly changing dimension (SCD) dimension table named DimCustomer. DimCustomer contains 100 columns and 20 million rows. The columns are of various data types, including int, varchar, date, and varbinary.

You need to identify incoming changes to the table and update the records when there is a change. The solution must minimize resource consumption.

What should you use to identify changes to attributes?

- A. a hash function to compare the attributes in the source table. Most Voted
- B. a direct attributes comparison across the attributes in the DimCustomer table.
- C. a direct attributes comparison for the attributes in the source table.
- D. a hash function to compare the attributes in the DimCustomer table.

Reveal Solution Discussion 7

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #113 (Topic: Topic 2, Ingest and transform data) Topic 2

You have an Azure SQL database named DB1.

In a Fabric workspace, you deploy an eventstream named EventStreamDB1 to stream record changes from DB1 into a lakehouse.

You discover that events are NOT being propagated to EventStreamDB1.

You need to ensure that the events are propagated to EventStreamDB1.

What should you do?

- A. Create a read-only replica of DB1.
- B. Create an Azure Stream Analytics job.
- C. Enable Extended Events for DB1.
- D. Enable change data capture (CDC) for DB1. Most Voted

Reveal Solution Discussion 3

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #114 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click

the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.

Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following

three tables:

- Products
- ProductCategories
- ProductSubcategories

In the data, products are related to product subcategories, and subcategories are related to product categories.

Existing Environment. Azure

Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:

- DataAnalysts: Contains the data analysts
- DataEngineers: Contains the data engineers

Contoso has an Azure subscription.

The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.

Existing Environment. User Problems

The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.

The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.

Requirements. Planned Changes

Contoso plans to create the following two lakehouses:

- Lakehouse1: Will store both raw and cleansed data from the sources
- Lakehouse2: Will serve data in a dimensional model to users for analytical queries

Additional items will be added to facilitate data ingestion and transformation.

Contoso plans to use Azure Repos for source control in Fabric.

Requirements. Technical Requirements

The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling

of missing values, and the standardizing of capitalization.

Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.

Data imports must run simultaneously, when possible.

The use of email data from the Amazon S3 bucket must meet the following requirements:

• Minimize egress costs associated with cross-cloud data access.
• Prevent saving a copy of the raw data in the lakehouses.

Items that relate to data ingestion must meet the following requirements:

• The items must be source controlled alongside other workspace items.
• Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
• No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
• Development effort must be minimized and a built-in connection must be used to import the source data.
• In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.

Once a week, old files that are no longer referenced by a Delta table log must be removed.

Requirements. Data Transformation

In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.

Requirements. Data Security

Security in Fabric must meet the following requirements:

• The data engineers must have read and write access to all the lakehouses, including the underlying files.
• The data analysts must only have read access to the Delta tables in the gold layer.

• The data analysts must NOT have access to the data in the bronze and silver layers.
• The data engineers must be able to commit changes to source control in WorkspaceA.

You need to recommend a solution to resolve the MAR1 connectivity issues. The solution must minimize development effort.

What should you recommend?

- A. Add a ForEach activity to the data pipeline.
- B. Configure retries for the Copy data activity. Most Voted
- C. Call a notebook from the data pipeline.
- D. Configure Fault tolerance for the Copy data activity.

Reveal Solution Discussion 4

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #115 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.

Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in

Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following three tables:

- Products
- ProductCategories
- ProductSubcategories

In the data, products are related to product subcategories, and subcategories are related to product categories.

Existing Environment. Azure

Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:

- DataAnalysts: Contains the data analysts
- DataEngineers: Contains the data engineers

Contoso has an Azure subscription.

The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.

Existing Environment. User Problems

The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.

The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.

Requirements. Planned Changes

Contoso plans to create the following two lakehouses:

- Lakehouse1: Will store both raw and cleansed data from the sources
- Lakehouse2: Will serve data in a dimensional model to users for analytical queries

Additional items will be added to facilitate data ingestion and transformation.

Contoso plans to use Azure Repos for source control in Fabric.

Requirements. Technical Requirements

The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.

Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.

Data imports must run simultaneously, when possible.

The use of email data from the Amazon S3 bucket must meet the following requirements:

• Minimize egress costs associated with cross-cloud data access.
• Prevent saving a copy of the raw data in the lakehouses.

Items that relate to data ingestion must meet the following requirements:

• The items must be source controlled alongside other workspace items.
• Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
• No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
• Development effort must be minimized and a built-in connection must be used to import the source data.
• In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.

Once a week, old files that are no longer referenced by a Delta table log must be removed.

Requirements. Data Transformation

In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.

Requirements. Data Security

Security in Fabric must meet the following requirements:

• The data engineers must have read and write access to all the lakehouses, including the underlying files.
• The data analysts must only have read access to the Delta tables in the gold layer.
• The data analysts must NOT have access to the data in the bronze and silver layers.
• The data engineers must be able to commit changes to source control in WorkspaceA.

You need to recommend a solution for handling old files. The solution must meet the technical requirements.

What should you include in the recommendation?

- A. a data pipeline that includes a Copy data activity
- B. a data pipeline that includes a Delete data activity
- C. a notebook that runs the VACUUM command Most Voted
- D. a notebook that runs the OPTIMIZE command

Reveal Solution Discussion 7

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #116 (Topic: Topic 2, Ingest and transform data) Topic 2

DRAG DROP

You have a KQL database that contains a table named Readings.


You need to build a KQL query to compare the MeterReading value of each row to the previous row base on the Timestamp value.

A sample of the expected output is shown in the following table.

City	Area	MeterReading	Timestamp	PrevMeterReading
Kansas	Area1	1500	2024-07-30 10:00:00	
Kansas	Area2	1520	2024-07-30 11:00:00	1500
Kansas	Area1	1550	2024-07-30 12:00:00	1520
Kansas	Area2	1580	2024-07-30 13:00:00	1550

How should you complete the query? To answer, drag the appropriate values the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 8

Correct Answer:

Answer Area



Question #117 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You need to recommend a Fabric streaming solution that will use the sources shown in the following table.

Name	Message size	Description
Source1	10 MB	Contains semi-structured data that has a bigint column in the messages
Source2	25 MB	Contains structured data that has 19 columns
Source3	5 MB	Contains unstructured data that has images in the messages

The solution must minimize development effort.

What should you include in the recommendation for each source? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Source1:

- Apache Spark Structured Streaming
- An eventstream
- A data pipeline
- A streaming dataflow

Source2:

- Apache Spark Structured Streaming
- An eventstream
- A data pipeline
- A streaming dataflow


Source3:

- Apache Spark Structured Streaming
- An eventstream
- A data pipeline
- A streaming dataflow

Reveal Solution Discussion 22

Correct Answer:

Answer Area



Question #118 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You are building a data loading pattern for Fabric notebook workloads.

You have the following code segment.

```
def loading_pattern_sample(df_source):
    try:
        deltaTable = DeltaTable.forName(spark, target_table)
    except Exception:
        try:
            df_source.write.format('delta').mode('overwrite').s
        except Exception as e:
            print(f':Load for table {target_table} failed with
            raise
        return

    try:
        change_detection_columns = [col for col in df_source.co

        match_condition = ' AND '.join([f'target.{col} = source
        update_condition = ' OR '.join([f'target.{col} != sourc


        update_expr = {col: f'source.{col}' for col in df_sourc

        merge_operation = deltaTable.alias('target').merge(
            source=df_source.alias('source'),
            condition=match_condition
        ).whenMatchedUpdate(
            condition=update_condition,
            set=update_expr
        ).whenNotMatchedInsertAll()

        merge_operation.execute()
    except Exception as e:
            print(f'Insert operation for table {target_table} f
    return
```


For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 5

Correct Answer:



Question #119 (Topic: Topic 2, Ingest and transform data) Topic 2

You have an Azure event hub. Each event contains the following fields:

- BikepointID
- Street
- Neighbourhood
- Latitude
- Longitude
- No_Bikes
- No_Empty_Docks

You need to ingest the events. The solution must only retain events that have a Neighbourhood value of Chelsea, and then store the retained events in a Fabric lakehouse.

Data retention in case of failure is required to be two days.

What should you use?

- A. an eventstream Most Voted
- B. Apache Spark Structured Streaming
- C. a streaming dataset
- D. a KQL queryset

Reveal Solution Discussion 9

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #120 (Topic: Topic 2, Ingest and transform data) Topic 2

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen2 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

• Process the SEO data in near-real-time (NRT).
• Make the book reviews available in the lakehouse without making a copy of the data.
• When a new book cover image arrives in the Files folder, process the image as soon as possible.

You need to create a workflow for the new book cover images.

Which two components should you include in the workflow? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an activator item
- B. a data pipeline
- C. a blob storage action
- D. a time-based schedule
- E. a streaming dataflow
- F. a notebook that uses Apache Spark Structured Streaming

Reveal Solution Discussion 8

Correct Answer: AB

Community vote currently supports Answer AB

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #121 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1.

In an external data source, you have data files that are 500 GB each. A new file is added every day.

You need to ingest the data into Lakehouse1 without applying any transformations. The solution must meet the following requirements:

• Trigger the process when a new file is added.

• Provide the highest throughput.

Which type of item should you use to ingest the data?

- A. Environment
- B. Data pipeline Most Voted
- C. Eventstream
- D. KQL queryset

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #122 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1.

In an external data source, you have data files that are 500 GB each. A new file is added every day.

You need to ingest the data into Lakehouse1 without applying any transformations. The solution must meet the following requirements

• Trigger the process when a new file is added.
• Provide the highest throughput.

Which type of item should you use to ingest the data?

- A. Reflex
- B. Eventstream
- C. Notebook Most Voted
- D. KQL queryset

Reveal Solution Discussion 6

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #123 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have Fabric lakehouse that contains a table named Table1. Table1 stores data in the following format.


OrderNumber	OrderDate	CustomerName	Email
872341	2025-03-28	Dennis Awkland	dennis.awkland@fabric.io
872342	2025-03-28	Ben Hoffmann	ben.hoffmann@fabric.io
872343	2025-03-28	Linda Andersen	linda.andersen@fabric.io
872344	2025-03-28	Karim Betak	karim.betak@fabric.io
872345	2025-03-28	Louis Bentson	louis.bentson@fabric.io

You have a notebook that contains the following code segment.

```
01 df = df.withColumn("CustomerName", when((col("CustomerName").isNull()),
lit("Unknown")).otherwise(col("CustomerName")))
02 df = df.withColumn("FirstName",split(col("Email"), ".").getItem(1))
03 df = df.dropDuplicates(["OrderDate"]).select(col("OrderDate"), year("Orde
("Username"))
04 display(df.head(10))
```


For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 5

Correct Answer:



Question #124 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have the development groups shown in the following table.

Name	Skillset
Group1	Azure Stream Analytics with Azure Event Hubs
Group2	Microsoft Power BI
Group3	R language

You have the projects shown in the following table.

Name	Development group	Requirement
Project1	Group1	Move data between source and sink environments.
Project2	Group2	Transform data by using by a low-code approach.
Project3	Group3	Transform data.

You need to recommend which Fabric item to use based on each development group's skillset. The solution must meet the project requirements and minimize development effort.

What should you recommend for each group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


Group1:
- A data pipeline
- A Dataflow Gen2
- An eventstream
- A notebook

Group2:
- A data pipeline
- A Dataflow Gen2
- An eventstream
- A notebook

Group3:
- A data pipeline
- A Dataflow Gen2
- An eventstream
- A notebook

Reveal Solution Discussion 2

Answer Area



Correct Answer:

Question #125 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Microsoft Power Apps app named App1 that has data stored in Microsoft Dataverse.

You need to access the App1 data by using Fabric.

What should you use?

- A. a data pipeline
- B. mirroring
- C. Dataflow Gen2
- D. a shortcut Most Voted

Reveal Solution Discussion 4

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #126 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace named Workspace1 that contains three notebooks named notebook_01, notebook_02, and notebook_03.

You are building a new notebook in Workspace1 that will contain the following Directed Acyclic Graph (DAG) definition.

```
DAG = {
    "activities": [
        {   "name": "run_notebook_1",
            "path": "notebook_01",
            "timeoutPerCellInSeconds": 100,
            "args": {
                        "input_value": "999"
                },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "run_notebook_2",
            "path": "notebook_02",
            "timeoutPerCellInSeconds": 400,
            "args": {
                        "input_value": "888"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "run_notebook_3",
            "path": "notebook_03",
            "timeoutPerCellInSeconds": 600,
            "args": {
                        "input_value": "777"
                           "execute_before": "notebook_01"
                           "execute_before": "notebook_02"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30

            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "run_notebook_2",
            "path": "notebook_02",
            "timeoutPerCellInSeconds": 400,
            "args": {
                        "input_value": "888"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        },
        {   "name": "run_notebook_3",
            "path": "notebook_03",
            "timeoutPerCellInSeconds": 600,
            "args": {
                        "input_value": "777"
                           "execute_before": "notebook_01"
                           "execute_before": "notebook_02"
                    },
            "retry": 1,
            "retryIntervalInSeconds": 30
        }
        ],
    "timeoutInSeconds": 43200,
    "concurrency": 0
}

mssparkutils.notebook.runMultiple(DAG,{"displayDAGViaGraphviz": True})
```

You need to modify the DAG definition to meet the following requirements:

• Ensure that notebook_01 and notebook_02 run in parallel.
• Ensure that notebook_02 only runs after the execution of notebook_03 is complete.

How should you modify the DAG definition?

- A. Create a second DAG definition. Move notebook_03 and notebook_02 to the new DAG definition.
- B. Move the notebook_03 declaration to the top of the DAG definition. Add a concurrency to notebook_02 and notebook_01.
- C. Create two stages in the DAG definition. Add notebook_03 to the first stage. Add notebook_01 and notebook_02 to the second stage.
- D. Move the declaration of notebook_03 to the top of the DAG definition. Add a new stage that contains notebook_01 and notebook_02.

Reveal Solution Discussion 1

Correct Answer: C

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #127 (Topic: Topic 2, Ingest and transform data) Topic 2

You have an Azure subscription that contains a blob storage account named sa1. sa1 contains two files named File1.csv and File2.csv.

You have a Fabric tenant that contains the items shown in the following table.

Name	Description
Workspace1	Fabric workspace
Pipeline1	Data pipeline in Workspace1
flh1	Lakehouse in Workspace1

You need to configure Pipeline1 to perform the following actions:

• At 2 PM each day, process File1.csv and load the file into flh1.
• At 5 PM each day, process File2.csv and load the file into flh1.

The solution must minimize development effort.

What should you use?

- A. a data pipeline trigger
- B. a data pipeline schedule
- C. a job definition
- D. an activator

Reveal Solution Discussion 2

Correct Answer: B

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #128 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have a Fabric workspace that contains a large table named Table1. Table1 contains 2 billion rows.

You have a data source that generates a data file every 30 minutes. The file contains only changes that occurred since the last file was generated.

You plan to deploy a data pipeline that will process each data file when it is generated and load the contents into Table1.

You need to recommend which loading pattern to use for the following operations:


• Create new records.
• Delete existing records.

The solution must support the versioning of existing records.

What should you recommend for each operation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area



Reveal Solution Discussion 3

Correct Answer:

Answer Area



Question #129 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric lakehouse that contains the resources shown in the following table.

Name	Type	Description
Customers	Table	Stores customer details
Data	Folder	Contains a file named Customers.parquet
Reports	Folder	Contains a Microsoft Power BI report named Customer Analysis.pbix
USCustomers	Table	Stores the details of customers located in the United States

You need to use a notebook to query for customers in the United States and load the

filtered data into USCustomers. The solution must minimize the number of scripts used.

Which statement should you use?

- A. customers.write.format("parquet").mode("append").saveAsTable("USCustomers")
- B. customers.write.format("delta").mode("overwrite").save("Tables/USCustomers")
- C. customers.write.format("delta").mode("overwrite").saveAsTable("USCustomers")
- D. customers.write.format("parquet").mode("append").save("Tables/USCustomers")

Reveal Solution Discussion 1

Correct Answer: C

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #130 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains 10 pipelines named Pipeline1 through Pipeline10. The pipelines load, transform, and publish data to a lakehouse named Lakehouse1.

Each pipeline takes 30 minutes to run. The pipelines run in numerical sequence based on their name. The pipeline process must start every eight hours.

You need to configure orchestration to minimize the number of pipeline runs and scheduling activities, while ensuring that all the pipelines run in the correct order. The solution must minimize administrative effort.

What should you do?

- A. Schedule Pipeline1 to run every eight hours and add a trigger dependency so that each subsequent pipeline starts when the previous one completes successfully.

- B. Create a master pipeline that runs every eight hours and uses an Execute Pipeline activity to call the other pipelines sequentially.
- C. Configure a time-based schedule to run each pipeline independently every eight hours.
- D. Add an event-based trigger to each pipeline so that the pipeline starts when a new dataset is written to Lakehouse1.

Reveal Solution Discussion

Correct Answer: B

Question #131 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1. Lakehouse1 processes data from more than 100 sources by using a medallion architecture. Lakehouse1 ingests the data in batch loads by using Dataflow Gen2.

You need to collect IoT sensor data from connected devices in near-real-time (NRT). The solution must meet the following requirements:

• Generate NRT dashboards and perform anomaly detection.
• Store the streaming data for downstream batch processing into Lakehouse1.

The solution must minimize development effort.

What should you use?

- A. Azure Stream Analytics Most Voted
- B. Azure Event Hubs
- C. Apache Spark streaming jobs
- D. Dataflow Gen2

Reveal Solution Discussion 2

Correct Answer: B

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #132 (Topic: Topic 2, Ingest and transform data) Topic 2

You have a Fabric workspace that contains a lakehouse named Lakehouse1.

In an external data source, you have data files that are 500 GB each. A new file is

added every day.

You need to ingest the data into Lakehouse1 without applying any transformations. The solution must meet the following requirements:

• Trigger the process when a new file is added.
• Provide the highest throughput.

Which type of item should you use to ingest the data?

- A. Eventstream
- B. KQL queryset
- C. Notebook
- D. Activator

Reveal Solution Discussion

Correct Answer: C

Question #133 (Topic: Topic 2, Ingest and transform data) Topic 2

HOTSPOT

You have a Fabric notebook that reads streaming events from an eventstream by using Apache Spark Structured Streaming. The incoming stream contains three columns named user_id, timestamp, and spend.

You plan to calculate near-real-time (NRT) features that include rolling one-day spend totals per user by looking only backward in time from each event.

You need to compute the totals by using windowing functions that include only the current and prior events per user_id.

How should you complete the PySpark code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

```
from pyspark.sql import functions as F
from pyspark.sql.window import Window
days = lambda i: i * 86400
s_1d = (Window.partitionBy("user_id")
        [ .groupBy | .orderBy | .row_number ] (F.col("timestamp").cast(
 .rangeBetween(-days(1), 0)
)
features_df = (decoded_df
        [ select | transform | withColumn ] "spend_1d_sum", F.sum("s
.rangeBetween(-days(1), 0)
)
```

Reveal Solution Discussion

Correct Answer:

Answer Area

```
from pyspark.sql import functions as F
from pyspark.sql.window import Window
days = lambda i: i * 86400
s_1d = (Window.partitionBy("user_id")
        [.groupBy / .orderBy / .row_number] (F.col("timestamp").cast("long"))
 .rangeBetween(-days(1), 0)
)
features_df = (decoded_df
        [select / transform / withColumn] "spend_1d_sum", F.sum("spend").over(s_1d))
.rangeBetween(-days(1), 0)
)
```

Question #134 (Topic: Topic 2, Ingest and transform data) Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a KQL database that contains two tables named Stream and Reference. Stream contains streaming data in the following format.

Column name	Data type
Timestamp	Datetime
GeoLocation	Dynamic
Temperature	Decimal
DeviceId	Int

Reference contains reference data in the following format.

Column name	Data type
DeviceId	Int
DeviceName	String

Both tables contain millions of rows.

You have the following KQL queryset.

```
01 Stream
02 | extend lat = todecimal(GeoLocation.Latitude), long = todecimal(GeoLocat
03 | join kind=inner Reference on DeviceId
04 | project Timestamp, lat, long, Temperature, DeviceName
05 | where Temperature >= 10
06 | render scatterchart with (kind = map)
```

You need to reduce how long it takes to run the KQL queryset.

Solution: You move the line 05 to line 02.

Does this meet the goal?

- A. Yes
- B. No

Reveal Solution Discussion

Correct Answer: A

Question #135 (Topic: Topic 2, Ingest and transform data) Topic 2

You have two Fabric workspaces named Workspace1 and Workspace2. Workspace1 is assigned to a Fabric capacity that contains a KQL database named DB1. Workspace2 contains a lakehouse named Lakehouse1. Lakehouse1 contains a Delta table named Table1 that is updated every few minutes.

You need to ensure that you can query Table1 from DB1. The solution must ensure that the queries have access to near-real-time (NRT) data.

What should you create?

- A. in Workspace2, an eventstream to stream Table1 changes into DB1
- B. a data pipeline to copy Table1 into a lakehouse in Workspace1
- C. in the Files folder of Lakehouse1, a OneLake shortcut to Table1
- D. in DB1, a OneLake shortcut to Table1 Most Voted

Reveal Solution Discussion 2

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #136 (Topic: Topic 2, Ingest and transform data) Topic 2

You have an Azure event hub. Each event contains the following fields:

- BikepointID
- Street
- Neighbourhood
- Latitude
- Longitude
- No_Bikes
- No_Empty_Docks

You need to ingest the events. The solution must only retain events that have a Neighbourhood value of Chelsea, and then store the retained events in a Fabric lakehouse.

Data retention in case of failure is required to be two days.

What should you use?

- A. an eventstream
- B. a KQL queryset
- C. a python notebook
- D. Apache Spark Structured Streaming

Reveal Solution Discussion

Correct Answer: A

Question #137 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3


HOTSPOT
Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to

ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview
Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.
Existing Environment. Fabric Environment
Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.
The company has a data engineering team that uses Python for data processing.
Existing Environment. Data Processing
The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.
Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.
Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.
Existing Environment. Sales Data
Month-end sales data is processed on the first calendar day of each month. Data that is older than one month never changes.
In the source system, the sales data refreshes every six hours starting at midnight each day.
The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:
Sales Date

Author
Price
Units
SKU
A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.
Existing Environment. Security Groups
Litware has the following security groups:
Sales
Fabric Admins
Streaming Admins
Existing Environment. Performance Issues
Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”
The data engineering team wants to debug the issue and find queries that cause more than one failure.
When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.
The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.
Requirements. Planned Changes
Litware recently signed a contract to receive book reviews. The provider of the reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.
Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.
Requirements. Version Control
Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.
Requirements. Governance Requirements
To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.
Requirements. Data Requirements
Litware identifies the following data requirements:
Process the SEO data in near-real-time (NRT).
Make the book reviews available in the lakehouse without making a copy of the data.
When a new book cover image arrives in the Files folder, process the image as soon as possible.
You need to troubleshoot the ad-hoc query issue.
How should you complete the statement? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area



Reveal Solution Discussion 11

Correct Answer:



Question #138 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

Case Study

This is a case study. Case studies are not timed separately. You can use as much

exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.
To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.
At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.
To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview. Company Overview
Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.
Overview. IT Structure
The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.
The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.
The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.
Existing Environment. Fabric
Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.
Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.
Existing Environment. Source Systems
Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.
The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.
Contoso has been using MAR1 for one year. Data from prior years is stored in

Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.
Existing Environment. Product Data
POS1 contains a product list and related data. The data comes from the following three tables:
Products
ProductCategories
ProductSubcategories
In the data, products are related to product subcategories, and subcategories are related to product categories.
Existing Environment. Azure
Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:
DataAnalysts: Contains the data analysts
DataEngineers: Contains the data engineers
Contoso has an Azure subscription.
The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.
Existing Environment. User Problems
The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.
The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.
Requirements. Planned Changes
Contoso plans to create the following two lakehouses:
Lakehouse1: Will store both raw and cleansed data from the sources
Lakehouse2: Will serve data in a dimensional model to users for analytical queries
Additional items will be added to facilitate data ingestion and transformation.
Contoso plans to use Azure Repos for source control in Fabric.
Requirements. Technical Requirements
The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.
Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.
Data imports must run simultaneously, when possible.
The use of email data from the Amazon S3 bucket must meet the following requirements:
Minimize egress costs associated with cross-cloud data access.
Prevent saving a copy of the raw data in the lakehouses.
Items that relate to data ingestion must meet the following requirements:
The items must be source controlled alongside other workspace items.
Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.

Development effort must be minimized and a built-in connection must be used to import the source data.
In the event of a connectivity error, the ingestion processes must attempt the connection again.
Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.
Once a week, old files that are no longer referenced by a Delta table log must be removed.
Requirements. Data Transformation
In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.
Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.
Requirements. Data Security
Security in Fabric must meet the following requirements:
The data engineers must have read and write access to all the lakehouses, including the underlying files.
The data analysts must only have read access to the Delta tables in the gold layer.
The data analysts must NOT have access to the data in the bronze and silver layers.
The data engineers must be able to commit changes to source control in WorkspaceA.
You need to schedule the population of the medallion layers to meet the technical requirements.
What should you do?

- A. Schedule a data pipeline that calls other data pipelines. Most Voted
- B. Schedule a notebook.
- C. Schedule an Apache Spark job.
- D. Schedule multiple data pipelines.

Reveal Solution Discussion 7

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #139 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

DRAG DROP
You have a Fabric eventhouse that contains a KQL database. The database contains a table named TaxiData. The following is a sample of the data in TaxiData.

VendorID	tpep_pickup_datetime	tpep_dropoff_datetime	passenger_count	trip
2	2022-06-06T11:08:32Z	2022-06-06T11:22:17Z	1	
2	2022-06-06T11:12:05Z	2022-06-06T11:20:43Z	1	
1	2022-06-06T11:15:00Z	2022-06-06T11:25:32Z	1	
2	2022-06-06T11:29:54Z	2022-06-06T11:49:34Z	2	
1	2022-06-06T11:50:50Z	2022-06-06T12:07:24Z	2	

You need to build two KQL queries. The solution must meet the following requirements:
One of the queries must partition RunningTotalAmount by VendorID.

The other query must create a column named FirstPickupDateTime that shows the first value of each hour from tpep_pickup_datetime partitioned by payment_type.
How should you complete each query? To answer, drag the appropriate values the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Values

- Row_cumsum
- Row_rank_dense
- Row_rank_min
- Row_window_session

Answer Area

Statement1:


```
TaxiData
| sort by VendorID asc
| extend RunningTotalAmount = [ ]
```

Statement2:

```
TaxiData
| sort by tpep_pickup_datetime asc, payment_type asc
| extend FirstPickupDateTime = [ ]
```

Reveal Solution Discussion 6

Correct Answer:



Question #140 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

HOTSPOT

You are processing streaming data from an external data provider.

You have the following code segment.

```
datatable (Location:string, Company:string, UnitsSold:long)
[
  "New York", "Contoso", 300,
  "New York", "Litware", 1000,
  "New York", "Relecloud", 300,
  "New York", "Fabrikam", 200,
  "Seattle", "Contoso", 300,
  "Seattle", "Litware", 100,
  "Seattle", "Fabrikam", 100,
  "San Francisco", "Relecloud", 500,
  "San Francisco", "Litware", 500,
  "Washington DC", "Litware", 300,
  "Washington DC", "Contoso", 400
]
| sort by Location desc, UnitsSold desc
| extend Rank=row_rank_dense(UnitsSold, prev(Location) != Location)
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	
Litware from New York will be displayed at the top of the result set.	
Fabrikam in Seattle will have value = 2 in the Rank column.	
Litware in San Francisco will have the same value in the Rank column as Litware in New Yor	

Reveal Solution Discussion 21
Correct Answer:

Statements	
Litware from New York will be displayed at the top of the result set.	
Fabrikam in Seattle will have value = 2 in the Rank column.	
Litware in San Francisco will have the same value in the Rank column as Litware in New Yor	

Question #141 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a lakehouse named Lakehouse1.
Lakehouse1 contains a Delta table named Table1.
You analyze Table1 and discover that Table1 contains 2,000 Parquet files of 1 MB each.
You need to minimize how long it takes to query Table1.
What should you do?

- A. Disable V-Order and run the OPTIMIZE command.
- B. Disable V-Order and run the VACUUM command.
- C. Run the OPTIMIZE and VACUUM commands. Most Voted

Reveal Solution Discussion 5

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #142 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a warehouse named Warehouse1. Data is loaded daily into Warehouse1 by using data pipelines and stored procedures.
You discover that the daily data load takes longer than expected.
You need to monitor Warehouse1 to identify the names of users that are actively running queries.
Which view should you use?

- A. sys.dm_exec_connections
- B. sys.dm_exec_requests
- C. queryinsights.long_running_queries
- D. queryinsights.frequently_run_queries
- E. sys.dm_exec_sessions Most Voted

Reveal Solution Discussion 15

Correct Answer: E

Community vote currently supports Answer E

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #143 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains an eventstream named EventStream1. EventStream1 outputs events to a table in a lakehouse.
You need to remove files that are older than seven days and are no longer in use.
Which command should you run?

- A. VACUUM Most Voted
- B. COMPUTE
- C. OPTIMIZE

- D. CLONE

Reveal Solution Discussion 6

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #144 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric warehouse named DW1 that loads data by using a data pipeline named Pipeline1. Pipeline1 uses a Copy data activity with a dynamic SQL source. Pipeline1 is scheduled to run every 15 minutes.
You discover that Pipeline1 keeps failing.
You need to identify which SQL query was executed when the pipeline failed.
What should you do?

- A. From Monitoring hub, select the latest failed run of Pipeline1, and then view the output JSON.
- B. From Monitoring hub, select the latest failed run of Pipeline1, and then view the input JSON. Most Voted
- C. From Real-time hub, select Fabric events, and then review the details of Microsoft.Fabric.ItemReadFailed.
- D. From Real-time hub, select Fabric events, and then review the details of Microsoft. Fabric.ItemUpdateFailed.

Reveal Solution Discussion 12

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #145 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric notebook named Notebook1 that has been executing successfully for the last week.
During the last run, Notebook1executed nine jobs.
You need to view the jobs in a timeline chart.
What should you use?

- A. Real-Time hub
- B. Monitoring hub
- C. the job history from the application run
- D. Spark History Server
- E. the run series from the details of the application run Most Voted

Reveal Solution Discussion 12

Correct Answer: E

Community vote currently supports Answer E


Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #146 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3


HOTSPOT
You have a Fabric workspace that contains an eventstream named EventStream1.
You discover that an EventStream1 transformation fails.
You need to find the following error information:
The error details, including the occurrence time
The total number of errors

What should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 11

Correct Answer:



Question #147 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is

described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a publishing company that has an online bookstore and several retail bookstores worldwide. Litware also manages an online advertising business for the authors it represents.

Existing Environment. Fabric Environment

Litware has a Fabric workspace named Workspace1. High concurrency is enabled for Workspace1.

The company has a data engineering team that uses Python for data processing.

Existing Environment. Data Processing

The retail bookstores send sales data at the end of each business day, while the online bookstore constantly provides logs and sales data to a central enterprise resource planning (ERP) system.

Litware implements a medallion architecture by using the following three layers: bronze, silver, and gold. The sales data is ingested from the ERP system as Parquet files that land in the Files folder in a lakehouse. Notebooks are used to transform the files in a Delta table for the bronze and silver layers. The gold layer is in a warehouse that has V-Order disabled.

Litware has image files of book covers in Azure Blob Storage. The files are loaded into the Files folder.

Existing Environment. Sales Data

Month-end sales data is processed on the first calendar day of each month. Data

that is older than one month never changes.

In the source system, the sales data refreshes every six hours starting at midnight each day.

The sales data is captured in a Dataflow Gen1 dataflow. When the dataflow runs, new and historical data is captured. The dataflow captures the following fields of the source:

- Sales Date
- Author
- Price
- Units
- SKU

A table named AuthorSales stores the sales data that relates to each author. The table contains a column named AuthorEmail. Authors authenticate to a guest Fabric tenant by using their email address.

Existing Environment. Security Groups

Litware has the following security groups:

- Sales
- Fabric Admins
- Streaming Admins

Existing Environment. Performance Issues

Business users perform ad-hoc queries against the warehouse. The business users indicate that reports against the warehouse sometimes run for two hours and fail to load as expected. Upon further investigation, the data engineering team receives the following error message when the reports fail to load: “The SQL query failed while running.”

The data engineering team wants to debug the issue and find queries that cause more than one failure.

When the authors have new book releases, there is often an increase in sales activity. This increase slows the data ingestion process.

The company’s sales team reports that during the last month, the sales data has NOT been up-to-date when they arrive at work in the morning.

Requirements. Planned Changes

Litware recently signed a contract to receive book reviews. The provider of the

reviews exposes the data in Amazon Simple Storage Service (Amazon S3) buckets.

Litware plans to manage Search Engine Optimization (SEO) for the authors. The SEO data will be streamed from a REST API.

Requirements. Version Control

Litware plans to implement a version control solution in Fabric that will use GitHub integration and follow the principle of least privilege.

Requirements. Governance Requirements

To control data platform costs, the data platform must use only Fabric services and items. Additional Azure resources must NOT be provisioned.

Requirements. Data Requirements

Litware identifies the following data requirements:

• Process the SEO data in near-real-time (NRT).
• Make the book reviews available in the lakehouse without making a copy of the data.
• When a new book cover image arrives in the Files folder, process the image as soon as possible.

What should you do to optimize the query experience for the business users?

- A. Enable V-Order.
- B. Create and update statistics. Most Voted
- C. Run the VACUUM command.
- D. Introduce primary keys.

Reveal Solution Discussion 11

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #148 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a warehouse named Warehouse1.

While monitoring Warehouse1, you discover that query performance has degraded during the last 60 minutes.

You need to isolate all the queries that were run during the last 60 minutes. The results must include the username of the users that submitted the queries and the query statements.

What should you use?

- A. the Microsoft Fabric Capacity Metrics app
- B. views from the queryinsights schema Most Voted
- C. Query activity
- D. the sys.dm_exec_requests dynamic management view

Reveal Solution Discussion 8

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #149 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a semantic model named Model1.

You need to monitor the refresh history of Model1 and visualize the refresh history in a chart.

What should you use?

- A. the refresh history from the settings of Model1
- B. a notebook Most Voted
- C. a Dataflow Gen2 dataflow
- D. a data pipeline

Reveal Solution Discussion 18

Correct Answer: B

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #150 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a write-intensive warehouse named DW1. DW1 stores staging tables that are used to load a dimensional model. The tables are often read once, dropped, and then recreated to process new data.

You need to minimize the load time of DW1.

What should you do?

- A. Enable V-Order.
- B. Create statistics.
- C. Drop statistics.
- D. Disable V-Order. Most Voted

Reveal Solution Discussion 11

Correct Answer: D

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.