Microsoft DP-700 Actual Exam Questions

Last updated on Nov 04, 2026.
View Custom Settings Print Exam
97% Passed the exam with this material
161 Questions & Answers Included
Question #151 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

HOTSPOT

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview. Company Overview

Contoso, Ltd. is an online retail company that wants to modernize its analytics platform by moving to Fabric. The company plans to begin using Fabric for marketing analytics.

Overview. IT Structure

The company's IT department has a team of data analysts and a team of data engineers that use analytics systems.

The data engineers perform the ingestion, transformation, and loading of data. They prefer to use Python or SQL to transform the data.

The data analysts query data and create semantic models and reports. They are qualified to write queries in Power Query and T-SQL.

Existing Environment. Fabric

Contoso has an F64 capacity named Cap1. All Fabric users are allowed to create items.

Contoso has two workspaces named WorkspaceA and WorkspaceB that currently use Pro license mode.

Existing Environment. Source Systems

Contoso has a point of sale (POS) system named POS1 that uses an instance of SQL Server on Azure Virtual Machines in the same Microsoft Entra tenant as Fabric. The host virtual machine is on a private virtual network that has public access blocked. POS1 contains all the sales transactions that were processed on the company's website.

The company has a software as a service (SaaS) online marketing app named MAR1. MAR1 has seven entities. The entities contain data that relates to email open rates and interaction rates, as well as website interactions. The data can be exported from MAR1 by calling REST APIs. Each entity has a different endpoint.

Contoso has been using MAR1 for one year. Data from prior years is stored in Parquet files in an Amazon Simple Storage Service (Amazon S3) bucket. There are 12 files that range in size from 300 MB to 900 MB and relate to email interactions.

Existing Environment. Product Data

POS1 contains a product list and related data. The data comes from the following three tables:

- Products
- ProductCategories
- ProductSubcategories

In the data, products are related to product subcategories, and subcategories are related to product categories.

Existing Environment. Azure

Contoso has a Microsoft Entra tenant that has the following mail-enabled security groups:

- DataAnalysts: Contains the data analysts
- DataEngineers: Contains the data engineers

Contoso has an Azure subscription.

The company has an existing Azure DevOps organization and creates a new project for repositories that relate to Fabric.

Existing Environment. User Problems

The VP of marketing at Contoso requires analysis on the effectiveness of different types of email content. It typically takes a week to manually compile and analyze the data. Contoso wants to reduce the time to less than one day by using Fabric.

The data engineering team has successfully exported data from MAR1. The team experiences transient connectivity errors, which causes the data exports to fail.

Requirements. Planned Changes

Contoso plans to create the following two lakehouses:

- Lakehouse1: Will store both raw and cleansed data from the sources
- Lakehouse2: Will serve data in a dimensional model to users for analytical queries

Additional items will be added to facilitate data ingestion and transformation.

Contoso plans to use Azure Repos for source control in Fabric.

Requirements. Technical Requirements

The new lakehouses must follow a medallion architecture by using the following three layers: bronze, silver, and gold. There will be extensive data cleansing required to populate the MAR1 data in the silver layer, including deduplication, the handling of missing values, and the standardizing of capitalization.

Each layer must be fully populated before moving on to the next layer. If any step in populating the lakehouses fails, an email must be sent to the data engineers.

Data imports must run simultaneously, when possible.

The use of email data from the Amazon S3 bucket must meet the following requirements:

• Minimize egress costs associated with cross-cloud data access.
• Prevent saving a copy of the raw data in the lakehouses.

Items that relate to data ingestion must meet the following requirements:

• The items must be source controlled alongside other workspace items.
• Ingested data must land in the bronze layer of Lakehouse1 in the Delta format.
• No changes other than changes to the file formats must be implemented before the data lands in the bronze layer.
• Development effort must be minimized and a built-in connection must be used to import the source data.
• In the event of a connectivity error, the ingestion processes must attempt the connection again.

Lakehouses, data pipelines, and notebooks must be stored in WorkspaceA. Semantic models, reports, and dataflows must be stored in WorkspaceB.

Once a week, old files that are no longer referenced by a Delta table log must be removed.

Requirements. Data Transformation

In the POS1 product data, ProductID values are unique. The product dimension in the gold layer must include only active products from product list. Active products are identified by an IsActive value of 1.

Some product categories and subcategories are NOT assigned to any product. They are NOT analytically relevant and must be omitted from the product dimension in the gold layer.

Requirements. Data Security


Security in Fabric must meet the following requirements:

• The data engineers must have read and write access to all the lakehouses, including the underlying files.
• The data analysts must only have read access to the Delta tables in the gold layer.
• The data analysts must NOT have access to the data in the bronze and silver layers.
• The data engineers must be able to commit changes to source control in WorkspaceA.

You need to ensure that the data engineers are notified if any step in populating the lakehouses fails. The solution must meet the technical requirements and minimize development effort.


What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Reveal Solution Discussion 4

Correct Answer:



Question #152 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a lakehouse named Lakehouse1.

In an external data source, you have data files that are 500 GB each. A new file is added every day.

You need to ingest the data into Lakehouse1 without applying any transformations.

The solution must meet the following requirements:

• Trigger the process when a new file is added.
• Provide the highest throughput.

Which type of item should you use to ingest the data?

- A. KQL queryset
- B. Streaming dataset
- C. Notebook Most Voted
- D. Dataflow Gen2

Reveal Solution Discussion 19

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #153 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a lakehouse named Lakehouse1, a Dataflow Gen2 named Dataflow1, and a pipeline named Pipeline1. Dataflow1 loads data into Lakehouse1.

You need to ensure that Dataflow1 always performs a full data load into Lakehouse1. The solution must minimize how long it takes to load the data.

What should you do?

- A. Change the pipeline templates.
- B. For Dataflow1, set Update method to Replace.
- C. To Dataflow1, add a data preview.
- D. To Pipeline1, add an activity to invoke a SQL script.

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #154 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

HOTSPOT


You have a Fabric workspace named Workspace1 that contains an Azure Data Factory pipeline named Pipeline1.

You need to monitor the execution and activity status of Pipeline1 and automatically email an alert if the pipeline fails. The solution must minimize development and administrative effort.

What should you use to monitor Pipeline1, and what should you use to email the alert? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area



Reveal Solution Discussion 1

Correct Answer:

Answer Area



Question #155 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a data pipeline named Pipeline1 and a notebook named Notebook1. Pipeline1 contains an activity that is used to run Notebook1. Pipeline1 is scheduled to run every 10 minutes.

You receive an alert that Pipeline1 failed during the notebook execution activity.

You need to identify in which cell the failure occurred.

What should you do from Monitor in the Fabric admin center?

- A. Select the entry for the notebook execution, and then select the logs. Most Voted
- B. Select the entry for the notebook execution, and then view the item snapshot.
- C. Select the entry for the pipeline execution, and then view the activity run.
- D. Select the entry for the pipeline execution, and then select the output.

Reveal Solution Discussion 4

Correct Answer: A

Community vote currently supports Answer A

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #156 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric deployment pipeline that contains the stages shown in the following table.

Stage	Assigned work
Development	Workspace1
Test	Workspace2
Production	Workspace3

Workspace1 contains a semantic model named Model1 and a report named Report1. Report1 is bound to Model1.

You modify Report1 and Model1.

You need to deploy the updated Report1 to Test. The solution must meet the following requirements:

• Ensure that Report1 remains bound to Model1 in Test.
• Minimize the number of items deployed

What should you do?

- A. Switch to flat list view, select Report1 only, and deploy the selected item.
- B. Stay in folder view, select Report1 and Model1, and deploy the selected items.
- C. From Development, select Deploy, and then select Test as the target.
- D. Switch to flat list view, select Report1, use Select related, and deploy the selected items. Most Voted

Reveal Solution Discussion 1

Correct Answer: A

Community vote currently supports Answer D

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #157 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace named Workspace1.

You need to implement workspace monitoring for Workspace1. The solution must meet the following requirements:

• Ensure that the logs and metrics of the items in Workspace1 are collected automatically.
• Minimize administrative effort.

What should you do?

- A. In Workspace1, create a lakehouse and an eventstream.
- B. From Workspace settings, add an eventhouse.
- C. From Workspace settings, connect a Log Analytics workspace.
- D. From Workspace settings, connect an Azure Data Lake Storage Gen2 account.

Reveal Solution Discussion 1

Correct Answer: B

Community vote currently supports Answer

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #158 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You are developing a data engineering solution in Fabric by using Apache Spark.

You need to monitor the performance of Spark workloads. The solution must meet the following requirements:

• Provide comprehensive information about the performance of the data engineering workloads.
• Identify stages and tasks that run slowly.
• Minimize administrative effort.

What should you use?

- A. Spark application logs
- B. workspace metrics in Fabric
- C. the Spark UI Most Voted
- D. Spark job event logs

Reveal Solution Discussion 1

Correct Answer: C

Community vote currently supports Answer C

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #159 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace that contains a warehouse named Warehouse1, a lakehouse named lakehouse1, and a semantic model named Model1. Model1 is used by a Microsoft Power BI report.

You need to ensure that if a semantic model refresh fails, an email is sent to the workspace administrator. The solution must minimize development effort.

What should you create?

- A. a Fabric pipeline
- B. a Data Activator alert Most Voted
- C. a T-SQL trigger for Warehouse1
- D. an Apache Spark notebook job

Reveal Solution Discussion 1

Correct Answer: A

Community vote currently supports Answer B

Community vote distribution

The stated answer are community vote may differ. Review the discussions and decide which reasoning best fits the requirement.

Question #160 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace named Workspace1.

You enable workspace monitoring for Workspace1.

You need to return records ingested during the last 540 seconds.

Which KQL filter should you use?

- A. | where SecondsAgo = datetime_diff('second', now(), ingestion_time()) <= 540
- B. | where SecondsAgo = datetime_diff('second', now(), JobStartTime) <= 540
- C. | where SecondsAgo = datetime_diff('second', JobEndTime, JobStartTime) <= 540
- D. | where SecondsAgo = datetime_diff('second', ingestion_time(), now()) <= 540

Reveal Solution Discussion

Correct Answer: A

Question #161 (Topic: Topic 3, Monitor and optimize an analytics solution) Topic 3

You have a Fabric workspace named Workspace1 that contains a pipeline named Pipeline1. Pipeline1 contains 150 activities.

Validation fails for Pipeline1.

You need to ensure that Pipeline1 runs successfully. The solution must minimize administrative effort.

What should you do?

- A. Increase the capacity of Workspace1 to support larger pipeline executions.
- B. For Pipeline1, reduce the number of activities to 120 and use a ForEach activity to process the remaining steps.
- C. Configure parallel activity execution for Pipeline1 to optimize runtime performance.
- D. Split Pipeline1 into two pipelines and configure an Invoke Pipeline activity in the first pipeline to call the second pipeline.

Reveal Solution Discussion

Correct Answer: D

Previous Questions