align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt)[subtitle] linebreak() text(fill: black70, size: 6.8pt)[Five native noisy fluorescence fields. Quantitative summary combines analytical white-noise gain with a dark-background gradient-stability proxy.]] v(8pt) image-grid(data, [Gradient magnitude, native fluorescence images], “magnitude_path”, show-input: true) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [Orientation maps. Hue encodes edge angle modulo π and brightness follows normalized magnitude.]] v(8pt) image-grid(data, [Gradient orientation, native fluorescence images], “orientation_path”, show-input: false) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [Analytical and empirical stability summary. The empirical proxy is the median absolute deviation of gradient magnitude on the darkest percentile pixels.]] v(8pt) grid(columns: 2, column-gutter: 10pt, [bar-chart(data, “white_noise_gain”, [Analytical white-noise gain], [log10 WNG], log-scale: true)], [bar-chart(data, “background_gradient_mad_mean”, [Background gradient MAD], [MAD], log-scale: false)],) v(10pt) legend(data) v(10pt) summary-table(data)