align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt)[subtitle] linebreak() text(fill: black70, size: 6.8pt)[Five HRF images across healthy, diabetic-retinopathy, and glaucoma cases. Filtering uses the green channel only. Noisy metrics average over 3 AWGN draws.]] v(8pt) image-grid(data, [Gradient magnitude, clean HRF retinal images], “magnitude_path”, show-input: true) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [Orientation maps. Hue encodes edge angle modulo π and brightness follows normalized magnitude.]] v(8pt) image-grid(data, [Gradient orientation, clean HRF retinal images], “orientation_path”, show-input: false) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [Quantitative summary on vessel-boundary ODS, boundary-vector RMSE, and centerline tangent orientation MAE.]] v(8pt) grid(columns: 2, column-gutter: 10pt, [metric-chart(data, “ods_f_score”, [Soft-label ODS F-score versus SNR], [ODS F-score])], [metric-chart(data, “gradient_vector_rmse_mean”, [Gradient-vector RMSE versus SNR], [Vector RMSE])], [metric-chart(data, “orientation_mae_deg_mean”, [Centerline tangent MAE versus SNR], [Angle MAE (deg)])], [summary-table(data)],) v(10pt) legend(data) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [WVF radius-trace follow-up on the fixed HRF image set.] linebreak() text(fill: black70, size: 6.8pt) [The garnet trace sweeps WVF across $(r, d) = (3, 5), (5, 9), (9, 11), (15, 11), (25, 11), (50, 11)$. Thin horizontal lines are the fixed baseline methods.]] v(8pt) grid(columns: 2, column-gutter: 10pt, row-gutter: 10pt, [wvf-trace-chart(data, “gradient_vector_rmse_mean”, “inf”, [Vector RMSE versus WVF radius, clean], [Vector RMSE])], [wvf-trace-chart(data, “orientation_mae_deg_mean”, “inf”, [Orientation MAE versus WVF radius, clean], [Angle MAE (deg)])], [wvf-trace-chart(data, “gradient_vector_rmse_mean”, “10”, [Vector RMSE versus WVF radius, 10 dB], [Vector RMSE])], [wvf-trace-chart(data, “orientation_mae_deg_mean”, “10”, [Orientation MAE versus WVF radius, 10 dB], [Angle MAE (deg)])],) v(8pt) legend(data) align(center)[text(fill: black90, size: 11pt, weight: “bold”)[title] linebreak() text(fill: black70, size: 8pt) [Best-WVF versus best-small-stencil deltas. Positive values mean the best WVF grid cell has lower error than the best 3×3 stencil baseline.]] v(8pt) grid(columns: 2, column-gutter: 10pt, [delta-chart(data, “gradient_vector_rmse_mean”, [Vector RMSE delta, small-stencil minus best WVF], [RMSE delta])], [delta-chart(data, “orientation_mae_deg_mean”, [Orientation MAE delta, small-stencil minus best WVF], [Angle delta (deg)])],) v(10pt) delta-legend()