


Pickup Bed Side Step

 [Ford Ecat Electronic Parts Catalog](#)

NOTE: The pickup bed side step latch is a serviceable component. For additional information, refer to Section 501-14.



Item	Part Number	Description
1	16A417 16A417 LH/ 16A416 RH LH/ 16A416 RH	Pickup bed side step bracket
2	W506433 W506433	Pickup bed side step bracket bolt (4 required)
3	W520824 W520824	Pickup bed side step bracket nut (4 required)

4	—	Pickup bed side step bracket locating nut (part of 16A417)
5	99200B39A 99200B39A LH/ 99200B38A RH LH/ 99200B38A RH	Pickup bed side step bracket slide strap support
6	W705196 W705196	Pickup bed side step bracket slide strap support-to-box bolt (2 required)
7	W520833 W520833	Pickup bed side step bracket slide strap support-to-box nut (2 required)
8	W505443 W505443	Pickup bed side step bracket slide strap support-to-step bracket bolt
9	1520040A 1520040A	Pickup bed side step body
10	W505443 W505443	Pickup bed side step body upper bolt (2 required)
11	W520113 W520113	Pickup bed side step body lower nut (2 required)
12	16490C 16490C	Pickup bed side step body trim cover
13	W505153 W505153	Pickup bed side step body trim cover pin-type retainer (2 required)
14	15200M48A 15200M48A	Pickup bed side step body strut
15	—	Pickup bed side step body shock clip (part of 15200M48A) (2 required)
16	W520101 W520101	Pickup bed side step latch nuts
17	16516 16516	Pickup bed side step latch
18	W709176 W709176	Pickup bed side step cover pin-type retainer (10 required)
19	200A20 200A20 RH/ 200A21 LH RH/ 200A21 LH	Pickup bed side step cover

Removal and Installation

Side step assembly

NOTE: *The pickup bed side step must be closed to complete this procedure.*

1. Remove the pickup bed side step bracket slide strap support bracket-to-side step bracket bolt.
 - To install, tighten to 55 Nm (41 lb-ft).
2. Remove the 4 pickup bed side step-to-frame bolts.
 - Tighten to 55 Nm (41 lb-ft).
3. Remove the locating nut.
 - To install, tighten to 55 Nm (41 lb-ft).
4. Remove the pickup bed side step assembly.

Side step body

5. Remove the pickup bed side step body upper retainer bolts.
 - To install, tighten to 55 Nm (41 lb-ft).
6. Loosen the pickup bed side step body lower nuts.
 - To install, tighten to 55 Nm (41 lb-ft).
7. **NOTE:** *Pull outward to release the step body from the pickup bed side step bracket studs.*

Remove the pickup bed side step body.

All procedures

8. To install, reverse the removal procedure.