


Symbols Glossary



Symbols are used inside the graphics and in the text area to enhance the information.

Movement Symbols

Movement symbols provide detailed information to a required component movement. These component movements can be rotational or 1-3 dimensional movements.




Item	Description
1	Minor component movement clockwise/counterclockwise


Item	Description
2	Major component movement clockwise/counterclockwise
3	Component movement to the left/right/up/down
4	Component movement towards/away
5	3 dimensional component movement
6	2 dimensional component movement
7	3 dimensional component rotation
8	3 dimensional component cycling

Turn Symbols


Turn symbols are used to provide further information on the direction or angle of component turns.




1




2




3




4




5



6



7




8

E88970

Item	Description
1	Turn the component clockwise through 45°
2	Turn the component counterclockwise through 45°
3	Turn the component clockwise through 90°
4	Turn the component counterclockwise through 90°
5	Turn the component clockwise through 180°
6	Turn the component counterclockwise through 180°
7	Turn the component clockwise through 2 complete turns
8	Turn the component counterclockwise through 2 complete turns

Steering Wheel Symbols

Steering wheel symbols are used to provide further information to a required steering wheel position or steering column lock status.




E123751

Item	Description
1	Steering wheel in straight ahead position
2	Steering column lock locked
3	Steering column lock unlocked
4	Turn the steering wheel to the 90° left position
5	Turn the steering wheel to the 90° right position
6	Turn the steering wheel to the left-hand end position

Item	Description
7	Turn the steering wheel to the right-hand end position

Body Types

Body type symbols are used to identify different body configurations.




Item	Description
1	3, 4, 5-door body style
2	Wagon body style
3	Sport utility vehicle body style
4	Coupe body style
5	Convertible body style
6	Van body style

Item	Description
7	3, 4, 5-door body style - Top View
8	Wagon body style - Top View
9	Underbody view
10	Right-hand drive (RHD) vehicle
11	Left-hand drive (LHD) vehicle

Gearshift lever and selector lever position symbols

Gearshift lever and selector lever position symbols are used to show the lever position that is required to be selected to carry out a procedure step.



E88972

Item	Description
1	Replaced by symbol 9
2	Replaced by symbol 10
3	Replaced by symbol 11
4	Replaced by symbol 12
5	Replaced by symbol 12
6	Replaced by symbol 14


Item	Description
7	Replaced by symbol 15
8	Replaced by symbol 16
9	Set the selector lever to the park (P) position
10	Set the selector lever to the reverse (R) position
11	Set the selector lever to the neutral (N) position
12	Set the selector lever to the drive (D) position
13	Set the selector lever to the drive (S) position
14	Set the selector lever to the drive (M) position
15	Set the selector lever to the drive (-) position
16	Set the selector lever to the drive (+) position
17	Set the gearshift lever to the neutral (N) position
18	Further gearshift lever positions that may appear in Illustrations

Screwdriver symbols

The screwdriver symbols are used to show which screwdriver bit is recommended to carry out a procedure step.



1



7



2



3



4



5




6

E88973

Item	Description
1	Screwdriver
2	Cross bladed screwdriver
3	Flat-bladed screwdriver
4	Hexagonal screwdriver
5	TORX screwdriver

Pliers Symbols

The plier symbols are used to show which pliers is recommended to carry out a procedure step.




E88974

Item	Description
1	Combination pliers
2	Side cutter pliers
3	Securing ring - inner

Item	Description
4	Securing ring - outer
5	Hose clamp pliers
6	Locking pliers
7	Long nose pliers

Drill Symbols


The drill symbols are used to show which type and size of drill bit is recommended to carry out a procedure step.




Item	Description
1	Drill bit with a specified diameter
2	Hole saw with a specified diameter
3	Stepped drill bit with a specified diameter
4	Tap with a specified diameter
5	Die with a specified diameter
6	Scraper for circular holes
7	Scraper for straight edges

Cutting Tool Symbols

The cutting tool symbols are used to show which type of cutting tool is recommended to carry out a procedure step.



1




2




3




4



5




6



7



8



9



10


E88976

Item	Description
1	Cutting knife
2	Air body saw
3	Scissors
4	Grinder
5	Jig saw
6	Plasma cutter

Item	Description
7	Sanding Paper
8	Wire brush

Apply Chemical or load symbols


The apply chemical or load symbols are used to show where to apply which type of chemical or load to carry out a procedure step.



1




2




3




4



5



6



7



8




9



10



11



12



13



14




15



16



17



18


E88977

Item	Description
1	Apply the substance from the specified tube
2	Apply the substance from the specified cartridge
3	Apply the specified chemical with a brush
4	Apply the specified load to the specified component
5	Apply a bead with a specific diameter from the specified tube
6	Apply a bead with a specific diameter from the specified cartridge

Item	Description
7	Apply the specified chemical with a roller
8	Apply hot glue to the specified component
9	Apply the specified amount of fluid from the fluid can
10	Apply fluid from the fluid can
11	Clean the specified component with the specified material
12	Apply a broken bead from the specified tube
13	Apply the specified chemical from a spray can
14	Apply the specified lubricant to the specified component
15	Apply spot welds to the specified component
16	Apply a continuous weld to the specified component
17	Handle the fluid using a syringe
18	Extract the specified amount of fluid using a syringe

Measurement Symbols


The measurement symbols are used to show where to measure which type of measurement to carry out a procedure step.



1



2



3



4



5




6




7




8




9




10




11




12



13



14



15

E88978

Item	Description
1	Measure the current using a digital multimeter
2	Measure the voltage using a digital multimeter
3	Measure the resistance using a digital multimeter
4	Measure the length/distance
5	Check that the specified pressure is available using a suitable pressure gauge
6	Measure the pressure at the specified port using a suitable pressure gauge

Item	Description
7	Measure the time using a suitable stopwatch
8	Wait for the specified period of time
9	The specified task requires the specified minimum temperature
10	The specified task requires the specified maximum temperature not to be exceeded
11	The specified task requires the specified temperature range
12	The specified task requires the specified temperature
13	Measure and check for the specified value using a dial indicator gauge
14	Measure and check for the specified MAX value using a dial indicator gauge
15	Measure and check for the specified MIN value using a dial indicator gauge

General equipment symbols

The general equipment symbols are used to show where to use which type of general equipment to carry out a procedure step.



1




2




3



4



5




6



7




8



9



10




11



12



13



14




15



16



17



18


E88979

Item	Description
1	Hot air gun
2	Soldering iron
3	Scraper
4	Scriber
5	Securing strap
6	File with specified size

Item	Description
7	Center punch
8	Marker
9	Mallet
10	Hose clamp
11	Interior trim remover
12	Vacuum cleaner
13	Strap wrench
14	Wedge
15	Pin punch
16	Air blow gun
17	Relocate and support the component
18	C-clamp

Welding Symbols

These symbols indicate the type of welding to be used.




Item	Description
1	Metal inert gas (MIG) / Metal active gas (MAG) welding equipment
2	Metal inert gas (MIG) welding equipment
3	Metal inert gas (MIG) brazing equipment
4	Apply a continuous weld to the specified component


Item	Description
5	Apply spot welds to the specified component
6	C-clamp

Drilling and grinding symbols


These symbols indicate the type of drilling or grinding to be used.




1




2




3




4




5



6



7



8




9




10



11



12




13

E146010

Item	Description
1	Drill through first body layer with a suitable diameter
2	Drill through first body layer with the specified diameter
3	Drill through the indicated number of body layers with a suitable diameter
4	Drill through the indicated number of body layers with the specified diameter
5	Drill through the indicated number of body layers with a suitable diameter
6	Drill through the indicated number of body layers with the specified diameter
7	Drill through all body layers with a suitable diameter
8	Drill through all body layers with the specified diameter
9	Grind one layer
10	Grind two layers
11	Grind to last layer
12	Grind all layers
13	Material thickness > Xmm

Material Symbols

The material symbols are used to show where to use which type of material to carry out a procedure step.




Item	Description
1	Remove/Install the specified blind rivet
2	Apply tape to the specified component/area


Item	Description
3	Remove/Install the specified cable tie

Miscellaneous Symbols

These symbols provide further information that is required to carry out a procedure step.



1



2



3



4



5



6



7



8




9




10



11



12



13



14



15



16

E88981

Item	Description
1	Set the ignition switch to the 0 position
2	Set the ignition switch to the II position
3	The procedure step requires the aid of the specified number of supporting technicians
4	Self contained breathing apparatus
5	General prohibition used in combination with another symbol
6	Do not use power tools
7	Visual check
8	Noise check
9	Dispose the specified component
10	Replaced by item 9 (Dispose the specified component)
11	Set the engine speed to the specified value
12	Fully apply the parking brake lever
13	Fully release the parking brake lever
14	Do not dispose of batteries into the waste bin
15	Visual check using a mirror
16	Area/component must be dry

Mandatory Protective Equipment - Health and safety symbols

The protective equipment symbols advise to use a mandatory protective equipment to avoid or at least reduce possible health and safety risks.



1



2



3



4



5



6

E89019

Item	Description
1	Wear protective gloves
2	Wear face guard
3	Wear safety goggles
4	Wear ear protectors
5	Wear safety goggles and ear protectors
6	Wear a respirator

Prohibition — Health and safety symbols and component damage

The prohibition symbols are used to prohibit the specified actions to avoid or at least reduce possible component damage and health and safety risks.



1



2



3



4



5



6



7

E89020

Item	Description
1	General Prohibition symbol
2	No naked flames
3	No smoking
4	No water
5	Do not touch
6	Do not switch
7	No grinding

Warning Symbols — Health and Safety Warnings and Component damage

The warning symbols are used to advise on hazardous conditions to avoid or at least reduce possible component damage and health and safety risks.



1



2



3



4



5



6



7



8



9



10



11



12




13

E89021

Item	Description
1	Hazardous voltage/Electrical shock/Electrocution
2	Fire hazard/Highly flammable
3	Burn hazard/Hot surface
4	Automatic start-up
5	Toxic
6	Explosive material
7	Battery hazard
8	Corrosive material
9	Lifting hazard
10	Hand crush/Force from above
11	Cutting of fingers or hand
12	Pressure hazard
13	Invisible laser radiation. Do not view directly with optical instruments (magnifiers). Class 1M laser product

Control Diagram symbols - Description and Operation procedures

These symbols provide further information on the type of connectivity, direction of flow or type of data bus of a system.



Item	Description
1	Medium Speed Controller Area Network
2	High Speed Controller Area Network
3	Local Interconnect Network
4	Wires cross but are not connected