

RoCell RC03-INT-R1 - Printable Board Drill Guide

OVERVIEW ONLY - NOT 1:1 - DO NOT MARK OR DRILL FROM THIS PAGE

Finished board: 610.0 x 457.0 x 18.0 mm. Origin is the finished TOP, FRONT-LEFT corner.


Home printer: print tile pages at Actual Size / 100%, one-sided, Landscape Letter. Never use Fit, Shrink, Poster, or duplex.

Blue double-ring target = locator: 6.0 mm BLIND bore, 15.0 mm nominal depth. Preserve at least 2.0 mm of material below it.

Orange dashed square = M4 ANCHOR CENTER ONLY. Final wood-bore size comes from the qualified anchor and completed FASTENER_MAP.csv.

Green/cyan dashed squares are AprilTag setup references only. They are never drilled.

The printed guide transfers centers; it does not replace square drilling, depth control, coordinate checks, or the complete station dry fit.



Hole Schedule - Verify Every Center Before Drilling

X is measured from the finished LEFT edge. Y is measured from the finished FRONT edge. Right/rear values are independent edge cross-checks.
No numeric hand-drilling positional tolerance has been released. If the template, edge measurements, or dry fit disagree, place the step on HOLD.

ID	TYPE / ACTION	X LEFT	Y FRONT	FROM RIGHT	FROM REAR	FABRICATION CONTROL
KBL-LOC-ROUND	L-BLIND / DRILL	102.00	78.00	508.00	379.00	6.0 mm blind; 15.0 mm nominal; depth stop; no breakthrough
KBL-LOC-RADIAL	L-BLIND / DRILL	220.50	78.00	389.50	379.00	6.0 mm blind; 15.0 mm nominal; depth stop; no breakthrough
KBL-HOLD-F	A-ANCHOR / CENTER ONLY	165.00	78.00	445.00	379.00	Final bit/bore only from completed FASTENER_MAP and tested anchor
KBL-HOLD-R	A-ANCHOR / CENTER ONLY	102.00	246.00	508.00	211.00	Final bit/bore only from completed FASTENER_MAP and tested anchor
KBL-CLAMP	A-ANCHOR / CENTER ONLY	165.00	254.50	445.00	202.50	Final bit/bore only from completed FASTENER_MAP and tested anchor
KBR-HOLD-F	A-ANCHOR / CENTER ONLY	323.75	78.00	286.25	379.00	Final bit/bore only from completed FASTENER_MAP and tested anchor
KBR-HOLD-R	A-ANCHOR / CENTER ONLY	383.00	246.00	227.00	211.00	Final bit/bore only from completed FASTENER_MAP and tested anchor
KBR-CLAMP	A-ANCHOR / CENTER ONLY	320.00	254.50	290.00	202.50	Final bit/bore only from completed FASTENER_MAP and tested anchor
PT-LOC-ROUND	L-BLIND / DRILL	487.50	115.00	122.50	342.00	6.0 mm blind; 15.0 mm nominal; depth stop; no breakthrough
PT-LOC-RADIAL	L-BLIND / DRILL	487.50	217.80	122.50	239.20	6.0 mm blind; 15.0 mm nominal; depth stop; no breakthrough
PT-HOLD-TCP	A-ANCHOR / CENTER ONLY	423.00	160.00	187.00	297.00	Final bit/bore only from completed FASTENER_MAP and tested anchor
PT-HOLD-R1	A-ANCHOR / CENTER ONLY	588.80	149.12	21.20	307.88	Final bit/bore only from completed FASTENER_MAP and tested anchor
PT-HOLD-R2	A-ANCHOR / CENTER ONLY	588.80	192.32	21.20	264.68	Final bit/bore only from completed FASTENER_MAP and tested anchor

STOP: the nine orange anchor symbols are center targets, not final board-bore diameters.

Assemble the Nine 1:1 Tiles Before Marking the Board

Rows A/B/C run FRONT to REAR. Columns 1/2/3 run LEFT to RIGHT. Adjacent tiles overlap by exactly 12.0 mm.

REAR / +Y

C1 page 10	C2 page 11	C3 page 12
B1 page 7	B2 page 8	B3 page 9
A1 page 4	A2 page 5	A3 page 6

FRONT / Y=0

+X RIGHT


1. Print pages 4-12 at Actual Size / 100%, Landscape Letter, one-sided. Do not print page borders as a Poster job.
2. Measure both the horizontal X bar and vertical Y bar on every tile. Each must be 100.0 +/- 0.2 mm. Reject any sheet that fails.
3. Arrange A1-A3 at the front, B1-B3 in the middle, and C1-C3 at the rear. Never butt the paper edges together.
4. Overlay adjacent sheets by 12.0 mm. Align every repeated purple MATCH target with its identical ID. Use a window/light or pinholes if needed.
5. Tape seams without stretching paper. Confirm the assembled board outline is nominally 610.0 x 457.0 mm and both diagonals are nominally 762.200 mm.
6. Place the assembled guide on the finished TOP face. Match the FRONT, LEFT, RIGHT, and REAR board outlines; tape outside station/load areas.
7. Independently compare every blue/orange center with the schedule. Center-punch only after the full pattern, board orientation, and all repeated marks agree.
8. Remove all paper. Drill locators and anchors as two separate operations. Never drill through a blind-locator pilot.
9. Passing scale bars and match marks does not establish final positional acceptance. Square drilling, measured depths, completed FASTENER_MAP rows, and the full station dry fit remain mandatory.

STOP if a scale bar, match target, board edge, coordinate, or dry-fit result disagrees. Do not average the error away.


DRILL TILE A1 - 1:1 - X 0.0..239.4 - Y 0.0..177.9 mm

C1	C2	C3
B1	B2	B3
A1	A2	A3

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv



X SCALE - 100.0 mm - TILE A1




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE A2 - 1:1 - X 227.4..466.8 - Y 0.0..177.9 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE A2




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE A3 - 1:1 - X 454.8..694.2 - Y 0.0..177.9 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE A3



ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


Y SCALE - 100.0 mm - TILE A3




DRILL TILE B1 - 1:1 - X 0.0..239.4 - Y 165.9..343.8 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE B1




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE B2 - 1:1 - X 227.4..466.8 - Y 165.9..343.8 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE B2




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE B3 - 1:1 - X 454.8..694.2 - Y 165.9..343.8 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE B3



Y SCALE - 100.0 mm - TILE B3




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE C1 - 1:1 - X 0.0..239.4 - Y 331.8..509.7 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE C1




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE C2 - 1:1 - X 227.4..466.8 - Y 331.8..509.7 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE C2




ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX


DRILL TILE C3 - 1:1 - X 454.8..694.2 - Y 331.8..509.7 mm

ANCHORS: CENTER-PUNCH ONLY - FINAL BOARD BORE COMES FROM COMPLETED FASTENER_MAP.csv

C1	C2	C3
B1	B2	B3
A1	A2	A3



X SCALE - 100.0 mm - TILE C3



ACTUAL SIZE / 100% ONLY - NO FIT, SHRINK, POSTER, OR DUPLEX