

VPATTM

Voluntary Product Accessibility Template ®

Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT**TM, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: 2015-08-07

Name and Version of Product: TIBCO ActiveMatrix BusinessWorksTM 5.13.0

Contact for more Information (name/phone/email): Vineet Agarwal, +1 650-846-1000, vagarwal@tibco.com

Summary Table

VPATTM

Criteria	Supporting Features	Remarks and Explanations
Section 1194.21 Software Applications	Supported with Exceptions	Due to visual nature of the product,
and Operating Systems		drag-and-drop actions in some places
		and selection at the canvas level require
		the help of a mouse.
Section 1194.22 Web-based Internet	Not Applicable	
Information and Applications		
Section 1194.23 Telecommunications	Not Applicable	
Products		
Section 1194.24 Video and Multi-media	Not Applicable	
Products		
Section 1194.25 Self-Contained, Closed	Not Applicable	
Products		
Section 1194.26 Desktop and Portable	Not Applicable	
Computers		
Section 1194.31 Functional	Supported	
Performance Criteria		
Section 1194.41 Information,	Supported	Documentation is also available as an
Documentation and Support		electronic document (PDF).

Section 1194.21 Software Applications and Operating Systems - Detail

VPATTM

$\ \ Voluntary\ Product\ Accessibility\ Template @$

Criteria	Supporting Features	Remarks and Explanations
(a) When software is designed to run on	Supported with Exceptions	Supported - All end- user functions. All
a system that has a keyboard, product		runtime and administrative functions.
functions shall be executable from a		
keyboard where the function itself or		
the result of performing a function can		
be discerned textually.		
(b) Applications shall not disrupt or	Supported	Does not disable accessibility features.
disable activated features of other		
products that are identified as		
accessibility features, where those		
features are developed and documented		
according to industry standards.		
Applications also shall not disrupt or		
disable activated features of any		
operating system that are identified as		
accessibility features where the		
application programming interface for		
those accessibility features has been		
documented by the manufacturer of the		
operating system and is available to the		
product developer.		
(c) A well-defined on-screen indication	Supported with Exceptions	Focus is provided that moves among
of the current focus shall be provided		elements as focus changes.
that moves among interactive interface		
elements as the input focus changes.		Not Supported - Focus is not
The focus shall be programmatically		programmatically exposed. No way to
exposed so that Assistive Technology		move among canvas elements (e.g., BW
can track focus and focus changes.		activities) using keyboard. Activities
		can be arranged on the canvas via
		keyboard.
(d) Sufficient information about a user	Supported	Text is provided as a label or when the
interface element including the identity,		cursor is over an element.
operation and state of the element shall		
be available to Assistive Technology.		
When an image represents a program		
element, the information conveyed by		
the image must also be available in text.		

(e) When bitmap images are used to	Supported	
identify controls, status indicators, or		
other programmatic elements, the		
meaning assigned to those images shall		
be consistent throughout an		
application's performance.		
(f) Textual information shall be	Supported	All text is written to the screen through
provided through operating system		the operating system.
functions for displaying text. The		
minimum information that shall be		
made available is text content, text input		
caret location, and text attributes.		
(g) Applications shall not override user	Supported	
selected contrast and color selections		
and other individual display attributes.		
(h) When animation is displayed, the	Supported	Animations are complemented by a
information shall be displayable in at		textual display mechanism.
least one non-animated presentation		
mode at the option of the user.		
•	Supported	Debugger - there is a need to look at the
only means of conveying information,		inputs for activities that were not
indicating an action, prompting a		invoked. All other functions are
response, or distinguishing a visual		supported.
element.		
(j) When a product permits a user to	Supported	Full palette and contrast controls
adjust color and contrast settings, a		
variety of color selections capable of		
producing a range of contrast levels		
shall be provided.		
1	Supported	
blinking text, objects, or other elements		
having a flash or blink frequency		
greater than 2 Hz and lower than 55 Hz.		
(1) When electronic forms are used, the	Supported	
form shall allow people using Assistive		
Technology to access the information,		
field elements, and functionality		
required for completion and submission		
of the form, including all directions and		
and the same of th		

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

cues.

Section 1194.22 Web-based Internet information and applications - Detail

VPATTM

(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdese", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. Not Applicable	Criteria	Supporting Features	Remarks and Explanations
"alt", "longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be itiled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	(a) A text equivalent for every non-text	Not Applicable	
"alt", "longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be itiled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	1		
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image maps. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tided with text that facilitates frame identification and navigation. Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tided with text that facilitates frame identification and navigation. Not Applicable (g) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when			
multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image maps. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (j) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when			
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when			
all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	, , ,		
example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when			
(d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	· ·		
they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	, ,		
(e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	•		
provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Tr	
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	<u> </u>		
provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		- ····	
be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	<u> </u>		
shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	I = = =		
(g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	_		
identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when		Not Applicable	
data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	· ···		
tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	(h) Markup shall be used to associate	Not Applicable	
levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	data cells and header cells for data		
levels of row or column headers. (i) Frames shall be titled with text that facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	tables that have two or more logical		
facilitates frame identification and navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	levels of row or column headers.		
navigation. (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	(i) Frames shall be titled with text that	Not Applicable	
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	facilitates frame identification and		
causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	navigation.		
frequency greater than 2 Hz and lower than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	(j) Pages shall be designed to avoid	Not Applicable	
than 55 Hz. (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	causing the screen to flicker with a		
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when	frequency greater than 2 Hz and lower		
information or functionality, shall be provided to make a web site comply with the provisions of this part, when	than 55 Hz.		
information or functionality, shall be provided to make a web site comply with the provisions of this part, when	(k) A text-only page, with equivalent	Not Applicable	
with the provisions of this part, when	information or functionality, shall be		
with the provisions of this part, when	provided to make a web site comply		
accompliance connect he accomplished in	F = -		
compnance cannot be accompnished in	compliance cannot be accomplished in		
any other way. The content of the text-			
only page shall be updated whenever	only page shall be updated whenever		
the primary page changes.			

(l) When pages utilize scripting	Not Applicable	
languages to display content, or to		
create interface elements, the		
information provided by the script shall		
be identified with functional text that		
can be read by Assistive Technology.		
(m) When a web page requires that an	Not Applicable	
applet, plug-in or other application be		
present on the client system to interpret		
page content, the page must provide a		
link to a plug-in or applet that complies		
with §1194.21(a) through (l).		
application be present on the client		
system to interpret page content, the		
page must provide a link to a plug-in or		
applet that complies with §1194.21(a)		
through (1).		
(n) When electronic forms are designed	Not Applicable	
to be completed on-line, the form shall		
allow people using Assistive		
Technology to access the information,		
field elements, and functionality		
required for completion and submission		
of the form, including all directions and		
cues.		
(o) A method shall be provided that	Not Applicable	
permits users to skip repetitive		
navigation links.		
(p) When a timed response is required,	Not Applicable	
the user shall be alerted and given		
sufficient time to indicate more time is		

required.

Section 1194.23 Telecommunications Products - Detail

VPATTM

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or	Not Applicable	
systems which provide a function		
allowing voice communication and		
which do not themselves provide a TTY		
functionality shall provide a standard		
non-acoustic connection point for		
TTYs. Microphones shall be capable of		
being turned on and off to allow the		
user to intermix speech with TTY use.		
(b) Telecommunications products which	Not Applicable	
include voice communication		
functionality shall support all		
commonly used cross-manufacturer non-		
proprietary standard TTY signal		
protocols.		
(c) Voice mail, auto-attendant, and	Not Applicable	
interactive voice response		
telecommunications systems shall be		
usable by TTY users with their TTYs.		
(d) Voice mail, messaging, auto-	Not Applicable	
attendant, and interactive voice		
response telecommunications systems		
that require a response from a user		
within a time interval, shall give an alert		
when the time interval is about to run		
out, and shall provide sufficient time for		
the user to indicate more time is		
required.		
(e) Where provided, caller identification	Not Applicable	
and similar telecommunications		
functions shall also be available for		
users of TTYs, and for users who		
cannot see displays.		
(f) For transmitted voice signals,	Not Applicable	
telecommunications products shall		
provide a gain adjustable up to a		
minimum of 20 dB. For incremental		
volume control, at least one		
intermediate step of 12 dB of gain shall		
be provided.		

	h	
1.5	Not Applicable	
allows a user to adjust the receive		
volume, a function shall be provided to		
automatically reset the volume to the		
default level after every use.		
(h) Where a telecommunications	Not Applicable	
product delivers output by an audio		
transducer which is normally held up to		
the ear, a means for effective magnetic		
wireless coupling to hearing		
technologies shall be provided.		
(i) Interference to hearing technologies	Not Applicable	
(including hearing aids, cochlear		
implants, and assistive listening		
devices) shall be reduced to the lowest		
possible level that allows a user of		
hearing technologies to utilize the		
telecommunications product.		
(j) Products that transmit or conduct	Not Applicable	
information or communication, shall		
pass through cross-manufacturer, non-		
proprietary, industry-standard codes,		
translation protocols, formats or other		
information necessary to provide the		
information or communication in a		
usable format. Technologies which use		
encoding, signal compression, format		
transformation, or similar techniques		
shall not remove information needed for		
access or shall restore it upon delivery.		
Technologies which use encoding,		
signal compression, format		
transformation, or similar techniques		
shall not remove information needed for		
access or shall restore it upon delivery.		
(k)(1) Products which have	Not Applicable	
mechanically operated controls or keys	1 of 1 ipplicable	
shall comply with the following:		
Controls and Keys shall be tactilely		
discernible without activating the		
controls or keys.		
(k)(2) Products which have	Not Applicable	
mechanically operated controls or keys	The Applicable	
shall comply with the following:		
Controls and Keys shall be operable		
with one hand and shall not require tight		
grasping, pinching, twisting of the wrist.		
The force required to activate controls		
and keys shall be 5 lbs. (22.2N)		
maximum.		

(k)(3) Products which have	Not Applicable	
mechanically operated controls or keys		
shall comply with the following: If key		
repeat is supported, the delay before		
repeat shall be adjustable to at least 2		
seconds. Key repeat rate shall be		
adjustable to 2 seconds per character.		
(k)(4) Products which have	Not Applicable	
mechanically operated controls or keys		
shall comply with the following: The		
status of all locking or toggle controls		
or keys shall be visually discernible,		
and discernible either through touch or		
sound.		

Section 1194.24 Video and Multi-media Products - Detail

VPATTM

Supporting Features	Remarks and Explanations
Not Applicable	
Not Applicable	
Not Applicable	
Not Applicable	
	Not Applicable Not Applicable

(e) Display or presentation of alternate	Not Applicable	
text presentation or audio descriptions		
shall be user-selectable unless		
permanent.		

Section 1194.25 Self-Contained, Closed Products - Detail

VPATTM

$\ \ Voluntary\ Product\ Accessibility\ Template @$

Criteria	Supporting Features	Remarks and Explanations
(a) Self contained products shall be	Not Applicable	
usable by people with disabilities		
without requiring an end-user to attach		
Assistive Technology to the product.		
Personal headsets for private listening		
are not Assistive Technology.		
(b) When a timed response is required,	Not Applicable	
the user shall be alerted and given		
sufficient time to indicate more time is		
required.		
(c) Where a product utilizes	Not Applicable	
touchscreens or contact-sensitive		
controls, an input method shall be		
provided that complies with §1194.23		
(k) (1) through (4).		
(d) When biometric forms of user	Not Applicable	
identification or control are used, an		
alternative form of identification or		
activation, which does not require the		
user to possess particular biological		
characteristics, shall also be provided.		
(e) When products provide auditory	Not Applicable	
output, the audio signal shall be		
provided at a standard signal level		
through an industry standard connector		
that will allow for private listening. The		
product must provide the ability to		
interrupt, pause, and restart the audio at		
anytime.		
1	Not Applicable	
in a public area, incremental volume		
control shall be provided with output		
amplification up to a level of at least 65		
dB. Where the ambient noise level of		
the environment is above 45 dB, a		
volume gain of at least 20 dB above the		
ambient level shall be user selectable. A		
function shall be provided to		
automatically reset the volume to the		
default level after every use.		

(g) Color coding shall not be used as the	Not Applicable	
only means of conveying information,		
indicating an action, prompting a		
response, or distinguishing a visual		
element.		
(h) When a product permits a user to	Not Applicable	
adjust color and contrast settings, a	Tr	
range of color selections capable of		
producing a variety of contrast levels		
shall be provided.		
-	Not Applicable	
causing the screen to flicker with a	Tr	
frequency greater than 2 Hz and lower		
than 55 Hz.		
(j) (1) Products which are freestanding,	Not Applicable	
non-portable, and intended to be used in	rr	
one location and which have operable		
controls shall comply with the		
following: The position of any operable		
control shall be determined with respect		
to a vertical plane, which is 48 inches in		
length, centered on the operable control,		
and at the maximum protrusion of the		
product within the 48 inch length on		
products which are freestanding, non-		
portable, and intended to be used in one		
location and which have operable		
controls.		
(j)(2) Products which are freestanding,	Not Applicable	
non-portable, and intended to be used in		
one location and which have operable		
controls shall comply with the		
following: Where any operable control		
is 10 inches or less behind the reference		
plane, the height shall be 54 inches		
maximum and 15 inches minimum		
above the floor.		
(j)(3) Products which are freestanding,	Not Applicable	
non-portable, and intended to be used in		
one location and which have operable		
controls shall comply with the		
following: Where any operable control		
is more than 10 inches and not more		
than 24 inches behind the reference		
plane, the height shall be 46 inches		
maximum and 15 inches minimum		
above the floor.		
1		

(j)(4) Products which are freestanding,	Not Applicable	
non-portable, and intended to be used in		
one location and which have operable		
controls shall comply with the		
following: Operable controls shall not		
be more than 24 inches behind the		
reference plane.		

Section 1194.26 Desktop and Portable Computers - Detail

VPATTM

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls	Not Applicable	
and keys shall comply with §1194.23		
(k) (1) through (4).		
(b) If a product utilizes touchscreens or	Not Applicable	
touch-operated controls, an input		
method shall be provided that complies		
with §1194.23 (k) (1) through (4).		
(c) When biometric forms of user	Not Applicable	
identification or control are used, an		
alternative form of identification or		
activation, which does not require the		
user to possess particular biological		
characteristics, shall also be provided.		
(d) Where provided, at least one of each	Not Applicable	
type of expansion slots, ports and		
connectors shall comply with publicly		
available industry standards.		

Section 1194.31 Functional Performance Criteria - Detail

VPATTM

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and	Supported	Most assistive technologies should work
information retrieval that does not		with TIBCO ActiveMatrix
require user vision shall be provided, or		BusinessWorks TM
support for Assistive Technology used		
by people who are blind or visually		
impaired shall be provided.		
(b) At least one mode of operation and	Supported	Most assistive technologies should work
information retrieval that does not		with TIBCO ActiveMatrix
require visual acuity greater than 20/70		BusinessWorks TM
shall be provided in audio and enlarged		
print output working together or		
independently, or support for Assistive		
Technology used by people who are		
visually impaired shall be provided.		
	Supported	
information retrieval that does not		
require user hearing shall be provided,		
or support for Assistive Technology		
used by people who are deaf or hard of		
hearing shall be provided.		
(d) Where audio information is	Supported	
important for the use of a product, at		
least one mode of operation and		
information retrieval shall be provided		
in an enhanced auditory fashion, or		
support for assistive hearing devices		
shall be provided.		
(e) At least one mode of operation and	Supported	
information retrieval that does not		
require user speech shall be provided, or		
support for Assistive Technology used		
by people with disabilities shall be		
provided.		
•	Supported	
information retrieval that does not		
require fine motor control or		
simultaneous actions and that is		
operable with limited reach and strength		
shall be provided.		

Section 1194.41 Information, Documentation and Support - Detail

VPATTM

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation	Supported	Documentation is also available as an
provided to end-users shall be made		electronic document (PDF).
available in alternate formats upon		
request, at no additional charge		
(b) End-users shall have access to a	Supported	
description of the accessibility and		
compatibility features of products in		
alternate formats or alternate methods		
upon request, at no additional charge.		
(c) Support services for products shall	Supported	
accommodate the communication needs		
of end-users with disabilities.		

This VPAT document is for informational purposes only. TIBCO AND ITS SUBSIDIARIES MAKE NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

TIBCO, TIBCO Software, and other TIBCO marks, including TIBCO product names, are trademarks or registered trademarks of TIBCO Software Inc. or its subsidiaries in the United States and/or other countries. All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

The information contained in this document represents the current understanding or position of TIBCO Software Inc. as of the date of publication. While TIBCO strives to provide information that is complete and accurate based upon TIBCO's information and belief as of the publication date of this VPAT document, no warranties or guarantees are made. TIBCO endeavors to update its websites and provide new information about the ways that its products address accessibility requirements as that information becomes available. To obtain the most current information from TIBCO, you are encouraged to contact your TIBCO sales representative

© Copyright 2015 TIBCO Software Inc. All rights reserved.