

# 2024-02-22

composer create-project laravel/laravel example-app

composer create-project laravel/laravel test

cd example-app

php artisan serve

cd test

php artisan serve

<http://localhost:8000>

composer create-project laravel/laravel test0222

cd test0222

php artisan serve

```
user@Teacher MINGW64 /c/laravel  
$ php artisan  
could not open input file: artisan
```

error 不是在laravel

<https://stackoverflow.com/questions/5282264/php-warning-php-startup-unable-to-load-dynamic-library>

## phpStorm with XAMPP

**TL;DR Except from verifying that the files exist, you might need to add the drive letter to some records in your php.ini file**

I suddenly started having a problem using phpStorm 7 for debugging php with xampp and xdebug. When trying to set intellij interpreter to be xampps php I got a lot of the warnings like the one in the question, for example:

```
Unable to load dynamic library '/xampp/php/ext/php_bz2.dll'
```

For some reason I had to add my drive letter to the records of extension\_dir and browscap in the php.ini file:

For some reason I had to add my drive letter to the records of extension\_dir and browscap in the php.ini file:

```
extension_dir = "\xampp\php\ext"  
browscap = "\xampp\php\extras\browscap.ini"
```

to

```
extension_dir = "e:\xampp\php\ext"  
browscap = "e:\xampp\php\extras\browscap.ini"
```

```
extension_dir = "e:\xampp\php\ext"  
browscap =  
"e:\xampp\php\extras\browscap.ini"
```

```
user@Teacher MINGW64 /c/laravel
```

```
$ history
```

```
1  ls
2  cd test
3  cd ..
4  pwd
5  mkdir new
6  ls
7  rm -rf new/
8  ls
9  history
```

```
user@Teacher MINGW64 /c/laravel
```

```
$
```

```
user@Teacher MINGW64 /c/laravel
```

```
$ php artisan
```

```
Could not open input file: artisan
```

```
user@Teacher MINGW64 /c/laravel
```

```
$ cd test0222/
```

```
user@Teacher MINGW64 /c/laravel/test0222
```

```
$ ls
```

```
README.md  bootstrap/  config/  phpunit.xml  routes/  vendor/
app/        composer.json  database/  public/  storage/  vite.config.js
artisan*    composer.lock  package.json  resources/  tests/
```

```
user@Teacher MINGW64 /c/laravel/test0222
```

```
$ php artisan
```

```
Laravel Framework 10.45.1
```

```
user@Teacher MINGW64 /c/laravel/test
$ php artisan serve

user@Teacher MINGW64 /c/laravel/test
$ php artisan serve --port=8080
```


ctrl + c 跳出 serve

ctrl + q / exit / esc / quit / q

```
use App\Http\Controllers\PhotoController;
Route::resource('photos', PhotoController::class);

use App\Http\Controllers\TestController;
Route::resource('photos', TestController::class);

php artisan migrate
```



# 安裝 laravel

laravel.com 才有最新資料

不可以去laravel.cn or laravel.tw

php.ini

extension\_dir = "c:\xampp\php\ext"


browscap = "c:\xampp\php\extras\browscap.ini"

win10 環境變數設定


path

c:\xampp\php\php.exe

## vscode



```
b.php x cors.php 設定 settings.json x index.blade.php ...views .env f1.blade.php f2.blade.php inde ...
1 {
2   "editor.fontSize": 28,
3   "files.autoSave": "afterDelay",
4   "markdown-preview-github-styles.colorTheme": "light",
5   "php.validate.executablePath": "C:\\xampp\\php\\php.exe",
6   "breadcrumbs.enabled": false,
7   "editor.stickyScroll.enabled": false,
8   "php.validate.enable": false
9 }
```



composer.exe

php -v

ex. laravel 10

php 8.1 以上

1.route

route name

2.view

3.db

.env mysql .... 重點 db name

```
DB_CONNECTION=mysql  
DB_HOST=127.0.0.1  
DB_PORT=3306  
DB_DATABASE=laravel_db  
DB_USERNAME=root  
DB_PASSWORD=
```

