


RF-MAP-01 Explanation

RF5 Equipment Inheritance Processing: Full Research Map (Estimated Model)



RF5 Equipment Inheritance Processing: Full Research Map (Estimated Model)

Purpose of This Map

This map is an estimated model constructed from observations and test data concerning RF5 equipment inheritance processing.

RF5 inheritance processing is difficult to understand from individual phenomena alone because multiple factors interact, including:

- Recursive Processing;
- Performance-Source Contamination;
- Auto Arrange; and
- Messhilitte Inheritance.

The map therefore provides an at-a-glance view of what may occur from material input to completed equipment. It does not directly reveal the game's internal implementation; it is a conceptual research model constructed from observed results.

Concept	Reference chapter
Recursive Processing	Chapter 5
Performance-Source Contamination	Chapter 4
Auto Arrange	Chapter 3
Candidate Count Model	Chapter 7

How to Read the Map

The map has three layers.

Top: Structural-Change Layer

This layer shows factors that change the structure of the inheritance candidates themselves. Recursive Processing, Performance-Source Contamination, Auto Arrange, and Messhilite Inheritance all affect the composition of the candidate list. They are treated not as factors that directly change probability, but as factors that change the state of the candidates subject to selection.

Middle: Main Process Flow

The central inheritance process is organized as follows:

Material Input -> Candidate Generation -> Determine Candidate Count N -> Candidate Selection -> Completed Equipment

The inheritance result is thought to be determined through this flow. This research positions Candidate Count N as the most important concept. It is the total number of candidates ultimately subject to selection and may increase or decrease under the influence of Recursive Processing, Performance-Source Contamination, Auto Arrange, and Messhilite Inheritance.

Bottom: Theoretical-Model Layer

This layer shows mathematical models constructed to explain observed results. As Candidate Count N increases, more candidates compete and the probability that the desired effect will be selected decreases. This research explains that relationship using the Candidate Count Model and a success-probability approximation.

Roles of the Structural Factors

Recursive Processing

A process that expands or references arrangement information and inheritance information stored inside a material. Depending on the equipment's internal structure, information about materials still further inside may also be referenced as candidates. This process can increase Candidate Count and affect the subsequent selection result.

Performance-Source Contamination

Early project materials used several Japanese labels for the phenomenon in which candidates derived from source equipment or performance-source equipment appear again in the candidate list. These labels referred essentially to the same observed phenomenon, but did not make the source of the contamination intuitively clear.

This English edition therefore follows Chapter 01 and standardizes the term as **Performance-Source Contamination**: the observed phenomenon in which candidates derived from the performance-source equipment become candidates again. The historical source labels are preserved in the Translation Report rather than treated as separate mechanisms.

This phenomenon is a major factor in Candidate Count increase and order randomization and can make the candidate structure more complex.

Auto Arrange

A phenomenon thought to involve internal completion when the required-material count is insufficient. This follows the wording of the RF-MAP-01 source; its relationship to Chapter 01's more specific condition is recorded in the Translation Report rather than silently repaired here. Because candidates not visible to the

player may be generated, it can increase Candidate Count. Auto Arrange may produce candidates that cannot be explained solely by the materials directly added by the player and may substantially change the candidate structure.

Messhilite Inheritance

One of the most difficult domains addressed by this research. Candidate Count increase, order randomization, and position-dependent interference may occur together, making the candidate structure more complex than in ordinary inheritance and making success probability more difficult to predict.

This research treats Messhilite Inheritance not merely as a special case, but as an important observation target for examining the limits of the Candidate Count Model and the underlying structure suggested by observed behavior.

Candidate Count Model

The Candidate Count Model is the central idea running through the RF5 inheritance research. It provides a common basis for explaining Recursive Processing, Performance-Source Contamination, Auto Arrange, Messhilite Inheritance, and related phenomena.

Inheritance success is strongly governed first by Candidate Count N , rather than solely by the contents of the candidates. As Candidate Count increases, competition increases and the probability of selecting the desired effect decreases. Conversely, reducing Candidate Count improves success probability. Many large-trial tests in this research were conducted to examine the validity of this model.

Success-Probability Approximation

The Candidate Count Model can provide a rough estimate of the number of attempts required. As rules of thumb:

- about 63% cumulative success: approximately N attempts;
- about 95% cumulative success: approximately $3N$ attempts;
- about 99% cumulative success: approximately $4.6N$ attempts.

These are estimates, not guarantees. They allow players to estimate inheritance difficulty in advance under the model's assumptions.

Position of This Research

This research is not intended merely to introduce a crafting procedure. Its purpose is to infer structure from observations, model that structure, and apply the model to practical operation. It emphasizes the following flow:

Observation -> Structural Inference -> Theoretical Model -> Practical Operation

Summary

RF5 equipment inheritance is not organized here as a simple probability draw. Structural factors such as Recursive Processing, Performance-Source Contamination, Auto Arrange, and Messhilite Inheritance change the candidate structure, and Candidate Count N is determined as a result.

RF-MAP-01 is an entry-point concept map that organizes these relationships and connects research, testing, and practical operation. Its transitions remain an observation-based estimated model rather than proof of internal implementation.