

4. Performance-Source Contamination Analysis

Terminology note: The Japanese source calls this phenomenon *jiko konnyu*, previously translated as **Self Contamination**. In accordance with 01_Terminology_EN, this English edition uses **Performance-Source Contamination** throughout. **Inheritance-Source Contamination** remains an acceptable alternative name. This terminology is canonical only within this English edition and is not claimed to be universal official terminology.

One-line summary

In footwear and accessory inheritance, the performance-source equipment or its internal arrangement information may become candidates again, possibly affecting Candidate Count growth and order variability.

4-1. Conditions Under Which Performance-Source Contamination Occurs

One-line summary

At least in RF5, the performance-source equipment itself may become a candidate again during footwear or accessory inheritance.




Figure 4-1. Performance-Source Contamination occurrence model.

Under the conditions observed so far, the following may enter the arrangement candidate pool again during footwear and accessory inheritance:

- the performance-source equipment; and
- the internal arrangement entries of the performance source.

The Japanese source calls this phenomenon **Self Contamination**. As noted above, this English edition uses **Performance-Source Contamination**.

In RF5 in particular, tests using equipment such as the following produced observations consistent with the performance-source equipment itself becoming a candidate:

- Leather Boots;
- Fluffy Scarf; and
- Feather Boots.

04 Figure Identity / Numbering Record

Document identity patch; semantic authority is evaluated separately.






Figure 4-1



By contrast, no arrangement slots were confirmed when the following were crafted by themselves:

- Leather Boots;
- Fluffy Scarf; and
- Charm.

Accordingly, the observations currently align better with the interpretation that **the performance-source equipment becomes a candidate during performance inheritance** than with the interpretation that **the equipment possesses its own performance as an arrangement entry from its initial state**.

4-2. Number of Inheritance Stages and Candidate Growth

One-line summary

Repeated inheritance may cause arrangement entries derived from successive performance sources to accumulate in the candidate pool.




Figure 4-2. Conceptual candidate growth across inheritance stages.

The observations currently indicate that repeated inheritance may cause the following to be referenced again, increasing the Candidate Count:

- the performance-source equipment; and
- the internal arrangement entries of the performance source.

Observation example

When inheritance was repeated in a sequence such as:

Leather Boots

↓

Piyo Sandals

↓

Leather Boots

the following were confirmed together:

- Piyo Sandals; and

- Leather Boots.

In RF5, when equipment containing **two Leather Boots entries** was used again as a performance source, the following were confirmed:

- Leather Boots;
- Leather Boots; and
- Leather Boots.

Table: Inheritance stage and candidate growth (conceptual organization; provisional)

Inheritance stage	Conceptual state	Internally retained arrangement entries (conceptual)	Possibility of Candidate Count growth	Possibility of order variability	Notes
Stage 0	Initial crafting only	0	Low	Low	Normal state
Stage 1	First reuse of a performance source	1	Medium	Low to medium	Possibility that a source-derived candidate appears
Stage 2	Repeated inheritance in progress	2	Medium to high	Medium	Candidate-pool growth may occur
Stage 3	Expanded candidate-pool state	3	High	High	Order variability and candidate-order changes observed
Stage 4 and beyond	High-density inheritance state	4 or more	Potentially very high	High	Shuffling and reselection may occur

These observations make it likely that internal arrangement information belonging to the performance source may continue to be referenced in later inheritance stages.

However, the following remain unresolved:

- recursion depth;
- expansion limits; and
- priority order.

4-3. RF4SP Observation Results

One-line summary

Although Performance-Source Contamination is not as clearly confirmed in RF4SP as in RF5, the observations indicate order variability and possible internal referencing.




Figure 4-2




Figure 4-3. RF4SP observation and confidence boundary.




Figure 4-4. RF4SP order variability; repeated source figure retained.

Additional RF4SP testing repeated inheritance using equipment including:

- Leather Boots; and
- Piyo Sandals.

At the beginning of the analysis, the phenomenon was considered potentially unique to RF5. After organizing the additional observations, however, it now appears likely that a phenomenon of the same general type also occurs in RF4SP.

In the observed result, the displayed order was:

- Piyo Sandals; then
- Leather Boots.

The reverse order was not observed in that test. Accordingly, RF4SP may not use either a fixed inheritance order or the same order on every attempt. Instead, a **shuffle of the displayed order** may occur.

Order variability was also observed in accessory inheritance tests using equipment including:

- Gold Bracelet;
- Bronze Bracelet; and
- Silver Bracelet.

However, neither the number of trials nor boundary-value testing is sufficient. The present account must therefore be treated as provisional.

4-4. RF5 Observation Results

One-line summary

In RF5, the performance-source equipment itself and its internal arrangement entries may become candidates at the same time.

RF5 observed candidate growth




Figure 4-4. RF5 candidate-growth observation.

During footwear and accessory inheritance in RF5, observations indicate that the following may become candidates simultaneously:

- the performance-source equipment; and
- the internal arrangement entries of the performance source.

Observation example

Appearance: Leather Boots

Performance source: Leather Boots

Result:

- Leather Boots; and
- Leather Boots.

Furthermore, when equipment containing **two Leather Boots entries** was inherited again, the following were confirmed:

- Leather Boots;
- Leather Boots; and
- Leather Boots.

Table: Provisional RF4SP / RF5 comparison of Performance-Source Contamination and candidate growth

Item	RF4SP	RF5	Notes
Candidate generation resembling Performance-Source Contamination	Observed	Observed	A phenomenon of the same general type may occur in both titles
Order variability	Observed	Observed	Candidate-order changes confirmed
Tendency toward candidate-order shuffling	Relatively strong possibility	Growth tendency near the boundary value	Candidate Count effects are comparatively easier to see in RF5
Destabilization caused by Candidate Count growth	Possible	Observed	Easier to organize on the RF5 side
Relationship with Auto Arrange	Unresolved	Possibly strong relationship	Connects with Candidate Count growth
Relationship with increasing inheritance stages	Observed	Observed	Candidate Count tends to grow as inheritance proceeds

Item	RF4SP	RF5	Notes
Relationship with Recursive Processing	Possible	Possible	Organized in detail in Chapter 5
Internal candidate-generation process	Suggested	Suggested	Internal algorithm not established

The RF5 observations therefore suggest that both **the performance-source equipment itself** and **the internal arrangement entries of the performance source** may become candidates.

The following may also contribute to Candidate Count growth:

- the number of required materials;
- Auto Arrange; and
- Recursive Processing.

4-5. Differences Between Footwear and Accessories

One-line summary

Performance-Source Contamination and internal referencing have been observed especially strongly in footwear and accessory inheritance.

The observations currently show particularly strong examples in inheritance involving:

- footwear; and
- accessories.

Examples include:

- Leather Boots;
- Feather Boots;
- Fluffy Scarf; and
- bracelet-type accessories.

In ordinary weapon inheritance, Messhilite inheritance and same-type arrangement have been confirmed, but Performance-Source Contamination as strong as that seen with footwear and accessories has not been confirmed.

This may indicate either:

- processing specific to footwear and accessories; or
- differences in performance-inheritance processing.

4-6. Order Variability and Candidate-Order Changes

One-line summary

At least in both RF4SP and RF5, the final arrangement order may not be fixed.

Order variability across inheritance stages




Figure 4-5. RF4SP bracelet-series display-order changes.

Changes in the final arrangement order have been confirmed in observations involving:

- Gold Bracelet-series inheritance;
- Leather Boots inheritance; and
- Auto Arrange.

In RF4SP, inheritance among bracelets of the same general series produced the following changes even under conditions with similar candidate pools:

Stage 2:

- Cheap Bracelet;
- Bronze Bracelet.

Stage 3:

- Bronze Bracelet;
- Cheap Bracelet;
- Silver Bracelet.

Table: Observed results by inheritance stage (RF4SP bracelet-series observations)

Inheritance stage	Observed arrangement result (display order)	Observed tendency
Stage 0	Empty	Normal crafting state
Stage 1	Cheap Bracelet	Candidate generation may begin
Stage 2	Cheap Bracelet / Bronze Bracelet	Candidate growth confirmed
Stage 3	Bronze Bracelet / Cheap Bracelet / Silver Bracelet	Order variability and candidate-order changes confirmed
Stage 4	Not observed	Rechecking the inheritance stages during observation organization led to the conclusion that this stage had not been observed; candidate for future testing

This is a provisional table organizing RF4SP accessory-inheritance observations. **Inheritance stage** is an explanatory organizing concept and does not establish an internal game specification. The final arrangement order may not be fixed.

These results include secondary observations identified during Performance-Source Contamination testing.

The results are compatible not with a fixed inheritance order, but with either:

- post-selection shuffling; or
- an order-redetermination process.

This order variability may also be related to:

- Performance-Source Contamination;
- Candidate Generation;
- Recursive Processing; and
- Candidate Count boundaries.

Because this was a secondary observation made during Performance-Source Contamination testing, it also suggests the possible existence of an internal candidate-generation process.

However, the details of the internal algorithm remain unresolved. The present account must be treated as provisional and must not be read as proof of internal implementation.

Additional Observation: Candidate Count and Performance-Source Contamination

In the observed shoe and accessory conditions, Performance-Source Contamination can add one candidate beyond the directly inserted materials. This makes candidate count, rather than material count alone, the more consistent basis for organizing the combination probability.

Direct materials	Candidate count including Performance Source	Target combination
1-2	3 or fewer	1/1 in combination terms: no candidate is dropped
3	4	1/4
4	5	1/10
5	6	1/20
6	7	1/35

The mapping matches the earlier theoretical sequence when the Performance Source is counted as an additional candidate. It is an observation-based model connection, not proof of the game's internal lottery implementation. The values describe combinations under the stated candidate model; they are not a universal measured success rate for every crafting condition.

Addition boundary: user-authorized post-Canonical observation supplied on 2026-08-08. The original Japanese Canonical chapter remains unchanged.