

ProtonVPN

COMMENTS

OTHER DISCUSSIONS (1)

welcome to reddit,
the front page of the internet.

BECOME A REDDITOR

and join one
of thousands

of communities

42



Discussion pfSense ProtonVPN WireGuard Config

self.ProtonVPN

Submitted 2 years ago * by FlyinDuke

Hi Everyone,

I updated my ProtonVPN Wireguard configuration, new changes work well, nothing much changed from before, just some "minor" settings.

IMPORTANT-----

- This was configured on the community edition, and now the pfSense+, which is free so not a bad idea to upgrade if you want/can. Either way it works with both.
- If/when you have an account (that supports WireGuard, not free), go to <https://account.proton.me/u/0/vpn/WireGuard> to generate a private key for your router.
- You can have 10 devices connected at once, so you can generate multiple certificates for different routers.
- When you generate a key it will pump out a wireguard config. You just need to cherry pick the information you need (private key, endpoint address/port, endpoint public key) and input them where needed.

Steps to follow

- Install the WireGuard Package from Package Manager
 - Create a tunnel
1. Set Description how you want
 2. Listen port is 51820 (Wireguard Default)
 3. Input your private key that was generated from the website above, it will generate a public key automatically

[https://preview.redd.it/svka0z4xx2w91.png?](https://preview.redd.it/svka0z4xx2w91.png?width=2296&format=png&auto=webp&s=23d121dee71cf644552bb5b93d0f6e68716026cd)[width=2296&format=png&auto=webp&s=23d121dee71cf644552bb5b93d0f6e68716026cd](https://preview.redd.it/svka0z4xx2w91.png?width=2296&format=png&auto=webp&s=23d121dee71cf644552bb5b93d0f6e68716026cd)

- Create a peer connection:
1. Tunnel should be the one you just created.
 2. Description to what you want
 3. Uncheck Dynamic Endpoint
 4. Put the Endpoint Address in from the config that you got above
 5. KA can stay at 25
 6. Put the server public key in
 7. No PSK
 8. Add Allowed IP, 0.0.0.0/0

[https://preview.redd.it/pz2fjspxjy2w91.png?](https://preview.redd.it/pz2fjspxjy2w91.png?width=2292&format=png&auto=webp&s=48ce69322052ece5df2994b59e2e1579a84af029)[width=2292&format=png&auto=webp&s=48ce69322052ece5df2994b59e2e1579a84af029](https://preview.redd.it/pz2fjspxjy2w91.png?width=2292&format=png&auto=webp&s=48ce69322052ece5df2994b59e2e1579a84af029)

- Then create an interface:

search

This post was submitted on 26 Oct 2022

42 points (98% upvoted)<https://redd.it/ydph12>

Submit a new link

Submit a new text post

Get an ad-free experience with special
benefits, and directly support Reddit.

Get Reddit Premium

Subreddit Info

ProtonVPN

Join

About ProtonVPN:

Proton VPN - **High-speed Swiss VPN that safeguards your privacy**

Proton VPN is a highly secure and encrypted virtual private network (VPN). It is brought to you by the team of scientists from CERN and MIT that developed Proton Mail - the world's largest encrypted email service used by millions worldwide, including journalists, activists and, generally, people concerned about their privacy.

Our encrypted tools empower users in over 150 countries to reclaim their freedom of expression and online privacy.

You can use Proton VPN to protect your online data, increase your online privacy and anonymize your surfing. We are based in Switzerland and we keep no logs of your online activity.

Proton VPN is a tool commonly used to fight online censorship: <https://protonvpn.com/internet-censorship-observatory/2023>.

Rules

1. Contact support first <https://proton.me/support/> Support posts on Reddit are

1. Create an interface, and assign it to the tunnel you just created
2. Set IPv4 to Static IPv4
3. Use the IP [10.2.0.2/32](#)
4. Click save

- **You will be coming back to this page**

[https://preview.redd.it/qcmpwne4z2w91.png?](https://preview.redd.it/qcmpwne4z2w91.png?width=1844&format=png&auto=webp&s=4fb10d9a566316aa40c00feba3f380daf6dfb4b9)

[width=1844&format=png&auto=webp&s=4fb10d9a566316aa40c00feba3f380daf6dfb4b9](https://preview.redd.it/qcmpwne4z2w91.png?width=1844&format=png&auto=webp&s=4fb10d9a566316aa40c00feba3f380daf6dfb4b9)

- Then create a Gateway

1. Interdface set to the one you create above
2. Adderss Family IPv4
3. Name it what you want
4. Gateway is [10.2.0.1](#)
5. Click advanced settings

1. At the bottom select "Use non-local Gateway"

6. Save Settings, Apply

[https://preview.redd.it/qpy5rrkty2w91.png?](https://preview.redd.it/qpy5rrkty2w91.png?width=1832&format=png&auto=webp&s=1e0f9b802791f6164462d1ff6b455ebadc8cb7d0)

[width=1832&format=png&auto=webp&s=1e0f9b802791f6164462d1ff6b455ebadc8cb7d0](https://preview.redd.it/qpy5rrkty2w91.png?width=1832&format=png&auto=webp&s=1e0f9b802791f6164462d1ff6b455ebadc8cb7d0)

- ~~Set interface to use Gateway~~

1. ~~Go back to the ProtonVPN Interface~~
2. ~~Set upstream gateway to the one you just created~~
3. ~~Save and Apply~~

NOTE IF YOU SET THE UPSTREAM GATEWAY IT WILL HAVE DNS LEAK, OR SHOW UP ON A DNS TEST FROM THE TUNNEL. This is why I didn't use it before.

- Setup NAT

1. Create NAT rules to forward the traffic from your LAN subnet to the PrononVPN Interface
2. Save and Apply

[https://preview.redd.it/9iukhu0603w91.png?](https://preview.redd.it/9iukhu0603w91.png?width=1834&format=png&auto=webp&s=35adabe848f3da3db5278b13492981b96d5cbc8e)

[width=1834&format=png&auto=webp&s=35adabe848f3da3db5278b13492981b96d5cbc8e](https://preview.redd.it/9iukhu0603w91.png?width=1834&format=png&auto=webp&s=35adabe848f3da3db5278b13492981b96d5cbc8e)

- Setup Firewall

1. Create Firewall Rule to send traffic to the ProtonVPN Gateway
2. Save and Apply

[https://preview.redd.it/dqf46bfb03w91.png?](https://preview.redd.it/dqf46bfb03w91.png?width=1102&format=png&auto=webp&s=fd68c8a097bed17c88712d43823e490ecd848688)

[width=1102&format=png&auto=webp&s=fd68c8a097bed17c88712d43823e490ecd848688](https://preview.redd.it/dqf46bfb03w91.png?width=1102&format=png&auto=webp&s=fd68c8a097bed17c88712d43823e490ecd848688)

From there you should be all set. A new firewall interface becomes available for incoming connections from the tunnel, but leave it empty so it blocks all. I did try to accept some traffic through, but it wasn't forwarding properly.

If there are any questions let me know. I've done a lot of troubleshooting with this config so if you have a problem, I probably did at one point as well.

EDIT 1: Almost forgot the speedtest

<https://www.speedtest.net/result/13852983259>

EDIT 2: And the DNS LeakTest

[https://preview.redd.it/nzdok3ay43w91.png?](https://preview.redd.it/nzdok3ay43w91.png?width=1936&format=png&auto=webp&s=479fe1e90622731733ad768f47948672fdea1265)

[width=1936&format=png&auto=webp&s=479fe1e90622731733ad768f47948672fdea1265](https://preview.redd.it/nzdok3ay43w91.png?width=1936&format=png&auto=webp&s=479fe1e90622731733ad768f47948672fdea1265)

EDIT 3: NAT and Firewall Rule

For the question by u/[rotorbudd](#), I don't know what your level is so I'm sorry if this is done at a basic level, just making it so anyone can understand.

So lets start with the NAT rule, cause you're not **going** anywhere without it

Processing img 0uy3xzxc3aw91...

Ok, now that thats out of the way.

First you want to enable Manual Outbound NAT (or Hybrid will work too, you just want to be able to create your own rules.

[https://preview.redd.it/Og0fzuqr3aw91.png?](https://preview.redd.it/Og0fzuqr3aw91.png?width=1846&format=png&auto=webp&s=d29548f43c3ef4da344a2895cc34ee403599d88e)

[width=1846&format=png&auto=webp&s=d29548f43c3ef4da344a2895cc34ee403599d88e](https://preview.redd.it/Og0fzuqr3aw91.png?width=1846&format=png&auto=webp&s=d29548f43c3ef4da344a2895cc34ee403599d88e)

Next is the actual rule. Refer to the image below:

generally not made public as they may contain sensitive information.

2. Avoid duplicate posts Please search to see if you're question has already been answered

3. Posts must add value Low effort posts without additional context will be removed

4. Stay on topic

5. Be respectful No personal (or political) attacks, insults or harassment

6. Do not spread misinformation

7. No spam or self-promotion

8. No NSFW content

9. Follow Reddit's Rules <https://redditinc.com/policies/content-policy>

Quick links

- [Homepage](#)
- [Support](#)
- [X/Twitter @protonvpn](#)
- [X/Twitter support](#)
- [X/Twitter \(company account\)](#)
- [Facebook](#)
- [Instagram](#)
- [Mastodon](#)
- [Merch web store](#)

[/u/ProtonVPN](#), [/u/ProtonMail](#), [/u/Proton_Team](#), and [/u/ProtonSupportTeam](#) are authentic handles used by the Proton team on Reddit.

Here's also a document covering the [FAQs](#) about ProtonVPN.

Our latest blog posts

- [🚩 Proton News: Features and developments](#)
- [🔧 Privacy Basics](#)
- [🔍 Privacy Deep Dives](#)
- [🌐 Privacy News](#)
- [📊 Proton VPN Performance Tips](#)
- [🛡️ Privacy and Security in general](#)

Related subreddits:

- [/r/ProtonMail](#)
- [/r/ProtonDrive](#)
- [/r/ProtonPass](#)
- [/r/SimpleLogin](#)
- [/r/privacy](#)
- [/r/cybersecurity](#)

a community for 8 years

MODERATORS

(1) This is the interface created above. It is where the traffic will pass through. Normally this is set to WAN so your outbound traffic "leaves" the router through the WAN. Instead you're setting this to PROTONVPN so your traffic goes through the VPN tunnel, which itself is already going through the WAN interface.

(2) Set protocol to "any" as you want all traffic to go through the tunnel. If you want you can limit to TCP, but you're gonna have leaks

(3) Your source network. Set this to the IP address range you want to go through the tunnel. Generally you'll use [192.168.1.0/24](#) to cover all IP addresses from 1.1 -> 1.254. You can use different subnets if you want to split traffic ([192.168.1.128/25](#) for example will cover the top of the Class C)

(4) Destination set to any to cover all traffic going out.

(5) Leave as interface address. This will ensure that your internal traffic, when leaving, shows as the VPN tunnel IP. If this is set to something else it will send out traffic with your internal IP, confuse the hell out of a bunch of people, and probably not get you to the internet anyways (Depending on the ISP)

Those are the important things on the NAT page. 3 and 4 are where you can get selective on what traffic uses the tunnel and what doesn't. For example, I have a "Utility" network which does not use the tunnel, that needs straight access to the internet. That network also has a FW rule preventing comms to my protected network. You can also allow individual IP addresses out based on the port or IP they need to go to, if certain items need to go out in different methods (game systems).

[https://preview.redd.it/9pho4wfv5aw91.png?](https://preview.redd.it/9pho4wfv5aw91.png?width=1838&format=png&auto=webp&s=a7b42c46d1eac8aa9482758542bc9883cb2fb49c)

[width=1838&format=png&auto=webp&s=a7b42c46d1eac8aa9482758542bc9883cb2fb49c](https://preview.redd.it/9pho4wfv5aw91.png?width=1838&format=png&auto=webp&s=a7b42c46d1eac8aa9482758542bc9883cb2fb49c)

Now the firewall rule. This also needs to be done to move the traffic properly. This rule needs to be on the LAN interface (or others if you're routing other traffic). Your essentially allowing traffic out of the network, and forcing it to use a specific gateway, preventing miscommunication.

(1) The action the rule will take. Pass will allow the traffic out, Block will prevent.

(2) This is the interface used. When you create the rule this will pre-populate. Useful if you need to copy a rule and then change its interface.

(3) IPv6 us garbage, just set this to IPv4

(4) So this was in the question, TCP, UDP, or Both. Depends on how paranoid you are. But within the dropdown are many more items, including ICMP (pings). The *best practice* would be to set this to any so all traffic of any type goes through the VPN tunnel. Then if you want to separate things out, you can add rules above for specific types of traffic. If you set it to TCP alone, anything else will just flow to the next rule, and you need to ensure that traffic can still get out.

(5) Source and Destination are the same as the NAT rule, your source traffic is going to be either the full subnet, smaller subnet, individual IP (/32), or LAN net. I always go with IP so I know what is going where. Destination is generally everything, unless you're denying all outbound and explicitly allowing items out.

*Logging is good here if you're trying to troubleshoot.

Click show advanced and scroll to the bottom

(6) Default will use the default gateway of the router, which is generally WAN. You need to set this to the ProtonVPN interface (or another gateway if applicable) so the traffic exits the specified network properly.

[https://preview.redd.it/caynlpbe8aw91.png?](https://preview.redd.it/caynlpbe8aw91.png?width=1838&format=png&auto=webp&s=76436a843989b56e15d990e296664977182e2c1a)

[width=1838&format=png&auto=webp&s=76436a843989b56e15d990e296664977182e2c1a](https://preview.redd.it/caynlpbe8aw91.png?width=1838&format=png&auto=webp&s=76436a843989b56e15d990e296664977182e2c1a)

[https://preview.redd.it/krmfm3ue8aw91.png?](https://preview.redd.it/krmfm3ue8aw91.png?width=1864&format=png&auto=webp&s=2ff6800b343d864cf14b01bdb5a886cb16f16131)

[width=1864&format=png&auto=webp&s=2ff6800b343d864cf14b01bdb5a886cb16f16131](https://preview.redd.it/krmfm3ue8aw91.png?width=1864&format=png&auto=webp&s=2ff6800b343d864cf14b01bdb5a886cb16f16131)

Now, on your Firewall rules, think of it like a list with a bunch of IF/THEN/ELSE statements. The packet will hit the router, and be checked against the rules, and once it hits, it goes. If it doesn't, it goes to the next and so on. So in this example, I have a rule for some game consoles, then rules for traffic going out to other gateways, a specific IP going out another gateway, and the the full subnet going out the ProtonVPN tunnel.

Originally I was only sending out higher addresses through the tunnel, and lower addresses through the main gateway, but I've since changed that, and disabled the old rule. Then at the end is a block all. So if none of the rules match, the traffic stops there.

[https://preview.redd.it/itsieh5m9aw91.png?](https://preview.redd.it/itsieh5m9aw91.png?width=1848&format=png&auto=webp&s=5f1c92b536a9d74427b5c5205af77091d31b90dc)

[width=1848&format=png&auto=webp&s=5f1c92b536a9d74427b5c5205af77091d31b90dc](https://preview.redd.it/itsieh5m9aw91.png?width=1848&format=png&auto=webp&s=5f1c92b536a9d74427b5c5205af77091d31b90dc)

USE YOUR DESCRIPTIONS SO YOU REMEMBER WHAT YOU DID

pfSense and WireGuard are pretty resilient. I have a Proton Tunnel, another provider

MESSAGE THE MODS

< > discussions in [r/ProtonVPN](#)

163 · 56 comments

[Proton VPN Spring & Summer Roadmap Recap](#)

tunnel, and then a tunnel with family members as peers. Used to use OpenVPN but it was horribly slow with that many, but I haven't had many problems with WireGuard. The main thing to remember is there is NO port overlapping.

The offline ones are laptop connections on demand

EDIT 4: Switching between VPN and WAN

There is no easy way to just switch between VPN/WAN aside from having dual VLANS piped to different Wireless SSIDs/Ports.

If you need to switch from the router. Create your secondary NAT rules after your VPN one, using the same subnet (assuming 192.168.1.0/24)

[https://preview.redd.it/6ma91ordrsw91.png?](https://preview.redd.it/6ma91ordrsw91.png?width=1838&format=png&auto=webp&s=569a7bfc511221c87ff8130e418b8badb2eba540)

[width=1838&format=png&auto=webp&s=569a7bfc511221c87ff8130e418b8badb2eba540](https://preview.redd.it/6ma91ordrsw91.png?width=1838&format=png&auto=webp&s=569a7bfc511221c87ff8130e418b8badb2eba540)

Then you need corresponding firewall rules. The NAT can always stay active. With the FW rules, just enable the one you want to use at that time:

Ignore the descriptions

Whichever one is first will route first, but just enabling/disabling would be better. You can also pick and chose network traffic to use the VPN and WAN (original descriptions here show when I had 128/25 as vpn traffic and 0/25 as general.

EDIT 5: DNS Config

Make sure you set the DNS in general config to the new Wireguard interface, and set resolution to use local then fall back to remote. I have a second DNS set for the non-wireguard traffic on the wan, but it doesn't get used (I will actually remove it).

[https://preview.redd.it/lkp9bt3xcgy91.png?](https://preview.redd.it/lkp9bt3xcgy91.png?width=2288&format=png&auto=webp&s=b0a14671d5216d1b537dcb980aa6ca23d8328409)

[width=2288&format=png&auto=webp&s=b0a14671d5216d1b537dcb980aa6ca23d8328409](https://preview.redd.it/lkp9bt3xcgy91.png?width=2288&format=png&auto=webp&s=b0a14671d5216d1b537dcb980aa6ca23d8328409)

Also set your DNS resolver to use the ProtonVPN for outgoing requests.

[https://preview.redd.it/isk787kmdgy91.png?](https://preview.redd.it/isk787kmdgy91.png?width=2292&format=png&auto=webp&s=0acfcc4ee2b91ce784de9564f2f66b831602ef26)

[width=2292&format=png&auto=webp&s=0acfcc4ee2b91ce784de9564f2f66b831602ef26](https://preview.redd.it/isk787kmdgy91.png?width=2292&format=png&auto=webp&s=0acfcc4ee2b91ce784de9564f2f66b831602ef26)

70 comments share save hide report

all 70 comments

sorted by: best ▼

Want to add to the discussion?

Post a comment!

CREATE AN ACCOUNT

[-] **Nelizea** - Volunteer mod **m** • **4 points** 2 years ago

Thanks for your contribution!

permalink embed save report **reply**

[-] **FlyinDuke** **s** • **3 points** 2 years ago

I pissed off many family members in multiple houses mucking with these settings, anything that helps!

permalink embed save parent report **reply**

[-] **rotorbudd** - Linux | Android • **2 points** 2 years ago

Know what you mean!

I'm having to do most of this after the wife goes to bed. And glad pfsense has a easy backup/restore !

permalink embed save parent report **reply**

[-] **eruditezero** • **4 points** 2 years ago

Good guide, shame you can't load balance Wireguard on ProtonVPN though due to the pointless fixed IP address.

permalink embed save report **reply**

[–] **FlyinDuke** **s** • **2 points** 2 years ago

I think its more of a restriction on the ports, could probably get one interface to utilize two different gateways through the NAT table. I'm only going to speak to a home network with one connection though. Like in the example I just added I have a second provider for different items that I can't do with Proton right now.

I think if you wanted good load balance on one connection there are better boxes you can get that will implement a smarter QoS to prioritize the traffic more effectively.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **rotorbudd** - Linux | Android • **1 point** 2 years ago

I was going to look into multiple openVPN channels because I've got it running on a PCEngines APU2 which is dog slow with VPN. But if wireguard is fast enough I'll just stick with that.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **Knopper100** • **3 points** 2 years ago

To follow up on this, some sites are going to block ProtonVPN, unfortunately, so that it may be necessary to be off of VPN to access them. PfBlockerNG is a good plugin for pfSense that allows you to specify ASs or URLs, which can then be referenced in your firewall rules to use your ISP as the gateway versus Proton for those specific entries.

This allows me to browse smoothly, as well as avoid any confusion/frustration from the family.

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **2 points** 2 years ago

Agreed but the only concern is that some sites have so many hooks that instead of the URL you have to use the ASN number, as well as create the NAT rule to allow the pfBlocker alias out. if you're stuck using an ASN be aware of how many addresses that opens you up to.

Thats why I use a separate Utilities network. If theres something I really need to do I can switch over, do it, then switch back. Essentially just a large DMZ.

I think one thing that would be helpful is an alias to use multiple servers, allowing utilizing the best one at the time.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **rotorbudd** - Linux | Android • **1 point** 2 years ago

That made me wonder how to disable wireguard without losing the WAN. I tried shutting down the service, disabling the interface, etc. But all that seems to do is leave me without a connection. The WAN gateway shows as up but I can't even connect to the cable modem.

Any suggestions would be appreciated. I'm not that knowledgeable, but i'm very good at following directions!

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **2 points** 2 years ago

so you need to include a FW rule and a NAT rule that sends the traffic out the default gateway/WAN. the NAT rules can co-exist, put the VPN one higher in the list.

The FW rule you would have to disable the VPN one, or just put the default FW rule higher than VPN.

You can also blacklist all traffic (make all go through VPN) and whitelist certain addresses to go through WAN, or switch the other way around.

The rules just go in order, so whichever is higher will go first

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **2 points** 2 years ago

I added pics and details in main post

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **rotorbudd** - Linux | Android • **1 point** 2 years ago

PfBlocker is the reason I started using PfSense. I had a Netgate router that someone had written a bash script to run a crude ad block. I used that until I found

PfBolcker. Without it I'd be wiping and reinstalling my wife's laptop every month.

Still sending BBcan a few bucks every month after 5 years. (he deserves it!)

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **StarFleetCPTN • 2 points** 2 years ago

I setup ProtonVPN for a single static IP, and I also want to be able to route traffic to different interfaces in my local network so that self hosted apps would be reachable. Are my firewall rules setup correctly for this?

<https://ibb.co/qxLH9q7>

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke s • 1 point** 2 years ago

Unless you're explicitly blocking those internal addresses you don't need special rules with default gateway selected. Internal traffic (to the router) will not go out the gateway.

But if you are explicitly blocked, then yes the rules are good. The way you have it the internal will be allowed and everything else will default to proton GW.

For example, I have traffic that does use different wg gateways that I need specific rules for. When it comes to my DMZ, I don't specify, it's covered under my allow all rule. DMZ to internal is specific to device.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **captBergeron • 1 point** 1 year ago

I can not access some financial sites, banks, with P-VPN on over Wireguard. I am in the US with US-based IP address from Proton. I noted this, with specific names, back to Proton Tech support.

I am looking for a "reasonable" work around. I am an IT/ PFSense noob so not sure what an obvious approach would be... can I set up a "whitelist" to pass certain traffic outside the VPN? Can I make a separate network, preferably wifi, that connects without the VPN that I switch to for this purpose? Can I toggle the VPN on/off via pFSense? (Last is my least fav option)

Thanks, I know the thread is old but it seems the most direct.

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke s • 1 point** 1 year ago

The simplest way is to create an alias in the firewall, which uses the FQDN of the site you are going to. Add a firewall rule for that traffic on port 443 (and 80 if needed) to go through the WAN gateway. You also need a corresponding NAT rule.

The more complete way would be to install pfblocker_devel, add the IP ASN's to an auto alias, which will add the IP addresses for the websites you need, and pipe that through Gateway. PM me if you need some help.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **captBergeron • 2 points** 1 year ago

Thank you for the response. This is a good set of items to research for future. Thanks so much for this.

I exchanged emails with proton. They suggested using the vpn app on device and then changing the IP til it worked, select a server where bank expects it, and it mostly worked. I still get too many captchas but workable.

I'll PM you if I have specific questions. Thanks again.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[+] *[deleted]* 1 year ago (2 children)

[–] **utx0 • 1 point** 1 year ago

how do you do the dns leak test?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **utx0** • **1 point** 1 year ago

is it also possible to setup more than one gateway connected to a different peer setting?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **BudgetImagination588** • **1 point** 1 year ago

hi guys,

I am kind of a noob but managed to configure pfsense with proton VPN and wireguard to route all my traffic through it.

But recently I encountered 2 main issues and I would like to know if there is a solution for them.

There was maintenance to the server I am using for the VPN and I had a very bad day as I am working from home and it took quite some time to figure out why my internet was down. Is there a way to create a failover mechanism in pfsense to use multiple tunnel/peers to connect to the next available one if the first one fails?

And the second issue is that since I routed all of my traffic some of my devices like my smart tv cannot reach the server to install it's updates. How can I fix this?

Has someone else encountered these issues?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke S** • **1 point** 1 year ago

I created two separate subnets, one for devices where I wanted the VPN privacy, and the other for devices that would not operate properly behind a VPN.

Another option is to alias NAT the traffic to the WAN gateway instead of the VPN gateway.

I did end up switching to OPNsense recently so I've been working on that if you need help. I haven't updated all my endpoints yet so I can still help with PFSense for a little.

So far OPN has been much more flexible.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **rotorbudd** - Linux | Android • **1 point** 2 years ago

I think I've followed your guide up until adding the NAT and firewall rules start. I'm lost after that. Could you give a little more detail on the contents of each rule? Some of the guides I've seen say UDP for the protocol and I need some help with Sources and Destination.

Thanks

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke S** • **2 points** 2 years ago

Hey I replied in the main post so I could include the pictures there. If you need more PM me, or just ask again here.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke S** • **2 points** 2 years ago

Also thank you for the award!

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **rotorbudd** - Linux | Android • **1 point** 2 years ago

Basic is what I need!

I was having a hard time wrapping my old brain around the NAT and firewall rules. This helps a lot.

Only 1 thing. The first image in the update isn't showing up. All I see is 'image processing'

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke S** • **2 points** 2 years ago

Not sure why, it shows up for me,

It's just the manual outbound nat selected

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **rotorbudd** - Linux | Android • **2 points** 2 years ago

Strange, I tried it in Brave and Firefox with all ad blockers, etc turned off and still nothing.

Every other image except that one shows .

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **rotorbudd** - Linux | Android • **1 point** 2 years ago

I had another go at getting wireguard installed with your updated instructions. Everything works fine! I'm connected to a server here in Atlanta and I'm seeing about 315 Mbps down and 38 up. This is on a Comcrap 1 gig connection which I can see 800 to 850 down and 35 to 40 up when testing to local test servers. And a DNS leak check shows the IP of the Proton VPN server here in ATL. Those speeds are good enough for just about everything we do at home.

I don't know if the pfsense box I'm using makes any difference. It's a PCEngines APU2 which has an older 4 core AMD low power chip. It runs about 1.2 gig at full load. I don't know if this is a limitation or not. Guess I'll start researching that question.

This tutorial has been the best I've found anywhere on the internet. Great examples and clear instructions. PfSense and Proton should be ashamed of their poor documentation.

Thanks again!

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **3 points** 2 years ago

Well hopefully the powers to be will put it on their supported configs. I know they have the other stuff on their plate.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **derail_green** • **1 point** 2 years ago

Seems I may have done something wrong as the gateway shows 100% packet loss... any ideas?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 2 years ago

The VPN gateway? Can you post your tunnel settings? Most likely a key error

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **derail_green** • **1 point** 2 years ago

<https://imgur.com/a/2DidSFo/>

Hopefully these come through in order...

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **derail_green** • **1 point** 2 years ago

Forgot the peer settings. <https://i.imgur.com/F07VWlx.jpg>

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 2 years ago

If you go into wireguard -> status does it show that the tunnel is created (handshake and all)? Do you have any other wireguard tunnels?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **derail_green** • **1 point** 2 years ago

I do have another WireGuard tunnel from my phone to the pfsense to route all traffic through pfblockerng. Both tunnels have a green arrow it's just the gateway that shows down with the packet loss. I changed the port on my phone tunnel to 51281 to try and avoid any port issues.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 2 years ago

Ok cool, let's look at the interface then.

Is that set for 10.2.0.2/32, and the gw allows any subnet?

Worst case you can set it to 10.2.0.2/29

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **derail_green** • **1 point** 2 years ago

My fault entirely! I failed to change all the old 51820s to 51821s. Working like a charm now! Thank you for this guide! Now to fully enable it and disable all my IPv6 stuff.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 2 years ago

Sounds good, glad you got it squared away

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **Fair-Mathematician68** • **1 point** 1 year ago

I think I am having the same issue now. I setup WG remote access running on 51820 before. I moved it to 51821 so I can use ProtonVPN with WG on 51821. But I am still getting 100% packet loss.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **unstableaether** • **1 point** 2 years ago

I don't have UPSTREAM GATEWAY in use but I seem to be having DNS leaks when going to [ipleak.net](#) any advice?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 2 years ago

[u/unstableaether](#) I added some DNS config items to the main post for ya. Let me know if those help out.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **kbnomad-lars** • **2 points** 1 year ago

Hi,

when I set the upstream gateway to "none", [ipleak.net](#) shows my Real WAN IP but when I set upstream gateway to the ProtonVPN Gateway created, [ipleak.net](#) shows the VPN IP.

I've also checked DNS Leak test and it shows the VPN IP, no leak or am I mistaken?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **FlyinDuke s** • **1 point** 1 year ago

upstream should be none. Check your NAT rule to make sure that traffic going out the tunnel is at the top.

In your Firewall rules, after you have the outbound traffic rule using the Wireguard gateway, put a deny after that blocks traffic going out the WAN

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **kbnomad-lars** • **1 point** 1 year ago

Hi,

yeah, just realized that it took a min or 2 to update.

I can connect with upstream set to none, but how do you actually create 2 different tunnels for different server locations?

It seems like I have to set each tunnel with each interface and can't use the same IP Address but ProtonVPN only has the same 10.2.0.2 IP address for wireguard certs.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[-] **unstableaether** • **1 point** 2 years ago

Thanks for the assistance and sorry for late reply, so i tried those dns settings still getting DNS leaks that are showing my ISP public ip. maybe im doing something wrong?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke s** • **1 point** 2 years ago

Any chance you could DM me your firewall rules?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **unstableaether** • **1 point** 2 years ago

Sent you a dm!

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke s** • **1 point** 2 years ago

Just to give everyone a heads up, we did some troubleshooting and removed extra DNS servers, fixed some IPs, and verified other settings.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **kan84** • **1 point** 2 years ago*

I am having the same issue. DNS test is leaking my IP address.

I have protonvpn DNS under general settings and also have updated DNS resolver. Same issue.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke s** • **1 point** 2 years ago

Under dns resolver did you make sure outbound traffic is only going through the protonvpn interface?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **kan84** • **1 point** 2 years ago

I just remembered that specific VLAN gets DNS from DHCP address which is pfsense interface address. Will try removing the address from there. Also VLAN has ipv6 enabled so not sure if that is causing the issue.

Thanks for the the help

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **FlyinDuke s** • **1 point** 2 years ago

Can you post your settings?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[continue this thread](#)

[–] **projectx58** • **1 point** 2 years ago

The image for the NAT rule ("EDIT 3")section isn't loading?! I'm new to pfsense and I'm stuck here?

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **drerie_batra** • **1 point** 2 years ago

Works excellent. The one thing I am struggling with now is how to get a port forward going. Got a container running which has connectivity through the VPN tunnel. And want to do forward a port to it. Can't seem to figure that one out. Do you have any ideas ? Thanks !

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke s** • **1 point** 2 years ago

I had a lot of trouble with it. It was easier to use gluetun to create a tunnel for the container.

The problem is that you won't know your port, and it randomizes each time. Gluetun will do that for you and handle the port forwarding pretty good.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **kbnomad-lars** • **2 points** 1 year ago

thanks for the contribution!

How do I set up another tunnel for another server location?

I want to be able to switch locations for streaming and others.

When I make another tunnel, I can't assign it to the same interface, and when I assign the 2nd tunnel to another interface, I can't use the same Address = `10.2.0.2/32` that is provided by ProtonVPN cert.

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **1 point** 1 year ago

You can't, and that bugged the hell out of me. Since its ProtonVPN is restricted to port 51820, you can't have multiple tunnels that use it.

The option is a second provider, using a client. For example, I have this setup on my pfSense, and my Synology has a docker container that runs gluetun for connections within that docker network.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **kbnomad-lars** • **2 points** 1 year ago

I actually was able to create another tunnel and formed a gateway group for a failover VPN gateway. I used a different port but on a different location (ex. NY & FL), it doesn't work if it's the same State location for some reason but works for another

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **GuySmileyIncognito** • **1 point** 1 year ago

Just upgraded to 2.7.1 and this stopped working. I looked through all the settings to make sure that they hadn't changed and the only thing different is that "interface address" is no longer an option for the NAT translation address. Curious if anyone else is experiencing issues and if they've found any fixes.

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **1 point** 1 year ago

I haven't seen directly since I don't run that version of pfense. Can you PM me a screenshot?

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **Chift** • **1 point** 1 year ago*

I need support early in the process. (pfsense 2.7.1)

1. When creating a interface, do I assign it to any open network port?
2. Also, there is one image that says "Processing", just below the text "So lets start with the NAT rule, cause you're not going anywhere without it"

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)

[–] **FlyinDuke** **s** • **1 point** 1 year ago

Create the interface through the wireguard page, and it should auto assign for you.

If not, interface should be assigned to wg0, and the IP address set there.

[permalink](#) [embed](#) [save](#) [parent](#) [report](#) [reply](#)

[–] **phamd4** • **1 point** 11 months ago

Hi I'm running issues with proton vpn gateway and hope someone can help me. When I first started setting up the gateway is online and everything work as it should. However running for about an hour or so the gateway address 10.2.0.1 showed offline on status pfsense. I tried to reboot but nothing work. I then updated to the latest pfsense 2.7.2 then it worked for about 20min and gateway showed offline again. May I ask if I'm doing anything wrong ?

Thank you so much

[permalink](#) [embed](#) [save](#) [report](#) [reply](#)