

[SOLVED] ZFS: enable thin provisioning

Valerio Pachera · Feb 20, 2018

[Home](#) > [Forums](#) > [Proxmox Virtual Environment](#) > **Proxmox VE: Installation and configuration****Valerio Pachera**
Active Member

Feb 20, 2018

 #1

Hi all, I'm managing a proxmox 5.1-43 server.
I was not the one who installed it.
It has two main zfs volumes.

Code:

zpool iostat

pool	capacity		operations		bandwidth	
	alloc	free	read	write	read	write
-----	-----	-----	-----	-----	-----	-----
rpool	9.99G	918G	0	22	13.9K	263K
storage	259G	629G	37	37	424K	839K
storage2	406G	1.42T	20	4	995K	169K
-----	-----	-----	-----	-----	-----	-----

"storage" is on ssd.
I noticed the flag Thin provisioning is not set.



I guess this way, if I set 'discard' option on a guest, it's not going to work.

Is it possible to enable now?
Shall I shut down guests before doing that?
Are you aware of other bad consequences?

Thank you.

Last edited: Feb 20, 2018

Mecanik**LnxBil**
Famous Member

Feb 21, 2018

 #2

Just enable it, it'll be used for all new datasets.

For already created ones, just reset the ZFS property refreservation:



Code:

```

root@proxmox4 ~ > zfs list rpool/data/vm-100-disk-1
NAME                                USED  AVAIL  REFER  MOUNTPOINT
rpool/data/vm-100-disk-1           132G   832G    64K    -

root@proxmox4 ~ > zfs get all rpool/data/vm-100-disk-1
NAME                                PROPERTY                VALUE                SOURCE
rpool/data/vm-100-disk-1           type                     volume               -
rpool/data/vm-100-disk-1           creation                 Mi Feb 21 13:29 2018 -
rpool/data/vm-100-disk-1           used                     132G                 -
rpool/data/vm-100-disk-1           available               832G                 -
rpool/data/vm-100-disk-1           referenced              64K                  -
rpool/data/vm-100-disk-1           compressratio            1.00x                -
rpool/data/vm-100-disk-1           reservation              none                 default
rpool/data/vm-100-disk-1           volsize                  128G                 local
rpool/data/vm-100-disk-1           volblocksize             8K                   -
rpool/data/vm-100-disk-1           checksum                 on                   default
rpool/data/vm-100-disk-1           compression              lz4                  inheri
rpool/data/vm-100-disk-1           readonly                 off                  default
rpool/data/vm-100-disk-1           copies                   1                    default
rpool/data/vm-100-disk-1           refreservation           132G                 local
rpool/data/vm-100-disk-1           primarycache              all                  default
rpool/data/vm-100-disk-1           secondarycache            all                  default
rpool/data/vm-100-disk-1           usedbysnapshots           0                    -
rpool/data/vm-100-disk-1           usedbydataset              64K                  -
rpool/data/vm-100-disk-1           usedbychildren             0                    -
rpool/data/vm-100-disk-1           usedbyrefreservation      132G                 -
rpool/data/vm-100-disk-1           logbias                   latency              default
rpool/data/vm-100-disk-1           dedup                     off                  default
rpool/data/vm-100-disk-1           mlslabel                  none                 default
rpool/data/vm-100-disk-1           sync                      standard             inheri
rpool/data/vm-100-disk-1           refcompressratio          1.00x                -
rpool/data/vm-100-disk-1           written                   64K                  -
rpool/data/vm-100-disk-1           logicalused               30K                  -
rpool/data/vm-100-disk-1           logicalreferenced         30K                  -
rpool/data/vm-100-disk-1           snapshot_limit            none                 default
rpool/data/vm-100-disk-1           snapshot_count            none                 default
rpool/data/vm-100-disk-1           snapdev                   hidden               default
rpool/data/vm-100-disk-1           context                   none                 default
rpool/data/vm-100-disk-1           fscontext                  none                 default

```

ebiss, i_am_jam, samu and 7 others



Valerio Pachera
Active Member



Feb 26, 2018

Thank you

#3

Share:  

You must log in or register to reply here.

 > [Forums](#) > [Proxmox Virtual Environment](#) > [Proxmox VE: Installation and configuration](#)

About

The Proxmox community has been around for many years and offers help and support for Proxmox VE, Proxmox Backup Server, and Proxmox Mail Gateway.

We think our community is one of the best thanks to people like you!

Quick Navigation

[Home](#)

[Get Subscription](#)

[Wiki](#)

[Downloads](#)

[Proxmox Customer Portal](#)

[About](#)

Get your subscription!

The Proxmox team works very hard to make sure you are running the best software and getting stable updates and security enhancements, as well as quick enterprise support. Tens of thousands of happy customers have a Proxmox subscription. Get your own in 60 seconds.

 [Buy now!](#)

Proxmox Support Forum - Light Mode

[Contact us](#)

[Terms and rules](#)

[Privacy policy](#)

[Help](#)

[Home](#)





Community platform by XenForo® © 2010-2023 XenForo Ltd.



This site uses cookies to help personalise content, tailor your experience and to keep you logged in if you register.

By continuing to use this site, you are consenting to our use of cookies.

 [Accept](#)

[Learn more...](#)