r/homelab Search in r/homelab Log In

r/homelab • 2 yr. ago
Agreeable-Clue83

# Displaying CPU Temperature in Proxmox Summery in Real Time

Tutorial

## Note before we begin

Hi so before I begin this tutorial I want to say that this was made by another user on a Chinese site CSDN: Link to the Chinese website

I've rewritten their guide in English and made some minor tweaks to make it look better as of version 7 and easier for new users. In addition, their code cant be directly copied of that site.

Here is an image of how it will look: Final Result

Edit: You may have to add more Cores in the code below, depending on how many cores your systems has. Always start with 0.

## Ok lets get on with the tutorial!

## 1) Lets install lm-sensors to show us the information we need. Type the following in the proxmox shell

```
apt-get install lm-sensors
```

Next we can check if its working. To do this we can type `sensors`

The main part we are interested in is:

```
root@pve:~# sensors

coretemp-isa-0000
Adapter: ISA adapter
Package id 0:  +23.0°C  (high = +84.0°C, crit = +100.0°C)
Core 0:        +21.0°C  (high = +84.0°C, crit = +100.0°C)
Core 1:        +21.0°C  (high = +84.0°C, crit = +100.0°C)
Core 2:        +22.0°C  (high = +84.0°C, crit = +100.0°C)
Core 3:        +19.0°C  (high = +84.0°C, crit = +100.0°C)
```

If you see this you are good to go!

## 2) Adding the output of sensors to information

r/homelab Log In

```
nano /usr/share/perl5/PVE/API2/Nodes.pm
```

Next, you can press **F6** to search for `my $dinfo` and press **Enter**

The code should look like this:

```
        $res->{pveversion} = PVE::pvecfg::package() . "/" .
            PVE::pvecfg::version_text();

        my $dinfo = df('/', 1);     # output is bytes
```

We are going to add the following line of code in between: `$res->{thermalstate} = \sensors\;`

So the final result should look like this:

```
        $res->{pveversion} = PVE::pvecfg::package() . "/" .
            PVE::pvecfg::version_text();

        $res->{thermalstate} = `sensors`;

        my $dinfo = df('/', 1);     # output is bytes
```

Now press **Ctrl+O** to save and **Ctrl+X** to exit.

# 3) Making space for the new information

Next we will need to edit another file, So once again we will use `Nano`

Type the following command into your shell: `nano /usr/share/pve-manager/js/pvemanagerlib.js`

Once in press **F6** to search for my `widget.pveNodeStatus` and press **Enter**

You will get a snippit of code that looks like this:

```
    Ext.define('PVE.node.StatusView', {
    extend: 'PVE.panel.StatusView',
    alias: 'widget.pveNodeStatus',

    height: 300,
    bodyPadding: '5 15 5 15',

    layout: {
        type: 'table',
        columns: 2,
        tableAttrs: {
            style: {
```

r/homelab Log In

```
        }
    },
```

Next change the `bodyPadding: '5 15 5 15',` to `bodyPadding: '20 15 20 15',`

As well as `height: 300,` to `height: 360,`

**Dont close the file this time!**

# 4) Final part to edit

Ok so you know the drill by now press **F6** to search for `PVE Manager Version` and press **Enter**

You will see a section of code like this:

```
        {
            itemId: 'version',
            colspan: 2,
            printBar: false,
            title: gettext('PVE Manager Version'),
            textField: 'pveversion',
            value: ''
        }
```

Ok now we need to add some code after this part. The code is:

```
        {
            itemId: 'thermal',
            colspan: 2,
            printBar: false,
            title: gettext('CPU Thermal State'),
            textField: 'thermalstate',
            renderer:function(value){
                const c0 = value.match(/Core 0.*?\+([\d\.]+)Â/)[1];
                const c1 = value.match(/Core 1.*?\+([\d\.]+)Â/)[1];
                const c2 = value.match(/Core 2.*?\+([\d\.]+)Â/)[1];
                const c3 = value.match(/Core 3.*?\+([\d\.]+)Â/)[1];
                return `Core 0: ${c0} ℃ | Core 1: ${c1} ℃ | Core 2: ${c2} ℃ | Core
            }
        }
```

Therefore your final result should look something like this:

```
        {
            itemId: 'version',
```

r/homelab Log In

```
            textField: 'pveversion',
            value: ''
        },
        {
            itemId: 'thermal',
            colspan: 2,
            printBar: false,
            title: gettext('CPU Thermal State'),
            textField: 'thermalstate',
            renderer:function(value){
                const c0 = value.match(/Core 0.*?\+([\d\.]+)Â/)[1];
                const c1 = value.match(/Core 1.*?\+([\d\.]+)Â/)[1];
                const c2 = value.match(/Core 2.*?\+([\d\.]+)Â/)[1];
                const c3 = value.match(/Core 3.*?\+([\d\.]+)Â/)[1];
                return `Core 0: ${c0} ℃ | Core 1: ${c1} ℃ | Core 2: ${c2} ℃ | Core
            }
        }
```

Now we can finally press **Ctrl+O** to save and **Ctrl+X** to exit.

## 4)Restart the summery page

To do this you will have to type in the following command: `systemctl restart pveproxy`

If you got kicked out of the shell or it froze, dont worry this is normal! As the final step, either refresh your webpage with **F5** or ideally close you browser and open proxmox again.

153 73 Share

u/SamsungMobileUS • Promoted

Cyber Monday tech tip: Knock out your holiday shopping list and save at samsung.com! Shop now.

samsung.com Learn More

Sort by: Best

Add a Comment

aimannorazman • 2 yr. ago

I don't have a use for this, but I'd just like to say thank you.

18 Reply Share

r/homelab Log In

Im new to the server/home lab space and it was a bit of a pain to figure this stuff out myself. So I thought it might help someone in the future as I've seen a few dead end post asking about this.

9 Reply Share

1 more reply

**raccoon_sex_dungeon** • 1 yr. ago • Edited 1 yr. ago

Necro-bump. I used a similar Chinese website to get mine running. It works really well, I just have to re-do it after every update and stumbled on this thread. I have found, I like to place `itemID: 'thermal'` beneath the CPU load. PROXMOX uses Font Awesome for it's icon pack so I've found that adding `iconCls: 'fa fa-fw fa-thermometer-half',` to the section works well and gives it a finished look.

Link to appearance: HERE

My code looks something like this:

```
{
   itemId: 'thermal',
   printBar: false,
   iconCls: 'fa fa-fw fa-thermometer-half',
   title: gettext('Package Temperature'),
   textField: 'thermalstate',
   renderer:function(value){
      const p0 = value.match(/Package id 0.*?\+([\d\.]+)?/)[1];
      const p1 = value.match(/Package id 1.*?\+([\d\.]+)?/)[1];
      return `${p0}, ${p1}`
   }
},
```

14 Reply Share

9 more replies

**TB1961** • 2 yr. ago

Thanks for this post as it is just what I was looking for.

6 Reply Share

**vinicius_vbf** • 9 mo. ago • Edited 9 mo. ago

Here's a variant using the JSON format (better than extracting the values via regular expressions, IMO):

```
$res->{thermalstate} = `sensors -j`;
```

The '-j' argument makes `sensors` output in JSON format.

```
renderer: function(value) {
  let objValue = JSON.parse(value);
  let core0 = objValue["coretemp-isa-0000"]["Core 0"]["temp2_input"];
  let core1 = objValue["coretemp-isa-0000"]["Core 1"]["temp3_input"];
  return `Core 0: ${core0}°C | Core 1: ${core1}°C`;
}
```

Bonus: you can modprobe the `drivetemp` module and also get the HDD/SSD temperatures from the same output:

```
renderer: function(value) {
  let objValue = JSON.parse(value);
  return objValue["drivetemp-scsi-0-0"]["temp1"]["temp1_input"].toString() + "°C"
}
```

6 Reply Share

**algebraictype** • 9 mo. ago

Thanks for this! The JSON parsing is a great idea. I iterated on your approach a bit, moved the JSON parsing to the Perl API to match how the other status fields work. This also makes it easier to set both the current and max values for the temperatures which lets us use the bar visual. Also added the temperature probes to the mobile site as well.

You can see my results at https://github.com/alexleigh/pve-mods. Also added some instructions in case others want to go down a similar road.

4 Reply Share

2 more replies

**Demuth_** • 1 yr. ago • Edited 1 yr. ago

First off I am a total noob to this.. I followed this guide and got an infinite loading when restarting pveproxy, because I wasn't paying close enough attention I guess.

If you have the same issue make sure that this: **$res->{thermalstate} = `sensors`;** actually uses the ` symbol and **not** the ' or ´ symbols as these will lead to infinite loading.

Thank you OP for the guide and thank you Racoon_sex_dungeon for the icon idea it looks great! https://imgur.com/A9eg5NB

5 Reply Share

2 more replies

**NoFearNoBackup** • 2 yr. ago

This seems like it would be prone to breakage with every pve-manager update?

4 Reply Share

r/homelab Log In

I actually followed this on one of the Chinese sites as well and then came across this on the subreddit! Just came here to say that instead of changing the 'bodyPadding and 'height' numbers, I actually just ended up changing this padding number a few rows up from the itemID: 'thermal' block:

```
{
    xtype: 'box',
    colspan: 2,
    padding: '0 0 10 0',
},
```

Changing the height of the box was breaking the stacking of some of the other modules on wider screens, so it was messing with my compulsion a bit.

3 Reply Share

1 more reply

**RemarkableSteak** • 3 mo. ago • Edited 3 mo. ago

can someone give me a roll back command to SSH with once this borks the webui?

I am SSH'd in but not familiar enough with how to roll back and how far to roll back.

edit: googled a few things and found this apt that fixed it

apt install --reinstall pve-manager proxmox-widget-toolkit libjs-extjs

3 Reply Share

1 more reply

## More posts you may like

r/OnePieceTC

**Made an excel doc to keep track of backlogged OPTC units. Sharing the link in case it is useful to**

r/homelab

Log In

r/rust

**Help wanted to test a hefty PR on the official Vim Plugin**

64 upvotes · 5 comments

r/Pimax

**Resolved 8KX Setup and Base Station 2.0 Tracking Issues**

9 upvotes · 7 comments

PROMOTED

r/Fedora

**Interesting: DNF has recently gained "Vendor Pinning" almost like on Zypper/openSUSE**

70 upvotes · 17 comments

r/homelab

Log In

best? this is mine.

13 upvotes · 22 comments

r/NFT

**What could be the reason, that my NFT Solds has suddenly stopped?**

2 upvotes · 8 comments

r/Bitcoin

**[HowTo] Create and use a Taproot wallet on Testnet in Bitcoin Core v22.0**

59 upvotes · 23 comments

PROMOTED

r/KnightsTaleGame

**Finished a full run on v0.1.0 some feedback**

3 upvotes · 2 comments

r/neovim

**[RFC] set cmdheight=0**

134 upvotes · 33 comments

r/3Dprinting

**Snap Joint Calculator v2.0 - program review**

6 upvotes · 8 comments

r/linux

**Some of my boot times during fall of 2021 (best was 805ms, worst 962ms)**

r/homelab

Log In

self.linux

464 upvotes · 61 comments

**TOP POSTS**

Reddit

**reReddit: Top posts of December 16, 2021**

Reddit

**reReddit: Top posts of December 2021**

Reddit

**reReddit: Top posts of 2021**