Download the Maps App

The Maps App

CartoType demonstration applications are designed to help you determine if there's a fit between CartoType and your software application.

1 of 22 5/26/23, 13:19

for viewing maps, calculating routes, finding places, creating map images, and adding your own map data. It demonstrates the main features of the CartoType library. It comes with some sample maps. If you like, you can download extra maps, or make your own. We also offer a custom map creation service. Please contact us to

Download the Maps App

PARILE I CPUSICUI JI

If you need to open more than four maps at once on Linux or the Macintosh you may need to increase the maximum number of file handles allowed. On the Mac, the command 'sudo launchetl limit maxfiles 64000 524288' is one way to do it; the effect lasts until the computer is next rebooted or

Download the Maps App

rotation and perspective.

You can create and edit lines and polygons:

 Double-click starts a new linear object OR select an existing object; when selecting an object the action selects an existing point if near enough, otherwise creates a new

- the current object.
- Backspace deletes the last point if there are more than two (for a line) or more than three (for a polygon). It then terminates editing the current object.
- Delete removes the current object, asking for confirmation first.
- During editing, the length or

:


CartoType: The Maps App

f

Download the Maps App

great cheres.

The Windows Maps app



6 of 22 5/26/23, 13:19

application, extract the toplevel folder, which is called cartotype-maps-app-windows, and put it anywhere suitable on your hard drive. Inside the top-level folder you'll find three folders:

 CartoTypeMaps-Win64: this folder contains the 64-bit version of the application

Carto lypeMaps-Win64 folder.

Please run the executable file CartoTypeMaps.exe from its current location. You can move the entire cartotype-maps-appwindows folder anywhere you like, but inside it, you should leave the structure as it is so that the executables can find the libraries and data files they need. The Windows Mans


Download the Maps App

the Maps App. If you choose to do that, you can open .ctm1 files in the Maps App by double-clicking on them.

If you need to **uninstall** the Windows Maps app, just delete the cartotype-maps-app-windows folder and all its contents.

You can also evaluate

Download the Maps App



Download the Maps App

as a drive. You can then either run the application directly from the .dmg file by double-clicking on CartoTypeMaps, or you can copy CartoTypeMaps to anywhere else you like, such as the Applications folder. You will also see two other folders:

 sample-maps: some sample maps which you can load

If you need to **uninstall** the Macintosh Maps app, just delete the .dmg file and any copies of CartoTypeMaps you have made.

Troubleshooting: if after you have downloaded the Macintosh Maps app you get a message saying that the file is damaged and can't be opened,

Download the Maps App

enable 'allow apps downloaded from anywhere'.

The Linux Maps app (built for 64-bit Linux/x11)



13 of 22 5/26/23, 13:19

Download the Maps App

Maps app. It's a 221Mb zipfile. To **install** the application, extract the top-level folder, which is called cartotypemaps-app-linux, and put it anywhere suitable on your hard drive. Inside the top-level folder you'll find two folders:

The standard style sheets standard.ctstyle and neo.ctstyle are in the CartoTypeMaps-Linux-x64 folder.

You can run the application by double-clicking on CartoTypeMaps-Linux-x64/CartoTypeMaps.sh. That file is a script which sets the

15 of 22 5/26/23, 13:19

:

Download the Maps App

structure as it is so that the executable can find the libraries and data files it needs.

If you have any trouble running the Linux CartoType Maps app, please let us know. If the app won't run at all, run CartoTypeMaps.sh from a shell window and tell us what, if any, errors are reported.

Download the Maps App

manager or typing its name in a command window.

If you need to **uninstall** the Linux Maps app, just delete the cartotype-maps-app-linux folder and all its contents.

Download the Maps App

The Maps App

Developers choose CartoType

Download the Maps App

service.

PRODUCTS DEVELOPERS

Overview Overview

19 of 22 5/26/23, 13:19

Download the Maps App

MAKKEIS

DOCUITICITATION

THE MAPS APP

ARTICLES

CONTACT

Download the Maps App

@CartoType

All content copyright 2023
CartoType Ltd. By continuing to use this site you are agreeing to use our cookies.

f

5/26/23, 13:19