Confluent Cloud Clients Python Library

The Confluent Cloud Clients Python Library provides a set of clients for interacting with Confluent Cloud REST APIs. The library includes clients for:

- Flink
- Kafka
- Schema Registry
- Tableflow
- Metrics

Note: This library is in active development and is subject to change. It covers only the methods I have needed so far. If you need a method that is not covered, please feel free to open an issue or submit a pull request.

Table of Contents

- 1.0 Library Clients
 - 1.1 Flink Client
 - o 1.2 Kafka Client
 - o 1.3 Schema Registry Client
 - o 1.4 Tableflow Client
 - o 1.5 Metrics Client
- 2.0 Unit Tests
 - o 2.1 Flink Client
 - o 2.2 Kafka Client
 - o 2.3 Schema Registry Client
 - o 2.4 Tableflow Client
 - o 2.5 Metrics Client
- 3.0 Installation
- 4.0 Resources
 - 4.1 Architecture Design Records (ADRs)
 - 4.2 API Documentation
 - o 4.3 Flink Resources
 - 4.4 Tableflow Resources
 - 4.5 Metrics Resources
 - o 4.6 Other Resources

1.0 Library Clients

1.1 Flink Client

The Flink Client provides the following methods:

- delete_statement
- delete_statements_by_phase
- drop_table

Note: "The drop_table method will drop the table and all associated statements, including the backing Kafka Topic and Schemas."

- get_compute_pool
- get_compute_pool_list
- get_statement_list
- stop_statement

Note: "Confluent Cloud for Apache Flink enforces a **30-day** retention for statements in terminal states."

- submit_statement
- update_statement
- update_all_sink_statements

1.2 Kafka Client

The Kafka Client provides the following methods:

- delete_kafka_topic
- kafka_topic_exist
- kafka_get_topic

1.3 Schema Registry Client

The **Schema Registry Client** provides the following methods:

- convert_avro_schema_into_string
- delete_kafka_topic_key_schema_subject
- delete_kafka_topic_value_schema_subject
- get_global_topic_subject_compatibility_level
- get_topic_subject_compatibility_level
- get_topic_subject_latest_schema
- register_topic_subject_schema
- set_topic_subject_compatibility_level

1.4 Tableflow Client

The **Tableflow Client** provides the following methods:

- get_tableflow_topic
- get_tableflow_topic_table_path

1.5 Metrics Client

The Metrics Client provides the following methods:

• get_topic_total

Note: "The <u>get_topic_total</u> method can be used to get the total bytes or total records for a Kafka Topic. It requires an additional parameter to specify the metric type."

- o Metric Types:
 - RECEIVED_BYTES
 - RECEIVED_RECORDS
- get_topic_daily_aggregated_totals

Note: "The get_topic_daily_aggregated_totals method can be used to get the daily aggregated totals for a Kafka Topic within a rolling window of the last 7 days. It requires an additional parameter to specify the metric type."

- Metric Types:
 - RECEIVED_BYTES
 - RECEIVED_RECORDS

2.0 Unit Tests

The library includes unit tests for each client. The tests are located in the tests directory. To use them, you must clone the repo locally:

```
git clone https://github.com/j3-signalroom/cc-clients-python_lib.git
```

Since this project was built using uv, please install it, and then run the following command to install all the project dependencies:

```
uv sync
```

Then within the tests directory, create the .env file and add the following environment variables, filling them with your Confluent Cloud credentials and other required values:

```
BOOTSTRAP_SERVER_CLOUD_PROVIDER=
BOOTSTRAP_SERVER_CLOUD_REGION=
BOOTSTRAP_SERVER_ID=
CLOUD_PROVIDER=
CLOUD_REGION=
COMPUTE_POOL_ID=
CONFLUENT_CLOUD_API_KEY=
CONFLUENT_CLOUD_API_SECRET=
ENVIRONMENT_ID=
FLINK_API_KEY=
FLINK_API_SECRET=
FLINK_CATALOG_NAME=
```

FLINK_DATABASE_NAME= FLINK_STATEMENT_NAME= FLINK_TABLE_NAME= FLINK_URL= KAFKA_API_KEY= KAFKA_API_SECRET= KAFKA_CLUSTER_ID= KAFKA_TOPIC_NAME= ORGANIZATION_ID= PRINCIPAL_ID= QUERY_START_TIME= QUERY_END_TIME= SCHEMA_REGISTRY_API_KEY= SCHEMA_REGISTRY_API_SECRET= SCHEMA_REGISTRY_URL= TABLEFLOW_API_KEY= TABLEFLOW_API_SECRET=

Note: The QUERY_START_TIME and QUERY_END_TIME environment variables should be in the format YYYY-MM-DDTHH:MM:SS, for example, 2025-09-01T00:00:00.

2.1 Flink Client

To run a specific test, use one of the following commands:

Unit Test	Command
Delete a Flink Statement	<pre>uv run pytest -s tests/test_flink_client.py::test_delete_statement</pre>
Delete all Flink Statements by Phase	<pre>uv run pytest -s tests/test_flink_client.py::test_delete_statements_by_phase</pre>
Get list of the all the Statements	<pre>uv run pytest -s tests/test_flink_client.py::test_get_statement_list</pre>
Submit a Flink Statement	<pre>uv run pytest -s tests/test_flink_client.py::test_submit_statement</pre>
Get Compute Pool List	<pre>uv run pytest -s tests/test_flink_client.py::test_get_compute_pool_list</pre>
Get Compute Pool	<pre>uv run pytest -s tests/test_flink_client.py::test_get_compute_pool</pre>
Stop a Flink Statement	<pre>uv run pytest -s tests/test_flink_client.py::test_stop_statement</pre>
Update a Flink Statement	<pre>uv run pytest -s tests/test_flink_client.py::test_update_statement</pre>
Update all the Sink Statements	<pre>uv run pytest -s tests/test_flink_client.py::test_update_all_sink_statements</pre>
Drop a Flink Table along with any associated statements, including the backing Kafka Topic and Schemas	<pre>uv run pytest -s tests/test_flink_client.py::test_drop_table</pre>

Otherwise, to run all the tests, use the following command:

```
uv run pytest -s tests/test_flink_client.py
```

Note: The tests are designed to be run in a specific order. If you run them out of order, you may encounter errors. The tests are also designed to be run against a Confluent Cloud environment. If you run them against a local environment, you may encounter errors.

2.2 Kafka Client

To run a specific test, use one of the following commands:

Unit Test	Command
Delete a Kafka Topic	uv run pytest -s tests/test_kafka_client.py::test_delete_kafka_topic

Unit Test	Command
Checks if a Kafka Topic Exist	uv run pytest -s tests/test_kafka_client.py::test_kafka_topic_exist
Get Kafka Topic Details	uv run pytest -s tests/test_kafka_client.py::test_kafka_get_topic

Otherwise, to run all the tests, use the following command:

```
uv run pytest -s tests/test_kafka_client.py
```

Note: The tests are designed to be run in a specific order. If you run them out of order, you may encounter errors. The tests are also designed to be run against a Confluent Cloud environment. If you run them against a local environment, you may encounter errors.

2.3 Schema Registry Client

To run a specific test, use one of the following commands:

Unit Test	Command
Get the Subject Compatibility Level	<pre>uv run pytest -s tests/test_schema_registry_client.py::test_get_subject_compatibility_level</pre>
Delete the Kafka Topic Key Schema Subject	uv run pytest -s tests/test_schema_registry_client.py::test_delete_kafka_topic_key_schema_subject
Delete the Kafka Topic Value Schema Subject	uv run pytest -s tests/test_schema_registry_client.py::test_delete_kafka_topic_value_schema_subject

Otherwise, to run all the tests, use the following command:

```
uv run pytest -s tests/test_schema_registry_client.py
```

Note: The tests are designed to be run in a specific order. If you run them out of order, you may encounter errors. The tests are also designed to be run against a Confluent Cloud environment. If you run them against a local environment, you may encounter errors.

2.4 Tableflow Client

To run a specific test, use one of the following commands:

Unit Test	Command
Get the Tableflow Topic	uv run pytest -s tests/test_tableflow_client.py::test_get_tableflow_topic
Get the Tableflow Topic Table Path	uv run pytest -s tests/test_tableflow_client.py::test_get_tableflow_topic_table_path

Otherwise, to run all the tests, use the following command:

```
uv run pytest -s tests/test_tableflow_client.py
```

Note: The tests are designed to be run in a specific order. If you run them out of order, you may encounter errors. The tests are also designed to be run against a Confluent Cloud environment. If you run them against a local environment, you may encounter errors.

2.5 Metrics Client

To run a specific test, use one of the following commands:

Unit Test	Command
Get the Topic Total Bytes	<pre>uv run pytest -s tests/test_metrics_client.py::test_get_topic_total_bytes</pre>
Get the Topic Total Records	<pre>uv run pytest -s tests/test_metrics_client.py::test_get_topic_total_records</pre>

Unit Test	Command
Get the Topic Daily Aggregated Totals Bytes	uv run pytest -s tests/test_metrics_client.py::test_get_topic_daily_aggregated_totals_bytes
Get the Topic Daily Aggregated Totals Records	<pre>uv run pytest -s tests/test_metrics_client.py::test_get_topic_daily_aggregated_totals_records</pre>
Compute the Topic Partition Count Based on Received Bytes and Record Count	uv run pytest -s tests/test_metrics_client.py::test_compute_topic_partition_count_based_on_received_bytes_record_count

Otherwise, to run all the tests, use the following command:

```
uv run pytest -s tests/test_metrics_client.py
```

Note: The tests are designed to be run in a specific order. If you run them out of order, you may encounter errors. The tests are also designed to be run against a Confluent Cloud environment. If you run them against a local environment, you may encounter errors.

3.0 Installation

Install the Confluent Cloud Clients Python Library using pip:

```
pip install cc-clients-python-lib
```

Or, using uv:

```
uv add cc-clients-python-lib
```

4.0 Resources

4.1 Architecture Design Records (ADRs)

• 001 Architectural Design Record (ADR): Drop Table Plus

4.2 API Documentation

- Flink SQL REST API for Confluent Cloud for Apache Flink
- Kafka REST APIs for Confluent Cloud
- Confluent Cloud APIs Topic (v3)
- Confluent Cloud Schema Registry REST API Usage

4.3 Flink Resources

- CCAF State management
- Monitor and Manage Flink SQL Statements in Confluent Cloud for Apache Flink
- DROP TABLE Statement in Confluent Cloud for Apache Flink

4.4 Tableflow Resources

• Tableflow Topics (tableflow/v1)

4.4 Tableflow Resources

• Tableflow Topics (tableflow/v1)

4.5 Metrics Resources

- Confluent Cloud Metrics API Version 2 Reference
- Confluent Cloud Metrics API: Metrics Reference
- Confluent Cloud Metrics

4.6 Other Resources

- How to programmatically pause and resume a Flink statement
- How to programmatically pause and resume a Flink statement REDUX