


A dry hospital can still lose power.

See the dependencies.
Act before access closes.

A coastal preparedness workspace connecting flood scenarios to electricity, critical care, and resupply access.

4 corridors • connected service impacts



A working demonstration with explicit model assumptions.

Flood exposure is only one part of the risk.

Essential services depend on assets beyond their own footprint.

01

Compound water

Surge and river inflow interact in the screening model.

02

Power dependency

A low-lying upstream substation can interrupt supply.

03

Dry hospital

A facility can remain dry while its grid connection fails.

04

Backup reserve

Generator fuel becomes a service-continuity dependency.

05


Resupply access

Choke-point depth and travel time limit delivery windows.

Our question: which service fails next, and what response window remains?

From “what if” to a reviewable action.

One workspace connects scenario controls, service impacts, and evidence-linked advisories.



Explore

Choose a corridor. Compare baseline, cyclone, severe, or custom inputs.

Trace

Inspect power links, hospital backup reserves, and resupply windows.

Prepare

Generate a draft, download a brief, and verify test delivery.

Dry ground. Interrupted supply.

Selected scenario: 1.85 m surge • 550 m³/s river inflow • 6 h to peak

VPS Lakeshore Multi-Speciality Hospital

0.00 m Estimated depth at hospital

53.3 h Modeled generator reserve

68 Demonstration ICU-bed capacity

Demonstration assumptions; this is not a live facility-status report.

INFRASTRUCTURE DETAIL

VPS Lakeshore Multi-Speciality Hospital

Estimated depth

0.00_m

Ground elevation

3_m

Asset ID

HI_Lakeshore

Coordinates

9.9191, 76.3191

Category

healthcare

Grid supply

Interrupted in scenario

Fuel reserve

53.3 hours

Critical care capacity

68 ICU beds

This hospital is dry in the scenario, but an upstream power dependency is interrupted. Check backup generation and resupply access.

Elevation, equipment thresholds and network links are curated demonstration assumptions.

Locate on map

Protect the resupply window.

Departure deadline = modeled clearance breach time – route travel allowance.

Medical oxygen

175 min

Estimated latest departure from run start

Kundannoor Bridge Approach (NH-66 Bypass)

Assumed clearance: 0.20 m

Transit allowance: 25 min

Diesel fuel

246 min

Estimated latest departure from run start

Container Terminal Road Bridge Abutment


Assumed clearance: 0.45 m

Transit allowance: 22 min

These are screening estimates, not live navigation or dispatch authorization.

A clear message, with a verifiable trail.

Every draft records its scenario, actual engine mode, and evidence limitations.



Grounded draft

Recommendations are linked to the run identifier.
Offline drafting is explicitly labeled.

Immutable evidence

Checksummed drafts and delivery receipts persist independently. Repeated requests share one receipt.

Reviewed test delivery

Download the brief. Deliver to the in-app inbox.
Another browser session has a separate inbox.

A public prototype. A reproducible backend.

The repository includes the full Python server and the hosted runtime adapter.

Browser workspace

React + Vite + Leaflet

Responsive dashboard

Scenario sharing and JSON export

Advisory review and brief download

Hosted adapter

Public Sites deployment

D1 records scoped by session

Hydro / grid / logistics parity

Test inbox only on the public demo

Python backend

FastAPI + NetworkX + NumPy

SQLite persistence + Docker

Diagnostic APIs + event streaming

Optional authenticated Earth Engine

Providers stay explicit

Open-Meteo forecast context · optional Gemini drafting · satellite observations require configuration

Tested behavior. Honest scope.

Engineering checks establish repeatable prototype behavior, not field accuracy.

58

Backend tests passed

6

Hosted API tests passed

100

Cross-runtime parity cases

4

Sample coastal corridors

Also verified

Public desktop and mobile flow; downloads and receipts; session isolation; provider-outage behavior; Docker build and container runtime in GitHub Actions.

Next: local partner validation

Replace sample topology with maintained asset data. Calibrate hydraulic assumptions. Validate radar candidates and road conditions with local partners.

No independent field validation, official warnings, confirmed medical status, or financial transfers are claimed.

Earlier action starts with clarity.

Built for communities.

Designed for connected preparedness.

Public prototype

chronos-coastal.jeevangeorge2030i.chatgpt.site

Repository + submission release

github.com/j33v4nz/ggl



SCAN TO EXPLORE