```
[[MacBook-Air-137:SP25/CSE110/Lab_1] ericwang% git clone https://github.com/j5995/Github-Pages.git
Cloning into 'Github-Pages'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
[[MacBook-Air-137:SP25/CSE110/Lab 1] ericwang% ls
Github-Pages
[[MacBook-Air-137:SP25/CSE110/Lab_1] ericwang% cd Github-Pages/
[[MacBook-Air-137:CSE110/Lab 1/Github-Pages] ericwang% ls
README.md
[[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% vim README.md
[[MacBook-Air-137:CSE110/Lab 1/Github-Pages] ericwang% git branch add-read-me
[[MacBook-Air-137:CSE110/Lab 1/Github-Pages] ericwang% git checkout add-read-me
Switched to branch 'add-read-me'
[[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% vim README.md
[[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% git commit -m "Update readme file"
```

[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% git commit -m "Update readme file" [add-read-me 860143c] Update readme file 1 file changed, 4 insertions(+), 1 deletion(-) [MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% git push fatal: The current branch add-read-me has no upstream branch. To push the current branch and set the remote as upstream, use git push --set-upstream origin add-read-me To have this happen automatically for branches without a tracking

[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% git add README.md

upstream, see 'push.autoSetupRemote' in 'git help config'.

```
[[MacBook-Air-137:CSE110/Lab 1/Github-Pages] ericwang% git push --set-upstream origin add-read-me
Username for 'https://github.com': j5995
[Password for 'https://j5995@github.com':
remote: Permission to j5995/Github-Pages.git denied to j5995.
fatal: unable to access 'https://github.com/j5995/Github-Pages.git/': The requested URL returned error
: 403
[[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang% git push --set-upstream origin add-read-me
Username for 'https://github.com': j5995
[Password for 'https://j5995@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100\% (3/3), 279 bytes | 279.00 KiB/s, done.
|Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
             https://github.com/j5995/Github-Pages/pull/new/add-read-me
remote:
remote:
To https://github.com/j5995/Github-Pages.git
* [new branch] add-read-me -> add-read-me
branch 'add-read-me' set up to track 'origin/add-read-me'.
[MacBook-Air-137:CSE110/Lab_1/Github-Pages] ericwang%
```