

```

import { useState, useEffect, useRef } from "react";

const B = {
  id:"dahab", name:"DahabPlus", company:"Dahabshiil",
  p1:"#2E6B3E", p2:"#3A8A50", p3:"#4CAF6A",
  gold:"#F0C040", goldDk:"#C49A20",
  bg:"#0A180E", surface:"#0F2015", card:"#142B1A", card2:"#1A3520",
  border:"#1E3E26", border2:"#2A5035",
  text:"#E8F5EC", textMid:"#A8C8B0", textMut:"#5A8A68",
  success:"#27AE60",
};

const SCR = {
  SPLASH:"splash", WELCOME:"welcome", REGISTER:"register",
  VERIFY:"verify", LINK:"link", BIOMETRIC:"biometric",
  DASHBOARD:"dashboard", SEND:"send", QR:"qr",
  TOPUP:"topup", CONVERT:"convert", WALLET:"wallet",
  VIRTUAL:"virtual", ESIM:"esim", MERCHANT:"merchant",
  TOURIST:"tourist", SUCCESS:"success",
};

function DahabLogo({ h = 32 }) {
  return (
    <svg height={h} viewBox="0 0 180 50" fill="none" style={{display:"block"}}>
      <rect x="2" y="10" width="34" height="28" rx="5" fill={B.p1}/>
      <rect x="6" y="6" width="30" height="26" rx="5" fill={B.p2}/>
      <rect x="25" y="15" width="13" height="10" rx="3" fill={B.gold}/>
      <circle cx="31" cy="20" r="2.5" fill={B.p1}/>
      <text x="44" y="34" fontFamily="Georgia,serif" fontSize="22" fontWeight="bo
      <text x="118" y="34" fontFamily="Georgia,serif" fontSize="22" fontWeight="b
    </svg>
  );
}

const S = () => ({
  pad: {padding:"18px"},
  title: {fontSize:"18px",color:B.text,marginBottom:"5px",fontWeight:"600"},
  sub: {fontSize:"12px",color:B.textMut,marginBottom:"16px",lineHeight:"1.7"},
  lbl: {fontSize:"9px",color:B.textMut,letterSpacing:"1.5px",textTransform:"upper
  inp: {width:"100%",background:B.card,border:`1px solid ${B.border2}`,borderRadi
  sel: {width:"100%",background:B.card,border:`1px solid ${B.border2}`,borderRadi
  btn: {width:"100%",padding:"14px",background:`linear-gradient(135deg,${B.p1},${
  btn0: {width:"100%",padding:"12px",background:"transparent",border:`1px solid $
  btnGh: {background:"transparent",border:"none",color:B.p3,fontSize:"12px",curso

```

```

crd: {background:B.card,border:`1px solid ${B.border}`,borderRadius:"14px",padd
crd2: {background:B.card2,border:`1px solid ${B.border2}`,borderRadius:"11px",p
balC: {background:`linear-gradient(135deg,${B.bg},${B.p1}99,${B.bg})`,border:`1
balA: {fontSize:"30px",color:B.gold,fontWeight:"700",margin:"5px 0 3px",lettersS
balL: {fontSize:"9px",color:B.textMut,letterSpacing:"2px",textTransform:"upperc
bdg: (bg,br,tx)=>({background:bg||B.card,border:`1px solid ${br||B.border2}`,bo
tag: (c)=>({background:c+"22",border:`1px solid ${c}55`,borderRadius:"5px",padd
row: {display:"flex",justifyContent:"space-between",alignItems:"center"},
g2: {display:"grid",gridTemplateColumns:"1fr 1fr",gap:"8px",marginBottom:"12px"
g3: {display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:"7px",marginBottom:"1
g4: {display:"grid",gridTemplateColumns:"1fr 1fr 1fr 1fr",gap:"7px",marginBotto
aB: (a)=>({background:a?B.card2:B.card,border:`1px solid ${a?B.p3:B.border}`,bo
txR: {display:"flex",justifyContent:"space-between",alignItems:"center",padding
ava: {width:"32px",height:"32px",borderRadius:"50%",background:B.card2,border:`
dv: {height:"1px",background:`linear-gradient(90deg,transparent,${B.p2},transpa
bk: {background:"transparent",border:"none",color:B.p3,fontSize:"12px",cursor:"
ok: {width:"60px",height:"60px",borderRadius:"50%",background:B.success+"22",bo
});

```

```

function Phone({ scr, onNav, noNav, children }) {
  const s = S();
  const tabs = [
    {icon:"🏠",lbl:"Hoyga",s:SCR.DASHBOARD},
    {icon:"🏠",lbl:"Kaadh",s:SCR.VIRTUAL},
    {icon:"📁",lbl:"Dir",s:SCR.SEND},
    {icon:"🔄",lbl:"Bedel",s:SCR.CONVERT},
  ];
  return (
    <div style={{width:"330px",height:"700px",background:B.surface,borderRadius:"
      <div style={{background:B.bg,padding:"12px 22px 8px",display:"flex",justify
        <span>9:41</span><span>●●●● 5G 📶</span>
      </div>
      <div style={{flex:1,overflowY:"auto",display:"flex",flexDirection:"column"}
        {children}
      </div>
      {!noNav && (
        <div style={{background:B.bg,borderTop:`1px solid ${B.border}`,padding:"8
          {tabs.map(t=>(
            <div key={t.s} style={{textAlign:"center",cursor:"pointer",padding:"3
              <div style={{fontSize:"18px"}}>{t.icon}</div>
              <div style={{fontSize:"9px",color:scr===t.s?B.gold:B.textMut}}>{t.l
                {scr===t.s&&<div style={{width:"4px",height:"4px",borderRadius:"50%
                  </div>
                </div>
              </div>
            </div>
          </div>
        )}
      </div>
    )}
  </div>

```

```

    );
}

function SplashScreen({onDone}) {
  const [p,setP]=useState(0);
  useEffect(()=>{const t=setInterval(()=>setP(v=>{if(v>=100){clearInterval(t);set
  return (
    <div style={{flex:1,display:"flex",flexDirection:"column",alignItems:"center"
      <div style={{marginBottom:"10px"}}><DahabLogo h={38}/></div>
      <div style={{fontSize:"9px",color:B.textMut,letterSpacing:"3px",marginBotto
      <div style={{width:"170px",height:"3px",background:B.card2,borderRadius:"99
        <div style={{height:"100%",width:`${p}%`,background:`linear-gradient(90de
        </div>
        <div style={{fontSize:"10px",color:B.textMut,marginTop:"10px"}}>Soo rarista
      </div>
    );
  }
}

```

```

function WelcomeScreen({onNext}) {
  const s=S();
  return (
    <div style={{flex:1,display:"flex",flexDirection:"column",background:`linear-
      <div style={{flex:1,display:"flex",flexDirection:"column",justifyContent:"c
        <div style={{textAlign:"center",marginBottom:"22px"}}>
          <DahabLogo h={34}/>
          <div style={{fontSize:"9px",color:B.textMut,marginTop:"6px",letterSpaci
        </div>
        <div style={s.dv}/>
        <div style={{textAlign:"center",marginBottom:"22px"}}>
          <p style={{color:B.textMut,fontSize:"12px",lineHeight:"1.9",margin:0}}>
            DahabPlus hadda wuxuu u furan yahay<br/>
            <span style={{color:B.gold,fontWeight:"700"}}>qurba-joogta & dalxiisa
            dunida oo dhan
          </p>
          <div style={{display:"flex",gap:"6px",justifyContent:"center",margin:"1
            {[,,,,,]}.map((f,i)=><span key={i} style={{fc
          </div>
        </div>
        <button style={s.btn} onClick={ ()=>onNext(SCR.REGISTER)}>Bilow – Get Star
        <button style={{...s.btnO}} onClick={ ()=>onNext(SCR.TOURIST)}><img alt="Globe icon" data-bbox="785 795 805 815"/> Tourist
        <button style={{...s.btnO}} onClick={ ()=>onNext(SCR.DASHBOARD)}><img alt="Eye icon" data-bbox="805 815 825 835"/> Arag I
      </div>
    </div>
  );
}

```

```

function TouristScreen({onNext}) {

```



```

        <select style={s.sel}><option>Passport</option><option>National ID</option>
        <label style={s.lbl}>Currency</label>
        <select style={s.sel}><option>🇺🇸 USD</option><option>🇪🇺 SOS</option><option>
        <button style={s.btn} onClick={()=>onNext(SCR.VERIFY)}>Sii Wad →</button>
      </div>
    );
  }

```

```

function VerifyScreen({onNext}) {
  const s=S();
  const [vals,setVals]=useState(["","","","","",""]);
  const refs=[useRef(),useRef(),useRef(),useRef(),useRef(),useRef()];
  const set=(i,v)={const n=[...vals];n[i]=v;setVals(n);if(v&&i<5)refs[i+1].current.value=v};
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.REGISTER)}>← Ku Noqo</button>
      <span style={s.bdg()}>TALLAABO 2/3 – OTP</span>
      <h2 style={s.title}>Geli Koodka</h2>
      <p style={s.sub}>SMS waxaan kuu dirnay +1 712 *** 6789</p>
      <div style={{display:"flex",gap:"7px",justifyContent:"center",marginBottom:10}}
        {vals.map((v,i)=>(
          <input key={i} ref={refs[i]} maxLength={1} type="text"
            style={{width:"38px",height:"46px",background:B.card,border:`2px solid #ccc`,borderRadius:5,value=v} onChange={e=>set(i,e.target.value)}/>
        ))}
      </div>
      <div style={{...s.crd2,textAlign:"center",marginBottom:"14px"}}>
        <span style={{fontSize:"11px",color:B.textMut}}>Kood ma helin? </span>
        <button style={s.btnGh}>Dib u Dir</button>
      </div>
      <button style={s.btn} onClick={()=>onNext(SCR.LINK)}>Xaqiiji ✓</button>
    </div>
  );
}

```

```

function LinkScreen({onNext}) {
  const s=S(); const [sel,setSel]=useState(0);
  const methods=[{i:"🇺🇸",l:"Visa / Mastercard"},{i:"🍏",l:"Apple Pay"},{i:"🇧🇪",l:"Bank of America"}];
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.VERIFY)}>← Ku Noqo</button>
      <span style={s.bdg()}>TALLAABO 3/3 – TOP-UP</span>
      <h2 style={s.title}>International Top-up</h2>
      <p style={s.sub}>Dooro habka lacagta</p>
      <div style={s.g3}>
        {methods.map((m,i)=>(
          <button key={i} onClick={()=>setSel(i)} style={s.aB(sel===i)}>{m.l}

```

```

        <span style={{fontSize:"20px",display:"block",marginBottom:"3px"}}>{m
        <span style={{fontSize:"9px",color:sel===i?B.gold:B.textMut}}>{m.l}</
    </button>
  )})
</div>
{sel===0&&(
  <div style={{...s.crd,background:B.card2}}>
    <input style={s.inp} placeholder="4242 4242 4242 4242"/>
    <div style={{display:"flex",gap:"8px"}}>
      <input style={s.inp} placeholder="MM/YY"/>
      <input style={s.inp} placeholder="CVV" type="password"/>
    </div>
  </div>
)}
{sel>0&&<div style={{...s.crd,textAlign:"center",padding:"22px"}}><div styl
<div style={{display:"flex",gap:"7px",alignItems:"center",margin:"8px 0"}}>
  <span>🔒</span><span style={{fontSize:"10px",color:B.textMut}}>SSL Encrypt
</div>
  <button style={s.btn} onClick={()=>onNext(SCR.BIOMETRIC)}>Sii Wad →</button
</div>
);
}

```

```

function BiometricScreen({onNext}) {
  const s=S(); const [done,setDone]=useState(false);
  return (
    <div style={{...s.pad,flex:1,display:"flex",flexDirection:"column",alignItems
    <div style={{fontSize:"62px",marginBottom:"14px"}}>{done?"✅":"👉"}</div>
    <h2 style={s.title}>{done?"Biometric Waa Diyaar!":"Biometric Security"}</h2>
    <p style={{...s.sub,textAlign:"center"}}>{done?"Fingerprint & Face ID waa l
    {!done?(
      <>
        <div style={{...s.g2,width:"100%"}}>
          <button style={{...s.crd,padding:"18px",cursor:"pointer"}} onClick={ (
            <div style={{fontSize:"28px",textAlign:"center"}}>👉</div>
            <div style={{fontSize:"10px",color:B.textMut,textAlign:"center",mar
          </button>
          <button style={{...s.crd,padding:"18px",cursor:"pointer"}} onClick={ (
            <div style={{fontSize:"28px",textAlign:"center"}}>👉</div>
            <div style={{fontSize:"10px",color:B.textMut,textAlign:"center",mar
          </button>
        </div>
        <button style={{...s.btnO,width:"100%"}} onClick={()=>onNext(SCR.DASHBO
      </>
    ):(
      <button style={{...s.btn,width:"220px"}} onClick={()=>onNext(SCR.DASHBOAR
    )}
  )
}

```

```

    </div>
  );
}

function DashboardScreen({onNext}) {
  const s=S();
  const txs=[
    {icon:"🏨",name:"Mogadishu Palace Hotel",note:"QR Payment",amt:"-$45.00",pos:
    {icon:"🚕",name:"Taxi Online Somalia",note:"Hodan→KM4",amt:"-$3.50",pos:false
    {icon:"📶",name:"International Top-up",note:"Apple Pay",amt:"+$200.00",pos:tr
    {icon:"💰",name:"U diray Ahmed Omar",note:"Transfer",amt:"-$100.00",pos:false
  ];
  return (
    <div style={s.pad}>
      <div style={{...s.row,marginBottom:"16px"}}>
        <div style={{display:"flex",alignItems:"center",gap:"9px"}}>
          <div style={{width:"34px",height:"34px",borderRadius:"50%",background:B
          <div>
            <div style={{fontSize:"10px",color:B.textMut}}>Ku soo dhawow 🙌</div>
            <div style={{fontSize:"15px",color:B.text,fontWeight:"600"}}>Ahmed Om
          </div>
        </div>
        <div style={{display:"flex",gap:"10px"}}>
          <span style={{fontSize:"20px",cursor:"pointer"}}>🔔</span>
          <span style={{fontSize:"20px",cursor:"pointer"}}>🌐</span>
        </div>
      </div>
      <div style={s.balC}>
        <div style={{position:"absolute",top:-25,right:-25,width:"110px",height:"
        <div style={{...s.row,marginBottom:"3px"}}>
          <span style={s.balL}>HADHAAGAAGA - USD</span>
          <span style={s.tag(B.success)}>● LIVE</span>
        </div>
        <div style={s.balA}>$351.50</div>
        <div style={{fontSize:"10px",color:B.textMut,marginBottom:"12px"}}>≈ SOS
        <div style={{display:"flex",gap:"5px",alignItems:"center"}}>
          {[
            "🇺🇸",
            "🇬🇧",
            "🇸🇴",
            "🇩🇪",
            "🇳🇮"
          ].map((f,i)=><span key={i} style={{fontSize:
            <span style={{fontSize:"9px",color:B.textMut,marginLeft:"4px"}}>Multi-c
          </div>
        </div>
        <div style={s.g4}>
          [
            {i:"📶",l:"Dir",s:SCR.SEND},
            {i:"🏨",l:"QR Pay",s:SCR.QR},
            {i:"📶",l:"Shi
            <button key={i} style={s.aB(false)} onClick={()=>onNext(a.s)}>
              <span style={{fontSize:"18px",display:"block",marginBottom:"3px"}}>{a
              <span style={{fontSize:"9px",color:B.textMut}}>{a.l}</span>
            </button>
          ]
        </div>
      )
    )
  }
}

```

```

</div>
<div style={s.g2}>
  {[{i:"🏠",l:"Virtual Card",s:SCR.VIRTUAL,c:B.p3},{i:"📶",l:"eSIM & Data",
    <button key={i} onClick={()=>onNext(a.s)} style={{...s.aB(false),displa
      <span style={{fontSize:"18px"}}>{a.i}</span>
      <span style={{fontSize:"11px",color:a.c,fontWeight:"600"}}>{a.l}</spa
    </button>
  )]}
</div>
<div style={{fontSize:"9px",color:B.textMut,letterSpacing:"2px",marginBotto
{txs.map((tx,i)=>(
  <div key={i} style={s.txR}>
    <div style={{display:"flex",alignItems:"center"}}>
      <div style={s.ava}>{tx.icon}</div>
      <div><div style={{fontSize:"12px",color:B.text}}>{tx.name}</div><div>
    </div>
      <div style={{color:tx.pos?B.success:B.text,fontSize:"12px",fontWeight:"
    </div>
  )]}
</div>
);
}

```

```

function SendScreen({onNext}) {
  const s=S();
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
      <span style={s.bdg()}>🏠 SEND MONEY HOME</span>
      <h2 style={s.title}>Dir Lacag</h2>
      <p style={s.sub}>U dir eDahab user kasta – degdeg & bilaash</p>
      <label style={s.lbl}>Lambarka eDahab</label>
      <input style={s.inp} placeholder="06x xxx xxxx" type="tel"/>
      <label style={s.lbl}>Magaca La Dirayo</label>
      <input style={s.inp} placeholder="Hooyo, Aabo..." />
      <label style={s.lbl}>Xaddiga (USD)</label>
      <input style={{...s.inp,fontSize:"20px",color:B.gold}} placeholder="$0.00"
      <div style={{...s.crd,background:B.card2}}>
        <div style={{...s.row,marginBottom:"5px"}}><span style={{fontSize:"11px",
          <div style={{...s.row,marginBottom:"5px"}}><span style={{fontSize:"11px",
            <div style={s.dv}/>
            <div style={s.row}><span style={{fontSize:"11px",color:B.textMut}}>Waqtig
          </div>
        {[{n:"Hooyo – Fatuma",p:"0615 123 456"},{n:"Walaalka – Omar",p:"0617 789 01
          <div key={i} style={{...s.crd,display:"flex",gap:"9px",cursor:"pointer"}}
            <div style={{width:"32px",height:"32px",borderRadius:"50%",background:B
              <div><div style={{fontSize:"12px"}}>{c.n}</div><div style={{fontSize:"9

```



```

        </div>
    )))
    <button style={s.btn} onClick={()=>onNext(SCR.SUCCESS)}>Xaqiiji & Dir →</button>
  </div>
);
}

```

```

function QRScreen({onNext}) {
  const s=S(); const [mode,setMode]=useState("my"); const [scanned,setScanned]=use
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Nogo</button>
      <span style={s.bdg()}><img alt="QR icon" data-bbox="395 278 415 292"/> QR PAYMENT</span>
      <h2 style={s.title}>QR Lacag Bixinta</h2>
      <div style={{...s.g2,marginBottom:"14px"}}>
        <button style={s.aB(mode==="my")} onClick={()=>setMode("my")}><span style
        <button style={s.aB(mode==="scan")} onClick={()=>setMode("scan")}><span s
      </div>
      {mode==="my"? (
        <div style={{...s.crd,textAlign:"center",background:B.card2}}>
          <div style={{background:"#E8F5EC",borderRadius:"10px",padding:"10px",wi
            {Array(49).fill(0).map((_,i)=><div key={i} style={{width:"12px",heigh
          </div>
          <div style={{fontSize:"12px",fontWeight:"600"}}>AHMED OMAR</div>
          <div style={{fontSize:"9px",color:B.textMut}}>DahabPlus · Scan & Pay</d
        </div>
      ):(
        <div style={{...s.crd,background:B.card2,textAlign:"center",padding:"28px
          {!scanned?
            <><div style={{fontSize:"44px",marginBottom:"10px"}}><img alt="QR icon" data-bbox="745 605 765 619"/></div><div sty
            :<><div style={{fontSize:"44px",marginBottom:"8px"}}><img alt="Checkmark icon" data-bbox="745 625 765 639"/></div><div sty
          </div>
        </div>
      )}
    <div style={{fontSize:"9px",color:B.textMut,letterSpacing:"1.5px",margin:"1
      [{i:"<img alt="Hotel icon" data-bbox="245 715 265 735"/>","n:"Mogadishu Palace Hotel",d:"0.2km"},{i:"<img alt="Beach icon" data-bbox="275 715 295 735"/>","n:"Lido Beach Resta
      <div key={i} style={{...s.crd,...s.row,cursor:"pointer"}} onClick={()=>on
        <div style={{display:"flex",gap:"9px"}}><span style={{fontSize:"20px"}}
        <span style={s.tag(B.gold)}>QR ✓</span>
      </div>
    </div>
  </div>
);
}

```

```

function TopupScreen({onNext}) {
  const s=S(); const [amt,setAmt]=useState("100");

```

```

return (
  <div style={s.pad}>
    <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
    <span style={s.bdg()}><img alt="INTERNATIONAL TOP-UP icon" data-bbox="388 103 412 118"/> INTERNATIONAL TOP-UP</span>
    <h2 style={s.title}>Shub Lacag</h2>
    <p style={s.sub}>Wallet-kaaga ku shub meel kasta oo adiga joogtid</p>
    <input style={{...s.inp,fontSize:"24px",textAlign:"center",color:B.gold}} v
    <div style={s.g3}>[["50","100","200"].map(v=><button key={v} onClick={()=>s
    {[{i:"<img alt='Visa / Mastercard icon'" data-bbox="245 203 265 215"/>","l:"Visa / Mastercard"}},{i:"<img alt='Apple Pay icon'" data-bbox="245 203 265 215"/>","l:"Apple Pay"}},{i:"<img alt='Google Pay icon'" data-bbox="245 203 265 215"/>","l:"Google Pay"}]
    <div key={i} style={{...s.crd,display:"flex",gap:"10px",alignItems:"center"
    <span style={{fontSize:"20px"}}>{m.i}</span><span style={{flex:1,fontSize:
    </div>
    )}]
    <div style={{...s.crd2,...s.row}}><span style={{fontSize:"11px",color:B.text
    <button style={s.btn} onClick={()=>onNext(SCR.SUCCESS)}>Shub ${amt} →</button>
    </div>
  );
}

```

```

function ConvertScreen({onNext}) {
  const s=S(); const [from,setFrom]=useState("USD"); const [to,setTo]=useState("SOS");
  const rates={USD:1,SOS:1370,GBP:0.79,EUR:0.93,AED:3.67};
  const result=((parseFloat(amt)||0)*rates[to]/rates[from]).toFixed(2);
  const cs=["USD","SOS","GBP","EUR","AED"];
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
      <span style={s.bdg()}><img alt="CURRENCY CONVERSION icon" data-bbox="388 563 412 578"/> CURRENCY CONVERSION</span>
      <h2 style={s.title}>Bedel Lacagta</h2>
      <input style={{...s.inp,fontSize:"22px",textAlign:"center",color:B.gold}} v
      <div style={{...s.g2,gap:"12px"}}>
        <div><label style={s.lbl}>Ka</label><select style={s.sel} value={from} on
        <div><label style={s.lbl}>Ku</label><select style={s.sel} value={to} onCh
        </div>
      <div style={{...s.balC,textAlign:"center",padding:"20px"}}>
        <div style={s.balL}>NATIIJAADA</div>
        <div style={s.balA}>{result}</div>
        <div style={{fontSize:"10px",color:B.textMut}}>{amt} {from} = {result} {to}
        <div style={{fontSize:"9px",color:B.textMut,marginTop:"4px"}}>Live rate
        </div>
      <div style={s.g2}>
        {[["SOS","1,370"],["GBP","0.79"],["EUR","0.93"],["AED","3.67"]].map(([c,r]
        <div key={c} style={{...s.crd2,...s.row}}><span style={{fontSize:"11px"
        )}]
      </div>
      <button style={s.btn} onClick={()=>onNext(SCR.SUCCESS)}>Bedel →</button>
    </div>
  )
}

```

```

    );
}

function WalletScreen({onNext}) {
  const s=S();
  const cs=[{f:"🇺🇸",c:"USD",n:"US Dollar",b:"351.50"},{f:"🇪🇪",c:"SOS",n:"Somali Shilling"}];
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
      <span style={s.bdg()}>💰 MULTI-CURRENCY WALLET</span>
      <h2 style={s.title}>Wallet-kayada</h2>
      <p style={s.sub}>5 currencies – hal app</p>
      {cs.map((c,i)=>(
        <div key={i} style={{...s.crd,...s.row}}>
          <div style={{display:"flex",gap:"10px",alignItems:"center"}}>
            <span style={{fontSize:"22px"}}>{c.f}</span>
            <div><div style={{fontSize:"13px",fontWeight:"600"}}>{c.c}</div><div>
              <div style={{fontSize:"13px",color:B.gold,fontWeight:"600"}}>{c.b}</div>
            </div>
          </div>
        ))}
      <button style={s.btn} onClick={()=>onNext(SCR.CONVERT)}>🔄 Bedel Currency –</div>
    );
}

```

```

function VirtualScreen({onNext}) {
  const s=S(); const [flip,setFlip]=useState(false);
  return (
    <div style={s.pad}>
      <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
      <span style={s.bdg()}>🏠 VIRTUAL CARD</span>
      <h2 style={s.title}>Kaadhkaaga Virtual</h2>
      <p style={s.sub}>Online shopping, subscriptions & booking worldwide</p>
      <div onClick={()=>setFlip(!flip)} style={{background:`linear-gradient(135deg, #8AB4D4 49%, #C8E0F4 49% 51%, #C8E0F4 51% 53%, #5A8AAA 53%)`}}>
        <div>
          <div style={{fontSize:"9px",color:"#8AB4D4",letterSpacing:"2px",margin:"5px 0 5px 10px"}}>CARD INFORMATION</div>
          <div style={{fontSize:"16px",color:"#C8E0F4",letterSpacing:"3px",margin:"5px 0 5px 10px"}}>CARD NUMBER</div>
          <div style={{display:"flex",justifyContent:"space-between"}}>
            <div><div style={{fontSize:"8px",color:"#5A8AAA"}}>CARDHOLDER</div>
            <div><div style={{fontSize:"8px",color:"#5A8AAA"}}>EXPIRES</div><div>
              <div style={{fontSize:"22px",color:"#C8E0F4",fontWeight:"bold"}}>VI</div>
            </div>
          </div>
        </div>
      </div>
    );
  );
}

```

```

        <div style={{height:"22px",background:"rgba(0,0,0,0.5)",margin:"8px -
        <div style={{display:"flex",justifyContent:"space-between",alignItems
            <span style={{fontSize:"8px",color:"#5A8AAA"}}>CVV</span>
            <div style={{background:"#C8E0F4",borderRadius:"4px",padding:"3px 1
        </div>
        <div style={{fontSize:"9px",color:"#5A8AAA",marginTop:"10px",textAlig
    </>
    })
</div>
<div style={{textAlign:"center",fontSize:"10px",color:B.textMut,marginBotto
<div style={s.g2}>
    {[{i:"🛒",l:"Online Shopping"},{i:"📶",l:"Subscriptions"},{i:"✈️",l:"Hot
    <div key={i} style={{...s.crd2,display:"flex",gap:"7px",alignItems:"cen
    )}}
</div>
</div>
</div>
);
}

```

```

function EsimScreen({onNext}) {
    const s=S();
    const pkgs=[{i:"📶",n:"1GB - 7 Maalmood",p:"$5.99",note:"Gaaban"},{i:"📶",n:"50
    return (
        <div style={s.pad}>
            <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Nogo</button>
            <span style={s.bdg()}><📶 eSIM & DATA</span>
            <h2 style={s.title}>eSIM & Internet</h2>
            <p style={s.sub}>Toos ka iibso app-ka - Soomaaliya oo dhan</p>
            <div style={{...s.crd,background:B.card2,border:`1px solid #1ABC9C44`,margi
                <div style={{display:"flex",gap:"9px",alignItems:"center"}}>
                    <span style={{fontSize:"24px"}}><📶</span>
                    <div><div style={{fontSize:"12px",fontWeight:"600"}}>eSIM Active - Daha
                </div>
            </div>
            {pkgs.map((p,i)=>(
                <div key={i} style={{...s.crd,...s.row,cursor:"pointer"}} onClick={()=>on
                    <div style={{display:"flex",gap:"10px"}}><span style={{fontSize:"20px"}}
                    <div style={{textAlign:"right"}}><div style={{fontSize:"13px",color:B.g
                </div>
            )}}
        </div>
    );
}

```

```

function MerchantScreen({onNext}) {
    const s=S();
    const sales=[{t:"09:14",n:"Ahmed Tourist",a:"$45.00",m:"QR"},{t:"10:32",n:"Sara

```

```

return (
  <div style={s.pad}>
    <button style={s.bk} onClick={()=>onNext(SCR.DASHBOARD)}>← Ku Noqo</button>
    <span style={s.bdg()}><img alt="Merchant icon" data-bbox="388 105 412 120"/> MERCHANT DASHBOARD</span>
    <h2 style={s.title}>Ganacsi Dashboard</h2>
    <p style={s.sub}>Mogadishu Palace Hotel – Maanta</p>
    <div style={s.g2}>
      {[{l:"Dakhliga",v:"$273.50",i:"💰",c:B.success},{l:"Macaamiisha",v:"4",i:
        <div key={i} style={{...s.crd,textAlign:"center"}}>
          <div style={{fontSize:"20px"}}>{st.i}</div>
          <div style={{fontSize:"16px",color:st.c,fontWeight:"700"}}>{st.v}</div>
          <div style={{fontSize:"9px",color:B.textMut}}>{st.l}</div>
        </div>
      ]}
    </div>
    <div style={{fontSize:"9px",color:B.textMut,letterSpacing:"1.5px",margin:"8
    {sales.map((sl,i)=>(
      <div key={i} style={s.txR}>
        <div><div style={{fontSize:"12px"}}>{sl.n}</div><div style={{fontSize:"
        <div style={{color:B.success,fontWeight:"700"}}>+{sl.a}</div>
      </div>
    )}
  </div>
);
}

function SuccessScreen({onNext}) {
  const s=S();
  return (
    <div style={{...s.pad,flex:1,display:"flex",flexDirection:"column",alignItems
    <div style={s.ok}>✓</div>
    <h2 style={{...s.title,textAlign:"center"}}>Guul! – Success!</h2>
    <p style={{color:B.textMut,fontSize:"12px",lineHeight:"1.9",marginBottom:"2
    <div style={{...s.crd,width:"100%",textAlign:"left"}}>
      [{"Xaddiga","$50.00"],["Kharashka","$0.00 🎉"],["Lambarka","#TXN-284729"
        <div key={i} style={{...s.row,padding:"8px 0",borderBottom:i<4?"1px sol
          <span style={{fontSize:"11px",color:B.textMut}}>{k}</span>
          <span style={{fontSize:"11px"}}>{v}</span>
        </div>
      ]}
    </div>
    <button style={{...s.btn,width:"100%"}} onClick={()=>onNext(SCR.DASHBOARD)}
    <button style={{...s.btn0}}><img alt="Share icon" data-bbox="445 850 469 865"/> Share Receipt</button>
  </div>
);
}

```

```

export default function App() {
  const [scr, setScr] = useState(SCR.SPLASH);
  const nav = (s) => setScr(s);
  const noNavScreens = [SCR.SPLASH, SCR.WELCOME, SCR.REGISTER, SCR.TOURIST, SCR.VERIFY];
  const showNav = !noNavScreens.includes(scr);

  const render = () => {
    switch(scr) {
      case SCR.SPLASH:    return <SplashScreen onDone={()=>setScr(SCR.WELCOME)} />;
      case SCR.WELCOME:   return <WelcomeScreen onNext={nav} />;
      case SCR.TOURIST:   return <TouristScreen onNext={nav} />;
      case SCR.REGISTER:  return <RegisterScreen onNext={nav} />;
      case SCR.VERIFY:    return <VerifyScreen onNext={nav} />;
      case SCR.LINK:      return <LinkScreen onNext={nav} />;
      case SCR.BIOMETRIC: return <BiometricScreen onNext={nav} />;
      case SCR.DASHBOARD: return <DashboardScreen onNext={nav} />;
      case SCR.SEND:      return <SendScreen onNext={nav} />;
      case SCR.QR:        return <QRScreen onNext={nav} />;
      case SCR.TOPUP:     return <TopupScreen onNext={nav} />;
      case SCR.CONVERT:   return <ConvertScreen onNext={nav} />;
      case SCR.WALLET:    return <WalletScreen onNext={nav} />;
      case SCR.VIRTUAL:   return <VirtualScreen onNext={nav} />;
      case SCR.ESIM:      return <EsimScreen onNext={nav} />;
      case SCR.MERCHANT:  return <MerchantScreen onNext={nav} />;
      case SCR.SUCCESS:   return <SuccessScreen onNext={nav} />;
      default:            return <DashboardScreen onNext={nav} />;
    }
  };

  return (
    <div style={{minHeight:"100vh",background:"#050A07",fontFamily:"'Segoe UI','H
      <div style={{marginBottom:"16px",textAlign:"center"}}>
        <DahabLogo h={28} />
        <div style={{fontSize:"9px",color:B.textMut,letterSpacing:"3px",marginTop
      </div>
      <Phone scr={scr} onNext={nav} noNav={!showNav}>
        {render()}
      </Phone>
      <div style={{marginTop:"14px",fontSize:"10px",color:"#1A3020",textAlign:"ce
        Tan waa demo tijabo - xog dhabta ah lama kaydiyeen
      </div>
    </div>
  );
}

```