

Nexus

Android Task and Project Management Application

Part 2 Submission

Submission details

Group members	[Add full names and student numbers]
GitHub repository	[Add public GitHub repository URL]
YouTube presentation	[Add YouTube video URL]
Submission contents	This PDF; Kotlin source code and README are available through the GitHub repository. No ZIP file is submitted.

Application summary

Nexus is a Jetpack Compose Android application that helps users authenticate, create projects, manage tasks, and monitor progress from a dashboard. The app uses a single-activity Compose interface, Retrofit for API communication, Room for local caching, and Material 3 for its interface.

The current build includes registration and login, JWT session persistence, project creation/editing/deletion, task management, completion tracking, dashboard counts, retryable error states, and an animated splash screen. Task planning support includes optional due dates, priorities, statuses, labels, checklist steps, search, filtering, sorting, and list/board task views.

Mobile-device screenshots

Replace each panel with a clear screenshot taken on the physical mobile device before final submission.

Screenshot 1 — Splash screen / sign-in screen

Screenshot 2 — Dashboard and project list

Screenshot 3 — Task creation and task list / board view

Code comments and references

Comments are used where an explanation adds value, particularly in the instrumentation tests. The following references identify examples in the GitHub source:

Source file	Referenced comment / purpose
<code>app/src/androidTest/java/com/example/nexus/ui/SplashIntroScreenTest.kt</code>	Comments label the test constraints: initial splash visibility, deterministic navigation for unauthenticated users, and authenticated-session setup.
<code>app/src/main/java/com/example/nexus/api/ProjectAndTaskModels.kt</code>	The due-date field documents the expected ISO-8601 yyyy-MM-dd format.
README.md – Security and release notes	Documents why HTTP request-body logging is restricted to debug builds, protecting credentials and tokens in release builds.

Logging evidence

The app uses OkHttp's `HttpLoggingInterceptor` in

`app/src/main/java/com/example/nexus/api/RetrofitClient.kt`. Logging is configured as `BODY` only when `BuildConfig.DEBUG` is true and as `NONE` for release builds. This supports debugging API requests during development without exposing request bodies in a production build.

README and video

The repository README explains the app purpose, features, setup requirements, build/test commands, API endpoints, architecture, security notes, and roadmap. Before submitting, add the final YouTube presentation URL to the README and replace the YouTube placeholder on page 1 of this PDF with the same link.

AI-tool use and citation (under 500 words)

OpenAI Codex was used as an assistance tool during development to help draft and review Android/Kotlin implementation ideas, explain build or debugging issues, and prepare documentation wording. Outputs were reviewed, adapted, and tested by the group before inclusion. The group remains responsible for the design choices, final code, source control, testing, and the accuracy of this submission. No AI-generated content was used without review. Citation: OpenAI, *Codex*, accessed September 2026, prompts and outputs used as development assistance.

Final pre-submission checklist

- Replace all red placeholders with the actual group details and public links.
- Insert three or more physical-device screenshots and regenerate this PDF.
- Confirm the GitHub repository contains the complete Kotlin source code and README.
- Add the YouTube presentation URL to README.md.
- Submit only the completed PDF; do not submit a ZIP file.