Table: NBS Test Order

Logical name: `cr675_testorder`
Primary ID column: `cr675_testorderid`
Primary name column: `cr675_orderid`
Column count: 90
Custom column count: 72
Row count: 3394

Relationships

Many to One

Related table	Local column	Foreign column
`cr675_project`	`cr675_project_testorder`	`cr675_projectid`
`cr675_testdashboardballisticsystem`	`cr675_ballisticsystem`	`cr675_testdashboardballisticsystemid`
`cr675_orderviewrd`	`cr675_orderviewrd`	`cr675_orderviewrdid`
`account`	`cr675_institute`	`accountid`
`account`	`cr675_client`	`accountid`
`cr675_testdashboardammotypedictionary`	`cr675_nbsbullettypedict`	`cr675_testdashboardammotypedictionaryid`
`cr675_nbstestdashboardbackingtypedictionary`	`cr675_backingtypedictionary`	`cr675_nbstestdashboardbackingtypedictionaryid`
`cr675_testdashboardstandarddetails`	`cr675_standarddetail`	`cr675_testdashboardstandarddetailsid`
`systemuser`	`cr675_operator`	`systemuserid`
`systemuser`	`cr675_contactperson`	`systemuserid`
`cr675_testdashboardproduct`	`cr675_testdashboardproduct`	`cr675_testdashboardproductid`
`craab_nbsgrouporder`	`craab_nbsgrouporder`	`craab_nbsgrouporderid`

One to Many

Related table	Local column	Foreign column
`cr675_testdashboardtestedstandarddetail`	`cr675_testorderid`	`cr675_testorder`
`cr675_testcompounds`	`cr675_testorderid`	`cr675_testorder`

Many to Many

Related table	Local column	Foreign column
`cr675_testdashboardstandarddetails`	`cr675_testorderid`	`cr675_testdashboardstandarddetailsid`
`systemuser`	`cr675_testorderid`	`systemuserid`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Client	`cr675_client`	Lookup	True	100.00%
Institute	`cr675_institute`	Lookup	True	99.53%
NBS Project	`cr675_project_testorder`	Lookup	True	99.38%
BallisticSystem	`cr675_ballisticsystem`	Lookup	True	99.26%
NBS Bullet Type Dictionary	`cr675_nbsbullettypedict`	Lookup	True	97.17%
Backing Type	`cr675_backingtypedictionary`	Lookup	True	94.78%
NBS Group Order	`craab_nbsgrouporder`	Lookup	True	21.15%
Standard Detail	`cr675_standarddetail`	Lookup	True	12.70%
Operator	`cr675_operator`	Lookup	True	11.43%
Contact person	`cr675_contactperson`	Lookup	True	1.77%
R&D Order View	`cr675_orderviewrd`	Lookup	True	0.00%
NBS Product	`cr675_testdashboardproduct`	Lookup	True	0.00%
Result Of Test	`cr91b_resultoftest`	Picklist	True	100.00%
Order Status	`cr675_orderstatus`	Picklist	True	99.91%
Priority	`cr675_priority`	Picklist	True	99.47%
Bullet Type	`cr675_bullettype`	String	True	100.00%
Order Name	`cr675_orderid`	String	True	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
No Of Shoots	cr675_noofshoots	String	True	97.41%
Conditioning	cr675_conditioning	String	True	96.46%
Level of Protection	cr91b_levelofprotection	String	True	87.09%
BFS Requirement	cr91b_bfsrequirement	String	True	42.60%
ZK number	cr675_zknumber	String	True	37.89%
Panel size	cr91b_panelsize	String	True	33.65%
Sample Serial Numbers	cr675_sampleserialnumbers	String	True	32.73%
ZP number	cr675_zpnumber	String	True	30.61%
Report number	cr675_reportnumber	String	True	28.14%
Pattern	cr675_pattern	String	True	14.26%
R&D Notes	cr675_rdnotes	String	True	11.28%
Condition requirement	cr91b_conditionrequirement	String	True	5.86%
Shipment Tracking Info	cr675_shipmenttrackinginfo	String	True	2.00%
Root of test	cr675_rootoftest	String	True	0.85%
Backing Type	cr675_backingtype	String	True	0.27%
QA notes	cr675_qanotes	String	True	0.06%
SP Order ID	cr675_sporderid	String	True	0.00%
Standard Details Picker	cr675_standarddetailspicker	String	True	0.00%
Threat	cr675_threat	String	True	0.00%
Copy Test Order	cr91b_ballisticsystemcreator	String	True	0.00%
Product Creator	cr91b_productcreator	String	True	0.00%
Standard Picker	cr91b_standardpicker	String	True	0.00%
Test field	cr91b_testfield	String	True	0.00%
Test field1	cr91b_testfield1	String	True	0.00%
Additional Test Info	cr675_additionaltestinfo	Memo	True	54.21%
Reason for the priority	cr675_reasonforthepriority	Memo	True	27.78%
Notes	cr675_notes	Memo	True	3.89%
Sample Quantity	cr675_samplequantity	Integer	True	99.73%
Queue No	cr675_queueno	Integer	True	0.82%
Counter For Id	cr91b_counterforid	Integer	True	0.29%
V0	cr675_v0	Decimal	True	70.30%
V0 tolerance	cr675_v0tolerance	Decimal	True	49.59%
V50 Minimum Required	cr675_v50minimumrequiredvelocity	Decimal	True	12.85%
Bullet Mass	cr91b_bulletmass	Decimal	True	7.13%
Nom Velocity	cr91b_nomvelocity	Decimal	True	7.04%
V50 Target	cr675_v50targetenergy	Decimal	True	6.75%
Min Velocity	cr91b_minvelocity	Decimal	True	3.36%
Max Velocity	cr91b_maxvelocity	Decimal	True	3.24%
PBFS - Target	cr675_v50targetvelocity	Decimal	True	3.01%
PBFS - Tolerance	cr675_pbfsvelocitytolerance	Decimal	True	2.15%
Energy [J]	cr91b_energyj	Decimal	True	0.32%
Depth Of Cut Tolerance	cr675_depthofcuttolerance	Decimal	True	0.24%
IsShotTest	cr675_isshottest	Boolean	True	100.00%
Produced	cr675_produced	Boolean	True	100.00%
Shipped	cr675_shipped	Boolean	True	100.00%
Test Goal Type	cr675_testgoaltype	Boolean	True	100.00%
Test Origin Type	cr675_testorigintype	Boolean	True	100.00%
Test Result	cr675_testresult	Boolean	True	100.00%
Verified by QA	cr675_verifiedbyqa	Boolean	True	100.00%
IsHBTest	cr91b_depthofpenetrationinmm	Boolean	True	99.29%
IsNameGenerated	cr91b_isnamegenerated	Boolean	True	94.87%
Shipped Date	cr675_shippeddate	DateTime	True	40.72%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Deadline	cr675_deadline	DateTime	True	33.12%
Planned Shipping	cr675_plannedshipping	DateTime	True	27.31%
Received	cr675_received	DateTime	True	23.16%
Test Order	cr675_testorderid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.09%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	63.44%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Test Action

Logical name: `cr675_testdashboardtestprocedment`
Primary ID column: `cr675_testdashboardtestprocedmentid`
Primary name column: `cr675_id`
Column count: 47
Custom column count: 29
Row count: 33281

Relationships

Many to One

Related table	Local column	Foreign column
cr675_testcompounds	cr675_testcompounds	cr675_testcompoundsid
cr91b_nbsrtable	cr91b_nbsrtable	cr91b_nbsrtableid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Test Compounds	cr675_testcompounds	Lookup	True	92.45%
NBS R Table	cr91b_nbsrtable	Lookup	True	2.92%
Id	cr675_id	String	True	100.00%
Ammo Type	cr675_ammotype	String	True	98.58%
Cartridge Type	cr675_cartridgetype	String	True	87.09%
Powder Type	cr675_powdertype	String	True	33.06%
Threat	cr675_threat	String	True	0.01%
Stop in Layer	cr91b_stopinlayer	String	True	0.00%
Notes	cr675_notes	Memo	True	11.61%
Shot Pattern Reference Number	cr675_shotnumber	Integer	True	99.95%
Depth of Penetration	cr91b_depthofpenetration	Integer	True	0.10%
Bullet Speed	cr675_bulletspeed	Decimal	True	97.85%
Room Temperature	cr675_roomtemperature	Decimal	True	96.72%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Humidity	cr675_humidity	Decimal	True	96.62%
Muzzle Distance	cr675_muzzledistance	Decimal	True	90.38%
Angle	cr675_angle	Decimal	True	88.56%
Energy	cr675_energy	Decimal	True	46.72%
Depth Of Cut	cr675_depthofcut	Decimal	True	40.10%
Clay Temperature	cr675_claytemperature	Decimal	True	38.56%
Powder Weight	cr675_powderweight	Decimal	True	17.40%
Layers Penetrated	cr675_layerspenetrated	Decimal	True	8.58%
Diameter	cr675_diametr	Decimal	True	0.30%
Time Of Occurrence	cr675_timeofoccurence	Decimal	True	0.00%
Depth of Penetration [mm]	cr91b_depthofpenetrationmm	Decimal	True	0.00%
P-BFS	cr675_pbfs	Boolean	True	100.00%
Penetration Info	cr675_penetrationinfo	Boolean	True	100.00%
Shot Type	cr675_shottype	Boolean	True	100.00%
Test Action Type	cr675_testkind	Boolean	True	100.00%
Valid	cr675_valid	Boolean	True	100.00%
TestDashboard Test Procedment	cr675_testdashboardtestprocedmentid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	1.76%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: IFS MATERIALS V3

Logical name: `cr675_ifsmaterialsv3`
Primary ID column: `cr675_ifsmaterialsv3id`
Primary name column: `cr675_part_no`
Column count: 37
Custom column count: 19
Row count: 31374

Relationships

One to Many

Related table	Local column	Foreign column
cr675_nbsmaterial	cr675_ifsmaterialsv3id	cr675_ifsmaterialsv3

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NAME	cr675_name	String	True	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
PART_PRODUCT_FAMILY	cr675_part_product_family	String	True	100.00%
PART_PRODUCT_FAMILY_DESC	cr675_part_product_family_desc	String	True	100.00%
PART_STATUS	cr675_part_status	String	True	100.00%
PART_STATUS_DESCRIPTION	cr675_part_status_description	String	True	100.00%
PURCH_PART_SUPP_CURR	cr675_purch_part_supp_curr	String	True	100.00%
VENDOR_NO	cr675_vendor_no	String	True	100.00%
PART_NO	cr675_part_no	String	True	100.00%
PO unit	cr675_pounit	String	True	46.33%
PO DATES	cr675_podates	String	True	30.42%
DESCRIPTION	cr675_description	Memo	True	100.00%
CURR_RATE	cr675_curr_rate	Decimal	True	100.00%
PURCH_PART_SUPP_PLN	cr675_purch_part_supp_pln	Decimal	True	100.00%
PURCH_PART_SUPP_PRICE	cr675_purch_part_supp_price	Decimal	True	100.00%
PURCH_PART_SUPP_EUR	cr675_purch_part_supp_eur	Decimal	True	99.99%
PURCH_PART_SUPP_NOK	cr675_purch_part_supp_nok	Decimal	True	99.99%
PURCH_PART_SUPP_USD	cr675_purch_part_supp_usd	Decimal	True	99.99%
UNIT_COST_EUR	cr675_unit_cost_eur	Decimal	True	99.99%
PO AVG Price	cr675_poavgprice	Decimal	True	30.42%
IFS MATERIALS V3	cr675_ifsmaterialsv3id	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Construction Material Stacks Stitchings

Logical name: `cr675_nbsconstructionmaterialstacksstitchings`
Primary ID column: `cr675_nbsconstructionmaterialstacksstitchingsid`
Primary name column: `cr675_name`
Column count: 27
Custom column count: 9
Row count: 13606

Relationships

Many to One

Related table	Local column	Foreign column
cr675_nbsstitching	cr675_stitching	cr675_nbsstitchingid
cr675_nbsmaterialstack	cr91b_materialstacks	cr675_nbsmaterialstackid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Operation	cr675_stitching	Lookup	True	100.00%
NBS Material stacks	cr91b_materialstacks	Lookup	True	99.85%
ConstructionName(View)	cr675_constructionidview	String	True	100.00%
MaterialStackName(View)	cr675_materialstacknameview	String	True	100.00%
OperationName(View)	cr675_operationnameview	String	True	100.00%
MaterialStackGuid(View)	cr91b_materialstackguidview	String	True	100.00%
Name	cr675_name	String	True	0.28%
OperationGroupPosition	cr675_operationgroupposition	String	True	0.28%
Position	cr675_position	Integer	True	100.00%
NBS Construction Material Stacks Stitchings	cr675_nbsconstructionmaterialstacksstitchingsid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.15%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS IFS MATERIALS

Logical name: `cr675_nbsifsmaterials`
Primary ID column: `cr675_nbsifsmaterialsid`
Primary name column: `cr675_name_2`
Column count: 29
Custom column count: 11
Row count: 12823

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
key	cr675_key	String	True	100.00%
NAME	cr675_name	String	True	100.00%
Name	cr675_name_2	String	True	100.00%
PART_NO	cr675_part_no	String	True	100.00%
PART_PRODUCT_FAMILY	cr675_part_product_family	String	True	100.00%
PART_PRODUCT_FAMILY_DESC	cr675_part_product_family_desc	String	True	100.00%
PART_STATUS	cr675_part_status	String	True	100.00%
PART_STATUS_DESCRIPTION	cr675_part_status_description	String	True	100.00%
VENDOR_NO	cr675_vendor_no	String	True	100.00%
DESCRIPTION	cr675_description	Memo	True	100.00%
UNIT_COST	cr675_unit_cost	Decimal	True	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS IFS MATERIALS	cr675_nbsifsmaterialsid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Material stack

Logical name: `cr675_nbsmaterialstack`
Primary ID column: `cr675_nbsmaterialstackid`
Primary name column: `cr675_name`
Column count: 62
Custom column count: 44
Row count: 12553

Relationships

Many to One

Related table	Local column	Foreign column
cr675_nbsmaterial	cr675_material	cr675_nbsmaterialid
cr675_nbsstitching	cr675_stitching	cr675_nbsstitchingid
cr675_nbsconstruction	cr91b_construction	cr675_nbsconstructionid

One to Many

Related table	Local column	Foreign column
cr675_nbsmaterialstackandconstraction	cr675_nbsmaterialstackid	cr675_materialstack
cr675_nbsconstructionmaterialstacksstitchings	cr675_nbsmaterialstackid	cr91b_materialstacks

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Construction	cr91b_construction	Lookup	True	100.00%
NBS Material	cr675_material	Lookup	True	99.63%
NBS Operation	cr675_stitching	Lookup	True	10.57%
Material Stack Name	cr675_materialstackname	String	True	100.00%
Name	cr675_name	String	True	100.00%
ConstructionName(View)	cr91b_constructionnameview	String	True	100.00%
MaterialName(View)	cr91b_materialnameview	String	True	100.00%
OperationType(View)	cr91b_operationtypeview	String	True	100.00%
Orientation of layers	cr675_orientationoflayers	String	True	86.54%
Comments	cr91b_comments	String	True	2.59%

Display name	Logical name	Data type	Is custom?	Non-null percentage
HBBase Drawing	cr91b_hbbasedrawing	String	True	0.00%
Number of layer	cr675_numberoflayer	Integer	True	100.00%
Position	cr91b_position	Integer	True	100.00%
Size from edge	cr91b_sizefromedge	Integer	True	97.25%
MS nominal weight	cr675_msnominalweight	Decimal	True	94.66%
MS nominal thickness	cr675_msnominalthickness	Decimal	True	94.22%
HB Nominal Thickness	cr91b_hbnominalthickness	Decimal	True	92.46%
Material Stack Cost	cr675_value	Decimal	True	89.95%
MS maximum weight	cr675_msmaximumweight	Decimal	True	88.72%
MS minimum weight	cr675_msminimumweight	Decimal	True	88.72%
MS minimum thickness	cr675_msminimumthickness	Decimal	True	84.73%
MS maximum thickness	cr675_msmaximumthickness	Decimal	True	84.62%
Material price	cr91b_materialprice	Decimal	True	84.31%
Material Areal Weight	cr91b_materialarealweight	Decimal	True	77.02%
Material Thickness	cr91b_materialthickness	Decimal	True	76.82%
Material Override Price	cr91b_materialoverrideprice	Decimal	True	67.59%
HB Added Edge	cr91b_hbaddededge	Decimal	True	8.37%
HB Base Material Area	cr91b_hbbasematerialarea	Decimal	True	8.37%
HB Base Material Height	cr91b_hbbasematerialheight	Decimal	True	8.37%
HB Base Material Width	cr91b_hbbasematerialwidth	Decimal	True	8.37%
HB Nominal Density	cr91b_hbnominaldensity	Decimal	True	8.29%
HB Nominal Weight	cr91b_hbnominalweight	Decimal	True	8.29%
HB Base Drawing Areal Weight	cr91b_hbbasedrawingarealweight	Decimal	True	7.97%
HB Base Drawing Density	cr91b_hbbasedrawingdensity	Decimal	True	7.97%
HB Base Drawing Thickness	cr91b_hbbasedrawingthickness	Decimal	True	7.97%
HB Area Density	cr91b_hbareadensity	Decimal	True	0.02%
HB Plate Height	cr91b_hbplateheight	Decimal	True	0.02%
HB Plate Width	cr91b_hbplatewidth	Decimal	True	0.02%
HB Thickness	cr91b_hbthickness	Decimal	True	0.02%
HB Total Plate Area	cr91b_hbtotalplatearea	Decimal	True	0.02%
HB Weight	cr91b_hbweight	Decimal	True	0.02%
IsHardBallistics	cr91b_ishardballistics	Boolean	True	99.72%
IsMainPlate	cr91b_ismainplate	Boolean	True	99.39%
Notches	cr91b_notches	Boolean	True	84.65%
NBS Material stack	cr675_nbsmaterialstackid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.40%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Sample

Logical name: `cr675_testdashboardsample`
Primary ID column: `cr675_testdashboardsampleid`
Primary name column: `cr675_id`
Column count: 27
Custom column count: 9
Row count: 7134

Relationships

Many to One

Related table	Local column	Foreign column
`cr675_testcompounds`	`cr675_testcompounds`	`cr675_testcompoundsid`
`cr675_testdashboardproduct`	`cr675_product`	`cr675_testdashboardproductid`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Test Compounds	`cr675_testcompounds`	Lookup	True	98.98%
Product	`cr675_product`	Lookup	True	97.43%
id	`cr675_id`	String	True	100.00%
Serial number	`cr675_serialnumber`	String	True	83.38%
Operator Comment	`cr675_operatorcomment`	String	True	0.00%
Conditioning Temperature	`craab_conditioningtemperature`	String	True	0.00%
Conditioning Temperature	`cr91b_conditioningtemperature`	Decimal	True	94.06%
Weight	`cr675_weight`	Decimal	True	59.55%
Thickness	`cr675_thickness`	Decimal	True	15.87%
TestDashboard Sample	`cr675_testdashboardsampleid`	Uniqueidentifier	False	100.00%
Created By	`createdby`	Lookup	False	100.00%
Modified By	`modifiedby`	Lookup	False	100.00%
Owning Business Unit	`owningbusinessunit`	Lookup	False	100.00%
Owning User	`owninguser`	Lookup	False	100.00%
Modified By (Delegate)	`modifiedonbehalfby`	Lookup	False	1.91%
Created By (Delegate)	`createdonbehalfby`	Lookup	False	0.00%
Owning Team	`owningteam`	Lookup	False	0.00%
Status	`statecode`	State	False	100.00%
Status Reason	`statuscode`	Status	False	100.00%
Import Sequence Number	`importsequencenumber`	Integer	False	0.00%
Time Zone Rule Version Number	`timezoneruleversionnumber`	Integer	False	0.00%
UTC Conversion Time Zone Code	`utcconversiontimezonecode`	Integer	False	0.00%
Version Number	`versionnumber`	BigInt	False	100.00%
Created On	`createdon`	DateTime	False	100.00%
Modified On	`modifiedon`	DateTime	False	100.00%
Record Created On	`overriddencreatedon`	DateTime	False	0.00%
Owner	`ownerid`	Owner	False	100.00%

Table: NBS Test Compound

Logical name: `cr675_testcompounds`
Primary ID column: `cr675_testcompoundsid`
Primary name column: `cr675_id`
Column count: 36
Custom column count: 18
Row count: 6328

Relationships

Many to One

Related table	Local column	Foreign column
cr675_testorder	cr675_testorder	cr675_testorderid

One to Many

Related table	Local column	Foreign column
cr675_testdashboardsample	cr675_testcompoundsid	cr675_testcompounds
cr675_testdashboardtestprocedment	cr675_testcompoundsid	cr675_testcompounds
cr675_testdashboardphotos	cr675_testcompoundsid	cr675_testcompounds

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Test Order	cr675_testorder	Lookup	True	99.37%
Id	cr675_id	String	True	100.00%
Backing Type	cr675_backingtype	String	True	96.14%
Ballistic System Number in Sequence	cr675_ballisticsystemnumberinsequence	String	True	78.51%
Operator Comment	cr675_operatorcomment	String	True	0.40%
Drop Test Notes	cr675_droptestnotes	Memo	True	1.23%
Drop Test Result 1	cr675_droptestresult1	Integer	True	95.29%
Drop Test Result 2	cr675_droptestresult2	Integer	True	94.72%
Drop Test Result 3	cr675_droptestresult3	Integer	True	93.52%
Counter For Id	cr675_counterforid	Integer	True	78.51%
Clay Temperature	cr675_claytemperature	Integer	True	69.53%
Drop Test Result 4	cr675_droptestresult4	Integer	True	41.51%
Drop Test Result 5	cr675_droptestresult5	Integer	True	38.97%
Hit at angle	cr675_hitatangle	Integer	True	0.00%
Tested Product In Front of ICW	cr675_testedproductinfrontoficw	Integer	True	0.00%
V50 Assessment Value	cr675_v50assessmentvalue	Decimal	True	79.28%
Drop Height	cr91b_dropheight	Double	True	74.73%
Time of Occurrence	cr675_timeofoccurence	DateTime	True	0.00%
Test Compounds	cr675_testcompoundsid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	1.30%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS ICW Products

Logical name: `cr675_nbsicwproducts`
Primary ID column: `cr675_nbsicwproductsid`
Primary name column: `cr675_id`
Column count: 23
Custom column count: 5
Row count: 2257

Relationships

Many to One

Related table	Local column	Foreign column
`cr675_testdashboardproduct`	`cr675_product`	`cr675_testdashboardproductid`
`cr675_testdashboardballisticsystem`	`cr675_ballisticsystem`	`cr675_testdashboardballisticsystemid`

One to Many

Related table	Local column	Foreign column
`cr675_testdashboardballisticsystem`	`cr675_nbsicwproductsid`	`cr91b_nbsicwproduct`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Product	`cr675_product`	Lookup	True	95.53%
BallisticSystem	`cr675_ballisticsystem`	Lookup	True	93.44%
ProductNameCalc	`cr675_productnamecalc`	String	True	100.00%
Id	`cr675_id`	String	True	0.00%
Position	`cr675_position`	Integer	True	72.35%
NBS ICW Products	`cr675_nbsicwproductsid`	Uniqueidentifier	False	100.00%
Created By	`createdby`	Lookup	False	100.00%
Modified By	`modifiedby`	Lookup	False	100.00%
Owning Business Unit	`owningbusinessunit`	Lookup	False	100.00%
Owning User	`owninguser`	Lookup	False	100.00%
Modified By (Delegate)	`modifiedonbehalfby`	Lookup	False	4.08%
Created By (Delegate)	`createdonbehalfby`	Lookup	False	0.00%
Owning Team	`owningteam`	Lookup	False	0.00%
Status	`statecode`	State	False	100.00%
Status Reason	`statuscode`	Status	False	100.00%
Import Sequence Number	`importsequencenumber`	Integer	False	0.00%
Time Zone Rule Version Number	`timezoneruleversionnumber`	Integer	False	0.00%
UTC Conversion Time Zone Code	`utcconversiontimezonecode`	Integer	False	0.00%
Version Number	`versionnumber`	BigInt	False	100.00%
Created On	`createdon`	DateTime	False	100.00%
Modified On	`modifiedon`	DateTime	False	100.00%
Record Created On	`overriddencreatedon`	DateTime	False	0.00%
Owner	`ownerid`	Owner	False	100.00%

Table: NBS R Table

Logical name: `cr91b_nbsrtable`
Primary ID column: `cr91b_nbsrtableid`
Primary name column: `cr91b_name`
Column count: 48
Custom column count: 30
Row count: 2078

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testdashboardtestprocedment	cr91b_nbsrtableid	cr91b_nbsrtable

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	cr91b_name	String	True	100.00%
Test Compound ID	cr91b_testcompoundid	String	True	56.30%
Test Order ID	cr91b_testorderid	String	True	56.30%
Ballistic System	cr91b_ballisticsystem	String	True	55.58%
Projectile	cr91b_projectile	String	True	53.13%
Project Name	cr91b_projectname	String	True	46.78%
Cartridge Type	cr91b_cartridgetype	String	True	42.88%
Powder Type	cr91b_powdertype	String	True	34.46%
Notes	cr91b_notes	String	True	11.98%
Test standard name	cr91b_teststandardname	String	True	0.00%
Shot Number	cr91b_shotnumber	Integer	True	54.86%
Drop Test 1	cr91b_droptest1	Integer	True	51.97%
Drop Test 3	cr91b_droptest3	Integer	True	50.43%
Drop Test 4	cr91b_droptest4	Integer	True	50.43%
Drop Test 5	cr91b_droptest5	Integer	True	47.55%
Drop Test 2	cr91b_droptest2	Integer	True	45.72%
V50	cr91b_v50	Decimal	True	50.53%
Angle	cr91b_angle	Decimal	True	49.33%
Hit Angle	cr91b_hitangle	Decimal	True	49.33%
Measured Velocity	cr91b_measuredvelocity	Decimal	True	47.83%
Projectile Weight	cr91b_projectileweight	Decimal	True	47.31%
Muzzle Distance	cr91b_muzzledistance	Decimal	True	47.02%
Humidity	cr91b_humidity	Decimal	True	42.35%
Room Temp	cr91b_roomtemp	Decimal	True	42.35%
Powder Weight	cr91b_powderweight	Decimal	True	41.15%
Clay Temperature	cr91b_claytemperature	Decimal	True	20.79%
BFS Depth	cr91b_bfsdepth	Decimal	True	0.91%
Depth of Penetration	cr91b_depthofpenetration	Decimal	True	0.91%
BFS Diameter	cr91b_bfsdiameter	Decimal	True	0.67%
Valid	cr91b_valid	Boolean	True	100.00%
NBS R Table	cr91b_nbsrtableid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.29%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Owner	ownerid	Owner	False	100.00%

Table: NBS Ballistic System

Logical name: `cr675_testdashboardballisticsystem`
Primary ID column: `cr675_testdashboardballisticsystemid`
Primary name column: `cr675_ballisticsystemid`
Column count: 24
Custom column count: 6
Row count: 1918

Relationships

Many to One

Related table	Local column	Foreign column
cr675_nbsicwproducts	cr91b_nbsicwproduct	cr675_nbsicwproductsid

One to Many

Related table	Local column	Foreign column
cr675_testorder	cr675_testdashboardballisticsystemid	cr675_ballisticsystem
cr675_nbsicwproducts	cr675_testdashboardballisticsystemid	cr675_ballisticsystem

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS ICW Product	cr91b_nbsicwproduct	Lookup	True	0.00%
Balistic system name(ICW)	cr675_ballisticsystemid	String	True	100.00%
Price	cr675_price	Decimal	True	82.85%
Is Draft	cr91b_isdraft	Boolean	True	100.00%
Is System shot	cr675_isshot	Boolean	True	94.73%
IsShot	cr91b_isshot	Boolean	True	78.26%
TestDashboardBallisticSystem	cr675_testdashboardballisticsystemid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.73%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Construction

Logical name: `cr675_nbsconstruction`
Primary ID column: `cr675_nbsconstructionid`
Primary name column: `cr675_constractionname`

Column count: 54
Custom column count: 36
Row count: 1808

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testdashboardproduct	cr675_nbsconstructionid	cr675_constraction
cr675_nbsmaterialstackandconstraction	cr675_nbsconstructionid	cr675_construction
cr675_nbsmaterialstack	cr675_nbsconstructionid	cr91b_construction
cr675_nbsmaterial	cr675_nbsconstructionid	cr91b_cr675_nbsconstruction

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Construction name	cr675_constractionname	String	True	100.00%
EmptyRows	cr91b_emptyrows	String	True	46.90%
Notes	cr675_notes	String	True	0.00%
TextFieldToEmbedAppIn	cr91b_textfieldtoembedappin	String	True	0.00%
Migration logs	cr675_migrationlogs	Memo	True	18.14%
AltKeyColumn	cr91b_altkeycolumn	Integer	True	76.83%
PriceMod	cr91b_pricemode	Integer	True	1.00%
ThicknessMod	cr91b_thicknessmod	Integer	True	1.00%
WeightMod	cr91b_weightmod	Integer	True	1.00%
Construction Costs	cr675_constractionvalue	Decimal	True	98.34%
Thickness	cr91b_hbthickness	Decimal	True	94.63%
Weight	cr91b_hbweight	Decimal	True	94.63%
Constraction nominal weight	cr675_constractionnominalweight	Decimal	True	87.06%
Construction nominal thickness	cr675_constructionnominalthickness	Decimal	True	87.06%
PriceMod	cr675_pricemod	Decimal	True	81.14%
ThicknessMod	cr675_thicknessmod	Decimal	True	81.14%
WeightMod	cr675_weightmod	Decimal	True	81.14%
Construction maximum thickness	cr675_constructionmaximumthickness	Decimal	True	17.31%
Construction maximum weight	cr675_constructionmaximumweight	Decimal	True	17.31%
Construction minimum thickness	cr675_constructionminimumthickness	Decimal	True	17.31%
Construction minimum weight	cr675_constructionminimumweight	Decimal	True	17.31%
HB Area Density	cr91b_hbareadensity	Decimal	True	12.61%
HB Plate Height	cr91b_hbplateheight	Decimal	True	12.61%
HB Total Plate Area	cr91b_hbtotalplatearea	Decimal	True	12.61%
HB Added Edge	cr91b_hbaddededge	Decimal	True	12.22%
HB Plate Width	cr91b_hbplatewidth	Decimal	True	12.22%
HB Area Density Modifier	cr91b_hbareadensitymodifier	Decimal	True	10.18%
HB Height Modifier	cr91b_hbheightmodifier	Decimal	True	10.18%
HB Thickness Modifier	cr91b_hbthicknessmodifier	Decimal	True	10.18%
HB Weight Modifier	cr91b_hbweightmodifier	Decimal	True	10.18%
HB Width Modifier	cr91b_hbwidthmodifier	Decimal	True	10.18%
HB Area Modifier	cr91b_hbareamodifier	Decimal	True	0.00%
Is Draft	cr91b_isdraft	Boolean	True	100.00%
IsFRECII	cr91b_isfrecii	Boolean	True	100.00%
Is Construction tested	cr91b_isshot	Boolean	True	99.83%
IsHardBallistics	cr91b_ishardballistics	Boolean	True	99.34%
NBS Construction	cr675_nbsconstructionid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Product

Logical name: `cr675_testdashboardproduct`
Primary ID column: `cr675_testdashboardproductid`
Primary name column: `cr675_productid`
Column count: 49
Custom column count: 31
Row count: 1682

Relationships

Many to One

Related table	Local column	Foreign column
cr675_testdashboardgeometries	cr675_testdashboardgeometries	cr675_testdashboardgeometriesid
cr675_nbsconstruction	cr675_constraction	cr675_nbsconstructionid
cr91b_nbsprecutpatterns	cr91b_nbsprecutpatterns	cr91b_nbsprecutpatternsid

One to Many

Related table	Local column	Foreign column
cr675_nbsicwproducts	cr675_testdashboardproductid	cr675_product
cr675_testdashboardsample	cr675_testdashboardproductid	cr675_product
cr675_nbsfrec2rndorders	cr675_testdashboardproductid	cr675_testdashboardproduct
cr675_testorder	cr675_testdashboardproductid	cr675_testdashboardproduct

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Construction	cr675_constraction	Lookup	True	98.45%
NBS Geometries	cr675_testdashboardgeometries	Lookup	True	90.19%
NBS Pre-Cut Patterns	cr91b_nbsprecutpatterns	Lookup	True	0.00%
Geometry(view)	cr675_geometryview	String	True	100.00%
Product name	cr675_productid	String	True	99.88%
Product Code	cr675_productcode	String	True	36.62%
ZK Number	cr675_zknumber	String	True	0.00%
FieldToEmbedAppIn	cr91b_fieldtoembedappin	String	True	0.00%
GemetryAltKey	dvlp_gemetryaltkey	Integer	True	72.12%
Position	cr675_position	Integer	True	0.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
ConstructionAltKey	dvlp_constructionaltkey	Integer	True	0.00%
HB Max Area Density	cr91b_hbmaxareadensity	Decimal	True	67.24%
HB Max Weight	cr91b_hbmaxweight	Decimal	True	67.24%
HB Min Area Density	cr91b_hbminareadensity	Decimal	True	67.24%
HB Min Weight	cr91b_hbminweight	Decimal	True	67.24%
Price	cr675_price	Decimal	True	63.20%
HB Total Plate Area	cr91b_hbtotalplatearea	Decimal	True	57.19%
HB Weight	cr91b_hbweight	Decimal	True	48.63%
HB Thickness Modifier	cr91b_hbthicknessmodifier	Decimal	True	17.42%
HB Weight Modifier	cr91b_hbweightmodifier	Decimal	True	17.30%
HB Height Modifier	cr91b_hbheightmodifier	Decimal	True	17.24%
HB Area Density Modifier	cr91b_hbareadensitymodifier	Decimal	True	17.18%
HB Width Modifier	cr91b_hbwidthmodifier	Decimal	True	17.18%
HB Area Density	cr91b_hbareadensity	Decimal	True	16.71%
HB Height	cr91b_hbheight	Decimal	True	16.71%
HB Width	cr91b_hbwidth	Decimal	True	16.71%
HB Thickness	cr91b_hbthickness	Decimal	True	16.59%
HB Added Edge	cr91b_hbaddededge	Decimal	True	1.66%
Is Draft	cr91b_isdraft	Boolean	True	100.00%
Is Product tested	cr675_isshot	Boolean	True	95.30%
IsShot	cr91b_isshot	Boolean	True	77.94%
TestDashboardProduct	cr675_testdashboardproductid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS FREC2 RND Orders

Logical name: `cr675_nbsfrec2rndorders`
Primary ID column: `cr675_nbsfrec2rndordersid`
Primary name column: `cr675_id`
Column count: 37
Custom column count: 19
Row count: 1115

Relationships

Many to One

Related table	Local column	Foreign column
cr675_project	cr675_project	cr675_projectid
cr675_testdashboardproduct	cr675_testdashboardproduct	cr675_testdashboardproductid
cr675_nbsstitching	cr675_nbsstitching	cr675_nbsstitchingid
account	cr675_institute	accountid
cr91b_nbsprogram	cr675_cr91b_nbsprogram	cr91b_nbsprogramid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Receiver	cr675_institute	Lookup	True	99.73%
NBS Project	cr675_project	Lookup	True	99.73%
NBS Product	cr675_testdashboardproduct	Lookup	True	99.73%
NBS Program	cr675_cr91b_nbsprogram	Lookup	True	93.72%
NBS Operation	cr675_nbsstitching	Lookup	True	93.54%
Order Status	cr675_orderstatus	Picklist	True	99.82%
Raw mat preparation	cr675_rawmatpreparation	Picklist	True	99.73%
Priority	cr675_priority	Picklist	True	1.88%
ID	cr675_id	String	True	100.00%
Notes	cr675_notes	String	True	100.00%
Flow	cr675_flow	String	True	92.74%
ApprovalInfo	cr675_approvalinfo	String	True	91.75%
IFS ShopOrder ID	cr675_ifsshoporderid	String	True	1.26%
Number of Samples	cr675_numberofsamples	Integer	True	99.55%
Invoiced	craab_invoiced	Boolean	True	22.60%
DeadLine	cr675_deadline	DateTime	True	73.72%
Ready for pressing	cr675_confirmedstartdate	DateTime	True	64.39%
Delivered Timestamp	craab_timestamp	DateTime	True	17.85%
Planned Pressed	cr675_confirmedfinishdate	DateTime	True	11.57%
NBS FREC2 RND Orders	cr675_nbsfrec2rndordersid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	85.74%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Operation

Logical name: cr675_nbsstitching
Primary ID column: cr675_nbsstitchingid
Primary name column: cr675_type
Column count: 38

Custom column count: 20
Row count: 640

Relationships

Many to One

Related table	Local column	Foreign column
cr91b_nbsprogram	cr91b_nbsprogram	cr91b_nbsprogramid
craab_nbstooltype	craab_nbstooltype	craab_nbstooltypeid

One to Many

Related table	Local column	Foreign column
cr675_nbsmaterialstack	cr675_nbsstitchingid	cr675_stitching
cr675_nbsconstructionmaterialstacksstitchings	cr675_nbsstitchingid	cr675_stitching
cr675_nbsfrec2rndorders	cr675_nbsstitchingid	cr675_nbsstitching

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Program	cr91b_nbsprogram	Lookup	True	86.56%
NBS Tool Type	craab_nbstooltype	Lookup	True	84.06%
Operation Type	cr91b_operationtype	Picklist	True	99.06%
Tool type	cr675_tooling	Picklist	True	20.62%
Name	cr675_type	String	True	100.00%
Description	cr675_description	String	True	9.84%
Cycle Type	cr91b_cycletype	String	True	5.62%
FRECII Tooling	cr91b_freciitooling	String	True	4.06%
FRECII Version	cr91b_freciiversion	String	True	4.06%
Carousel Oven Temp	cr91b_carouseloventemp	String	True	2.34%
Carousel Oven Cycle Time	cr91b_carouselovencycletime	String	True	2.19%
FREC Process Info	cr91b_frecprocessinfo	String	True	2.03%
Small Oven Cycle Time	cr91b_smallovencycletime	String	True	0.62%
No/Frame	cr91b_noframe	Integer	True	1.72%
Small Oven Temp	cr91b_smalloventemp	Integer	True	0.31%
Carousel Oven Vacuum	cr91b_carouselovenvacuum	Decimal	True	2.66%
Carousel Oven Max Temp After Cooling	cr91b_carouselovenmaxtempaftercooling	Decimal	True	1.41%
Small Oven Max Temp After Cooling	cr91b_smallovenmaxtempaftercooling	Decimal	True	0.78%
Small Oven Vacuum	cr91b_smallovenvacuum	Decimal	True	0.62%
Is Operation tested	cr91b_isshot	Boolean	True	94.53%
NBS Operation	cr675_nbsstitchingid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Material

Logical name: `cr675_nbsmaterial`
Primary ID column: `cr675_nbsmaterialid`
Primary name column: `cr675_materialname`
Column count: 50
Custom column count: 30
Row count: 522

Relationships

Many to One

Related table	Local column	Foreign column
`account`	`cr675_producer`	`accountid`
`cr675_testdashboardgeometries`	`cr91b_cr675_testdashboardgeometries`	`cr675_testdashboardgeometriesid`
`cr675_nbsconstruction`	`cr91b_cr675_nbsconstruction`	`cr675_nbsconstructionid`
`cr91b_supplier`	`cr91b_supplier`	`cr91b_supplierid`
`cr675_ifsmaterialsv3`	`cr675_ifsmaterialsv3`	`cr675_ifsmaterialsv3id`

One to Many

Related table	Local column	Foreign column
`cr675_nbsmaterialstack`	`cr675_nbsmaterialid`	`cr675_material`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Producer	`cr675_producer`	Lookup	True	95.40%
IFS MATERIALS V3	`cr675_ifsmaterialsv3`	Lookup	True	59.20%
NBS Geometry	`cr91b_cr675_testdashboardgeometries`	Lookup	True	1.92%
NBS Construction	`cr91b_cr675_nbsconstruction`	Lookup	True	0.96%
Supplier	`cr91b_supplier`	Lookup	True	0.00%
Material Type	`cr675_materialtype`	Picklist	True	98.85%
Validation	`cr675_validation`	Picklist	True	0.38%
Material name	`cr675_materialname`	String	True	100.00%
Material code	`cr675_materialcode`	String	True	66.67%
Internal name	`cr91b_internalname`	String	True	20.50%
Note	`cr91b_note`	String	True	10.15%
HB Added Edge	`cr91b_hbaddededge`	String	True	0.00%
Nominal weight	`cr675_nominalweight`	Decimal	True	77.01%
Nominal thickness	`cr675_nominalthickness`	Decimal	True	73.75%
Price/m2	`cr675_price`	Decimal	True	64.37%
Maximum weight	`cr675_maximumweight`	Decimal	True	63.22%
Minimum weight	`cr675_minimumweight`	Decimal	True	63.22%
Minimum thickness	`cr675_minimumthickness`	Decimal	True	61.11%
Maximum thickness	`cr675_maximumthickness`	Decimal	True	60.34%
HB Base Drawing Thickness	`cr91b_hbbasedrawingthickness`	Decimal	True	42.34%
HB Base Drawing Areal Weight	`cr91b_hbbasedrawingarealweight`	Decimal	True	41.76%
HB Base Drawing Density	`cr91b_hbbasedrawingdensity`	Decimal	True	39.85%
Price/piece	`cr91b_pricepiece`	Decimal	True	28.54%
HB Base Material Area	`cr91b_hbbasematerialarea`	Decimal	True	19.54%
HB Base Material Height	`cr91b_hbbasematerialheight`	Decimal	True	19.54%

Display name	Logical name	Data type	Is custom?	Non-null percentage
HB Base Material Width	cr91b_hbmaterialwidth	Decimal	True	19.54%
Price/m	cr91b_pricem	Decimal	True	15.13%
Is Material tested	cr91b_isshot	Boolean	True	79.50%
Curve	cr91b_curve	Boolean	True	69.54%
IsMainPlate	cr91b_ismainplate	Boolean	True	69.54%
NBS Material	cr675_nbsmaterialid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Currency	transactioncurrencyid	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Exchange Rate	exchangerate	Decimal	False	0.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Test Protocol Template

Logical name: `cr675_testdashboardstandarddetails`
Primary ID column: `cr675_testdashboardstandarddetailsid`
Primary name column: `cr675_id`
Column count: 33
Custom column count: 15
Row count: 244

Relationships

Many to One

Related table	Local column	Foreign column
cr675_testdashboardstandard	cr675_standard	cr675_testdashboardstandardid
cr675_testdashboardammotypedictionary	cr675_ammotypedictionary	cr675_testdashboardammotypedictionaryid

One to Many

Related table	Local column	Foreign column
cr675_testdashboardtestedstandarddetail	cr675_testdashboardstandarddetailsid	cr675_testedstandarddetail
cr675_testorder	cr675_testdashboardstandarddetailsid	cr675_standarddetail

Many to Many

Related table	Local column	Foreign column
cr675_testorder	cr675_testdashboardstandarddetailsid	cr675_testorderid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Standard	cr675_standard	Lookup	True	99.59%

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Bullet Type Dictionary	cr675_ammotypedictionary	Lookup	True	88.93%
Bullet type(view)	cr675_bullettypeview	String	True	100.00%
Standard Detail name	cr675_id	String	True	100.00%
Level of Protection	cr675_armortype	String	True	88.11%
Condition requirement	cr675_panelcondition	String	True	88.11%
Panel size	cr675_panelsize	String	True	87.30%
Additional Notes	cr675_additionalnotes	String	True	86.48%
BFS Requirement	cr675_bfsrequi	String	True	82.38%
Shots per panel	cr675_shotsperpanel	Integer	True	87.70%
Bullet mass	cr675_bulletmass	Decimal	True	89.34%
Nom Velocity	cr675_nomvelocity	Decimal	True	69.67%
Max Velocity	cr675_maxvelocity	Decimal	True	69.26%
Min Velocity	cr675_minvelocity	Decimal	True	69.26%
Test Action Type	cr675_testactiontype	Boolean	True	100.00%
TestDashboard Standard Details	cr675_testdashboardstandarddetailsid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.82%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Bullet Type Dictionary

Logical name: cr675_testdashboardammotypedictionary
Primary ID column: cr675_testdashboardammotypedictionaryid
Primary name column: cr675_name
Column count: 23
Custom column count: 5
Row count: 182

Relationships

Many to One

Related table	Local column	Foreign column
account	cr675_produceraccount	accountid

One to Many

Related table	Local column	Foreign column
cr675_testdashboardstandarddetails	cr675_testdashboardammotypedictionaryid	cr675_ammotypedictionary
cr675_testorder	cr675_testdashboardammotypedictionaryid	cr675_nbsbullettypedict

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Producer Account	cr675_produceraccount	Lookup	True	26.92%
Bullet Name With Producer Name	cr675_bulletnamewithproducername	String	True	100.00%
Name	cr675_name	String	True	100.00%
Bullet Calliber	cr675_bulletcalliber	String	True	69.78%
Bullet Weight [g]	cr675_bulletweight	Decimal	True	63.74%
Test Dashboard Ammo Type Dictionary	cr675_testdashboardammotypedictionaryid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Project

Logical name: `cr675_project`
Primary ID column: `cr675_projectid`
Primary name column: `cr675_testdashboardprojectid`
Column count: 21
Custom column count: 3
Row count: 174

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testorder	cr675_projectid	cr675_project_testorder
cr675_nbsfrec2rndorders	cr675_projectid	cr675_project
cr675_nbspreliminarytesting	cr675_projectid	cr675_projectid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Project name	cr675_testdashboardprojectid	String	True	100.00%
Country	cr675_country	String	True	68.39%
Additional Info	cr675_additionalinfo	String	True	14.37%
Project	cr675_projectid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Geometry

Logical name: `cr675_testdashboardgeometries`
Primary ID column: `cr675_testdashboardgeometriesid`
Primary name column: `cr675_name`
Column count: 28
Custom column count: 10
Row count: 154

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testdashboardproduct	cr675_testdashboardgeometriesid	cr675_testdashboardgeometries
cr675_nbsmaterial	cr675_testdashboardgeometriesid	cr91b_cr675_testdashboardgeometries

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Tooling size	cr91b_toolingsize	Picklist	True	0.00%
Name	cr675_name	String	True	100.00%
Description	cr675_description	Memo	True	62.34%
AltKeyColumn	dvlp_altkeycolumn	Integer	True	87.66%
Base Material Width	cr91b_hbbasematerialwidth	Decimal	True	79.87%
Base Material Height	cr91b_hbbasematerialheight	Decimal	True	79.22%
Base Material Area	cr91b_hbbasematerialarea	Decimal	True	78.57%
IsDrawing	cr91b_isdrawing	Boolean	True	94.81%
Is Geometry tested	cr91b_isshot	Boolean	True	87.66%
Curve	cr91b_hbcurve	Boolean	True	86.36%
Test Dashboard Geometries	cr675_testdashboardgeometriesid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Group Order

Logical name: craab_nbsgrouporder
Primary ID column: craab_nbsgrouporderid
Primary name column: craab_name
Column count: 19
Custom column count: 1
Row count: 149

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testorder	craab_nbsgrouporderid	craab_nbsgrouporder

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	craab_name	String	True	100.00%
NBS Group Order	craab_nbsgrouporderid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS MaterialStackAndConstraction

Logical name: cr675_nbsmaterialstackandconstraction
Primary ID column: cr675_nbsmaterialstackandconstractionid
Primary name column: cr675_name
Column count: 25
Custom column count: 7
Row count: 130

Relationships

Many to One

Related table	Local column	Foreign column
cr675_nbsmaterialstack	cr675_materialstack	cr675_nbsmaterialstackid
cr675_nbsconstruction	cr675_construction	cr675_nbsconstructionid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
NBS Construction	cr675_construction	Lookup	True	0.00%
NBS Material Stack	cr675_materialstack	Lookup	True	0.00%
ConstructionNmae(View)	cr675_constructionnmaeview	String	True	100.00%
Material Stack Name(View)	cr675_materialstacknameview	String	True	100.00%
Name	cr675_name	String	True	100.00%
Position	cr675_position	Integer	True	100.00%
MaterialStackCosts	cr675_materialstackvalue	Decimal	True	0.00%
NBS MaterialStackAndConstraction	cr675_nbsmaterialstackandconstractionid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Program

Logical name: `cr91b_nbsprogram`
Primary ID column: `cr91b_nbsprogramid`
Primary name column: `cr91b_name`
Column count: 27
Custom column count: 9
Row count: 97

Relationships

One to Many

Related table	Local column	Foreign column
cr675_nbsstitching	cr91b_nbsprogramid	cr91b_nbsprogram
cr675_nbsfrec2rndorders	cr91b_nbsprogramid	cr675_cr91b_nbsprogram

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Program type	cr91b_programtype	Picklist	True	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	cr91b_name	String	True	100.00%
Cooling setpoint [C]	cr91b_coolingsetpoint	Decimal	True	100.00%
Pressure setpoint [bar]	cr91b_pressuresetpoint	Decimal	True	100.00%
Temperature setpoint [C]	cr91b_temperaturesetpoint	Decimal	True	100.00%
Dwell time [min]	cr91b_dwelltime	Decimal	True	95.88%
Decompression rate [bar]	cr91b_decompressionrate	Decimal	True	91.75%
Temperature setpoint pressurize [C]	cr91b_temperaturesetpointpressurize	Decimal	True	4.12%
Is Program tested	cr91b_isshot	Boolean	True	89.69%
NBS Program	cr91b_nbsprogramid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Standard Names Dictionary

Logical name: cr675_testdashboardstandard
Primary ID column: cr675_testdashboardstandardid
Primary name column: cr675_standardid
Column count: 19
Custom column count: 1
Row count: 36

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testdashboardstandarddetails	cr675_testdashboardstandardid	cr675_standard

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Standard name	cr675_standardid	String	True	100.00%
TestDashboardStandard	cr675_testdashboardstandardid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Preliminary Testing

Logical name: `cr675_nbspreliminarytesting`
Primary ID column: `cr675_nbspreliminarytestingid`
Primary name column: `cr675_ballisticsystem`
Column count: 25
Custom column count: 7
Row count: 21

Relationships

Many to One

Related table	Local column	Foreign column
cr675_project	cr675_projectid	cr675_projectid
account	cr675_client	accountid
contact	cr675_client	contactid

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
ProjectID	cr675_projectid	Lookup	True	100.00%
Is invoiced	cr675_isinvoiced	Picklist	True	100.00%
Visma article	cr675_vismaarticle	Picklist	True	90.48%
Ballistic System	cr675_ballisticsystem	String	True	76.19%
Sample Count	cr675_samplecount	Integer	True	100.00%
Date	cr675_date	DateTime	True	28.57%
Client	cr675_client	Customer	True	100.00%
NBS Preliminary Testing	cr675_nbspreliminarytestingid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	28.57%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Backing Type Dictionary

Logical name: `cr675_nbstestdashboardbackingtypedictionary`
Primary ID column: `cr675_nbstestdashboardbackingtypedictionaryid`
Primary name column: `cr675_name`
Column count: 19
Custom column count: 1
Row count: 16

Relationships

One to Many

Related table	Local column	Foreign column
cr675_testorder	cr675_nbstestdashboardbackingtypedictionaryid	cr675_backingtypedictionary

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	cr675_name	String	True	100.00%
NBS Testdashboard Backing Type Dictionary	cr675_nbstestdashboardbackingtypedictionaryid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Cartridge Type Dictionary

Logical name: `cr675_nbstestdashboardcartridgetypedictionary`
Primary ID column: `cr675_nbstestdashboardcartridgetypedictionaryid`
Primary name column: `cr675_name`
Column count: 19
Custom column count: 1
Row count: 15

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	cr675_name	String	True	100.00%
NBS Test Dashboard Cartridge Type Dictionary	cr675_nbstestdashboardcartridgetypedictionaryid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	26.67%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Institute

Logical name: `cr675_testdashboardinstitute`
Primary ID column: `cr675_testdashboardinstituteid`
Primary name column: `cr675_instituteid`
Column count: 20
Custom column count: 2
Row count: 13

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
InstituteID	cr675_instituteid	String	True	100.00%
Institute Name	cr675_institutename	String	True	100.00%
TestDashboardInstitute	cr675_testdashboardinstituteid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: R&DOrderView

Logical name: `cr675_orderviewrd`
Primary ID column: `cr675_orderviewrdid`
Primary name column: `cr675_splistid`
Column count: 51
Custom column count: 33
Row count: 9

Relationships

One to Many

Related table	Local column	Foreign column
`cr675_testorder`	`cr675_orderviewrdid`	`cr675_orderviewrd`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Backing type	`cr675_backingtype`	String	True	100.00%
Bullet/Missile	`cr675_bulletmissile`	String	True	100.00%
Client	`cr675_client`	String	True	100.00%
Conditioning	`cr675_conditioning`	String	True	100.00%
Constraction	`cr675_constraction`	String	True	100.00%
ContactPerson	`cr675_contactperson`	String	True	100.00%
Create by person	`cr675_createbyperson`	String	True	100.00%
ICW	`cr675_icw`	String	True	100.00%
No of shoots	`cr675_noofshoots`	String	True	100.00%
Notes	`cr675_notes`	String	True	100.00%
Produced	`cr675_produced`	String	True	100.00%
Project/Issue	`cr675_projectissue`	String	True	100.00%
Quantity	`cr675_quantity`	String	True	100.00%
RM/Product	`cr675_rmproduct`	String	True	100.00%
SPListID	`cr675_splistid`	String	True	100.00%
Standard	`cr675_standard`	String	True	100.00%
Test type	`cr675_testtype`	String	True	100.00%
Velocity	`cr675_velocity`	String	True	100.00%
Verified by QA	`cr675_verifiedbyqa`	String	True	100.00%
ZK number	`cr675_zknumber`	String	True	100.00%
Additional test info	`cr675_additionaltestinfo`	String	True	88.89%
Operator Email	`cr675_operatoremail`	String	True	77.78%
Planned shipping	`cr675_plannedshipping`	String	True	77.78%
Priority	`cr675_priority`	String	True	77.78%
Queue No	`cr675_queueno`	String	True	77.78%
Reason for priority	`cr675_reasonforpriority`	String	True	77.78%
Serial number	`cr675_serialnumber`	String	True	77.78%
OrderStatus	`cr675_orderstatus`	String	True	66.67%
Pattern	`cr675_pattern`	String	True	44.44%
Deadline	`cr675_deadline`	String	True	22.22%
Received	`cr675_received`	String	True	22.22%
Shipped	`cr675_shipped`	String	True	22.22%
Shipped Yes/No	`cr675_shippedyesno`	String	True	11.11%
OrderViewRD	`cr675_orderviewrdid`	Uniqueidentifier	False	100.00%
Created By	`createdby`	Lookup	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS FRECII Tool Type

Logical name: `craab_nbstooltype`
Primary ID column: `craab_nbstooltypeid`
Primary name column: `craab_name`
Column count: 19
Custom column count: 1
Row count: 6

Relationships

One to Many

Related table	Local column	Foreign column
cr675_nbsstitching	craab_nbstooltypeid	craab_nbstooltype

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	craab_name	String	True	100.00%
NBS Tool Type	craab_nbstooltypeid	Uniqueidentifier	False	100.00%
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%

Table: NBS Powder Type Dictionary

Logical name: `cr675_nbstestdashboardpowdertypedictionary`
Primary ID column: `cr675_nbstestdashboardpowdertypedictionaryid`
Primary name column: `cr675_name`
Column count: 19
Custom column count: 1
Row count: 4

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
Name	`cr675_name`	String	True	100.00%
NBS Test Dashboard Powder Type Dictionary	`cr675_nbstestdashboardpowdertypedictionaryid`	Uniqueidentifier	False	100.00%
Created By	`createdby`	Lookup	False	100.00%
Modified By	`modifiedby`	Lookup	False	100.00%
Owning Business Unit	`owningbusinessunit`	Lookup	False	100.00%
Owning User	`owninguser`	Lookup	False	100.00%
Created By (Delegate)	`createdonbehalfby`	Lookup	False	0.00%
Modified By (Delegate)	`modifiedonbehalfby`	Lookup	False	0.00%
Owning Team	`owningteam`	Lookup	False	0.00%
Status	`statecode`	State	False	100.00%
Status Reason	`statuscode`	Status	False	100.00%
Import Sequence Number	`importsequencenumber`	Integer	False	0.00%
Time Zone Rule Version Number	`timezoneruleversionnumber`	Integer	False	0.00%
UTC Conversion Time Zone Code	`utcconversiontimezonecode`	Integer	False	0.00%
Version Number	`versionnumber`	BigInt	False	100.00%
Created On	`createdon`	DateTime	False	100.00%
Modified On	`modifiedon`	DateTime	False	100.00%
Record Created On	`overriddencreatedon`	DateTime	False	0.00%
Owner	`ownerid`	Owner	False	100.00%

Table: NBS Photo

Logical name: `cr675_testdashboardphotos`
Primary ID column: `cr675_testdashboardphotosid`
Primary name column: `cr675_name`
Column count: 22
Custom column count: 4
Row count: 3

Relationships

Many to One

Related table	Local column	Foreign column
`cr675_testcompounds`	`cr675_testcompounds`	`cr675_testcompoundsid`

Columns

Display name	Logical name	Data type	Is custom?	Non-null percentage
None	`entityimageid`	Uniqueidentifier	True	100.00%
Test Dashboard Test Compounds	`cr675_testcompounds`	Lookup	True	0.00%
Id	`cr675_name`	String	True	100.00%
Notes	`cr675_notes`	String	True	0.00%
Test Dashboard Photos	`cr675_testdashboardphotosid`	Uniqueidentifier	False	100.00%

Display name	Logical name	Data type	Is custom?	Non-null percentage
Created By	createdby	Lookup	False	100.00%
Modified By	modifiedby	Lookup	False	100.00%
Owning Business Unit	owningbusinessunit	Lookup	False	100.00%
Owning User	owninguser	Lookup	False	100.00%
Modified By (Delegate)	modifiedonbehalfby	Lookup	False	66.67%
Created By (Delegate)	createdonbehalfby	Lookup	False	0.00%
Owning Team	owningteam	Lookup	False	0.00%
Status	statecode	State	False	100.00%
Status Reason	statuscode	Status	False	100.00%
Import Sequence Number	importsequencenumber	Integer	False	0.00%
Time Zone Rule Version Number	timezoneruleversionnumber	Integer	False	0.00%
UTC Conversion Time Zone Code	utcconversiontimezonecode	Integer	False	0.00%
Version Number	versionnumber	BigInt	False	100.00%
Created On	createdon	DateTime	False	100.00%
Modified On	modifiedon	DateTime	False	100.00%
Record Created On	overriddencreatedon	DateTime	False	0.00%
Owner	ownerid	Owner	False	100.00%