SOAP and WSDL

Oxford University
Software Engineering
Programme
December 2018

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Contents

- Understanding WS-*
- SOAP
- SOAP examples
- WSDL

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

WS-* Standards

- A set of *extensible* and *composable* standards that work together
- Providing a common, standard, interoperable base to implement SOA

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Key Web Services Standards



The Web services platform forms a complete framework for open standards enterprise middleware

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Representational state transfer
Protocol

wsdl
Search term

+ Add term

Beta: Measuring search interest in *topics* is a beta feature which quickly provides accurate measurements of overall search interest. To measure search interest for a specific *query*, select the "search term" option.

Interest over time

News headlines Forecast



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

A Sample SOAP Message

```
<soap:Envelope xmlns:soap="http://
  schemas.xmlsoap.org/soap/envelope/">
 <soap:Header/>
 <soap:Body>
  <getProductDetails       xmlns="http://
  warehouse.example.com/ws">
   <productID>827635</productID> </
  getProductDetails>
  </soap:Body>
</soap:Envelope>
```

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

A Sample SOAP Message (cont)

```
<soap:Envelope xmlns:soap="http://
  schemas.xmlsoap.org/soap/envelope/">
 <soap:Header/>
 <soap:Body>
  <getProductDetails       xmlns="http://
  warehouse.example.com/ws">
   <productID>827635</productID> </
  getProductDetails>
  </soap:Body>
</soap:Envelope>
```

The SOAP header provides a space for arbitrary headers to be added to the message`

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

A Sample SOAP Message (cont)

```
<soap:Envelope xmlns:soap="http://
   schemas.xmlsoap.org/soap/envelope/">
 <soap:Header/>
 <soap:Body>
   <getProductDetails       xmlns="http://
   warehouse.example.com/ws">
    <productID>827635</productID> </
   getProductDetails>
   </soap:Body>
</soap:Envelope>
```

The contents of the SOAP body element can be any valid XML that the parties wish to interchange

© Paul Fre
Attributio
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Using SOAP Headers

- Some simple examples
  - Add a signature to ensure the message isn't modified
  - Add a process identifier to track this message as part of a wider process
  - Add a userid so that end-to-end security can be guaranteed
  - Add a message number so messages can be resent if lost

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

What is a service definition?

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

What is a service definition?

- What does it do?
- Where is it?
- Who owns and runs it?
- Is it going to be up on Monday?
- What do I have to do to use it?
- How much does it cost?

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

What is a service definition?

- What does it do?
- **Where is it?**
- Who owns and runs it?
- Is it going to be up on Monday?
- **What do I have to do to use it?**
- How much does it cost?

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Graphical view of WSDL



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

WSDL link to Schema



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Graphically



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Granularity

- Fine-grained
- Are you exposing services or the internals of your application?
- Often the result of taking existing APIs and “service-enabling” them
- Coarse grained
- Generally considered better
- But can be too big
  - Require too much data passed in every request
  - Need to be useful in your enterprise

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Bottom-up modelling

- Take existing code and expose as services
- Unlikely to expose *re-usable* services
  - Because the existing code was designed to be used within the application
- Quick way to get started

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Top down design



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Why Contract First?

- *Advantages*
  - Agree the external interface
    - Good design principle
    - How Service Oriented Architecture is meant to be
    - Focus the mind on what is most important
  - Improves interoperability
    - WSDL first design leads to much more interop
- *Disadvantages*
  - Need to know WSDL and Schema syntax!

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/

Summary

- SOAP was designed to be a simpler alternative to CORBA
- SOAP has good descriptions and tooling
- However, RESTful approaches rapidly disrupting the market

© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See http://creativecommons.org/licenses/by-nc-sa/4.0/