

# Campfire-2

Before entering the challenge what is AsREP roasting attack

## AsREP roasting attack

It is windows Kerbose Active directory attack, here the attacket steals the password from the hash through brut-force from the user account that has a pre-authentication disabled.

## TGT Ticket Granting Ticket

This TGT is the ticket given to the user after he passes his password, this ticect is issued by the KDC - Key distribution Centre, the ticket it issued us is the hash of the user accounts password.

A user or computer **requests a Ticket Granting Ticket (TGT)** to prove their identity to the Domain Controller

A user already has a TGT and is now **requesting a Service Ticket (ST)** to access a specific resource - this is TGS

The primary function of a TGT is to request a **Ticket-Granting Service (TGS) ticket** (also called a Service Ticket) for a specific resource. Your computer automatically presents the TGT to the Domain Controller whenever you try to access:

**Shared network folders (SMB/CIFS)**

**Corporate intranet sites (IIS)**

**Network printersDatabases (SQL Server)**

**Remote desktops (RDP)**


1. When did the ASREP Roasting attack occur, and when did the attacker request the Kerberos ticket for the vulnerable user?

|                                                                                           |                                              |
|-------------------------------------------------------------------------------------------|----------------------------------------------|
| Service Information:                                                                      |                                              |
| Service Name:                                                                             | krbtgt                                       |
| Service ID:                                                                               | S-1-5-21-3239415629-1862073780-2394361899-50 |
| Network Information:                                                                      |                                              |
| Client Address:                                                                           | ::ffff:172.17.79.129                         |
| Client Port:                                                                              | 61965                                        |
| Additional Information:                                                                   |                                              |
| Ticket Options:                                                                           | 0x40800010                                   |
| Result Code:                                                                              | 0x0                                          |
| Ticket Encryption Type:                                                                   | 0x17                                         |
| Pre-Authentication Type:                                                                  | 0                                            |
| Certificate Information:                                                                  |                                              |
| Certificate Issuer Name:                                                                  |                                              |
| Certificate Serial Number:                                                                |                                              |
| Certificate Thumbprint:                                                                   |                                              |
| Certificate information is only provided if a certificate was used for pre-authentication |                                              |

See the Ticket Encryption Type → it is 0x17 RC4 Algorithm used to encrypt Kerberos ticket, also the Pre - Authentication Type is set to 0 ( Disabled )

Event ID 4768 means a Kerberos standard user account authentication ticket was requested. Look through all the ID in that you can come across a TargetUserName : arthur.kyle. Likely if we seen in order it is the 6th event of 4768

In Event properties under the System see the TimeCreated : 2024-05-29T06:36:40



2024-05-29 06:36:40

2.Please confirm the User Account that was targeted by the attacker.

arthur.kyle

3.What was the SID of the account?

S-1-5-21-3239415629-1862073780-2394361899-1601

4.It is crucial to identify the compromised user account and the workstation responsible for this attack. Please list the internal IP address of the compromised asset to assist our threat-hunting team.


172.17.79.129

5.We do not have any artifacts from the source machine yet. Using the same DC Security logs, can you confirm the user account used to perform the ASREP

Roasting attack so we can contain the compromised account/s?

See before stepping into this question the above all are the artifact info we collected with that we can map to this answer. The target acc called victim arther.kyle account is compromised by the attacker machine, now the task is to find it. So from the before question the attacker ip is captured with that we can search accordingly

**Event ID 4769** is a standard Windows security log that indicates a **Kerberos service ticket (TGS) was requested**



happy.grunwald