

Transport Layer Part 5


Mark Allman mallman@case.edu


EECS 325/425 Fall 2018

"That's who we arrrrrrre ... That's how we roll!!!!! ..."

olt _	0	1	2	3	4	5	6	7	8	9	10	11	12	13		14	15	16	17	18	19	20	2	1	22	23	2	4	25	26	27	28	29	30	31
							S	ourc	e P	ort															Des	stin	atio	n F	ort						
I		Sequence Number																																	
													1	Ack	no۱	wle	dge	mer	nt Nu	mbe	er														
		HLEN Reserved							U R G	A C K	P S H	R S T	2 100 100 100 100 100 100 100 100 100 10	S Y N	FIN		Window																		
		Checksum														Urgent Pointer																			
	Options (if any)														Padding																				
																	D	ata																	
																	100																		

	Source Port	Destination Port																		
	Sequence Number																			
	Acknowledgement Number																			
HLEN	Reserved	U R G	A C K	P S H	P R S F S F S N I N N					Windo	ndow									
	Checksum	Urgent Pointer																		
		tions	ons (if any)											Padding						
			P				Da	ta												
		10.2																		
																			_	
Allman																				






Canonical form:


• Canonical form:




• Canonical form:




• Canonical form:




Canonical form:











Special options:

- Special options:
 - End of options option:


- Special options:
 - End of options option:



- Special options:
 - End of options option:



No-op option:



• Questions ...

- Questions ...
 - Do we need an end of options option?

- Questions ...
 - Do we need an end of options option?
 - Do we need a no-op option?

- Questions ...
 - Do we need an end of options option?
 - Do we need a no-op option?
 - Why not invent a padding option that consumes the entire needed length?

- Questions ...
 - Do we need an end of options option?
 - Do we need a no-op option?
 - Why not invent a padding option that consumes the entire needed length?
 - Do we need a one byte option?

- Questions ...
 - Do we need an end of options option?
 - Do we need a no-op option?
 - Why not invent a padding option that consumes the entire needed length?
 - Do we need a one byte option?
 - Why have 2 byte options instead of making more special options?

 Type / value is a design pattern of sorts in networks:

 Type / value is a design pattern of sorts in networks:

```
HTTP/1.1 200 OK\r\n
Date: Thu, 27 Sep 2018 19:33:01 GMT\r\n
Server: Apache/2.4.34 (Fedora)\r\n
Last-Modified: Tue, 25 Sep 2018 17:22:44 GMT\r\n
ETag: "14-576b55a8e8100"\r\n
Accept-Ranges: bytes\r\n
Content-Length: 20\r\n
Content-Type: text/plain; charset=UTF-8\r\n
\r\n
```

Allman

 Type / value is a design pattern of sorts in networks:

```
HTTP/1.1 200 OK\r\n
Date: Thu, 27 Sep 2018 19:33:01 GMT\r\n
Server: Apache/2.4.34 (Fedora)\r\n
Last-Modified: Tue, 25 Sep 2018 17:22:44 GMT\r\n
ETag: "14-576b55a8e8100"\r\n
Accept-Ranges: bytes\r\n
Content-Length: 20\r\n
Content-Type: text/plain; charset=UTF-8\r\n
\r\n
```

Type

 Type / value is a design pattern of sorts in networks:

```
HTTP/1.1 200 OK\r\n
Date: Thu, 27 Sep 2018 19:33:01 GMT\r\n
Server: Apache/2.4.34 (Fedora)\r\n
Last-Modified: Tue, 25 Sep 2018 17:22:44 GMT\r\n
ETag: 4"14-576b55a8e8100"\r\n
Accept-Ranges: bytes\r\n
Content-Length: 20\r\n
Content-Type: text/plain; charset=UTF-8\r\n
\r\
                         Value
```

Allman