

## CUSTOMER RELATIONSHIP MANAGEMENT SYSTEM

### 1. PREREQUISITES

- COMPOSER
- XAMPP
- VISUAL STUDIO CODE

### 2. INSTALLATION

#### 3.1 SOFTWARE REQUIREMENT INSTALLATION

STEP 1: DOWNLOAD COMPOSER

GO TO THE LINK: <https://getcomposer.org/doc/00-intro.md#using-the-installer>

LINK PROVIDES INSTRUCTIONS FOR INSTALLATION

#### STEP 2: DOWNLOAD XAMPP

GO TO THE LINK: <https://www.apachefriends.org/download.html>

AFTER DOWNLOADING XAMPP RUN THE PROGRAM AND COMPLETE THE INSTALLATION

#### STEP 3: DOWNLOAD VISUAL STUDIO CODE

GO TO THE LINK: <https://code.visualstudio.com/download>

AFTER DOWNLOADING VISUAL STUDIO CODE RUN THE PROGRAM AND COMPLETE THE INSTALLATION

### 3. CONTRIBUTING

#### 3.1 CONTRIBUTIONS

##### 4.1.1 Administrator

- Able to create, update and delete activity
- Able to submit feedback
- Able to see feedback logs
- Can update/delete user profile

#### 3.2 ISSUES

##### 4.2.1 Administrator


- Not able to assign user's role
- Cannot read the Join Activity authentication code
- Dashboard Line chart is not responsive

##### 4.2.2 User


- No user pane

## FLOWCHART


### ADMIN



### USER



#### 4. ERD




## 5. USER MANUAL

## USING THE CUSTOMER RELATIONSHIP MANAGEMENT SYSTEM


## 1. LOGIN AND REGISTER FORM

### STEP 1: Go to login and Register form




STEP 2: Press [Register](#) Register button to create new account or if you already had an account you can proceed to [Log in](#) Login button.

If you press the register button it will directly link you to the Register Form.


A screenshot of a web application's registration form. At the top center is a blue circular logo with a white diagonal line. Below the logo is a white rectangular form with rounded corners. The form contains four input fields: 'Name', 'Email', 'Password', and 'Confirm Password'. Below the 'Confirm Password' field is a link that says 'Already registered?' and a dark blue button labeled 'REGISTER'.

Now this is the Register form. You need to fill out the form and press the [REGISTER](#) register button. After you register you need to login your registered account in the Login Form.

A screenshot of a web application's login form. At the top center is a blue circular logo with a white diagonal line. Below the logo is a white rectangular form with rounded corners. The form contains two input fields: 'Email' and 'Password'. Below the 'Password' field is a checkbox labeled 'Remember me'. At the bottom of the form is a link that says 'Forgot your password?' and a dark blue button labeled 'LOG IN'. On the right side of the screenshot, a portion of a Windows taskbar is visible, showing various application icons.

Fill out the form and press [LOG IN](#) log in button. After logging in It will transfer you directly to the Main Dashboard.

MAIN DASHBOARD




Now this is   the Main Dashboard. As you can see   at the side it is the Navigation Sidebar, there are lists of links + Create Activity, ≡ Feedback Log and ➔ Join Activity.

## 2. CREATE ACTIVITY


For Create Activity press + Create Activity Create Activity button. It will transfer you to the Create Activity form.


After filling out the activity form it will transfer you the List of Activities Tables.




As you can see on the table. You will also be able to edit the activity you want to update by

pressing the  edit button.




Once you are on editing the activity you can simply press the  update button and it will replace all the details you have changed and will transfer you back to the List of Activities Tables.

### 3. JOIN ACTIVITY

A dark grey rectangular button with a white right-pointing arrow icon followed by the text "Join Activity" in a light blue font.

For Join Activity press the **Join Activity** button and it will transfer you to Join Activity Form.

A screenshot of a web application interface. On the left is a dark grey sidebar with a "CRM" header and a list of menu items: "Dex Karl Duque", "Join Activity" (highlighted with a right-pointing arrow), "Dashboard", "Create Activity", and "Feedback Log". The main content area has a top navigation bar with "Tasks" and "Users" tabs, and a user profile "DD" in the top right. Below the navigation bar is a dark grey header with a blue "JOIN ACTIVITY" button. The main form area is dark grey and contains the text "ENTER ACTIVITY CODE:" followed by a text input field labeled "Activity Code" and a blue "JOIN ACTIVITY" button.

On this form you need to enter the Activity Code to get through the Feedback form. Note that the Activity Code is the code you filled out in the Create Activity Form. After that press

A blue rectangular button with the text "JOIN ACTIVITY" in white capital letters.

**Join Activity** button and it will transfer you to the Feedback Form.

#### 4. FEEDBACK FORM

CRM

TasksUsers

DD

Dex Karl Duque

Join Activity

Dashboard

Create Activity

Feedback Log

CUSTOMER SATISFACTION FEEDBACK FORM

Name of Company

Enter ...

Date:

Address

Enter ...

Telephone No.

Enter ...

Email Address

Enter ...

Gender

Male

Nature of Business (please check):

Food/Beverage

Agriculture/Horticulture

Metals & Engineering

Construction

Pharmaceuticals

Electronics/Semiconductors

Transport

Plastic/Rubber

Chemicals/Petrochemicals

Mining

Trading

Academe

Government

Others, Please specify

Is it your first time to avail of the programs and services of DOST XI?

Yes

No

1. Services availed from DOST XI

Technology Intervention (please specify):

Enter ...

2. Delivery Services

1- Poor 2- Fair 3-Satisfactory 4- Very Satisfactory 5- Excellent

ASPECTS	1	2	3	4	5
1. Timelessness					
Timelessness on the conduct of the activity as indicated in the program (time started, time allotted per topic, time ended)					
Timelessness on the delivery of service,per agreed terms					
2. Attitude of Staff					
Courtesy and professionalism of the staff assigned to assist you					
Courtesy and professionalism of the trainers/experts for the training/service					
3. Quality of Service					
Achievement of training objectives					
Delivery and mastery of the trainers on the topic/s					
Usefulness of the training materials					
Conductiveness of training venue for teaching					
Relevance of the interventions/assistance provided					

Enter ...

University of Immaculate Conception

Enter ...

Others:

7. Give at least three words that best describe your experience with the services availed:

1.)

2.)

3.)

Enter ...

Enter ...

Enter ...

8. Any other suggestions to improve our service?

Enter ...

Signature:

Designation:

Enter ...

Enter ...

SUBMIT FEEDBACK

Copyright © 2014-2021 CRM. All rights reserved.

Version 1



Once you entered the Feedback Form. Kindly fill out the form and press the

SUBMIT FEEDBACK

Submit Feedback and it will transfer you to the Feedback Logs where you can see the table of the feedbacks you submitted.

Feedback ID	Company Name	Date	Address	Telephone	Email	Gender	Nature	Yes/No	Service Availled 1	Service Availled 2	Consulta
1	Dex Karl Duque	07/15/2021	SAMPLE	09123456789	d.duque.401453@umindanao.edu.ph	Male	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE

## 6. SOURCE CODE

### BLADES

“app.blade.php”

```
7. <!DOCTYPE html>
8. <html lang="{ str_replace('_', '-', app()->getLocale()) }">
9. <head>
10. <meta charset="utf-8">
11. <meta name="viewport" content="width=device-width, initial-scale=1">
12. <meta http-equiv="x-ua-compatible" content="ie=edge">
13. <meta name="csrf-token" content="{ csrf_token() }">
14.
15. <title>{{ config('app.name', 'Laravel') }}</title>
16.
17. <!-- Fonts -->
18. <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Nunito:wght@400;600;700&display=swap">
19.
20. <!-- Styles -->
21. <link rel="stylesheet" href="{ asset('css/app.css') }">
22.
```

```

23. @livewireStyles
24.
25. <!-- Google Font: Source Sans Pro -->
26. <link rel="stylesheet" href="{{ asset("https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback") }}">
27. <!-- Font Awesome Icons -->
28. <link rel="stylesheet" href="{{ asset("plugins/fontawesome-free/css/all.min.css") }}">
29. <!-- overlayScrollbars -->
30. <link rel="stylesheet" href="{{ asset("plugins/overlayScrollbars/css/OverlayScrollbars.min.css") }}">
31. <!-- Theme style -->
32. <link rel="stylesheet" href="{{ asset("dist/css/adminlte.min.css") }}">
33. <!-- Scripts -->
34. <script src="{{ asset('js/app.js') }}" defer></script>
35. {{-- DATATABLES CSS--}}
36. <link rel="stylesheet" href="{{asset('http://cdn.datatables.net/1.10.25/css/jquery.dataTables.min.css')}}">
37. {{-- TOASTR --}}
38. <link rel="stylesheet" href="{{asset('http://cdn.bootcss.com/toastr.js/latest/css/toastr.min.css')}}">
39. {{-- SWEETALERT2 --}}
40. <script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
41.
42. <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.3/Chart.min.js"></script>
43.
44. </head>
45. <body class="hold-transition dark-mode sidebar-mini layout-fixed ">
46.
47.     <div class="min-h-screen bg-gray-100">
48.         @livewire('navigation-menu')
49.
50.         <main>
51.             {{--}} {{ $slot }} {{--}}
52.             <div class="wrapper">
53.
54.                 <!-- Preloader -->
55.                 <div class="preloader flex-column justify-content-center align-items-center">
56.                     
57.                 </div>
58.
59.                 <!-- Navbar -->
60.
61.                 <!-- /.navbar -->
62.

```

```

63.         <!-- Main Sidebar Container -->
64.         <aside class="main-sidebar sidebar-dark-primary elevation-
4">
65.             <!-- Brand Logo -->
66.             <a href="index3.html" class="brand-link">
67.                 
68.                 <span class="brand-text font-weight-heavy">CRM</span>
69.             </a>
70.
71.             <!-- Sidebar -->
72.             @include('layouts.sidebar')
73.             <!-- /.sidebar -->
74.         </aside>
75.
76.         <div class="content-wrapper">
77.             <!-- Content Header (Page header) -->
78.             <div class="content-header">
79.                 <div class="container-fluid">
80.                     <div class="row mb-2">
81.                         <div class="col-sm-6">
82.                             <ul class="navbar-nav">
83.                                 <li class="nav-item">
84.                                     <a class="nav-link" data-
widget="pushmenu" href="#" role="button"><i class="fas fa-
bars"></i></a>
85.                                     </li>
86.                                 </ul>
87.                             </div><!-- /.col -->
88.
89.                             </div><!-- /.row -->
90.                             </div><!-- /.container-fluid -->
91.                         </div>
92.
93.                         {{$slot}}
94.
95.                     </div>
96.                 </main>
97.
98.                 <footer class="main-footer">
99.                     <strong>Copyright &copy; 2014-
2021 <a href="#">CRM</a>.</strong>
100.                     All rights reserved.
101.                     <div class="float-right d-none d-sm-inline-block">
102.                         <b>Version</b> 1
103.                     </div>
104.                 </footer>
105.             </div>

```

```

106.
107.     @stack('modals')
108.
109.     @livewireScripts
110.
111.     <div class="wrapper">
112.
113.         <!-- PreLoader -->
114.         <div class="preloader flex-column justify-content-center align-
items-center">
115.             
116.         </div>
117.
118.         <!-- Navbar -->
119.
120.         <!-- /.navbar -->
121.
122.         <!-- REQUIRED SCRIPTS -->
123.         <!-- jQuery -->
124.         <script src={{ asset('plugins/jquery/jquery.min.js') }}></script>
125.         <!-- Bootstrap -->
126.         <script src={{ asset('plugins/bootstrap/js/bootstrap.bundle.min.j
s') }}></script>
127.         <!-- overlayScrollbars -->
128.         <script src={{ asset('plugins/overlayScrollbars/js/jquery.overlay
Scrollbars.min.js') }}></script>
129.         <!-- AdminLTE App -->
130.         <script src={{ asset('dist/js/adminlte.js') }}></script>
131.
132.         <!-- PAGE PLUGINS -->
133.         <!-- jQuery Mapael -->
134.         <script src={{ asset('plugins/jquery-
mousewheel/jquery.mousewheel.js') }}></script>
135.         <script src={{ asset('plugins/raphael/raphael.min.js') }}></scrip
t>
136.         <script src={{ asset('plugins/jquery-
mapael/jquery.mapael.min.js') }}></script>
137.         <script src={{ asset('plugins/jquery-
mapael/maps/usa_states.min.js') }}></script>
138.         <!-- ChartJS -->
139.         <script src={{ asset('plugins/chart.js/Chart.min.js') }}></script
>
140.
141.         <!-- AdminLTE for demo purposes -->
142.         <script src={{ asset('dist/js/demo.js') }}></script>
143.         <!-- AdminLTE dashboard demo (This is only for demo purposes) -->

```

```

144.     <script src={{ asset('dist/js/pages/dashboard2.js') }}></script>
145.     <script src="{{asset('http://cdn.datatables.net/1.10.25/js/jquery
    .dataTables.min.js')}}"></script>
146.     <script>
147.     $(document).ready( function () {
148.         $('#myTable').DataTable();
149.     } );
150.
151.     </script>
152.
153.     <script src="http://cdn.bootcss.com/toastr.js/latest/js/toastr.mi
    n.js"></script>
154.     <script>
155.     @if(Session::has('message'))
156.         var type = "{{ Session::get('alert-type', 'info') }}"
157.         switch(type){
158.             case 'info':
159.                 toastr.info("{{ Session::get('message') }}");
160.                 break;
161.
162.             case 'warning':
163.                 toastr.warning("{{ Session::get('message') }}");
164.                 break;
165.             case 'success':
166.                 toastr.success("{{ Session::get('message') }}");
167.                 break;
168.
169.             case 'error':
170.                 toastr.error("{{ Session::get('message') }}");
171.                 break;
172.         }
173.     @endif
174.     </script>
175.
176.     {{--SWEET ALERT 2 FUNCTION--}}
177.     <script type="text/javascript">
178.     $(function(){
179.         $(document).on ('click', '#delete',function(e){
180.             e.preventDefault();
181.             var link = $(this).attr("href");
182.             Swal.fire({
183.                 title: 'Are you sure you want to delete this activity
184.                 ? ',
185.                 text: "You won't be able to revert this!",
186.                 icon: 'warning',
187.                 showCancelButton: true,
188.                 confirmButtonColor: '#3085d6',
189.                 cancelButtonColor: '#d33',

```

```

189.         confirmButtonText: 'Yes, Delete Activity!'
190.     }).then((result) => {
191.         if (result.value) {
192.             window.location.href = link;
193.             Swal.fire(
194.                 'Deleted',
195.                 'You Activity has been deleted.',
196.                 'success'
197.             )
198.         }
199.     })
200. });
201. });
202. </script>
203.
204. </body>
205. </html>
206.

```

#### “sidebar.blade.php”

```

207.     <!-- Main Sidebar Container -->
208.     <aside class="main-sidebar sidebar-dark-primary elevation-4">
209.         <!-- Brand Logo -->
210.         <a href="{{ route('dashboard') }}" class="brand-link">
211.             
213.             <span class="brand-text font-weight-heavy">CRM</span>
214.         </a>
215.         {{--SIDEBAR NAVIGATION--}}
216.
217.         @php
218.         $prefix = Request::route()->getPrefix();
219.         $route= Route::current()->getName();
220.
221.         @endphp
222.         <!-- Sidebar -->
223.         <div class="sidebar">
224.             <!-- Sidebar user panel (optional) -->
225.             <div class="user-panel mt-3 pb-3 mb-3 d-flex">
226.
227.                 <div class="info">
228.
229.                     <a href="#" class="d-block"><i class="fas fa-
user">{{ Auth::user()->name}}</i></a>

```

```

230.
231.         </div>
232.     </div>
233.
234.         <div class="user-panel mt-3 pb-3 mb-3 d-flex">
235.
236.             <div class="nav-
237. item {{ ($prefix=='joinactivitytest')?'menu-open':'' }}">
238.                 <a href="{{ route('viewjointest.joinactivitytest') }}"
239. class="nav-
240. link {{ ($route=='viewjointest.joinactivitytest')?'active':'' }}"> <i c
241. lass="fas fa-sign-in-alt">
242.                     Join Activity </i> </a>
243.             </div>
244.         </div>
245.     <!-- SidebarSearch Form -->
246.
247.     <!-- Sidebar Menu -->
248.     <nav class="mt-2">
249.         <ul class="nav nav-pills nav-sidebar flex-column">
250.             <!-- Add icons to the links using the .nav-icon class
251.                  with font-awesome or any other icon font library -
252.             ->
253.             <li class="nav-item">
254.                 <a href="{{ route('dashboard') }}" class="nav-
255. link {{ ($route=='dashboard')?'active':'' }}">
256.                     <i class="fas fa-columns">
257.                         <p>
258.                             Dashboard
259.                         </p>
260.                     </i>
261.                 </a>
262.             </li>
263.             <li class="nav-
264. item {{ ($prefix=='createactivity')?'menu-open':'' }}">
265.                 <a href="{{ route('view.createactivity') }}" class="n
266. av-link {{ ($route=='view.createactivity')?'active':'' }}">
267.                     <p>
268.                         <i class="fas fa-plus-circle">
269.                             Create Activity
270.                         </i>
271.                     </p>
272.                 </a>
273.             </li>
274.             <li class="nav-
275. item {{ ($prefix=='joinactivityview')?'menu-open':'' }}">

```

```

269.         <a href="{{ route('joinactivityview') }}" class="nav-
link {{ ($route=='joinactivityview')?'active':'' }}">
270.             <p>
271.                 <i class="fas fa-list">
272.                     Feedback Log
273.                 </i>
274.             </p>
275.         </a>
276.     </li>
277.
278.     {{-- <li class="nav-
item {{ ($prefix=='viewactivity')?'menu-open':'' }}">
279.         <a href="{{ route('view') }}" class="nav-
link {{ ($route=='view')?'active':'' }}">
280.             <p>
281.                 View Activity
282.             </p>
283.         </a>
284.     </li>--}}
285.
286. </div>
287. <!-- /.sidebar -->
288. </aside>
289.

```

290.

291. LAYOUT/TASKS

292. "create.blade.php"

```

293. <x-app-layout>
294.     <x-slot name="header">
295.         <h2 class="font-semibold text-xl text-White-800 leading-
tight">
296.             Create Task
297.         </h2>
298.     </x-slot>
299.     {{--TASKS CREATE BLADE--}}
300.     <div>
301.         <div class="max-w-4xl mx-auto py-10 sm:px-6 lg:px-8">
302.             <div class="mt-5 md:mt-0 md:col-span-2">
303.                 <form method="post" action="{{ route('tasks.store
') }}">
304.                     @csrf
305.                     <div class="shadow overflow-
hidden sm:rounded-md">
306.                         <div class="px-4 py-5 bg-white sm:p-6">
307.                             <label for="description" class="block
font-medium text-sm text-gray-700">Description</label>

```



```

308.             <input type="text" name="description"
            id="description" type="text" class="form-input rounded-md shadow-
            sm mt-1 block w-full"
309.                 value="{{ old('description', '
            ' ) }}" />
310.                 @error('description')
311.                 <p class="text-sm text-red-
            600">{{ $message }}</p>
312.                 @enderror
313.             </div>
314.
315.             <div class="flex items-center justify-
            end px-4 py-3 bg-gray-50 text-right sm:px-6">
316.                 <button class="inline-flex items-
            center px-4 py-2 bg-gray-800 border border-transparent rounded-md font-
            semibold text-xs text-white uppercase tracking-widest hover:bg-gray-
            700 active:bg-gray-900 focus:outline-none focus:border-gray-
            900 focus:shadow-outline-gray disabled:opacity-25 transition ease-in-
            out duration-150">
317.                     Create
318.                 </button>
319.             </div>
320.         </div>
321.     </form>
322. </div>
323. </div>
324. </div>
325.
326. </x-app-layout>
327.

```

328.

329. "edit.blade.php"

```

330. <x-app-layout>
331.     <x-slot name="header">
332.         <h2 class="font-semibold text-xl text-White-800 leading-
            tight">
333.             Edit Task
334.         </h2>
335.     </x-slot>
336.     {{--TASKS EDIT/UPDATE BLADE--}}
337.     <div>
338.         <div class="max-w-4xl mx-auto py-10 sm:px-6 lg:px-8">
339.             <div class="mt-5 md:mt-0 md:col-span-2">
340.                 <form method="post" action="{{ route('tasks.updat
            e', $task->id) }}">
341.                     @csrf
342.                     @method('PUT')

```

```

343.             <div class="shadow overflow-
                hidden sm:rounded-md">
344.                 <div class="px-4 py-5 bg-white sm:p-6">
345.                     <label for="description" class="block
                        font-medium text-sm text-gray-700">Description</label>
346.                     <input type="text" name="description"
                        id="description" type="text" class="form-input rounded-md shadow-
                        sm mt-1 block w-full"
347.                         value="{{ old('description', $
                            task->description) }}" />
348.                     @error('description')
349.                         <p class="text-sm text-red-
                            600">{{ $message }}</p>
350.                     @enderror
351.                 </div>
352.
353.                 <div class="flex items-center justify-
                        end px-4 py-3 bg-gray-50 text-right sm:px-6">
354.                     <button class="inline-flex items-
                        center px-4 py-2 bg-gray-800 border border-transparent rounded-md font-
                        semibold text-xs text-white uppercase tracking-widest hover:bg-gray-
                        700 active:bg-gray-900 focus:outline-none focus:border-gray-
                        900 focus:shadow-outline-gray disabled:opacity-25 transition ease-in-
                        out duration-150">
355.                         Edit
356.                     </button>
357.                 </div>
358.             </div>
359.         </form>
360.     </div>
361. </div>
362. </div>
363.
364. </x-app-layout>

```

365.

366. "index.blade.php"

```

367. <x-app-layout>
368.     <x-slot name="header">
369.
370.         <h2 class="font-semibold text-xl text-white-
            800 leading-tight">
371.             {{--TASKS LIST BLADE--}}
372.         </h2>
373.     </x-slot>
374.     <div>
375.         <div class="max-w-6xl mx-auto py-10 sm:px-6 lg:px-8">
376.             <div class="block mb-8">

```

```

377.             <a href="{{ route('tasks.create') }}" class="
bg-green-500 hover:bg-green-700 text-white font-bold py-2 px-
4 rounded">Add Task</a>
378.         </div>
379.         <div class="flex flex-col">
380.             <div class="-my-2 overflow-x-auto sm:-mx-
6 lg:-mx-8">
381.                 <div class="py-2 align-middle inline-
block min-w-full sm:px-6 lg:px-8">
382.                     <div class="shadow overflow-
hidden border-b border-gray-200 sm:rounded-lg">
383.                         <table class="min-w-full divide-
y divide-gray-200 w-full">
384.                             <thead>
385.                                 <tr>
386.                                     <th scope="col" width="50
" class="px-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
387.                                         ID
388.                                     </th>
389.                                     <th scope="col" class="px
-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
390.                                         Description
391.                                     </th>
392.                                     <th scope="col" width="20
0" class="px-6 py-3 bg-gray-50">
393.
394.                                     </th>
395.                                 </tr>
396.                             </thead>
397.                             <tbody class="bg-
white divide-y divide-gray-200">
398.                                 @foreach ($tasks as $task)
399.                                     <tr>
400.                                         <td class="px-6 py-
4 whitespace-nowrap text-sm text-gray-900">
401.                                             {{ $task->id }}
402.                                         </td>
403.
404.                                         <td class="px-6 py-
4 whitespace-nowrap text-sm text-gray-900">
405.                                             {{ $task-
>description }}
406.                                         </td>
407.
408.                                         <td class="px-6 py-
4 whitespace-nowrap text-sm font-medium">

```

```

409.                                     <a href="{{ route
('tasks.show', $task->id) }}" class="text-blue-600 hover:text-blue-
900 mb-2 mr-2">View</a>
410.                                     <a href="{{ route
('tasks.edit', $task->id) }}" class="text-indigo-600 hover:text-indigo-
900 mb-2 mr-2">Edit</a>
411.                                     <form class="inli
ne-block" action="{{ route('tasks.destroy', $task-
>id) }}" method="POST" onsubmit="return confirm('Are you sure?');">
412.                                     <input type="
hidden" name="_method" value="DELETE">
413.                                     <input type="
hidden" name="_token" value="{{ csrf_token() }}">
414.                                     <input type="
submit" class="text-red-600 hover:text-red-900 mb-2 mr-
2" value="Delete">
415.                                     </form>
416.                                     </td>
417.                                     </tr>
418.                                 @endforeach
419.                             </tbody>
420.                         </table>
421.                     </div>
422.                 </div>
423.             </div>
424.         </div>
425.
426.     </div>
427. </div>
428. <!-- Main Footer -->
429.
430. </x-app-layout>
431.

```

#### 432. "show.blade.php"

```

433. <x-app-layout>
434.     <x-slot name="header">
435.         <h2 class="font-semibold text-xl text-gray-800 leading-
tight">
436.             Show Task
437.         </h2>
438.
439.         {{--TASKS SHOW LIST BLADE--}}
440.
441.     </x-slot>
442.     <div>
443.         <div class="max-w-6xl mx-auto py-10 sm:px-6 lg:px-8">
444.             <div class="block mb-8">

```

```

445.             <a href="{{ route('tasks.index') }}" class="bg-
gray-200 hover:bg-gray-300 text-black font-bold py-2 px-
4 rounded">Back to list</a>
446.         </div>
447.         <div class="flex flex-col">
448.             <div class="-my-2 overflow-x-auto sm:-mx-6 lg:-
mx-8">
449.                 <div class="py-2 align-middle inline-
block min-w-full sm:px-6 lg:px-8">
450.                     <div class="shadow overflow-
hidden border-b border-gray-200 sm:rounded-lg">
451.                         <table class="min-w-full divide-
y divide-gray-200 w-full">
452.                             <tr class="border-b">
453.                                 <th scope="col" class="px-
6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
454.                                     ID
455.                                 </th>
456.                                 <td class="px-6 py-
4 whitespace-nowrap text-sm text-gray-900 bg-white divide-y divide-
gray-200">
457.                                     {{ $task->id }}
458.                                 </td>
459.                             </tr>
460.                             <tr class="border-b">
461.                                 <th scope="col" class="px-
6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
462.                                     Description
463.                                 </th>
464.                                 <td class="px-6 py-
4 whitespace-nowrap text-sm text-gray-900 bg-white divide-y divide-
gray-200">
465.                                     {{ $task->description }}
466.                                 </td>
467.                             </tr>
468.                         </table>
469.                     </div>
470.                 </div>
471.             </div>
472.         </div>
473.         <div class="block mt-8">
474.             <a href="{{ route('tasks.index') }}" class="bg-
gray-200 hover:bg-gray-300 text-black font-bold py-2 px-
4 rounded">Back to list</a>
475.         </div>
476.     </div>

```

```
477.         </div>
478.
479.     </x-app-layout>
480.
```

```
481.
482.     LAYOUTS/USERS
483.     "create.blade.php"
```

```
484.     <x-app-layout>
485.         <x-slot name="header">
486.             <h2 class="font-semibold text-xl text-White-800 leading-
tight">
487.                 Create Task
488.             </h2>
489.         </x-slot>
490.         {!!--TASKS CREATE BLADE--!!}
491.         <div>
492.             <div class="max-w-4xl mx-auto py-10 sm:px-6 lg:px-8">
493.                 <div class="mt-5 md:mt-0 md:col-span-2">
494.                     <form method="post" action="{{ route('tasks.store
') }}">
495.                         @csrf
496.                         <div class="shadow overflow-
hidden sm:rounded-md">
497.                             <div class="px-4 py-5 bg-white sm:p-6">
498.                                 <label for="description" class="block
font-medium text-sm text-gray-700">Description</label>
499.                                 <input type="text" name="description"
id="description" type="text" class="form-input rounded-md shadow-
sm mt-1 block w-full"
500.                                     value="{{ old('description', '
') }}" />
501.                                 @error('description')
502.                                     <p class="text-sm text-red-
600">{!! $message !!}</p>
503.                                 @enderror
504.                             </div>
505.
506.                             <div class="flex items-center justify-
end px-4 py-3 bg-gray-50 text-right sm:px-6">
507.                                 <button class="inline-flex items-
center px-4 py-2 bg-gray-800 border border-transparent rounded-md font-
semibold text-xs text-white uppercase tracking-widest hover:bg-gray-
700 active:bg-gray-900 focus:outline-none focus:border-gray-
900 focus:shadow-outline-gray disabled:opacity-25 transition ease-in-
out duration-150">
508.                                     Create
509.                                 </button>
510.                             </div>
```

```

511.             </div>
512.         </form>
513.     </div>
514. </div>
515. </div>
516.
517. </x-app-layout>
518.

```

```

519.
520.     "edit.blade.php"

```

```

521.     <x-app-layout>
522.         <x-slot name="header">
523.             <h2 class="font-semibold text-xl text-White-800 leading-
524.                 tight">
525.                 Edit Task
526.             </h2>
527.         </x-slot>
528.         {{--TASKS EDIT/UPDATE BLADE--}}
529.         <div>
530.             <div class="max-w-4xl mx-auto py-10 sm:px-6 lg:px-8">
531.                 <div class="mt-5 md:mt-0 md:col-span-2">
532.                     <form method="post" action="{{ route('tasks.updat
533.                         e', $task->id) }}">
534.                         @csrf
535.                         @method('PUT')
536.                         <div class="shadow overflow-
537.                             hidden sm:rounded-md">
538.                                 <div class="px-4 py-5 bg-white sm:p-6">
539.                                     <label for="description" class="block
540.                                         font-medium text-sm text-gray-700">Description</label>
541.                                     <input type="text" name="description"
542.                                         id="description" type="text" class="form-input rounded-md shadow-
543.                                             sm mt-1 block w-full"
544.                                             value="{{ old('description', $
545.                                                 task->description) }}" />
546.                                     @error('description')
547.                                     <p class="text-sm text-red-
548.                                         600">{{ $message }}</p>
549.                                     @enderror
550.                                 </div>
551.                                 <div class="flex items-center justify-
552.                                     end px-4 py-3 bg-gray-50 text-right sm:px-6">
553.                                     <button class="inline-flex items-
554.                                         center px-4 py-2 bg-gray-800 border border-transparent rounded-md font-
555.                                             semibold text-xs text-white uppercase tracking-widest hover:bg-gray-
556.                                                 700 active:bg-gray-900 focus:outline-none focus:border-gray-

```

```

900 focus:shadow-outline-gray disabled:opacity-25 transition ease-in-
    out duration-150">
546.         Edit
547.         </button>
548.     </div>
549. </div>
550. </form>
551. </div>
552. </div>
553. </div>
554.
555. </x-app-layout>
556.
557. "index.blade.php"
558. <x-app-layout>
559.     <x-slot name="header">
560.
561.         <h2 class="font-semibold text-xl text-white-
800 leading-tight">
562.             {{--TASKS LIST BLADE--}}
563.         </h2>
564.     </x-slot>
565.     <div>
566.         <div class="max-w-6xl mx-auto py-10 sm:px-6 lg:px-8">
567.             <div class="block mb-8">
568.                 <a href="{{ route('tasks.create') }}" class="
bg-green-500 hover:bg-green-700 text-white font-bold py-2 px-
4 rounded">Add Task</a>
569.             </div>
570.             <div class="flex flex-col">
571.                 <div class="-my-2 overflow-x-auto sm:-mx-
6 lg:-mx-8">
572.                     <div class="py-2 align-middle inline-
block min-w-full sm:px-6 lg:px-8">
573.                         <div class="shadow overflow-
hidden border-b border-gray-200 sm:rounded-lg">
574.                             <table class="min-w-full divide-
y divide-gray-200 w-full">
575.                                 <thead>
576.                                     <tr>
577.                                         <th scope="col" width="50
" class="px-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
578.                                             ID
579.                                         </th>
580.                                         <th scope="col" class="px
-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">

```



```

581.                                     Description
582.                                     </th>
583.                                     <th scope="col" width="20
    0" class="px-6 py-3 bg-gray-50">
584.
585.                                     </th>
586.                                     </tr>
587.                                     </thead>
588.                                     <tbody class="bg-
    white divide-y divide-gray-200">
589.                                     @foreach ($tasks as $task)
590.                                     <tr>
591.                                     <td class="px-6 py-
    4 whitespace-nowrap text-sm text-gray-900">
592.                                     {{ $task->id }}
593.                                     </td>
594.
595.                                     <td class="px-6 py-
    4 whitespace-nowrap text-sm text-gray-900">
596.                                     {{ $task-
    >description }}
597.                                     </td>
598.
599.                                     <td class="px-6 py-
    4 whitespace-nowrap text-sm font-medium">
600.                                     <a href="{{ route
    ('tasks.show', $task->id) }}" class="text-blue-600 hover:text-blue-
    900 mb-2 mr-2">View</a>
601.                                     <a href="{{ route
    ('tasks.edit', $task->id) }}" class="text-indigo-600 hover:text-indigo-
    900 mb-2 mr-2">Edit</a>
602.                                     <form class="inli
    ne-block" action="{{ route('tasks.destroy', $task-
    >id) }}" method="POST" onsubmit="return confirm('Are you sure?');">
603.                                     <input type="
    hidden" name="_method" value="DELETE">
604.                                     <input type="
    hidden" name="_token" value="{{ csrf_token() }}">
605.                                     <input type="
    submit" class="text-red-600 hover:text-red-900 mb-2 mr-
    2" value="Delete">
606.                                     </form>
607.                                     </td>
608.                                     </tr>
609.                                     @endforeach
610.                                     </tbody>
611.                                     </table>
612.                                     </div>

```

```
613.                                     </div>
614.                                 </div>
615.                             </div>
616.
617.                         </div>
618.                    </div>
619.                <!-- Main Footer -->
620.
621.            </x-app-layout>
622.
```

[illegible]

```

650.                 </td>
651.             </tr>
652.             <tr class="border-b">
653.                 <th scope="col" class="px-
6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
500 uppercase tracking-wider">
654.                     Description
655.                 </th>
656.                 <td class="px-6 py-
4 whitespace-nowrap text-sm text-gray-900 bg-white divide-y divide-
gray-200">
657.                     {{ $task->description }}
658.                 </td>
659.             </tr>
660.         </table>
661.     </div>
662. </div>
663. </div>
664. </div>
665. <div class="block mt-8">
666.     <a href="{{ route('tasks.index') }}" class="bg-
gray-200 hover:bg-gray-300 text-black font-bold py-2 px-
4 rounded">Back to list</a>
667. </div>
668. </div>
669. </div>
670.
671. </x-app-layout>
672.

```

673.

674. "createactivityadd.blade.php"

```

675. <x-app-layout>
676.     <x-slot name="slot">
677.         <!-- Content Wrapper. Contains page content -->
678.
679.         <!-- /.content-header -->
680.
681.         <!-- Main content -->
682.         <!-- Google Font: Source Sans Pro -->
683.         <link rel="stylesheet" href="{{asset('https://fonts.googleapis.c
om/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback')} }}">
684.         <!-- Font Awesome -->
685.         <link rel="stylesheet" href="{{asset('../..../plugins/fontawesome-
free/css/all.min.css')} }}">
686.         <!-- datrange picker -->
687.         <link rel="stylesheet" href="{{asset('../..../plugins/daterangepic
ker/daterangepicker.css')} }}">
688.         <!-- iCheck for checkboxes and radio inputs -->

```

```

689.     <link rel="stylesheet" href="{{asset('../plugins/icheck-
bootstrap/icheck-bootstrap.min.css')}}">
690.     <!-- Bootstrap Color Picker -->
691.     <link rel="stylesheet" href="{{asset('../plugins/bootstrap-
colorpicker/css/bootstrap-colorpicker.min.css')}}">
692.     <!-- Tempusdominus Bootstrap 4 -->
693.     <link rel="stylesheet" href="{{asset('../plugins/tempusdominu
s-bootstrap-4/css/tempusdominus-bootstrap-4.min.css')}}">
694.     <!-- Select2 -->
695.     <link rel="stylesheet" href="{{asset('../plugins/select2/css/
select2.min.css')}}">
696.     <link rel="stylesheet" href="{{asset('../plugins/select2-
bootstrap4-theme/select2-bootstrap4.min.css')}}">
697.     <!-- Bootstrap4 Duallistbox -->
698.     <link rel="stylesheet" href="{{asset('../plugins/bootstrap4-
duallistbox/bootstrap-duallistbox.min.css')}}">
699.     <!-- BS Stepper -->
700.     <link rel="stylesheet" href="{{asset('../plugins/bs-
stepper/css/bs-stepper.min.css')}}">
701.     <!-- dropzonejs -->
702.     <link rel="stylesheet" href="{{asset('../plugins/dropzone/min
/dropzone.min.css')}}">
703.     <!-- Theme style -->
704.     <link rel="stylesheet" href="{{asset('../dist/css/adminlte.mi
n.css')}}">
705.
706.     {{--CREATE ACITIVITY BLADE--}}
707.
708.         <section class="col-md-12">
709.             <div class="card card-warning">
710.                 <div class="card-header">
711.                     <h3 class="card-title">
712.                         @if (isset($editdata))
713.                             EDIT INFORMATION
714.                         @else
715.                             CREATE ACIVITY
716.                         @endif
717.                     </h3>
718.
719.                 </div>
720.                 <div class="card-body">
721.                     <form method="POST" action="{{ (@$editdata)?r
oute('update.createactivity', $editdata-
>id): route('store.createactivity')}}" enctype="multipart/form-data">
722.                         @csrf
723.
724.                     <div class="form-row">

```

```

725.             <div class="form-group col-sm-6">
726.                 <label>Name of Activity</label>
727.                 <input type="text" name="activityname"
" class="form-control" required value="{{ (@$editdata-
>activityname) }}" placeholder="Name Activity">
728.             </div>
729.
730.             <div class="form-group col-sm-6">
731.                 <label>Date and time:</label>
732.                 <div class="input-
group date" id="reservationdatetime" data-target-input="nearest">
733.                     <input type="text" name="activitydate"
" class="form-control" required value="{{ (@$editdata-
>activitydate) }}" datetimestpicker-input" data-
target="#reservationdatetime"/>
734.                     <div class="input-group-append" data-
target="#reservationdatetime" data-toggle="datetimepicker">
735.                         <div class="input-group-
text"><i class="fa fa-calendar"></i></div>
736.                     </div>
737.                     </div>
738.                     </div>
739.                 </div>
740.
741.             <div class="form-row">
742.                 <div class="form-group col-sm-6">
743.                     <label>Activity Description</label>
744.                     <input type="text" name="activitydesc
ription" class="form-control" required value="{{ (@$editdata-
>activitydescription) }}" placeholder="Activity Description">
745.                     <label>Activity Code:</label>
746.                     <input type="text" name="activitycode"
" class="form-control" required value="{{ (@$editdata-
>activitycode) }}" placeholder="Activity Code">
747.                 </div>
748.                 </div>
749.                 <div><button class="btn btn-
primary" id="update" type="submit">{{ (@$editdata)? 'Update': 'Submit' }
}</button></div>
750.
751.             </form>
752.         </div>
753.     </div>
754.
755. </section>
756.

```

```

757.         <!-- Main Footer -->
758.         </x-slot>
759.
760.     </x-app-layout>
761.     <!-- ChartJS -->
762.
763.     <!-- jQuery -->
764.     <script src="../../plugins/jquery/jquery.min.js"></script>
765.     <!-- Bootstrap 4 -->
766.     <script src="../../plugins/bootstrap/js/bootstrap.bundle.min.js">
</script>
767.     <!-- Select2 -->
768.     <script src="../../plugins/select2/js/select2.full.min.js"></scri
pt>
769.     <!-- Bootstrap4 Duallistbox -->
770.     <script src="../../plugins/bootstrap4-
duallistbox/jquery.bootstrap-duallistbox.min.js"></script>
771.     <!-- InputMask -->
772.     <script src="../../plugins/moment/moment.min.js"></script>
773.     <script src="../../plugins/inputmask/jquery.inputmask.min.js"></s
cript>
774.     <!-- date-range-picker -->
775.     <script src="../../plugins/daterangepicker/daterangepicker.js"></
script>
776.     <!-- bootstrap color picker -->
777.     <script src="../../plugins/bootstrap-colorpicker/js/bootstrap-
colorpicker.min.js"></script>
778.     <!-- Tempusdominus Bootstrap 4 -->
779.     <script src="../../plugins/tempusdominus-bootstrap-
4/js/tempusdominus-bootstrap-4.min.js"></script>
780.     <!-- Bootstrap Switch -->
781.     <script src="../../plugins/bootstrap-switch/js/bootstrap-
switch.min.js"></script>
782.     <!-- BS-Stepper -->
783.     <script src="../../plugins/bs-stepper/js/bs-
stepper.min.js"></script>
784.     <!-- dropzonejs -->
785.     <script src="../../plugins/dropzone/min/dropzone.min.js"></script
>
786.     <!-- AdminLTE App -->
787.     <script src="../../dist/js/adminlte.min.js"></script>
788.     <!-- AdminLTE for demo purposes -->
789.     <script src="../../dist/js/demo.js"></script>
790.     <!-- Page specific script -->
791.     <script>
792.         $(function () {

```

```

793.      //Initialize Select2 Elements
794.      $('.select2').select2()
795.
796.      //Initialize Select2 Elements
797.      $('.select2bs4').select2({
798.          theme: 'bootstrap4'
799.      })
800.
801.      //Datemask dd/mm/yyyy
802.      $('#datemask').inputmask('dd/mm/yyyy', { 'placeholder': 'dd/m
m/yyyy' })
803.      //Datemask2 mm/dd/yyyy
804.      $('#datemask2').inputmask('mm/dd/yyyy', { 'placeholder': 'mm/
dd/yyyy' })
805.      //Money Euro
806.      $('[data-mask]').inputmask()
807.
808.      //Date picker
809.      $('#reservationdate').datetimepicker({
810.          format: 'L'
811.      });
812.
813.      //Date and time picker
814.      $('#reservationdatetime').datetimepicker({ icons: { time: 'fa
r fa-clock' } });
815.
816.      //Date range picker
817.      $('#reservation').daterangepicker()
818.      //Date range picker with time picker
819.      $('#reservationtime').daterangepicker({
820.          timePicker: true,
821.          timePickerIncrement: 30,
822.          locale: {
823.              format: 'MM/DD/YYYY hh:mm A'
824.          }
825.      })
826.      //Date range as a button
827.      $('#daterange-btn').daterangepicker(
828.          {
829.              ranges   : {
830.                  'Today'      : [moment(), moment()],
831.                  'Yesterday' : [moment().subtract(1, 'days'), moment()
.subtract(1, 'days')],
832.                  'Last 7 Days' : [moment().subtract(6, 'days'), moment()
],
833.                  'Last 30 Days': [moment().subtract(29, 'days'), moment(
)]},

```

```

834.         'This Month' : [moment().startOf('month'), moment().en
dOf('month')],
835.         'Last Month' : [moment().subtract(1, 'month').startOf(
'month'), moment().subtract(1, 'month').endOf('month')]
836.     },
837.     startDate: moment().subtract(29, 'days'),
838.     endDate : moment()
839. },
840.     function (start, end) {
841.         $('#reportrange span').html(start.format('MMMM D, YYYY')
+ ' - ' + end.format('MMMM D, YYYY'))
842.     }
843. )
844.
845.     //Timepicker
846.     $('#timepicker').datetimepicker({
847.         format: 'LT'
848.     })
849.
850.     //Bootstrap Duallistbox
851.     $('#duallistbox').bootstrapDualListbox()
852.
853.     //Colorpicker
854.     $('#my-colorpicker1').colorpicker()
855.     //color picker with addon
856.     $('#my-colorpicker2').colorpicker()
857.
858.     $('#my-
colorpicker2').on('colorpickerChange', function(event) {
859.         $('#my-colorpicker2 .fa-
square').css('color', event.color.toString());
860.     })
861.
862.     $("input[data-bootstrap-switch]").each(function(){
863.         $(this).bootstrapSwitch('state', $(this).prop('checked'));
864.     })
865.
866. })
867.
868. </script>
869.

```

870.

871. **"createactivityview.blade.php"**

```

872. <x-app-layout>
873.     <x-slot name="slot">
874.         <!-- Content Wrapper. Contains page content -->
875.
876.         <!-- /.content-header -->

```



[illegible]

```

912.                 <td>{{ $data-
>activityname }}</td>
913.                 <td>{{ $data-
>activitydate }}</td>
914.                 <td>{{ $data-
>activitydescription }}</td>
915.                 <td>{{ $data-
>activitycode }}</td>
916.                 <td>
917.                 <a title="Edit" class="bt
n btn-sm btn-primary" href="{{ route('edit.createactivity', $data-
>id) }}">EDIT</a>
918.                 <a title="Delete" id="del
ete" class="btn btn-sm btn-
danger" href="{{ route('delete.createactivity', $data-
>id) }}">DELETE</a>
919.                 </td>
920.             </tr>
921.         @endforeach
922.
923.     </table>
924. </div>
925. </div>
926. </section>
927. </div>
928. </div>
929.
930. </section>
931.

```

```

932.     <!-- Main Footer -->
933. </x-slot>
934.
935. </x-app-layout>
936. <!-- ChartJS -->
937.
938. <link rel="stylesheet" href="http://cdn.datatables.net/1.10.25/cs
s/jquery.dataTables.min.css">
939. <script src="http://cdn.datatables.net/1.10.25/js/jquery.dataTabl
es.min.js"></script>
940. <script>
941. $(document).ready( function () {
942.     $('#myTable').DataTable();
943. } );
944.

```

[illegible]

```

989.             </div>
990.             <!-- /.info-box -->
991.         </div>
992.     </div>
993.
994. </div>
995.
996.     <!-- BAR CHART -->
997.     <div class="card card-warning">
998.         <div class="card-header">
999.             <h3 class="card-title">Bar Chart</h3>
1000.
1001.             <div class="card-tools">
1002.                 <button type="button" class="btn btn-
tool" data-card-widget="collapse">
1003.                     <i class="fas fa-minus"></i>
1004.                 </button>
1005.                 <button type="button" class="btn btn-
tool" data-card-widget="remove">
1006.                     <i class="fas fa-times"></i>
1007.                 </button>
1008.             </div>
1009.         </div>
1010.         <div class="card-body">
1011.             <div class="chart">
1012.                 <canvas id="barChart" style="min-
height: 250px; height: 250px; max-height: 250px; max-
width: 100%;"></canvas>
1013.             </div>
1014.         </div>
1015.     <!-- /.card-body -->
1016. </div>
1017. </section>
1018.
1019.     <!-- Main Footer -->
1020. </x-slot>
1021.
1022. </x-app-layout>
1023.

```

1024.

1025. "joinactivity.blade.php"

```

1026. <x-app-layout>
1027.     <x-slot name="slot">
1028.         <!-- Content Wrapper. Contains page content -->
1029.
1030.         <!-- /.content-header -->

```

```

1031.

1032.     {{--FEEDBACK FORM BLADE--}}
1033.
1034.         <!-- Main content -->
1035.         <section class="content">
1036.             <!-- general form elements disabled -->
1037.             <div class="card card-warning">
1038.                 <div class="card-header">
1039.                     <h3 class="card-
1040.                         title">CUSTOMER SATISFACTION FEEDBACK FORM</h3>
1041.                 </div>
1042.                 <!-- /.card-header -->
1043.                 <div class="card-body">
1044.                     <form class="center" method="POST" action="{{ rou
1045.                         te('store.createfeedback') }}" enctype="multipart/form-data" >
1046.                         @csrf
1047.                         <div class="form-row">
1048.                             <div class="form-group col-sm-6">
1049.                                 <label>Name of Company</label>
1050.                                 <input type="text" name="feedbackcompanyname" class="form-control" required placeholder="Enter ..." >
1051.                             </div>
1052.
1053.                             {{--DATE--}}
1054.                             <div class="form-group col-sm-6">
1055.                                 <label>Date:</label>
1056.                                 <div class="input-
1057.                                     group date" id="reservationdate" data-target-input="nearest">
1058.                                     <input type="text" name="feedbackdate" class="form-control datetimepicker-input" required data-
1059.                                         target="#reservationdate"/>
1060.                                     <div class="input-group-
1061.                                         append" data-target="#reservationdate" data-toggle="datetimepicker">
1062.                                         <div class="input-group-
1063.                                             text"><i class="fa fa-calendar"></i></div>
1064.                                         </div>
1065.                                     </div>
1066.                                 </div>
1067.
1068.                                 <div class="form-group col-sm-6">
1069.                                     <label>Address</label>
1070.                                     <input type="text" name="feedbackaddress"
1071.                                         class="form-control" required placeholder="Enter ...">
1072.                                 </div>
1073.
1074.                                 <div class="form-group col-sm-6">

```

```

1068.             <label>Telephone No.</label>
1069.             <input type="text" name="feedbacktelephon
1070. e" class="form-control" required placeholder="Enter ...">
1071.         </div>
1072.         <div class="form-group col-sm-6">
1073.             <label>Email Address</label>
1074.             <input type="text" name="feedbackemail" c
1075. lass="form-control" required placeholder="Enter ...">
1076.         </div>
1077.         <div class="form-group col-sm-6">
1078.             <label>Gender</label>
1079.             <select class="form-
1080. control " name="feedbackgender" style="width: 100%;">
1081.                 <option>Male</option>
1082.                 <option>Female</option>
1083.             </select>
1084.         </div>
1085.         <div class="form-horizontal" >
1086.             <label>Nature of Business (please check):
1087. </label>
1088.             <div class="checkbox">
1089.                 <label><input type="checkbox" name="f
1090. eedbacknature" value="Food/Beverage " /> Food/Beverage </label>
1091.                 <label><input type="checkbox" name="f
1092. eedbacknature" value="Agriculture/Horticulture " /> Agriculture/Horticul
1093. ture </label>
1094.                 <label><input type="checkbox" name="f
1095. eedbacknature" value="Metals & Engineering " /> Metals & Engineering </l
1096. abel>
1097.                 <label><input type="checkbox" name="f
1098. eedbacknature" value="Construction"/> Construction </label>
1099.                 <label><input type="checkbox" name="f
1100. eedbacknature" value="Pharmaceuticals " /> Pharmaceuticals </label>
1101.                 <label><input type="checkbox" name="f
1102. eedbacknature" value="Electronics/Semiconductors " /> Electronics/Semico
1103. nductors </label>
1104.                 <label><input type="checkbox" name="f
1105. eedbacknature" value="Transport"/> Transport </label>
1106.                 <label><input type="checkbox" name="f
1107. eedbacknature" value="Plastic/Rubber"/> Plastic/Rubber </label>
1108.                 <label><input type="checkbox" name="f
1109. eedbacknature" value="Chemicals/Petrochemicals"/> Chemicals/Petrochemic
1110. als </label>
1111.                 <label><input type="checkbox" name="f
1112. eedbacknature" value="Mining"/> Mining </label>

```

```

1098.         <label><input type="checkbox" name="f
feedbacknature" value="Trading" /> Trading </label>
1099.         <label><input type="checkbox" name="f
feedbacknature" value="Academe"/> Academe </label>
1100.         <label><input type="checkbox" name="f
feedbacknature" value="Government"/> Government </label>
1101.         <input type="text" class="form-
control" name="feedbacknature" placeholder="Others, Please specify">
1102.         </div>
1103.     </div>
1104.
1105.         <div class="form-group col-sm-6">
1106.             <div class="checkbox">
1107.                 <label>Is it your first time to avail
of the programs and services of DOST XI?</label>
1108.                 <label><input type="checkbox" name="f
feedbackyesno1" value="yes" /> Yes </label>
1109.                 <label><input type="checkbox" name="
feedbackyesno1" value="no"/> No </label>
1110.             </div>
1111.         </div>
1112.
1113.         <div>
1114.             <label style="font-
size: 20px">1 . Services availed from DOST XI</label>
1115.             <div class="form-row">
1116.                 <label>Technology Intervention (please sp
ecify):</label>
1117.                 <input type="text" class="form-
control" required name="feedbackserviceavailed1" placeholder="Enter ...
">
1118.                 <label>Technology Intervention (please sp
ecify):</label>
1119.                 <input type="text" class="form-
control" required name="feedbackserviceavailed2" placeholder="Enter ...
">
1120.             </div>
1121.         </div>
1122.
1123.         <div class="form-col-sm-6" >
1124.             <label>Consultancy Service:</label>
1125.             <div class="checkbox">
1126.                 <label><input type="checkbox" name="f
feedbackconsultancy" value="Energy Audit"/> Energy Audit </label>
1127.                 <label><input type="checkbox" name="f
feedbackconsultancy" value="MPEX"/> MPEX </label>

```

```

1128.             <label><input type="checkbox" name="f
feedbackconsultancy" value="Plant Layout Design"/> Plant Layout Design <
/label>
1129.             <label><input type="checkbox" name="f
feedbackconsultancy" value="CPT"/> CPT </label>
1130.             <label><input type="checkbox" name="f
feedbackconsultancy" value="GMP Assessment"/> GMP Assessment </label>
1131.             <input type="text" class="form-
control" name="feedbackconsultancy" placeholder="Others (specify):">
1132.             </div>
1133.         </div>
1134.
1135.         <div class="form-col-sm-6">
1136.             <label>Packaging and Labeling Services:</labe
l>
1137.             <div class="checkbox">
1138.                 <label><input type="checkbox" name="feed
backpackaging" value="Label Design"/> Label Design </label>
1139.                 <label><input type="checkbox" name="feedb
ackpackaging" value="Nutrition Facts Labeling"/> Nutrition Facts Labeli
ng </label>
1140.                 <label><input type="checkbox" name="feedb
ackpackaging" value="PTD Services"/> PTD Services </label>
1141.                 <input type="text" class="form-
control" name="feedbackpackaging" placeholder=" Others (specify):">
1142.                 </div>
1143.             </div>
1144.
1145.             <div class="form-row">
1146.                 <label>Scholarship (please indicate assistanc
e):</label>
1147.                 <input type="text" class="form-
control" name="feedbackscholarship" required placeholder="Enter ...">
1148.                 <label>Formula of Conversion (please indicate
product):</label>
1149.                 <input type="text" class="form-
control" name="feedbackconversion" required placeholder="Enter ...">
1150.                 <label>R&D Management (please specify):</labe
l>
1151.                 <input type="text" class="form-
control" name="feedbackmanagement" required placeholder="Enter ...">
1152.                 <input type="text" class="form-
control" name="feedbackmanagementspecify" placeholder="Others (Specify
): ">
1153.
1154.             </div>
1155.
1156.         <div class="center">

```



```

1157.         <label style="font-
size: 20px">2 . Delivery Services </label>
1158.         <div class="form-row">
1159.         <label style="font-
size: 20px">1- Poor 2- Fair 3-
Satisfactory 4- Very Satisfactory 5- Excellent</label>
1160.         <table class="table table-stripped table-
bordered">
1161.             <thead>
1162.                 <tr>
1163.                     <th style="font-
size: 20px">ASPECTS</th>
1164.                     <th style="font-
size: 20px">1</th>
1165.                     <th style="font-
size: 20px">2</th>
1166.                     <th style="font-
size: 20px">3</th>
1167.                     <th style="font-
size: 20px">4</th>
1168.                     <th style="font-
size: 20px">5</th>
1169.                 </tr>
1170.             </thead>
1171.             <tr>
1172.                 <th style="font-
size: 20px">1. Timelessness</th>
1173.                 </tr>
1174.                 <tr>
1175.                     <th style="font-
size: 15px">Timelessness on the conduct of the activity as indicated
1176.                     in the program (time started, tim
1177.                     e allotted per topic, time ended)</th>
1178.                     <th style="font-
size: 15px"> <input type="radio" id="timelessness101" name="t1" value="
1179.                     1"></th>
1180.                     <th style="font-
size: 15px"> <input type="radio" id="timelessness102" name="t1" value="
1181.                     2"></th>
1182.                     <th style="font-
size: 15px"> <input type="radio" id="timelessness103" name="t1" value="
1183.                     3"></th>
1184.                     <th style="font-
size: 15px"> <input type="radio" id="timelessness104" name="t1" value="
1185.                     4"></th>

```

```

1183.                <th style="font-
size: 15px"> <input type="radio" id="timelessness105" name="t1" value="
5"></th>
1184.                </tr>
1185.                <tr>
1186.                <th style="font-
size: 15px">Timelessness on the delivery of service,per agreed terms</t
h>
1187.                <th style="font-
size: 15px"> <input type="radio" id="timelessness201" name="t2" value="
1"></th>
1188.                <th style="font-
size: 15px"> <input type="radio" id="timelessness202" name="t2" value="
2"></th>
1189.                <th style="font-
size: 15px"> <input type="radio" id="timelessness203" name="t2" value="
3"></th>
1190.                <th style="font-
size: 15px"> <input type="radio" id="timelessness204" name="t2" value="
4"></th>
1191.                <th style="font-
size: 15px"> <input type="radio" id="timelessness205" name="t2" value="
5"></th>
1192.                </tr>
1193.
1194.                <tr>
1195.                <th style="font-
size: 20px">2. Attitude of Staff</th>
1196.                </tr>
1197.
1198.                <tr>
1199.                <th style="font-
size: 15px">Courtesy and professionalism of the staff assigned to assis
t you</th>
1200.                <th style="font-
size: 15px"> <input type="radio" id="AOS101" name="AOS1" value="1"></th
>
1201.                <th style="font-
size: 15px"> <input type="radio" id="AOS102" name="AOS1" value="2"></th
>
1202.                <th style="font-
size: 15px"> <input type="radio" id="AOS103" name="AOS1" value="3"></th
>
1203.                <th style="font-
size: 15px"> <input type="radio" id="AOS104" name="AOS1" value="4"></th
>

```

```

1204.         <th style="font-
size: 15px"> <input type="radio" id="AOS105" name="AOS1" value="5"></th
>
1205.         </tr>
1206.         <tr>
1207.         <th style="font-
size: 15px">Courtesy and professionalism of the trainers/experts for th
e
1208.         training/service</th>
1209.         <th style="font-
size: 15px"> <input type="radio" id="AOS201" name="AOS2" value="1"></th
>
1210.         <th style="font-
size: 15px"> <input type="radio" id="AOS202" name="AOS2" value="2"></th
>
1211.         <th style="font-
size: 15px"> <input type="radio" id="AOS203" name="AOS2" value="3"></th
>
1212.         <th style="font-
size: 15px"> <input type="radio" id="AOS204" name="AOS2" value="4"></th
>
1213.         <th style="font-
size: 15px"> <input type="radio" id="AOS205" name="AOS2" value="5"></th
>
1214.         </tr>
1215.
1216.         <tr>
1217.         <th style="font-
size: 20px">3. Quality of Service</th>
1218.         </tr>
1219.
1220.         <tr>
1221.         <th style="font-
size: 15px">Achievement of training objectives</th>
1222.         <th style="font-
size: 15px"> <input type="radio" id="QOS101" name="QOS1" value="1"></th
>
1223.         <th style="font-
size: 15px"> <input type="radio" id="QOS102" name="QOS1" value="2"></th
>
1224.         <th style="font-
size: 15px"> <input type="radio" id="QOS103" name="QOS1" value="3"></th
>
1225.         <th style="font-
size: 15px"> <input type="radio" id="QOS104" name="QOS1" value="4"></th
>

```

```

1226.         <th style="font-
size: 15px"> <input type="radio" id="QOS105" name="QOS1" value="5"></th
>
1227.         </tr>
1228.         <tr>
1229.         <th style="font-
size: 15px">Delivery and mastery of the trainers on the topic/s</th>
1230.         <th style="font-
size: 15px"> <input type="radio" id="QOS201" name="QOS2" value="1"></th
>
1231.         <th style="font-
size: 15px"> <input type="radio" id="QOS202" name="QOS2" value="2"></th
>
1232.         <th style="font-
size: 15px"> <input type="radio" id="QOS203" name="QOS2" value="3"></th
>
1233.         <th style="font-
size: 15px"> <input type="radio" id="QOS204" name="QOS2" value="4"></th
>
1234.         <th style="font-
size: 15px"> <input type="radio" id="QOS205" name="QOS2" value="5"></th
>
1235.         </tr>
1236.         <tr>
1237.         <th style="font-
size: 15px">Usefulness of the training materials</th>
1238.         <th style="font-
size: 15px"> <input type="radio" id="UTM101" name="UTM1" value="1"></th
>
1239.         <th style="font-
size: 15px"> <input type="radio" id="UTM102" name="UTM1" value="2"></th
>
1240.         <th style="font-
size: 15px"> <input type="radio" id="UTM103" name="UTM1" value="3"></th
>
1241.         <th style="font-
size: 15px"> <input type="radio" id="UTM104" name="UTM1" value="4"></th
>
1242.         <th style="font-
size: 15px"> <input type="radio" id="UTM105" name="UTM1" value="5"></th
>
1243.         </tr>
1244.         <tr>
1245.         <th style="font-
size: 15px">Conductiveness of training venue for teaching</th>
1246.         <th style="font-
size: 15px"> <input type="radio" id="CTT101" name="CTT1" value="1"></th
>

```

```

1247.         <th style="font-
size: 15px"> <input type="radio" id="CTT102" name="CTT1" value="2"></th>
>
1248.         <th style="font-
size: 15px"> <input type="radio" id="CTT103" name="CTT1" value="3"></th>
>
1249.         <th style="font-
size: 15px"> <input type="radio" id="CTT104" name="CTT1" value="4"></th>
>
1250.         <th style="font-
size: 15px"> <input type="radio" id="CTT105" name="CTT1" value="5"></th>
>
1251.     </tr>
1252.     <tr>
1253.         <th style="font-
size: 15px">Relevance of the interventions/assistance provided</th>
1254.         <th style="font-
size: 15px"> <input type="radio" id="RIP101" name="RIP1" value="1"></th>
>
1255.         <th style="font-
size: 15px"> <input type="radio" id="RIP102" name="RIP1" value="2"></th>
>
1256.         <th style="font-
size: 15px"> <input type="radio" id="RIP103" name="RIP1" value="3"></th>
>
1257.         <th style="font-
size: 15px"> <input type="radio" id="RIP104" name="RIP1" value="4"></th>
>
1258.         <th style="font-
size: 15px"> <input type="radio" id="RIP105" name="RIP1" value="5"></th>
>
1259.     </tr>
1260.
1261.     <tr>
1262.         <th style="font-
size: 20px">4. Over-all perception of the service </th>
1263.     </tr>
1264.
1265.     <tr>
1266.         <th style="font-
size: 15px">Your over-
all satisfaction with the service provided by DOST XI </th>
1267.         <th style="font-
size: 15px"> <input type="radio" id="SAT101" name="SAT1" value="1"></th>
>
1268.         <th style="font-
size: 15px"> <input type="radio" id="SAT102" name="SAT1" value="2"></th>
>

```

```

1269.         <th style="font-
size: 15px"> <input type="radio" id="SAT103" name="SAT1" value="3"></th
>
1270.         <th style="font-
size: 15px"> <input type="radio" id="SAT104" name="SAT1" value="4"></th
>
1271.         <th style="font-
size: 15px"> <input type="radio" id="SAT105" name="SAT1" value="5"></th
>
1272.         </tr>
1273.
1274.         <tr>
1275.             <th style="font-
size: 20px">5. Would you like to recommend the programs and services of
DOST XI to others? </th>
1276.         </tr>
1277.
1278.         <tr>
1279.             <th style="font-
size: 15px">Considering the services availed, how likely are you to rec
ommend DOST XI</th>
1280.             <th style="font-
size: 15px"> <input type="radio" id="SAT201" name="SAT2" value="1"></th
>
1281.             <th style="font-
size: 15px"> <input type="radio" id="SAT202" name="SAT2" value="2"></th
>
1282.             <th style="font-
size: 15px"> <input type="radio" id="SAT203" name="SAT2" value="2"></th
>
1283.             <th style="font-
size: 15px"> <input type="radio" id="SAT204" name="SAT2" value="2"></th
>
1284.             <th style="font-
size: 15px"> <input type="radio" id="SAT205" name="SAT2" value="2"></th
>
1285.         </tr>
1286.
1287.     </table>
1288.
1289. </div>
1290. </div>
1291.
1292.         <div class="center">
1293.             <label style="font-
size: 20px">6 . What other agencies/organizations/institutions that hav
e assisted you with similar service?</label>
1294.         <div class="form-row">

```

```

1295.           <label>Please Rank.</label>
1296.           <table class="table table-
stripped table-bordered">
1297.               <thead>
1298.                   <tr>
1299.                       <th style="font-
size: 20px">RANK</th>
1300.                       <th style="font-
size: 20px">Name of Agency/Organization/Institution</th>
1301.                   </tr>
1302.               </thead>
1303.
1304.               <tr>
1305.                   <th style="font-
size: 15px"><input type="text" class="form-
control" required name="feedbackrank1" placeholder="Enter ..."></th>
1306.                   <th style="font-
size: 15px">Department of Science and Technology XI</th>
1307.               </tr>
1308.
1309.               <tr>
1310.                   <th style="font-
size: 15px"><input type="text" class="form-
control" required name="feedbackrank2" placeholder="Enter ..."></th>
1311.                   <th style="font-
size: 15px">Department of Trade and Industry XI</th>
1312.               </tr>
1313.
1314.               <tr>
1315.                   <th style="font-
size: 15px"><input type="text" class="form-
control" required name="feedbackrank3" placeholder="Enter ..."></th>
1316.                   <th style="font-
size: 15px">Technical Skill and Development Authority XI</th>
1317.               </tr>
1318.
1319.               <tr>
1320.                   <th style="font-
size: 15px"><input type="text" class="form-
control" required name="feedbackrank4" placeholder="Enter ..."></th>
1321.                   <th style="font-
size: 15px">University of Immaculate Concepcion</th>
1322.               </tr>
1323.
1324.               <tr>
1325.                   <th style="font-
size: 15px"><input type="text" class="form-
control" required name="feedbackrank5" placeholder="Enter ..."></th>

```

```

1326.                 <th style="font-
    size: 15px">Others:</th>
1327.                 </tr>
1328.
1329.                 </table>
1330.
1331.             </div>
1332.         </div>
1333.
1334.         <div class="form-row ">
1335.             <div class="form-group col-
    lg-8">
1336.                 <label>7. Give at least th
ree words that best describe your experience with the services availed:
</label>
1337.                 <label>1.)<input type="tex
t" class="form-
control" required name="feedbackexp1" placeholder="Enter ..."></label>
1338.                 <label>2.)<input type="tex
t" class="form-
control" required name="feedbackexp2" placeholder="Enter ..."></label>
1339.                 <label>3.)<input type="tex
t" class="form-
control" required name="feedbackexp3" placeholder="Enter ..."></label>
1340.             <div >
1341.                 <label>8. Any other suggestio
ns to improve our service?</label>
1342.                 <textarea class="form-
control" rows="8" name="feedbacksuggest" placeholder="Enter ..."></text
area>
1343.                 <label>Signature:<input t
ype="text" class="form-
control" required name="feedbacksignature" placeholder="Enter ..."></la
bel>
1344.                 <label>Designation:<input
type="text" class="form-
control" required name="feedbackdesignation" placeholder="Enter ..."><
/label>
1345.
1346.             </div>
1347.         </div>
1348.
1349.     </div>
1350.
1351. </div>

```



```

1352.             </div>
1353.
1354.             <button class="btn btn-
primary" id="update" type="submit">SUBMIT FEEDBACK</button>
1355.
1356.         </form>
1357.
1358.     </section>
1359.
1360.     <!-- Main Footer -->
1361. </x-slot>
1362.
1363. </x-app-layout>
1364. <!-- ChartJS -->
1365. <!-- jQuery -->
1366. <script src="../../plugins/jquery/jquery.min.js"></script>
1367. <!-- Bootstrap 4 -->
1368. <script src="../../plugins/bootstrap/js/bootstrap.bundle.min.js">
</script>
1369. <!-- Select2 -->
1370. <script src="../../plugins/select2/js/select2.full.min.js"></scri
pt>
1371. <!-- Bootstrap4 Duallistbox -->
1372. <script src="../../plugins/bootstrap4-
duallistbox/jquery.bootstrap-duallistbox.min.js"></script>
1373. <!-- InputMask -->
1374. <script src="../../plugins/moment/moment.min.js"></script>
1375. <script src="../../plugins/inputmask/jquery.inputmask.min.js"></s
cript>
1376. <!-- date-range-picker -->
1377. <script src="../../plugins/daterangepicker/daterangepicker.js"></
script>
1378. <!-- bootstrap color picker -->
1379. <script src="../../plugins/bootstrap-colorpicker/js/bootstrap-
colorpicker.min.js"></script>
1380. <!-- Tempusdominus Bootstrap 4 -->
1381. <script src="../../plugins/tempusdominus-bootstrap-
4/js/tempusdominus-bootstrap-4.min.js"></script>
1382. <!-- Bootstrap Switch -->
1383. <script src="../../plugins/bootstrap-switch/js/bootstrap-
switch.min.js"></script>
1384. <!-- BS-Stepper -->
1385. <script src="../../plugins/bs-stepper/js/bs-
stepper.min.js"></script>
1386. <!-- dropzonejs -->
1387. <script src="../../plugins/dropzone/min/dropzone.min.js"></script
>

```



```

1433.         'Yesterday' : [moment().subtract(1, 'days'), moment().
        .subtract(1, 'days')],
1434.         'Last 7 Days' : [moment().subtract(6, 'days'), moment()
        ],
1435.         'Last 30 Days': [moment().subtract(29, 'days'), moment(
        )],
1436.         'This Month' : [moment().startOf('month'), moment().en
        dOf('month')],
1437.         'Last Month' : [moment().subtract(1, 'month').startOf(
        'month'), moment().subtract(1, 'month').endOf('month')]
1438.     },
1439.     startDate: moment().subtract(29, 'days'),
1440.     endDate : moment()
1441. },
1442.     function (start, end) {
1443.         $('#reportrange span').html(start.format('MMMM D, YYYY')
        + ' - ' + end.format('MMMM D, YYYY'))
1444.     }
1445. )
1446.
1447.     //Timepicker
1448.     $('#timepicker').datetimepicker({
1449.         format: 'LT'
1450.     })
1451.
1452.     //Bootstrap Duallistbox
1453.     $('.duallistbox').bootstrapDualListbox()
1454.
1455.     //Colorpicker
1456.     $('.my-colorpicker1').colorpicker()
1457.     //color picker with addon
1458.     $('.my-colorpicker2').colorpicker()
1459.
1460.     $('.my-
        colorpicker2').on('colorpickerChange', function(event) {
1461.         $('.my-colorpicker2 .fa-
        square').css('color', event.color.toString());
1462.     })
1463.
1464.     $("input[data-bootstrap-switch]").each(function(){
1465.         $(this).bootstrapSwitch('state', $(this).prop('checked'));
1466.     })
1467.
1468. })
1469.
1470. </script>
1471.
1472. <style>

```

```

1473.
1474.     .center {
1475.         margin: auto;
1476.         width: 100%;
1477.         border: 5px solid #f5b042;
1478.         padding: 10px;
1479.     }
1480.
1481.     </style>
1482.

```

#### 1483. "joinactivitytest.blade.php"

```

1484. <x-app-layout>
1485.     <x-slot name="slot">
1486.         <!-- Content Wrapper. Contains page content -->
1487.
1488.         <!-- /.content-header -->
1489.
1490.         {{--JOIN ACTIVITY AUTHENTICATION BLADE--}}
1491.
1492.         <!-- Main content -->
1493.
1494.         @php
1495.             $prefix = Request::route()->getPrefix();
1496.             $route= Route::current()->getName();
1497.
1498.         @endphp
1499.         <section class="col-md-12">
1500.             <div class="card card-warning">
1501.                 <div class="card-header">
1502.                     <h3 class="card-title">
1503.                         JOIN ACTIVITY
1504.                     </h3>
1505.                 </div>
1506.
1507.                 <div class="card-body">
1508.                     <form action="{{ route('data.index') }}" method="GET" role="search">
1509.                         <div>
1510.                             <label>ENTER ACTIVITY CODE:</label>
1511.                             <input class="form-control mr-2" name="code" placeholder="Activity Code" id="code" required />
1512.
1513.                             {{--<a class="btn btn-primary" href="{{ route('viewjoin.joinactivity') }}" class="nav-link {{ ($route=='viewjoin.joinactivity')?'active':'' }}" role="button">JOIN ACTIVITY</a>
1514.                             --}}

```

```

1515.
1516.             <button class="btn btn-
primary" type="submit" title="Refresh page" >
1517.             <a href="{{ route('viewjoin.joinactiv
ity') }}" class=" mt-1">JOIN ACTIVITY
1518.             </button>
1519.         </div>
1520.
1521.     </form>
1522.
1523. </div>
1524.
1525. </section>
1526.
1527.     <!-- Main Footer -->
1528. </x-slot>
1529.
1530. </x-app-layout>
1531. <!-- ChartJS -->
1532.

```

1533.

1534. "joinactivityview.blade.php"

```

1535. <x-app-layout>
1536.     <x-slot name="slot">
1537.         <!-- Content Wrapper. Contains page content -->
1538.
1539.         <!-- /.content-header -->
1540.
1541.         {{--FEEDBACK FORM LIST BLADE--}}
1542.
1543.         <!-- Main content -->
1544.         <section class="col-md-12">
1545.             <div class="card card-warning">
1546.                 <div class="card-header">
1547.                     <h3 class="card-title">FEEDBACK LOG</h3>
1548.                 </div>
1549.                 <div class="card-body">
1550.                     <section class="col-md-12">
1551.                         <div class="card">
1552.                             <div class="card-
body" style="color: #070807; background: white;">
1553.                                 <div id="table-scroll">
1554.                                     <table id="myTable" class="table
table-stripped tabel-bordered" style="width: 100% ">

```

```

1555.         <thead>
1556.             <tr>
1557.                 <th style="font-
size: 12px">Feedback ID.</th>
1558.                 <th style="font-
size: 12px">Company Name</th>
1559.                 <th style="font-
size: 12px">Date</th>
1560.                 <th style="font-
size: 12px">Address</th>
1561.                 <th style="font-
size: 12px">Telephone</th>
1562.                 <th style="font-
size: 12px">Email</th>
1563.                 <th style="font-
size: 12px">Gender</th>
1564.                 <th style="font-
size: 12px">Nature</th>
1565.                 <th style="font-
size: 12px">Yes/No</th>
1566.                 <th style="font-
size: 12px">Service Aailed 1</th>
1567.                 <th style="font-
size: 12px">Service Aailed 2</th>
1568.                 <th style="font-
size: 12px">Consultancy</th>
1569.                 <th style="font-
size: 12px">Packaging</th>
1570.                 <th style="font-
size: 12px">Scholarship</th>
1571.                 <th style="font-
size: 12px">Conversion</th>
1572.                 <th style="font-
size: 12px">Management</th>
1573.                 <th style="font-
size: 12px">Management Specify</th>
1574.                 <th style="font-
size: 12px">T1</th>
1575.                 <th style="font-
size: 12px">T2</th>
1576.                 <th style="font-
size: 12px">AOS1</th>
1577.                 <th style="font-
size: 12px">AOS2</th>
1578.                 <th style="font-
size: 12px">QOS1</th>
1579.                 <th style="font-
size: 12px">QOS2</th>

```

```

1580.                                <th style="font-
    size: 12px">UTM1</th>
1581.                                <th style="font-
    size: 12px">CTT1</th>
1582.                                <th style="font-
    size: 12px">RIP1</th>
1583.                                <th style="font-
    size: 12px">SAT1</th>
1584.                                <th style="font-
    size: 12px">SAT2</th>
1585.                                <th style="font-
    size: 12px">Rank 1 </th>
1586.                                <th style="font-
    size: 12px">Rank 2 </th>
1587.                                <th style="font-
    size: 12px">Rank 3 </th>
1588.                                <th style="font-
    size: 12px">Rank 4 </th>
1589.                                <th style="font-
    size: 12px">Rank 5 </th>
1590.                                <th style="font-
    size: 12px">Experience 1 </th>
1591.                                <th style="font-
    size: 12px">Experience 2 </th>
1592.                                <th style="font-
    size: 12px">Experience 3 </th>
1593.                                <th style="font-
    size: 12px">Suggestion </th>
1594.                                <th style="font-
    size: 12px">Signature </th>
1595.                                <th style="font-
    size: 12px">Designation </th>
1596.
1597.                                </tr>
1598.                                </thead>
1599.
1600.                                @foreach ($alldata as $key =>
    $data)
1601.                                <tr>
1602.                                <td>{{ $key+1 }}</td>
1603.                                <td>{{ $data-
    >feedbackcompanyname }}</td>
1604.                                <td>{{ $data-
    >feedbackdate }}</td>
1605.                                <td>{{ $data-
    >feedbackaddress }}</td>
1606.                                <td>{{ $data-
    >feedbacktelephone }}</td>

```

1607.	<td>{{ \$data-
>feedbackemail }}	</td>
1608.	<td>{{ \$data-
>feedbackgender }}	</td>
1609.	<td>{{ \$data-
>feedbacknature }}	</td>
1610.	<td>{{ \$data-
>feedbackyesno1 }}	</td>
1611.	<td>{{ \$data-
>feedbackserviceavailed1 }}	</td>
1612.	<td>{{ \$data-
>feedbackserviceavailed2 }}	</td>
1613.	<td>{{ \$data-
>feedbackconsultancy }}	</td>
1614.	<td>{{ \$data-
>feedbackpackaging }}	</td>
1615.	<td>{{ \$data-
>feedbackscholarship }}	</td>
1616.	<td>{{ \$data-
>feedbackconversion }}	</td>
1617.	<td>{{ \$data-
>feedbackmanagement }}	</td>
1618.	<td>{{ \$data-
>feedbackmanagementspecify }}	</td>
1619.	<td>{{ \$data->t1 }}
1620.	<td>{{ \$data->t2 }}
1621.	<td>{{ \$data-
>AOS1 }}	</td>
1622.	<td>{{ \$data-
>AOS2 }}	</td>
1623.	<td>{{ \$data-
>QOS1 }}	</td>
1624.	<td>{{ \$data-
>QOS2 }}	</td>
1625.	<td>{{ \$data-
>UTM1 }}	</td>
1626.	<td>{{ \$data-
>CTT1 }}	</td>
1627.	<td>{{ \$data-
>RIP1 }}	</td>
1628.	<td>{{ \$data-
>SAT1 }}	</td>
1629.	<td>{{ \$data-
>SAT2 }}	</td>
1630.	<td>{{ \$data-
>feedbackrank1 }}	</td>
1631.	<td>{{ \$data-
>feedbackrank2 }}	</td>



```

1632.                 <td>{{ $data-
>feedbackrank3 }}</td>
1633.                 <td>{{ $data-
>feedbackrank4 }}</td>
1634.                 <td>{{ $data-
>feedbackrank5 }}</td>
1635.                 <td>{{ $data-
>feedbackexp1 }}</td>
1636.                 <td>{{ $data-
>feedbackexp2 }}</td>
1637.                 <td>{{ $data-
>feedbackexp3 }}</td>
1638.                 <td>{{ $data-
>feedbacksuggest }}</td>
1639.                 <td>{{ $data-
>feedbacksignature }}</td>
1640.                 <td>{{ $data-
>feedbackdesignation }}</td>
1641.
1642.                 </tr>
1643.             @endforeach
1644.
1645.         </table>
1646.     </div>
1647. </div>
1648. </div>
1649.
1650. </section>
1651.
1652.         <!-- Main Footer -->
1653.     </x-slot>
1654.
1655. </x-app-layout>
1656. <!-- ChartJS -->
1657.
1658.     <link rel="stylesheet" href="http://cdn.datatables.net/1.10.25/cs
s/jquery.dataTables.min.css">
1659.     <script src="http://cdn.datatables.net/1.10.25/js/jquery.dataTabl
es.min.js"></script>
1660.     <script>
1661. $(document).ready( function () {
1662.
1663.     $('#myTable').DataTable()
1664.

```

```

1665.     } );
1666.
1667. </script>
1668.
1669. <style>
1670.     #table-wrapper {
1671.         position:relative;
1672.     }
1673.     #table-scroll {
1674.         height:500px;
1675.         overflow:auto;
1676.         margin-top:20px;
1677.     }
1678.     #table-wrapper table {
1679.         width:100%;
1680.
1681.     }
1682.     #table-wrapper table * {
1683.         background:rgb(255, 255, 255);
1684.         color:black;
1685.     }
1686.     #table-wrapper table thead th .text {
1687.         position:absolute;
1688.         top:-20px;
1689.         z-index:2;
1690.         height:20px;
1691.         width:35%;
1692.         border:1px solid red;
1693.     }
1694. </style>
1695.

```

1696.

1697. "navigation-dropdown.blade.php"

```

1698. <nav x-data="{ open: false }" class="bg-white border-b border-
    gray-100">
1699.
1700.     {{-- JETS STREAM MAIN NAVIGATION BLADE --}}
1701.
1702.     <!-- Primary Navigation Menu -->
1703.     <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
1704.         <div class="flex justify-between h-16">
1705.             <div class="flex">
1706.                 <!-- Logo -->
1707.                 <div class="flex-shrink-0 flex items-center">
1708.                     <a href="{{ route('dashboard') }}">
1709.                         <x-jet-application-mark class="block h-
1710.                             9 w-auto" />

```

```

1711.             </div>
1712.
1713.             <!-- Navigation Links -->
1714.             <div class="hidden space-x-8 sm:-my-px sm:ml-
1715.                 10 sm:flex">
1716.                 <x-jet-nav-
1717.                     link href="{{ route('dashboard') }}" :active="request()-
1718.                         >routeIs('dashboard')">
1719.                         {{ __('Dashboard') }}
1720.                     </x-jet-nav-link>
1721.                 </div>
1722.             </div>
1723.         </div>
1724.
1725.         <!-- Settings Dropdown -->
1726.         <div class="hidden sm:flex sm:items-center sm:ml-6">
1727.             <x-jet-dropdown align="right" width="48">
1728.                 <x-slot name="trigger">
1729.                     @if (Laravel\Jetstream\Jetstream::manages
1730.                         ProfilePhotos())
1731.                         <button class="flex text-sm border-
1732.                             2 border-transparent rounded-full focus:outline-none focus:border-gray-
1733.                                 300 transition duration-150 ease-in-out">
1734.                             name }}" />
1737.                             </button>
1738.                         @else
1739.                         <button class="flex items-
1740.                             center text-sm font-medium text-gray-500 hover:text-gray-
1741.                                 700 hover:border-gray-300 focus:outline-none focus:text-gray-
1742.                                     700 focus:border-gray-300 transition duration-150 ease-in-out">
1743.                             <div>{{ Auth::user()-
1744.                                 >name }}</div>
1745.                             <div class="ml-1">
1746.                                 <svg class="fill-current h-
1747.                                     4 w-4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20">
1748.                                     <path fill-
1749.                                         rule="evenodd" d="M5.293 7.293a1 1 0 011.414 0L10 10.586l3.293
1750.                                         a1 1 0 111.414 1.414l-4 4a1 1 0 01-1.414 0l-4-4a1 1 0 010-
1751.                                         1.414z" clip-rule="evenodd" />
1752.                                 </svg>
1753.                             </div>
1754.                         </button>

```

```

1743.         @endif
1744.     </x-slot>
1745.
1746.     <x-slot name="content">
1747.         <!-- Account Management -->
1748.         <div class="block px-4 py-2 text-xs text-
gray-400">
1749.             {{ __('Manage Account') }}
1750.         </div>
1751.
1752.         <x-jet-dropdown-
link href="{{ route('profile.show') }}">
1753.             {{ __('Profile') }}
1754.         </x-jet-dropdown-link>
1755.
1756.         @if (Laravel\Jetstream\Jetstream::hasApiF
eatures())
1757.             <x-jet-dropdown-
link href="{{ route('api-tokens.index') }}">
1758.                 {{ __('API Tokens') }}
1759.             </x-jet-dropdown-link>
1760.         @endif
1761.
1762.         <div class="border-t border-gray-
100"></div>
1763.
1764.         <!-- Team Management -->
1765.         @if (Laravel\Jetstream\Jetstream::hasTeam
Features())
1766.             <div class="block px-4 py-2 text-
xs text-gray-400">
1767.                 {{ __('Manage Team') }}
1768.             </div>
1769.
1770.             <!-- Team Settings -->
1771.             <x-jet-dropdown-
link href="{{ route('teams.show', Auth::user()->currentTeam->id) }}">
1772.                 {{ __('Team Settings') }}
1773.             </x-jet-dropdown-link>
1774.
1775.             @can('create', Laravel\Jetstream\Jets
tream::newTeamModel())
1776.                 <x-jet-dropdown-
link href="{{ route('teams.create') }}">
1777.                     {{ __('Create New Team') }}
1778.                 </x-jet-dropdown-link>
1779.             @endcan
1780.

```

```

1781.             <div class="border-t border-gray-
1782.                 100"></div>
1783.
1784.             <!-- Team Switcher -->
1785.             <div class="block px-4 py-2 text-
1786.                 xs text-gray-400">
1787.                 {{ __('Switch Teams') }}
1788.             </div>
1789.
1790.             @foreach (Auth::user()-
1791.                 >allTeams() as $team)
1792.                 <x-jet-switchable-
1793.                     team :team="$team" />
1794.             @endforeach
1795.
1796.             <div class="border-t border-gray-
1797.                 100"></div>
1798.
1799.             @endif
1800.
1801.             <!-- Authentication -->
1802.             <form method="POST" action="{ route('log
1803.                 out') }}">
1804.                 @csrf
1805.                 <x-jet-dropdown-
1806.                     link href="{ route('logout') }}"
1807.                                     onclick="event.pr
1808.                     eventDefault();
1809.                                     this.
1810.                     closest('form').submit();">
1811.                     {{ __('Logout') }}
1812.                 </x-jet-dropdown-link>
1813.             </form>
1814.             </x-slot>
1815.             </x-jet-dropdown>
1816.         </div>
1817.
1818.         <!-- Hamburger -->
1819.         <div class="-mr-2 flex items-center sm:hidden">
1820.             <button @click="open = ! open" class="inline-
1821.                 flex items-center justify-center p-2 rounded-md text-gray-
1822.                 400 hover:text-gray-500 hover:bg-gray-100 focus:outline-none focus:bg-
1823.                 gray-100 focus:text-gray-500 transition duration-150 ease-in-out">
1824.                 <svg class="h-6 w-
1825.                     6" stroke="currentColor" fill="none" viewBox="0 0 24 24">
1826.                     <path :class="{ 'hidden': open, 'inline-
1827.                         flex': ! open }" class="inline-flex" stroke-linecap="round" stroke-
1828.                         linejoin="round" stroke-width="2" d="M4 6h16M4 12h16M4 18h16" />

```

```

1814.             <path :class="{ 'hidden': ! open, 'inline-
flex': open }" class="hidden" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" d="M6 18L18 6M6 6L12 12" />
1815.             </svg>
1816.         </button>
1817.     </div>
1818. </div>
1819. </div>
1820.
1821.     <!-- Responsive Navigation Menu -->
1822.     <div :class="{ 'block': open, 'hidden': ! open}" class="hidden
sm:hidden">
1823.         <div class="pt-2 pb-3 space-y-1">
1824.             <x-jet-responsive-nav-
link href="{ route('dashboard') }" :active="request()-
>routeIs('dashboard')">
1825.                 {{ __('Dashboard') }}
1826.             </x-jet-responsive-nav-link>
1827.         </div>
1828.
1829.     <!-- Responsive Settings Options -->
1830.     <div class="pt-4 pb-1 border-t border-gray-200">
1831.         <div class="flex items-center px-4">
1832.             <div class="flex-shrink-0">
1833.                 name }" />
1834.             </div>
1835.
1836.             <div class="ml-3">
1837.                 <div class="font-medium text-base text-gray-
800">{{ Auth::user()->name }}</div>
1838.                 <div class="font-medium text-sm text-gray-
500">{{ Auth::user()->email }}</div>
1839.             </div>
1840.         </div>
1841.
1842.         <div class="mt-3 space-y-1">
1843.             <!-- Account Management -->
1844.             <x-jet-responsive-nav-
link href="{ route('profile.show') }" :active="request()-
>routeIs('profile.show')">
1845.                 {{ __('Profile') }}
1846.             </x-jet-responsive-nav-link>
1847.
1848.             @if (Laravel\Jetstream\Jetstream::hasApiFeatures(
))

```

```

1849.             <x-jet-responsive-nav-
link href="{{ route('api-tokens.index') }}" :active="request()-
>routeIs('api-tokens.index')">
1850.                 {{ __('API Tokens') }}
1851.             </x-jet-responsive-nav-link>
1852.         @endif
1853.
1854.         <!-- Authentication -->
1855.         <form method="POST" action="{{ route('logout') }}"
">
1856.             @csrf
1857.
1858.             <x-jet-responsive-nav-
link href="{{ route('logout') }}"
1859.                 onclick="event.preventDefault
();"
1860.                 this.closest('for
m').submit();">
1861.                 {{ __('Logout') }}
1862.             </x-jet-responsive-nav-link>
1863.         </form>
1864.
1865.         <!-- Team Management -->
1866.         @if (Laravel\Jetstream\Jetstream::hasTeamFeatures
())
1867.             <div class="border-t border-gray-200"></div>
1868.
1869.             <div class="block px-4 py-2 text-xs text-
gray-400">
1870.                 {{ __('Manage Team') }}
1871.             </div>
1872.
1873.             <!-- Team Settings -->
1874.             <x-jet-responsive-nav-
link href="{{ route('teams.show', Auth::user()->currentTeam-
>id) }}" :active="request()->routeIs('teams.show')">
1875.                 {{ __('Team Settings') }}
1876.             </x-jet-responsive-nav-link>
1877.
1878.             <x-jet-responsive-nav-
link href="{{ route('teams.create') }}" :active="request()-
>routeIs('teams.create')">
1879.                 {{ __('Create New Team') }}
1880.             </x-jet-responsive-nav-link>
1881.
1882.             <div class="border-t border-gray-200"></div>
1883.
1884.             <!-- Team Switcher -->

```

```

1885.             <div class="block px-4 py-2 text-xs text-
                gray-400">
1886.                 {{ __('Switch Teams') }}
1887.             </div>
1888.
1889.             @foreach (Auth::user()->allTeams() as $team)
1890.                 <x-jet-switchable-
                    team :team="$team" component="jet-responsive-nav-link" />
1891.             @endforeach
1892.         @endif
1893.     </div>
1894. </div>
1895. </div>
1896. </nav>
1897.

```

1898.

1899. "navigation-menu.blade.php"

```

1900. <nav x-data="{ open: false }" class="bg-white border-b border-
    gray-100">
1901.     <!-- Primary Navigation Menu -->
1902.
1903.     {{-- JETS STREAM MAIN NAVIGATION BLADE--}}
1904.
1905.     <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
1906.         <div class="flex justify-between h-16">
1907.             <div class="flex">
1908.                 <!-- Logo -->
1909.                 <div class="flex-shrink-0 flex items-center">
1910.                     <a href="{{ route('dashboard') }}">
1911.                         <x-jet-application-mark class="block h-
                            9 w-auto" />
1912.                     </a>
1913.                 </div>
1914.
1915.                 <!-- Navigation Links -->
1916.                 <div class="hidden space-x-8 sm:-my-px sm:ml-
                            10 sm:flex">
1917.                     <x-jet-nav-
                        link href="{{ route('dashboard') }}" :active="request()-
                        >routeIs('dashboard')">
1918.                         {{ __('Dashboard') }}
1919.                     </x-jet-nav-link>
1920.                 </div>
1921.
1922.                 <div class="hidden space-x-8 sm:-my-px sm:ml-
                            10 sm:flex">

```



```

1923.             <x-jet-nav-
link href="{{ route('tasks.index') }}" :active="request()-
>routeIs('tasks.*')">
1924.                 Tasks
1925.             </x-jet-nav-link>
1926.         </div>
1927.         <div class="hidden space-x-8 sm:-my-px sm:ml-
10 sm:flex">
1928.             <x-jet-nav-
link href="{{ route('users.index') }}" :active="request()-
>routeIs('users.*')">
1929.                 Users
1930.             </x-jet-nav-link>
1931.         </div>
1932.     </div>
1933.
1934.         <div class="hidden sm:flex sm:items-center sm:ml-6">
1935.             <!-- Teams Dropdown -->
1936.             @if (Laravel\Jetstream\Jetstream::hasTeamFeatures
())
1937.                 <div class="ml-3 relative">
1938.                     <x-jet-dropdown align="right" width="60">
1939.                         <x-slot name="trigger">
1940.                             <span class="inline-flex rounded-
md">
1941.                                 <button type="button" class="
inline-flex items-center px-3 py-2 border border-transparent text-
sm leading-4 font-medium rounded-md text-gray-500 bg-white hover:bg-
gray-50 hover:text-gray-700 focus:outline-none focus:bg-gray-
50 active:bg-gray-50 transition">
1942.                                     {{ Auth::user()-
>currentTeam->name }}
1943.
1944.                                 <svg class="ml-2 -mr-
0.5 h-4 w-
4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20" fill="current
Color">
1945.                                     <path fill-
rule="evenodd" d="M10 3a1 1 0 01.707 2.931 3a1 1 0 01-
1.414 1.414L10 5.414 7.707 7.707a1 1 0 01-1.414-1.414 3-
3a1 1 0 0110 3zm-3.707 9.293a1 1 0 011.414 0L10 14.586 12.293-
2.293a1 1 0 011.414 1.414 3 3a1 1 0 01-1.414 0 1-3-3a1 1 0 010-
1.414z" clip-rule="evenodd" />
1946.                                     </svg>
1947.                                 </button>
1948.                             </span>
1949.                         </x-slot>

```

```

1950.
1951.         <x-slot name="content">
1952.             <div class="w-60">
1953.                 <!-- Team Management -->
1954.                 <div class="block px-4 py-
1955.                     2 text-xs text-gray-400">
1956.                     {{ __('Manage Team') }}
1957.                 </div>
1958.                 <!-- Team Settings -->
1959.                 <x-jet-dropdown-
1960.                     link href="{{ route('teams.show', Auth::user()->currentTeam->id) }}">
1961.                         {{ __('Team Settings') }}
1962.                     </x-jet-dropdown-link>
1963.                     @can('create', Laravel\Jetstr
1964.                         eam\Jetstream::newTeamModel())
1965.                     <x-jet-dropdown-
1966.                         link href="{{ route('teams.create') }}">
1967.                             {{ __('Create New Tea
1968.                                 m') }}
1969.                         </x-jet-dropdown-link>
1970.                     @endcan
1971.                     <div class="border-t border-
1972.                         gray-100"></div>
1973.                 <!-- Team Switcher -->
1974.                 <div class="block px-4 py-
1975.                     2 text-xs text-gray-400">
1976.                     {{ __('Switch Teams') }}
1977.                 </div>
1978.                 @foreach (Auth::user()-
1979.                     >allTeams() as $team)
1980.                     <x-jet-switchable-
1981.                         team :team="$team" />
1982.                     @endforeach
1983.                 </div>
1984.             @endif
1985.         <!-- Settings Dropdown -->
1986.         <div class="ml-3 relative">
1987.             <x-jet-dropdown align="right" width="48">
1988.                 <x-slot name="trigger">

```

```

1989.                                     @if (Laravel\Jetstream\Jetstream::man
    agesProfilePhotos())
1990.                                     <button class="flex text-
    sm border-2 border-transparent rounded-full focus:outline-
    none focus:border-gray-300 transition">
1991.                                     name }}" />
1992.                                     </button>
1993.                                     @else
1994.                                     <span class="inline-flex rounded-
    md">
1995.                                     <button type="button" class="
    inline-flex items-center px-3 py-2 border border-transparent text-
    sm leading-4 font-medium rounded-md text-gray-500 bg-white hover:text-
    gray-700 focus:outline-none transition">
1996.                                     {{ Auth::user()->name }}
1997.
1998.                                     <svg class="ml-2 -mr-
    0.5 h-4 w-
    4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20" fill="current
    Color">
1999.                                     <path fill-
    rule="evenodd" d="M5.293 7.293a1 1 0 011.414 0L10 10.586l3.293a1 1 0
    111.414 1.414l-4 4a1 1 0 01-1.414 0l-4-4a1 1 0 010-1.414z" clip-rule="evenodd" />
2000.                                     </svg>
2001.                                     </button>
2002.                                     </span>
2003.                                     @endif
2004.                                 </x-slot>
2005.
2006.                                 <x-slot name="content">
2007.                                     <!-- Account Management -->
2008.                                     <div class="block px-4 py-2 text-
    xs text-gray-400">
2009.                                     {{ __('Manage Account') }}
2010.                                     </div>
2011.
2012.                                     <x-jet-dropdown-
    link href="{{ route('profile.show') }}">
2013.                                     {{ __('Profile') }}
2014.                                     </x-jet-dropdown-link>
2015.
2016.                                     @if (Laravel\Jetstream\Jetstream::has
    ApiFeatures())
2017.                                     <x-jet-dropdown-
    link href="{{ route('api-tokens.index') }}">

```

```

2018.             {{ __('API Tokens') }}
2019.             </x-jet-dropdown-link>
2020.         @endif
2021.
2022.         <div class="border-t border-gray-
100"></div>
2023.
2024.         <!-- Authentication -->
2025.         <form method="POST" action="{{ route(
'logout') }}">
2026.             @csrf
2027.
2028.             <x-jet-dropdown-
link href="{{ route('logout') }}"
2029.                 onclick="event.preventDe
fault();
2030.                 this.closest('for
m').submit();">
2031.             {{ __('Log Out') }}
2032.             </x-jet-dropdown-link>
2033.         </form>
2034.     </x-slot>
2035. </x-jet-dropdown>
2036. </div>
2037. </div>
2038.
2039. <!-- Hamburger -->
2040. <div class="-mr-2 flex items-center sm:hidden">
2041.     <button @click="open = ! open" class="inline-
flex items-center justify-center p-2 rounded-md text-gray-
400 hover:text-gray-500 hover:bg-gray-100 focus:outline-none focus:bg-
gray-100 focus:text-gray-500 transition">
2042.         <svg class="h-6 w-
6" stroke="currentColor" fill="none" viewBox="0 0 24 24">
2043.             <path :class="{ 'hidden': open, 'inline-
flex': ! open }" class="inline-flex" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" d="M4 6h16M4 12h16M4 18h16" />
2044.             <path :class="{ 'hidden': ! open, 'inline-
flex': open }" class="hidden" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" d="M6 18L18 6M6 6l12 12" />
2045.         </svg>
2046.     </button>
2047. </div>
2048. </div>
2049. </div>
2050.
2051. <!-- Responsive Navigation Menu -->

```

```

2052.         <div :class="{ 'block': open, 'hidden': ! open}" class="hidden
sm:hidden">
2053.             <div class="pt-2 pb-3 space-y-1">
2054.                 <x-jet-responsive-nav-
link href="{ { route('dashboard') } }" :active="request()-
>routeIs('dashboard')">
2055.                     { { __('Dashboard') } }
2056.                 </x-jet-responsive-nav-link>
2057.             </div>
2058.
2059.             <!-- Responsive Settings Options -->
2060.             <div class="pt-4 pb-1 border-t border-gray-200">
2061.                 <div class="flex items-center px-4">
2062.                     @if (Laravel\Jetstream\Jetstream::managesProfileP
hotos())
2063.                         <div class="flex-shrink-0 mr-3">
2064.                             
2065.                         </div>
2066.                         @endif
2067.
2068.                         <div>
2069.                             <div class="font-medium text-base text-gray-
800">{ { Auth::user()->name } }</div>
2070.                             <div class="font-medium text-sm text-gray-
500">{ { Auth::user()->email } }</div>
2071.                         </div>
2072.                     </div>
2073.
2074.                 <div class="mt-3 space-y-1">
2075.                     <!-- Account Management -->
2076.                     <x-jet-responsive-nav-
link href="{ { route('profile.show') } }" :active="request()-
>routeIs('profile.show')">
2077.                         { { __('Profile') } }
2078.                     </x-jet-responsive-nav-link>
2079.
2080.                     @if (Laravel\Jetstream\Jetstream::hasApiFeatures(
))
2081.                         <x-jet-responsive-nav-
link href="{ { route('api-tokens.index') } }" :active="request()-
>routeIs('api-tokens.index')">
2082.                             { { __('API Tokens') } }
2083.                         </x-jet-responsive-nav-link>
2084.                     @endif
2085.
2086.                     <!-- Authentication -->

```

```

2087.             <form method="POST" action="{{ route('logout') }}"
2088.                 @csrf
2089.
2090.                 <x-jet-responsive-nav-
2091.                     link href="{{ route('logout') }}"
2092.                         onclick="event.preventDefault(
2093.                             );
2094.                             this.closest('form').submit()
2095.                         ;">
2096.
2097.                     {{ __('Log Out') }}
2098.                 </x-jet-responsive-nav-link>
2099.             </form>
2100.
2101.             <!-- Team Management -->
2102.             @if (Laravel\Jetstream\Jetstream::hasTeamFeatures
2103.                 ())
2104.
2105.                 <div class="border-t border-gray-200"></div>
2106.
2107.                 <div class="block px-4 py-2 text-xs text-
2108.                     gray-400">
2109.
2110.                     {{ __('Manage Team') }}
2111.                 </div>
2112.
2113.                 <!-- Team Settings -->
2114.                 <x-jet-responsive-nav-
2115.                     link href="{{ route('teams.show', Auth::user()->currentTeam-
2116.                         >id) }}" :active="request()->routeIs('teams.show')">
2117.                         {{ __('Team Settings') }}
2118.                     </x-jet-responsive-nav-link>
2119.
2120.                     @can('create', Laravel\Jetstream\Jetstream::n
2121.                         ewTeamModel())
2122.                         <x-jet-responsive-nav-
2123.                             link href="{{ route('teams.create') }}" :active="request()-
2124.                                 >routeIs('teams.create')">
2125.                                 {{ __('Create New Team') }}
2126.                             </x-jet-responsive-nav-link>
2127.                         @endcan
2128.
2129.                 <div class="border-t border-gray-200"></div>
2130.
2131.                 <!-- Team Switcher -->
2132.                 <div class="block px-4 py-2 text-xs text-
2133.                     gray-400">
2134.
2135.                     {{ __('Switch Teams') }}
2136.                 </div>
2137.
2138.             @endif

```

```

2123.             @foreach (Auth::user()->allTeams() as $team)
2124.                 <x-jet-switchable-
team :team="$team" component="jet-responsive-nav-link" />
2125.             @endforeach
2126.         @endif
2127.     </div>
2128. </div>
2129. </div>
2130. </nav>
2131.

```

2132.

## 2133. CONTROLLERS

2134. "activityController.php"

```

2135. <?php
2136.
2137. namespace App\Http\Controllers;
2138.
2139. use Illuminate\Http\Request;
2140. use App\Models\activity1;
2141.
2142. class activityController extends Controller
2143. {
2144.     //
2145.     public function create(){
2146.
2147.         return view('createactivityadd');
2148.     }
2149.
2150.     public function viewjoin(){
2151.
2152.         return view('joinactivity');
2153.     }
2154.
2155.     public function viewjointest(){
2156.
2157.         return view('joinactivitytest');
2158.     }
2159.
2160.     //FUNCTIONS FOR CREATE AND STPRE
2161.     public function store(Request $request)
2162.     {
2163.
2164.         $data = new activity1;
2165.         $data -> ActivityName = $request->activityname;
2166.         $data -> ActivityDate = $request->activitydate;
2167.         $data -> ActivityDescription = $request-
>activitydescription;
2168.         $data -> ActivityCode = $request->activitycode;

```

```

2169.         $data->save();
2170.
2171.         $notification = array(
2172.             'message' => 'Activity Inserted Successfully',
2173.             'alert-type' => 'success'
2174.         );
2175.         return redirect()->route('view.createactivity')-
>with($notification);
2176.
2177.     }
2178.
2179.     //FUNCTIONS FOR VIEW
2180.     public function view()
2181.     {
2182.
2183.         $alldata = activity1::all();
2184.         return view('createactivityview', compact('alldata'));
2185.     }
2186.
2187.     //FUNCTIONS FOR DELETE
2188.     public function delete($id)
2189.     {
2190.         activity1::find($id)->delete();
2191.
2192.         $notification = array(
2193.             'message' => 'Activity Deleted Successfully',
2194.             'alert-type' => 'warning'
2195.         );
2196.         return back()->with($notification);
2197.
2198.     }
2199.
2200.     //FUNCTIONS FOR EDIT
2201.     public function edit($id)
2202.     {
2203.         $editdata = activity1::where('id', $id)->first();
2204.
2205.         return view('createactivityadd', compact('editdata'));
2206.
2207.     }
2208.
2209.     //FUNCTIONS FOR UPDATE
2210.     public function update(Request $request,$id)
2211.     {
2212.
2213.         $data = activity1::where('id', $id)->first();
2214.         $data-> ActivityName = $request->activityname;

```



```

2215.         $data-> ActivityDate = $request->activitydate;
2216.         $data-> ActivityDescription = $request-
>activitydescription;
2217.         $data-> ActivityCode = $request->activitycode;
2218.
2219.         $data->save();
2220.         $notification = array(
2221.             'message' => 'Activity Updated Successfully',
2222.             'alert-type' => 'success'
2223.         );
2224.         return back()->with($notification);
2225.
2226.     }
2227.
2228.     public function index(Request $request){
2229.
2230.         $data = activity1::where([
2231.             ['activitycode', '!=', null],
2232.             [function($query)use ($request) {
2233.                 if(($code = $request->code)) {
2234.                     $query-
>orWhere('activitycode', 'LIKE', '%' . $code . '%')->get();
2235.                 }
2236.
2237.             }]
2238.
2239.         ])
2240.             ->orderBy("id", "desc")
2241.             ->paginate(10);
2242.
2243.         return view('data.index', compact('data'))
2244.             ->with('i', (request()->input('page', 1) -
1)* 5);
2245.
2246.     }
2247.
2248. }
2249.

```

2250.

2251. "feedbackController.php"

```

2252. <?php
2253.
2254. namespace App\Http\Controllers;
2255.
2256. use Illuminate\Http\Request;
2257. use App\Models\feedback2;
2258. class feedbackController extends Controller
2259. {

```

```
2260.         //
2261.         public function create(){
2262.
2263.             return view('joinactivity');
2264.         }
2265.
2266.         //FUNCTIONS FOR CREATE AND STPRE
2267.         public function store(Request $request)
2268.         {
2269.
2270.             $data = new feedback2;
2271.             $data -> feedbackcompanyname = $request-
>feedbackcompanyname;
2272.             $data -> feedbackdate = $request->feedbackdate;
2273.             $data -> feedbackaddress = $request->feedbackaddress;
2274.             $data -> feedbacktelephone = $request->feedbacktelephone;
2275.             $data -> feedbackemail = $request->feedbackemail;
2276.             $data -> feedbackgender = $request->feedbackgender;
2277.             $data -> feedbacknature = $request->feedbacknature;
2278.             $data -> feedbackyesno1 = $request->feedbackyesno1;
2279.             $data -> feedbackserviceavailed1 = $request-
>feedbackserviceavailed1;
2280.             $data -> feedbackserviceavailed2 = $request-
>feedbackserviceavailed2;
2281.             $data -> feedbackconsultancy = $request-
>feedbackconsultancy;
2282.             $data -> feedbackpackaging = $request->feedbackpackaging;
2283.             $data -> feedbackscholarship = $request-
>feedbackscholarship;
2284.             $data -> feedbackconversion = $request-
>feedbackconversion;
2285.             $data -> feedbackmanagement = $request-
>feedbackmanagement;
2286.             $data -> feedbackmanagementspecify = $request-
>feedbackmanagementspecify;
2287.             $data -> t1 = $request->t1;
2288.             $data -> t2 = $request->t2;
2289.             $data -> AOS1 = $request->AOS1;
2290.             $data -> AOS2 = $request->AOS2;
2291.             $data -> QOS1 = $request->QOS1;
2292.             $data -> QOS2 = $request->QOS2;
2293.             $data -> UTM1 = $request->UTM1;
2294.             $data -> CTT1 = $request->CTT1;
2295.             $data -> RIP1 = $request->RIP1;
2296.             $data -> SAT1 = $request->SAT1;
2297.             $data -> SAT2 = $request->SAT2;
```

```

2298.         $data -> feedbackrank1 = $request->feedbackrank1;
2299.         $data -> feedbackrank2 = $request->feedbackrank2;
2300.         $data -> feedbackrank3 = $request->feedbackrank3;
2301.         $data -> feedbackrank4 = $request->feedbackrank4;
2302.         $data -> feedbackrank5 = $request->feedbackrank5;
2303.         $data -> feedbackexp1 = $request->feedbackexp1;
2304.         $data -> feedbackexp2 = $request->feedbackexp2;
2305.         $data -> feedbackexp3 = $request->feedbackexp3;
2306.         $data -> feedbacksuggest = $request->feedbacksuggest;
2307.         $data -> feedbacksignature = $request->feedbacksignature;
2308.         $data -> feedbackdesignation = $request-
>feedbackdesignation;
2309.         $data->save();
2310.
2311.         $notification = array(
2312.             'message' => 'Activity Inserted Successfully',
2313.             'alert-type' => 'success'
2314.         );
2315.         return redirect()->route('joinactivityview')-
>with($notification);
2316.
2317.     }
2318.
2319.     //FUNCTIONS FOR VIEW
2320.     public function view()
2321.     {
2322.
2323.         $alldata = feedback2::all();
2324.         return view('joinactivityview', compact('alldata'));
2325.     }
2326.
2327. }
2328.

```

2329.  
2330.     **"TasksController.php"**

```

2331. <?php
2332.
2333. namespace App\Http\Controllers;
2334.
2335. use App\Http\Requests\StoreTaskRequest;
2336. use App\Http\Requests\UpdateTaskRequest;
2337. use App\Models\Task;
2338.
2339. use Illuminate\Http\Request;
2340. use Illuminate\Support\Facades\Gate;

```

```
2341.     use Symfony\Component\HttpFoundation\Response;
2342.
2343.     class TasksController extends Controller
2344.     {
2345.         public function index()
2346.         {
2347.             // abort_if(Gate::denies('task_access'), Response::HTTP_F
ORBIDDEN, '403 Forbidden');
2348.
2349.             $tasks = Task::all();
2350.             // dd('ok');
2351.             return view('tasks.index', compact('tasks'));
2352.         }
2353.
2354.         public function create()
2355.         {
2356.             abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');
2357.
2358.             return view('tasks.create');
2359.         }
2360.
2361.         public function store(StoreTaskRequest $request)
2362.         {
2363.             Task::create($request->validated());
2364.
2365.             return redirect()->route('tasks.index');
2366.         }
2367.
2368.         public function show(Task $task)
2369.         {
2370.             abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');
2371.
2372.             return view('tasks.show', compact('task'));
2373.         }
2374.
2375.         public function edit(Task $task)
2376.         {
2377.             abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');
2378.
2379.             return view('tasks.edit', compact('task'));
2380.         }
2381.
2382.         public function update(UpdateTaskRequest $request, Task $task
)
2383.         {
```

```

2384.         $task->update($request->validated());
2385.
2386.         return redirect()->route('tasks.index');
2387.     }
2388.
2389.     public function destroy(Task $task)
2390.     {
2391.         abort_if(Gate::denies('task_access'), Response::HTTP_FORBIDDEN, '403 Forbidden');
2392.
2393.         $task->delete();
2394.
2395.         return redirect()->route('tasks.index');
2396.     }
2397. }
2398.

```

2399.

2400. "UsersController.php"

```

2401. <?php
2402.
2403. namespace App\Http\Controllers;
2404.
2405. use App\Http\Requests\StoreUserRequest;
2406. use App\Http\Requests\UpdateUserRequest;
2407. use App\Models\Role;
2408. use App\Models\User;
2409. use Illuminate\Http\Requests;
2410. use Illuminate\Support\Facades\Gate;
2411. use Symfony\Component\HttpFoundation\Response;
2412.
2413. class UsersController extends Controller
2414. {
2415.     public function index()
2416.     {
2417.         // abort_if(Gate::denies('user_access'), Response::HTTP_FORBIDDEN, '403 Forbidden');
2418.
2419.         $users = User::with('roles')->get();
2420.
2421.         return view('users.index', compact('users'));
2422.     }
2423.
2424.     public function create()
2425.     {
2426.         // abort_if(Gate::denies('user_access'), Response::HTTP_FORBIDDEN, '403 Forbidden');
2427.
2428.         $roles = Role::pluck('title', 'id');

```

```
2429.
2430.         return view('users.create', compact('roles'));
2431.     }
2432.
2433.     public function store(StoreUserRequest $request)
2434.     {
2435.         $user = User::create($request->validated());
2436.         $user->roles()->sync($request->input('roles', []));
2437.
2438.         return redirect()->route('users.index');
2439.     }
2440.
2441.     public function show(User $user)
2442.     {
2443.         // abort_if(Gate::denies('user_access'), Response::HTTP_F
ORBIDDEN, '403 Forbidden');
2444.
2445.         return view('users.show', compact('user'));
2446.     }
2447.
2448.     public function edit(User $user)
2449.     {
2450.         // abort_if(Gate::denies('user_access'), Response::HTTP_F
ORBIDDEN, '403 Forbidden');
2451.
2452.         $roles = Role::pluck('title', 'id');
2453.
2454.         $user->load('roles');
2455.
2456.         return view('users.edit', compact('user', 'roles'));
2457.     }
2458.
2459.     public function update(UpdateUserRequest $request, User $user
)
2460.     {
2461.         $user->update($request->validated());
2462.         $user->roles()->sync($request->input('roles', []));
2463.
2464.         return redirect()->route('users.index');
2465.     }
2466.
2467.     public function destroy(User $user)
2468.     {
2469.         // abort_if(Gate::denies('user_access'), Response::HTTP_F
ORBIDDEN, '403 Forbidden');
2470.
2471.         $user->delete();
2472.
```

```
2473.         return redirect()->route('users.index');
2474.     }
2475. }
2476.
```

2477.

2478. **Middleware**

2479. **"AuthGates.php"**

```
2480.     <?php
2481.
2482.     namespace App\Http\Middleware;
2483.
2484.     use App\Models\Role;
2485.     use Closure;
2486.     use Illuminate\Support\Facades\Gate;
2487.     use Illuminate\Support\Facades\Auth;
2488.
2489.     class AuthGates
2490.     {
2491.         public function handle($request, Closure $next)
2492.         {
2493.             $user = Auth::user();
2494.
2495.             if ($user) {
2496.                 $roles = Role::with('permissions')->get();
2497.                 $permissionsArray = [];
2498.
2499.                 foreach ($roles as $role) {
2500.                     foreach ($role->permissions as $permissions) {
2501.                         $permissionsArray[$permissions->title][] = $role->id;
2502.                     }
2503.                 }
2504.
2505.                 foreach ($permissionsArray as $title => $roles) {
2506.                     Gate::define($title, function ($user) use ($roles) {
2507.                         return count(array_intersect($user->roles->pluck('id')->toArray(), $roles)) > 0;
2508.                     });
2509.                 }
2510.             }
2511.
2512.             return $next($request);
2513.         }
2514.     }
2515.
```

2516.

2517. **CONTROLLERS/REQUEST**

**2518. "StoreTaskRequest.php"**

```
2519. <?php
2520.
2521. namespace App\Http\Requests;
2522.
2523. use Illuminate\Foundation\Http\FormRequest;
2524. use Illuminate\Support\Facades\Gate;
2525.
2526. class StoreTaskRequest extends FormRequest
2527. {
2528.     public function rules()
2529.     {
2530.         return [
2531.             'description' => [
2532.                 'required', 'string',
2533.             ]
2534.         ];
2535.     }
2536.
2537.     public function authorize()
2538.     {
2539.         return Gate::allows('task_access');
2540.     }
2541. }
2542.
```

**2543.**

**2544. "StoreUserRequest.php"**

```
2545. <?php
2546.
2547. namespace App\Http\Requests;
2548.
2549. use Illuminate\Foundation\Http\FormRequest;
2550. use Illuminate\Support\Facades\Gate;
2551.
2552. class StoreUserRequest extends FormRequest
2553. {
2554.     public function rules()
2555.     {
2556.         return [
2557.             'name' => [
2558.                 'string',
2559.                 'required',
2560.             ],
2561.             'email' => [
2562.                 'required',
2563.                 'unique:users',
2564.             ],
2565.             'password' => [
```



```

2566.         'required',
2567.     ],
2568.     'roles.*' => [
2569.         'integer',
2570.     ],
2571.     'roles' => [
2572.         'required',
2573.         'array',
2574.     ],
2575. ];
2576.     }
2577.
2578.     public function authorize()
2579.     {
2580.         return Gate::allows('user_access');
2581.     }
2582. }
2583.

```

2584.

2585.     **“UpdateTaskRequest.php”**

```

2586. <?php
2587.
2588. namespace App\Http\Requests;
2589.
2590. use Illuminate\Foundation\Http\FormRequest;
2591. use Illuminate\Support\Facades\Gate;
2592.
2593. class UpdateTaskRequest extends FormRequest
2594. {
2595.     public function rules()
2596.     {
2597.         return [
2598.             'description' => [
2599.                 'required', 'string',
2600.             ]
2601.         ];
2602.     }
2603.
2604.     public function authorize()
2605.     {
2606.         return Gate::allows('task_access');
2607.     }
2608. }
2609.

```

2610.

2611.     **“UpdateUserRequest.php”**

2612.

2613.     <?php

```

2614.
2615.     namespace App\Http\Requests;
2616.
2617.     use Illuminate\Foundation\Http\FormRequest;
2618.     use Illuminate\Support\Facades\Gate;
2619.
2620.     class UpdateUserRequest extends FormRequest
2621.     {
2622.         public function rules()
2623.         {
2624.             return [
2625.                 'name' => [
2626.                     'string',
2627.                     'required',
2628.                 ],
2629.                 'email' => [
2630.                     'required',
2631.                     'unique:users,email,' . request()->route('user')-
2632. >id,
2633.                 ],
2634.                 'roles.*' => [
2635.                     'integer',
2636.                 ],
2637.                 'roles' => [
2638.                     'required',
2639.                     'array',
2640.                 ],
2641.             ];
2642.         }
2643.
2644.         public function authorize()
2645.         {
2646.             return Gate::allows('user_access');
2647.         }
2648.

```

```

2649.
2650.     MODELS
2651.     "Permission.php"

```

```

2652.     <?php
2653.
2654.     namespace App\Models;
2655.
2656.     use Illuminate\Database\Eloquent\Factories\HasFactory;
2657.     use Illuminate\Database\Eloquent\Model;
2658.
2659.     class Permission extends Model
2660.     {

```

```

2661.         use HasFactory;
2662.
2663.         protected $fillable = [
2664.             'title',
2665.         ];
2666.
2667.         public function roles()
2668.         {
2669.             return $this->belongsToMany(Role::class);
2670.         }
2671.     }
2672.

```

2673.

2674. "Role.php"

```

2675. <?php
2676.
2677. namespace App\Models;
2678.
2679. use Illuminate\Database\Eloquent\Factories\HasFactory;
2680. use Illuminate\Database\Eloquent\Model;
2681.
2682. class Role extends Model
2683. {
2684.     use HasFactory;
2685.
2686.     protected $fillable = [
2687.         'title'
2688.     ];
2689.
2690.     public function users()
2691.     {
2692.         return $this->belongsToMany(User::class);
2693.     }
2694.
2695.     public function permissions()
2696.     {
2697.         return $this->belongsToMany(Permission::class);
2698.     }
2699. }
2700.

```

2701.

2702. "Task.php"

```

2703. <?php
2704.
2705. namespace App\Models;
2706.
2707. use Illuminate\Database\Eloquent\Factories\HasFactory;
2708. use Illuminate\Database\Eloquent\Model;

```

```

2709.     use Illuminate\Database\Eloquent\SoftDeletes;
2710.
2711.     class Task extends Model
2712.     {
2713.         use HasFactory, SoftDeletes;
2714.
2715.         protected $fillable = [
2716.             'description'
2717.         ];
2718.     }
2719.
2720.
2721.     "User.php"
2722.     <?php
2723.
2724.     namespace App\Models;
2725.
2726.     use Illuminate\Contracts\Auth\MustVerifyEmail;
2727.     use Illuminate\Database\Eloquent\Factories\HasFactory;
2728.     use Illuminate\Foundation\Auth\User as Authenticatable;
2729.     use Illuminate\Notifications\Notifiable;
2730.     use Laravel\Fortify\TwoFactorAuthenticatable;
2731.     use Laravel\Jetstream\HasProfilePhoto;
2732.     use Laravel\Sanctum\HasApiTokens;
2733.
2734.     class User extends Authenticatable
2735.     {
2736.         use HasApiTokens;
2737.         use HasFactory;
2738.         use HasProfilePhoto;
2739.         use Notifiable;
2740.         use TwoFactorAuthenticatable;
2741.
2742.         /**
2743.          * The attributes that are mass assignable.
2744.          *
2745.          * @var array
2746.          */
2747.         protected $fillable = [
2748.             'name',
2749.             'email',
2750.             'password',
2751.         ];
2752.
2753.         /**
2754.          * The attributes that should be hidden for arrays.
2755.          *
2756.          * @var array

```

```

2757.         */
2758.     protected $hidden = [
2759.         'password',
2760.         'remember_token',
2761.         'two_factor_recovery_codes',
2762.         'two_factor_secret',
2763.     ];
2764.
2765.     /**
2766.      * The attributes that should be cast to native types.
2767.      *
2768.      * @var array
2769.      */
2770.     protected $casts = [
2771.         'email_verified_at' => 'datetime',
2772.     ];
2773.
2774.     /**
2775.      * The accessors to append to the model's array form.
2776.      *
2777.      * @var array
2778.      */
2779.     protected $appends = [
2780.         'profile_photo_url',
2781.     ];
2782.
2783.     public function __construct(array $attributes = [])
2784.     {
2785.         parent::__construct($attributes);
2786.         self::created(function (User $user) {
2787.             if (!$user->roles()->get()->contains(2)) {
2788.                 $user->roles()->attach(2);
2789.             }
2790.         });
2791.     }
2792.
2793.     public function roles()
2794.     {
2795.         return $this->belongsToMany(Role::class);
2796.     }
2797. }
2798.

```

```

2799.
2800.     MIGRATIONS
2801.     "2014_10_12_000000_create_users_table"

```

```

2802.     <?php
2803.
2804.     use Illuminate\Database\Migrations\Migration;

```

```

2805.     use Illuminate\Database\Schema\Blueprint;
2806.     use Illuminate\Support\Facades\Schema;
2807.
2808.     class CreateUsersTable extends Migration
2809.     {
2810.         /**
2811.          * Run the migrations.
2812.          *
2813.          * @return void
2814.          */
2815.         public function up()
2816.         {
2817.             Schema::create('users', function (Blueprint $table) {
2818.                 $table->id();
2819.                 $table->string('name');
2820.                 $table->string('email')->unique();
2821.                 $table->timestamp('email_verified_at')->nullable();
2822.                 $table->string('password');
2823.                 $table->rememberToken();
2824.                 $table->foreignId('current_team_id')->nullable();
2825.                 $table->string('profile_photo_path', 2048)-
2826.                 >nullable();
2827.                 $table->timestamps();
2828.             });
2829.         }
2830.         /**
2831.          * Reverse the migrations.
2832.          *
2833.          * @return void
2834.          */
2835.         public function down()
2836.         {
2837.             Schema::dropIfExists('users');
2838.         }
2839.     }
2840.

```

2841.

2842. "2021\_06\_28\_050828\_create\_activity1s\_table"

```

2843. <?php
2844.
2845.     use Illuminate\Database\Migrations\Migration;
2846.     use Illuminate\Database\Schema\Blueprint;
2847.     use Illuminate\Support\Facades\Schema;
2848.
2849.     class CreateActivity1sTable extends Migration
2850.     {
2851.         /**

```

```

2852.         * Run the migrations.
2853.         *
2854.         * @return void
2855.         */
2856.     public function up()
2857.     {
2858.         Schema::create('activity1s', function (Blueprint $table)
2859.         {
2860.             $table->id();
2861.             $table->string('activityname');
2862.             $table->string('activitydate');
2863.             $table->string('activitydescription');
2864.             $table->string('activitycode');
2865.             $table->timestamps();
2866.         });
2867.     }
2868.
2869.     /**
2870.      * Reverse the migrations.
2871.      *
2872.      * @return void
2873.      */
2874.     public function down()
2875.     {
2876.         Schema::dropIfExists('activity1s');
2877.     }
2878.

```

2879.

2880. "2021\_07\_05\_061851\_create\_tasks\_table"

```

2881.
2882. <?php
2883.
2884. use Illuminate\Database\Migrations\Migration;
2885. use Illuminate\Database\Schema\Blueprint;
2886. use Illuminate\Support\Facades\Schema;
2887.
2888. class CreateTasksTable extends Migration
2889. {
2890.     public function up()
2891.     {
2892.         Schema::create('tasks', function (Blueprint $table) {
2893.             $table->id();
2894.             $table->string('description');
2895.             $table->timestamps();
2896.             $table->softDeletes();
2897.         });
2898.     }

```

```

2899.
2900.     public function down()
2901.     {
2902.         Schema::dropIfExists('tasks');
2903.     }
2904. }
2905.

```

2906.

2907. "2021\_07\_07\_020937\_create\_roles\_table"

```

2908. <?php
2909.
2910. use Illuminate\Database\Migrations\Migration;
2911. use Illuminate\Database\Schema\Blueprint;
2912. use Illuminate\Support\Facades\Schema;
2913.
2914. class CreateRolesTable extends Migration
2915. {
2916.     /**
2917.      * Run the migrations.
2918.      *
2919.      * @return void
2920.      */
2921.     public function up()
2922.     {
2923.         Schema::create('roles', function (Blueprint $table) {
2924.             $table->id();
2925.             $table->timestamps();
2926.         });
2927.     }
2928.
2929.     /**
2930.      * Reverse the migrations.
2931.      *
2932.      * @return void
2933.      */
2934.     public function down()
2935.     {
2936.         Schema::dropIfExists('roles');
2937.     }
2938. }
2939.

```

2940.

2941. "2021\_07\_07\_021001\_create\_permissions\_table"

```

2942. <?php
2943.
2944. use Illuminate\Database\Migrations\Migration;
2945. use Illuminate\Database\Schema\Blueprint;
2946. use Illuminate\Support\Facades\Schema;

```



```

2947.
2948.     class CreatePermissionsTable extends Migration
2949.     {
2950.         /**
2951.          * Run the migrations.
2952.          *
2953.          * @return void
2954.          */
2955.         public function up()
2956.         {
2957.             Schema::create('permissions', function (Blueprint $table)
2958.             {
2959.                 $table->id();
2960.                 $table->timestamps();
2961.             });
2962.         }
2963.         /**
2964.          * Reverse the migrations.
2965.          *
2966.          * @return void
2967.          */
2968.         public function down()
2969.         {
2970.             Schema::dropIfExists('permissions');
2971.         }
2972.     }
2973.

```

2974.

2975. "2021\_07\_07\_054403\_create\_role\_user\_pivot\_table"

```

2976.     <?php
2977.
2978.     use Illuminate\Database\Migrations\Migration;
2979.     use Illuminate\Database\Schema\Blueprint;
2980.     use Illuminate\Support\Facades\Schema;
2981.
2982.     class CreateRoleUserPivotTable extends Migration
2983.     {
2984.
2985.         public function up()
2986.         {
2987.             Schema::create('role_user', function (Blueprint $table) {
2988.                 $table->foreignId('role_id')->references('id')->
2989.                     >on('roles')->cascadeOnDelete();
2990.                 $table->foreignId('user_id')->references('id')->
2991.                     >on('users')->cascadeOnDelete();
2992.             });
2993.         }
2994.     }

```

```

2992.
2993.     public function down()
2994.     {
2995.         Schema::dropIfExists('role_user');
2996.     }
2997.
2998. }
2999.

```

3000.

3001. "2021\_07\_07\_054421\_create\_permission\_role\_pivot\_table"

```

3002. <?php
3003.
3004. use Illuminate\Database\Migrations\Migration;
3005. use Illuminate\Database\Schema\Blueprint;
3006. use Illuminate\Support\Facades\Schema;
3007.
3008. class CreatePermissionRolePivotTable extends Migration
3009. {
3010.     public function up()
3011.     {
3012.         Schema::create('permission_role', function (Blueprint $table) {
3013.             $table->foreignId('role_id')->references('id')->
3014.                 >on('roles')->cascadeOnDelete();
3015.             $table->foreignId('permission_id')->references('id')->
3016.                 >on('permissions')->cascadeOnDelete();
3017.         });
3018.     }
3019.
3020.     public function down()
3021.     {
3022.         Schema::dropIfExists('permission_role');
3023.     }
3024. }
3025.

```

3024.

3025. "2021\_07\_11\_152511\_create\_feedback2\_table"

```

3026. <?php
3027.
3028. use Illuminate\Database\Migrations\Migration;
3029. use Illuminate\Database\Schema\Blueprint;
3030. use Illuminate\Support\Facades\Schema;
3031.
3032. class CreateFeedback2sTable extends Migration
3033. {
3034.     /**
3035.      * Run the migrations.
3036.      *

```

```

3037.         * @return void
3038.         */
3039.     public function up()
3040.     {
3041.         Schema::create('feedback2s', function (Blueprint $table)
3042.         {
3043.             $table->id();
3044.             $table->string('feedbackcompanyname');
3045.             $table->string('feedbackdate');
3046.             $table->string('feedbackaddress');
3047.             $table->string('feedbacktelephone');
3048.             $table->string('feedbackemail');
3049.             $table->string('feedbackgender');
3050.             $table->string('feedbacknature');
3051.             $table->string('feedbackyesno1');
3052.             $table->string('feedbackserviceavailed1');
3053.             $table->string('feedbackserviceavailed2');
3054.             $table->string('feedbackconsultancy');
3055.             $table->string('feedbackpackaging');
3056.             $table->string('feedbackscholarship');
3057.             $table->string('feedbackconversion');
3058.             $table->string('feedbackmanagement');
3059.             $table->string('feedbackmanagementspecify');
3060.             $table->string('t1');
3061.             $table->string('t2');
3062.             $table->string('AOS1');
3063.             $table->string('AOS2');
3064.             $table->string('QOS1');
3065.             $table->string('QOS2');
3066.             $table->string('UTM1');
3067.             $table->string('CTT1');
3068.             $table->string('RIP1');
3069.             $table->string('SAT1');
3070.             $table->string('SAT2');
3071.             $table->string('feedbackrank1');
3072.             $table->string('feedbackrank2');
3073.             $table->string('feedbackrank3');
3074.             $table->string('feedbackrank4');
3075.             $table->string('feedbackrank5');
3076.             $table->string('feedbackexp1');
3077.             $table->string('feedbackexp2');
3078.             $table->string('feedbackexp3');
3079.             $table->string('feedbacksuggest');
3080.             $table->string('feedbacksignature');
3081.             $table->string('feedbackdesignation');
3082.             $table->timestamps();
3083.         });
3084.     }

```

```

3084.
3085.     /**
3086.      * Reverse the migrations.
3087.      *
3088.      * @return void
3089.      */
3090.     public function down()
3091.     {
3092.         Schema::dropIfExists('feedback2');
3093.     }
3094. }
3095.

```

3096.

3097.

3098.

#### SEEDERS

3099. "DatabaseSeeder.php"

```

3100. <?php
3101.
3102. namespace Database\Seeders;
3103.
3104. use Illuminate\Database\Seeder;
3105.
3106. class DatabaseSeeder extends Seeder
3107. {
3108.     /**
3109.      * Seed the application's database.
3110.      *
3111.      * @return void
3112.      */
3113.     public function run()
3114.     {
3115.         $this->call([
3116.             PermissionsTableSeeder::class,
3117.             RolesTableSeeder::class,
3118.             PermissionRoleTableSeeder::class,
3119.             UsersTableSeeder::class,
3120.             RoleUserTableSeeder::class,
3121.         ]);
3122.     }
3123. }
3124.

```

3125.

3126.

3127. "PermissionRoleTableSeeder.php"

```

3128. <?php
3129.
3130. namespace Database\Seeders;

```

```

3131.
3132.     use App\Models\Permission;
3133.     use App\Models\Role;
3134.     use Illuminate\Database\Seeder;
3135.
3136.     class PermissionRoleTableSeeder extends Seeder
3137.     {
3138.         public function run()
3139.         {
3140.             $admin_permissions = Permission::all();
3141.             Role::findOrFail(1)->permissions()-
3142.             >sync($admin_permissions->pluck('id'));
3142.             $user_permissions = $admin_permissions-
3143.             >filter(function ($permission) {
3143.                 return substr($permission->title, 0, 5) != 'user_';
3144.             });
3144.             Role::findOrFail(2)->permissions()-
3145.             >sync($user_permissions);
3146.         }
3147.     }
3148.

```

3149.

3150.

3151. "PermissionTableSeeder.php"

```

3152. <?php
3153.
3154.     namespace Database\Seeders;
3155.
3156.     use App\Models\Permission;
3157.     use Illuminate\Database\Seeder;
3158.
3159.     class PermissionsTableSeeder extends Seeder
3160.     {
3161.         public function run()
3162.         {
3163.             $permissions = [
3164.                 [
3165.                     'id' => 1,
3166.                     'title' => 'user_access',
3167.                 ],
3168.                 [
3169.                     'id' => 2,
3170.                     'title' => 'task_access',
3171.                 ],
3172.             ];
3173.
3174.             Permission::insert($permissions);
3175.         }

```

3176.     }

3177.

3178.

3179.

3180.     "RolesTableSeeder.php"

3181.     <?php

3182.

3183.     namespace Database\Seeders;

3184.

3185.     use App\Models\User;

3186.     use Illuminate\Database\Seeder;

3187.

3188.     class RoleUserTableSeeder extends Seeder

3189.     {

3190.         public function run()

3191.         {

3192.             User::findOrFail(1)->roles()->sync(1);

3193.             User::findOrFail(2)->roles()->sync(2);

3194.         }

3195.     }

3196.

3197.     "RoleUserTableSeeder.php"

3198.     <?php

3199.

3200.     namespace Database\Seeders;

3201.

3202.     use App\Models\Role;

3203.     use Illuminate\Database\Seeder;

3204.

3205.     class RolesTableSeeder extends Seeder

3206.     {

3207.         public function run()

3208.         {

3209.             \$roles = [

3210.                 [

3211.                     'id'     => 1,

3212.                     'title' => 'Admin',

3213.                 ],

3214.                 [

3215.                     'id'     => 2,

3216.                     'title' => 'User',

3217.                 ],

3218.             ];

3219.

3220.             Role::insert(\$roles);

3221.         }

3222.     }

3223.

3224.

3225. "UsersTableSeeder.php"

```
3226. <?php
3227.
3228. namespace Database\Seeders;
3229.
3230. use App\Models\User;
3231. use Illuminate\Database\Seeder;
3232.
3233. class UsersTableSeeder extends Seeder
3234. {
3235.     public function run()
3236.     {
3237.         $users = [
3238.             [
3239.                 'id'           => 1,
3240.                 'name'         => 'Admin',
3241.                 'email'        => 'admin@admin.com',
3242.                 'password'     => bcrypt('password'),
3243.                 'remember_token' => null,
3244.             ],
3245.             [
3246.                 'id'           => 2,
3247.                 'name'         => 'User',
3248.                 'email'        => 'user@user.com',
3249.                 'password'     => bcrypt('password'),
3250.                 'remember_token' => null,
3251.             ],
3252.         ];
3253.
3254.         User::insert($users);
3255.     }
3256. }
3257.
```

3258.

3259. WEB.PHP

```
3260. <?php
3261.
3262. use Illuminate\Support\Facades\Route;
3263. use Laravel\Fortify\Http\Controllers\ProfileInformationController
3264. ;
3265. use App\Http\Controllers\activityController;
3266. use App\Http\Controllers\TaskController;
3267. use App\Http\Controllers\UserController;
3268. use App\Http\Controllers\feedbackController;
3269. use App\Http\Controllers\ChartJsController;
3270. /*
```

```

3271. |-----|-----
3272. | Web Routes
3273. |-----|-----
3274. |
3275. | Here is where you can register web routes for your application.
    These
3276. | routes are loaded by the RouteServiceProvider within a group wh
    ich
3277. | contains the "web" middleware group. Now create something great
    !
3278. |
3279. */
3280.
3281. Route::get('/', function () {
3282.     return view('welcome');
3283. });
3284.
3285. Route::middleware(['auth:sanctum', 'verified'])->
    >get('/dashboard', function () {
3286.     return view('dashboard');
3287. })->name('dashboard');
3288.
3289. Route::group(['middleware' => 'auth'], function () {
3290.     Route::resource('tasks', \App\Http\Controllers\TasksControlle
        r::class);
3291.
3292.     Route::resource('users', \App\Http\Controllers\UsersControlle
        r::class);
3293. });
3294.
3295. Route::prefix('createactivity')->group(function()
3296. {
3297.     // Route::get('/create', function () {
3298.         //     return view('create');
3299.         // })->name('create');
3300.
3301. //ROUTES FOR CRUD
3302. Route::get('view', [activityController::class, 'view'])->
    >name('view.createactivity');
3303. Route::get('create', [activityController::class, 'create'])->
    >name('create.createactivity');
3304. Route::post('store', [activityController::class, 'store'])->
    >name('store.createactivity');
3305. Route::post('/update/{id}', [activityController::class, 'update'
    ])->name('update.createactivity');

```



```

3306.     Route::get('delete/{id}', [activityController::class, 'delete'])
        ->name('delete.createactivity');
3307.     Route::get('edit/{id}', [activityController::class, 'edit'])-
        >name('edit.createactivity');
3308.

3309. });
3310.
3311. Route::prefix('createfeedback')->group(function()
3312. {
3313.     // Route::get('/create', function () {
3314.         //     return view('create');
3315.         // })->name('create');
3316.
3317.     //ROUTES FOR CRUD FEEDBACK
3318.     Route::get('view', [feedbackController::class, 'view'])-
        >name('joinactivityview');
3319.     Route::get('create', [feedbackController::class, 'create'])-
        >name('create.createfeedback');
3320.     Route::post('store', [feedbackController::class, 'store'])-
        >name('store.createfeedback');
3321.     Route::post('/update/{id}', [feedbackController::class, 'update'
        ]) ->name('update.createfeedback');
3322.     Route::get('delete/{id}', [feedbackController::class, 'delete'])
        ->name('delete.createfeedback');
3323.     Route::get('edit/{id}', [feedbackController::class, 'edit'])-
        >name('edit.createfeedback');
3324.

3325. });
3326.
3327. //FEEDBACK FORM
3328.
3329. Route::prefix('joinactivity')->group(function()
3330. {
3331.     Route::get('viewjoin', [activityController::class, 'viewjoin
        ']) ->name('viewjoin.joinactivity');
3332.
3333. });
3334.
3335. //JOINACTIVITY
3336.
3337. Route::prefix('joinactivitytest')->group(function()
3338. {

```

```
3339.         Route::get('viewjointest', [activityController::class, 'view
jointest']->name('viewjointest.joinactivitytest'));
3340.
3341.     });
3342.
3343.     //JOINACITIVTY AUTHENTICATION
3344.
3345.     Route::prefix('index')->group(function()
3346.     {
3347.         Route::get('data', [activityController::class, 'data']->
name('data.index'));
3348.
3349.     });
3350.
```