CUSTOMER RELATIONSHIP MANAGEMENT SYSTEM

1. PREREQUISITES
- COMPOSER
- XAMPP
- VISUAL STUDIO CODE

2. INSTALLATION

3.1 SOFTWARE REQUIREMENT INSTALLATION

STEP 1: DOWNLOAD COMPOSER

GO TO THE LINK: https://getcomposer.org/doc/00-intro.md#using-the-installer

LINK PROVIDES INSTRUCTIONS FOR INSTALLATION

STEP 2: DOWNLOAD XAMPP

GO TO THE LINK: https://www.apachefriends.org/download.html

AFTER DOWNLOADING XAMPP RUN THE PROGRAM AND COMPLETE THE INSTALLATION

STEP 3: DOWNLOAD VISUAL STUDIO CODE

GO TO THE LINK: https://code.visualstudio.com/download

AFTER DOWNLOADING VISUAL STUDIO CODE RUN THE PROGRAM AND COMPLETE THE INSTALLATION

3. CONTRIBUTING
3.1 CONTRIBUTIONS

4.1.1 Administrator

- Able to create, update and delete activity
- Able to submit feedback
- Able to see feedback logs
- Can update/delete user profile

4.1.2 Administrator (UPDATE)

- Updated Login
- Created CRUD Admin Page
- Separated admin and user pages
- Able to create, update, disable, delete accounts
- Able to assign roles
- Added notifications on all crud task
- Updated Account Settings

4.1.3 User (UPDATE)

- Updated User page
- Added status on feedback
- Created separate page for Feedback form
- Updated Feedback form
- Updated Activity form
- Added Responsive Pie Chart
- Added Feedback statistics page
- Updated Activity validations

4.1.3 Customer (UPDATE)

- Created Customer Page
- Added code input for customers
- Added code validations

3.2 ISSUES

4.2.1 Administrator

- Not able to assign user's role (FIXED)
- Cannot read the Join Activity authentication code (FIXED)
- Dashboard Line chart is not responsive (FIXED)

### 4.2.2 User

- No user pane (FIXED)

FLOWCHART

Admin

User

Customer

4. ERD

5. **USER MANUAL**

USING THE CUSTOMER RELATIONSHIP MANAGEMENT SYSTEM

1. **LOGIN AND REGISTER FORM**

STEP 1: Go to 127.0.0.1:8000/register to create a new account or if you have an existing account you

can proceed to Login button.

This is the Registration form. You'll need to fill out the form and press the register button. After doing so you need to login with your account credentials in the Login Form.

STEP 2: Enter Credentials and press login button to proceed account dashboard (depending on roles)

MAIN DASHBOARD

This is the main dashboard for users it comes with the navigation sidebar which enables users to create,edit,update,delete activity. They can also disable feedback for activity, see feedback logs and statistics.

2. CREATE ACTIVITY

To create Activity press the ADD button on the upper right side of the activities table

You will be then redirected to the Add Activity Page

After filling out the Activity form successfully you will be redirected back to Create Activity page with the new activity added.

You can also edit the activity. If by any chance you mistyped or have a few changes by pressing the edit icon.

After contemplating the changes press the update button to update (user will receive a notification for task status i.e successfully, failed).

If update is successful you will be redirected back to Create Activity page.

You can also disable/enable feedback on activity by pressing on the Enable/Disable Icon on the action tab.(This will enable/disable activity feedback submissions on selected activity on customers page)

3. FEEDBACK STATISTICS

Show Statistics for submitted feedbacks
(Total count for feedback by activity code and total rating by activity code)

4. FEEDBACK LOG

Show logs of submitted feedbacks.

5. ABOUT PAGE

About page for developers.

DASHBOARD ADMIN

This is the dashboard for admins

1. **CREATE**

    To create a user press the ADD button on the upper right side of the table

(you will be redirected to the create users page)

This is the create users form.

You'll need to fill out the form and press the create button

After doing so you are redirected back to the admin dashboard

(updated with the newly created user account)

2. EDIT

You can also edit the users account by pressing the edit button on the actions tab

You will be redirected to the user edit page.

Change data as you see fit then press the update button to save changes

You will be then redirected to the admin dashboard a notification will then show.

3. DEACTIVATE ACCOUNT

You can also activate/deactivate users account press the switch button on the actions tab.

Deactivated account can't be used unless the admin re-activates the account

(ERROR ON LOGIN DEACTIVATED ACCOUNT)

4. **DELETE**

If you want to delete a user account press the trash button on the actions tab on a selected account

(Deleted account are not deleted in the database but only on users list)

5. SETTINGS

Account Settings Tab on Sidebar

Press settings tab to edit logged in account

CUSTOMERS PAGE

A page for customers to submit feedback

Customers must enter a valid activity code and press the submit button

Enter ...   Others:

Give at least three words that best describe your experience with the services availed:

1.)

Enter ...

2.)

Enter ...

3.)

Enter ...

8. Any other suggestions to improve our service?

Enter ...

Signature: Designation:

Enter ...   Enter ...

Submit Feedback

(If code is valid customers will be redirected to the submit feedback form)

It will let customers send feedback for certain activity.

All feedback submitted are saved in the activity log.

SOURCE CODE

BLADES

"app.blade.php"

```
7.      <!DOCTYPE html>
8.      <html lang="{{ str_replace('_', '-', app()->getLocale()) }}"> 9.
<head>
10.    <meta charset="utf-8">
11.    <meta name="viewport" content="width=device-width, initial-scale=1">
12.    <meta http-equiv="x-ua-compatible" content="ie=edge">
13.    <meta name="csrf-token" content="{{ csrf_token() }}">
14.
15.    <title>{{ config('app.name', 'Laravel') }}</title>
16.
17.    <!-- Fonts -->
18.    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family
       =Nunito:wght@400;600;700&display=swap">
19.
20.    <!-- Styles -->
21.    <link rel="stylesheet" href="{{ asset('css/app.css') }}">
22.
```

```
23.    @livewireStyles
```

```
24.
25.    <!-- Google Font: Source Sans Pro -->
26.    <link rel="stylesheet" href={{
asset("https://fonts.googleapis.com/cs
s?family=Source+Sans+Pro:300,400,400i,700&display=fallback") }}> 27.    <!--
Font Awesome Icons -->
28.    <link rel="stylesheet" href={{
       asset("plugins/fontawesomefree/css/all.min.css") }}>
29.    <!-- overlayScrollbars -->
30.    <link rel="stylesheet" href={{ asset("plugins/overlayScrollbars/css/O
       verlayScrollbars.min.css") }}>
31.    <!-- Theme style -->
32.    <link rel="stylesheet" href={{ asset("dist/css/adminlte.min.css") }}>
       33.    <!-- Scripts -->
34.    <script src="{{ asset('js/app.js') }}" defer></script>
35.    {{-- DATATABLES CSS--}}
36.    <link rel="stylesheet" href="{{asset('http://cdn.datatables.net/1.10.2
   5/css/jquery.dataTables.min.css')}}">
37.    {{--TOASTR--}}
38.    <link rel="stylesheet" href="{{asset('http://cdn.bootcss.com/toastr.js/
   latest/css/toastr.min.css')}}">
39.    {{--SWEETALERT2--}}
40.    <script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
41.
42.                                                             <script
src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.3/Char
t.min.js"></script> 43.
44.</head>
45.<body class="hold-transition dark-mode sidebar-mini layout-fixed ">
46.
47.        <div class="min-h-screen bg-gray-100">
48.        @livewire('navigation-menu')
49.
50.           <main>
51.           {{--}} {{ $slot }} --}}
52.           <div class="wrapper">
53.
54.              <!-- Preloader -->
55.              <div class="preloader flex-column justify-contentcenter
                 align-items-center">
56.              <img class="animation__wobble" src=" {{asset('dist/img/cr
   m.png')}}" alt="CRMLogo" height="60" width="60"> 57.
</div>
58.
```

```
59.    <!-- Navbar -->
60.
61.    <!-- /.navbar -->
62.
```

<!-- Main Sidebar Container -->

```
64.            <aside class="main-sidebar sidebar-dark-primary
               elevation4">
65.            <!-- Brand Logo -->
66.            <a href="index3.html" class="brand-link">
67.            <img src="{{asset('dist/img/crm.png')}}" alt="CRM Logo"
               class="brand-image img-circle elevation-3"
               style="opacity: .8">
68.            <span class="brand-text font-weight-heavy">CRM</span>
               69.            </a>
70.
71.    <!-- Sidebar -->
72.    @include('layouts.sidebar')
73.    <!-- /.sidebar -->
74.    </aside> 75.
76.                        <div class="content-wrapper">
77.                        <!-- Content Header (Page header) -->
78.                        <div class="content-header">
79.                        <div class="container-fluid">
80.                        <div class="row mb-2">
81.                        <div class="col-sm-6">
82.                        <ul class="navbar-nav">
83.                        <li class="nav-item">
84.                        <a class="nav-link" datawidget="pushmenu"
                           href="#" role="button"><i class="fas
                           fabars"></i></a>
85.                        </li>
86.                        </ul>
87.                        </div><!-- /.col -->
88.
89.            </div><!-- /.row -->
90.            </div><!-- /.container-fluid -->
91.            </div>
92.
93.        {{$slot}}
94.
95.      </div> 96.
</main>
97.
98.        <footer class="main-footer">
99.        <strong>Copyright &copy; 2014-
    2021 <a href="#">CRM</a>.</strong>
100.        All rights reserved.
101.            <div class="float-right d-none d-sm-inline-block">
102.            <b>Version</b> 1
```

```
103.                    </div>
104.                    </footer>
105.                    </div>
```

```
107.        @stack('modals')
108.
109.        @livewireScripts
110.

111.    <div class="wrapper">
112.
113.      <!-- Preloader -->
114.      <div class="preloader flex-column justify-content-center
              alignitems-center">
115.      <img class="animation__wobble" src="{{asset('dist/img/crm.png
              ')}}" alt="CRMLogo" height="60" width="60">
116.      </div> 117.
118.      <!-- Navbar -->
119.
120.      <!-- /.navbar -->
121.
122. <!-- REQUIRED SCRIPTS -->
123. <!-- jQuery -->
124. <script src={{ asset('plugins/jquery/jquery.min.js') }}></script>
125. <!-- Bootstrap -->
126.    <script src={{ asset('plugins/bootstrap/js/bootstrap.bundle.min.j
           s') }}></script>
127.    <!-- overlayScrollbars -->
128.    <script src={{ asset('plugins/overlayScrollbars/js/jquery.overlay
           Scrollbars.min.js') }}></script>
129.    <!-- AdminLTE App -->
130.    <script src={{ asset('dist/js/adminlte.js') }}></script>
131.
132.    <!-- PAGE PLUGINS -->
133.    <!-- jQuery Mapael -->
134.    <script src={{
           asset('plugins/jquerymousewheel/jquery.mousewheel.js')
           }}></script>
135.    <script src={{ asset('plugins/raphael/raphael.min.js') }}></scrip
           t>
136.    <script src={{ asset('plugins/jquerymapael/jquery.mapael.min.js')
           }}></script>
137.    <script src={{
           asset('plugins/jquerymapael/maps/usa_states.min.js') }}></script>
138.    <!-- ChartJS -->
139.    <script src={{ asset('plugins/chart.js/Chart.min.js') }}></script
           >

140.
```

```
141.      <!-- AdminLTE for demo purposes -->
142.      <script src={{ asset('dist/js/demo.js') }}></script>
143.      <!-- AdminLTE dashboard demo (This is only for demo purposes) -->
```

```
144.            <script src={{ asset('dist/js/pages/dashboard2.js') }}></script>
```

```
145.        <script
            src="{{asset('http://cdn.datatables.net/1.10.25/js/jquery
            .dataTables.min.js')}}"></script>
146.        <script>
147.        $(document).ready( function () {
148.        $('#myTable').DataTable();
149.        } ); 150.
151.    </script>
152.
153.        <script
            src="http://cdn.bootcss.com/toastr.js/latest/js/toastr.mi
            n.js"></script>
154.        <script>
155.        @if(Session::has('message'))
156.        var type = "{{ Session::get('alert-type', 'info') }}";
157.        switch(type){ 158.              case 'info':
159.                toastr.info("{{ Session::get('message') }}");
160.                break;
161.
162.    case 'warning':
163.    toastr.warning("{{ Session::get('message') }}");
164.    break; 165.          case 'success':
166.                toastr.success("{{ Session::get('message') }}");
167.                break;
168.
169.                case 'error':
170.                toastr.error("{{ Session::get('message') }}");
171.                break;
172.                }
173.                @endif
174.                </script>
175.
176.                {{--SWEET ALERT 2 FUNCTION---}}
177.                <script type="text/javascript">
178.                $(function(){
179.                $(document).on ('click', '#delete',function(e){
180.                e.preventDefault();
181.                var link = $(this).attr("href");
182.                Swal.fire({
183.                title: 'Are you sure you want to delete this activity
                    ?',
184.                text: "You won't be able to revert this!",
185.                icon: 'warning',
186.                showCancelButton: true,
187.                confirmButtonColor: '#3085d6',
```

```
188.                    cancelButtonColor: '#d33',
```

```
189.                    confirmButtonText: 'Yes, Delete Activity!'
190.                }).then((result) => {
191.                    if (result.value) {
192.                        window.location.href = link;
193.                        Swal.fire(
194.                            'Deleted',
195.                            'You Activity has been deleted.',
196.                            'success'
197.                        )
198.                    }
199.                })
200.            });
201.        });
202.    </script>
203.


204.    </body>
205.    </html>
206.
```

"sidebar.blade.php"

```
207.          <!-- Main Sidebar Container -->
208.          <aside class="main-sidebar sidebar-dark-primary elevation-
              4">
209.          <!-- Brand Logo -->
210.          <a href="{{ route('dashboard') }}" class="brand-link">
211.          <img src="{{asset('dist/img/crm.png')}}" alt="CRM Logo" cla
              ss="brand-image img-circle elevation-3" style="opacity:
              .8">
212.          <span class="brand-text font-weight-heavy">CRM</span>
213.          </a> 214.
215.      {{--SIDEBAR NAVIGATION--}}
216.
217.      @php
218.      $prefix = Request::route()->getPrefix();
219.      $route= Route::current()->getName();
220.
221.          @endphp
222.          <!-- Sidebar -->
223.          <div class="sidebar">
224.          <!-- Sidebar user panel (optional) -->
225.          <div class="user-panel mt-3 pb-3 mb-3 d-flex">
226.
227.            <div class="info">
228.
229.          <a href="#" class="d-block"><i class="fas fauser">{{
     Auth::user()->name}}</i></a>
230.
```

```html
231.          </div>
232.          </div>
233.
234.      <div class="user-panel mt-3 pb-3 mb-3 d-flex">
235.
236.              <div class="navitem {{
                  ($prefix=='joinactivitytest')?'menu-open':''}}">
237.              <a href="{{ route('viewjointest.joinactivitytest')
                  }}" class="navlink {{
                  ($route=='viewjointest.joinactivitytest')?'active':''
                  }}"> <i c lass="fas fa-sign-in-alt">
238.              Join Activity </i> </a>
239.              </div>
240.              </div>
241.              <!-- SidebarSearch Form -->
242.
243.                <!-- Sidebar Menu -->
244.                <nav class="mt-2">
245.                <ul class="nav nav-pills nav-sidebar flex-column">
246.                <!-- Add icons to the links using the .nav-icon
                     class
247.                with font-awesome or any other icon font library ->
248.                <li class="nav-item">
249.                <a href="{{ route('dashboard') }}" class="navlink
                   {{ ($route=='dashboard')?'active':'' }}">
250.                <i class="fas fa-columns">
251.                <p>
252.                Dashboard
253.                </p>
254.                </i>
255.                </a>
256.
257.                </li>
258.                <li class="navitem {{
                   ($prefix=='createactivity')?'menu-open':''}}">
259.                <a href="{{ route('view.createactivity') }}"
                   class="n av-link {{
                   ($route=='view.createactivity')?'active':'' }}">
260.                <p>
261.                <i class="fas fa-plus-circle">
262.                Create Activity
263.                </i>
264.                </p>
265.                </a>
266.                </li>
```

```
267.
268.             <li class="navitem {{
   ($prefix=='joinactivityview')?'menu-open':''}}">
```

```
269.                    <a href="{{ route('joinactivityview') }}" class="nav-
    link {{ ($route=='joinactivityview')?'active':'' }}">
270.                        <p>
271.                        <i class="fas fa-list">
272.                        Feedback Log
273.                        </i>
274.                        </p>
275.                        </a>
276.                        </li>
277.
278.                        {{-- <li class="navitem {{
                            ($prefix=='viewactivity')?'menu-
                            open':''}}">
279.                        <a href="{{ route('view') }}"
                            class="navlink {{
                            ($route=='view')?'active':'' }}">
280.                        <p>
281.                        View Activity
282.                        </p>
283.                        </a>  284.            </li>--}}
285.
286.            </div>
287.            <!-- /.sidebar -->
288.            </aside>
289.
290.
291.    LAYOUT/TASKS
292.    "create.blade.php"
```

```
293.    <x-app-layout>
294.    <x-slot name="header">
295.    <h2 class="font-semibold text-xl text-
        White-800 leadingtight">
296.    Create Task
297.    </h2>
298.    </x-slot>
299.    {{--TASKS CREATE BLADE--}}
300.    <div>
301.    <div class="max-w-4xl mx-auto py-10
        sm:px-6 lg:px-8">
302.    <div class="mt-5 md:mt-0 md:col-span-2">
303.    <form method="post" action="{{
        route('tasks.store ') }}">
304.    @csrf
305.    <div class="shadow overflowhidden
        sm:rounded-md">
306.    <div class="px-4 py-5 bg-white sm:p-6">
307.    <label for="description" class="block
        font-medium text-sm text-gray-
        700">Description</label>
308.        <input type="text" name="description"
```

```blade
         id="description" type="text" class="form-input rounded-md shadowsm
    mt-1 block w-full"
309.                                    value="{{ old('description', ' ') }}"
                                        />
310.                                    @error('description')
311.                                    <p class="text-sm text-red600">{{
                                        $message }}</p>
312.                                    @enderror
313.                                    </div>

314.

315.                                        <div class="flex items-center
                                        justifyend px-4 py-3 bg-gray-50
                                        text-right sm:px-6">
316.                                        <button class="inline-flex
                                        itemscenter px-4 py-2 bg-gray-800
                                        border border-transparent
                                        rounded-md fontsemibold text-xs
                                        text-white uppercase tracking-
                                        widest hover:bg-gray-
    700 active:bg-gray-900 focus:outline-none focus:border-gray-
    900 focus:shadow-outline-gray disabled:opacity-25 transition ease-inout
    duration-150">
317.                                        Create
318.                                        </button>
319.                                        </div>
320.                                    </div>
321.                                    </form>
322.                                    </div>
323.                                    </div>
324.                                    </div>

325.

326.        </x-app-layout>
327.
328.
329.                                    "edit.blade.php"
330.                                    <x-app-layout>
331.                                    <x-slot name="header">
332.                                    <h2 class="font-semibold text-xl text-White-
                                        800 leadingtight">
333.                                    Edit Task
334.                                    </h2>
335.                                    </x-slot>
336.                                    {{--TASKS EDIT/UPDATE BLADE--}}
337.                                    <div>
```

```
338.        <div class="max-w-4xl mx-auto py-10 sm:px-6
            lg:px-8">
339.        <div class="mt-5 md:mt-0 md:col-span-2">
340.        <form method="post" action="{{
            route('tasks.updat e', $task->id) }}">
341.        @csrf
342.        @method('PUT')
```

```
343.                              <div class="shadow overflow-
    hidden sm:rounded-md">
344.                                  <div class="px-4 py-5 bg-white sm:p-
                                      6">
345.                                  <label for="description" class="block
                                      font-medium text-sm text-gray-
                                      700">Description</label>
346.                                  <input type="text" name="description"
                                      id="description" type="text"
                                      class="form-input rounded-md shadowsm
                                      mt-1 block w-full"
347.                                  value="{{ old('description', $ task-
                                      >description) }}" />
348.                                  @error('description')
349.                                  <p class="text-sm text-red600">{{
                                      $message }}</p>
350.                                  @enderror
351.                                  </div>
352.
353.                                      <div class="flex items-center
                                          justifyend px-4 py-3 bg-gray-50
                                          text-right sm:px-6">
354.                                      <button class="inline-flex
                                          itemscenter px-4 py-2 bg-gray-800
                                          border border-transparent
                                          rounded-md fontsemibold text-xs
                                          text-white uppercase tracking-
                                          widest hover:bg-gray-
    700 active:bg-gray-900 focus:outline-none focus:border-gray-
    900 focus:shadow-outline-gray disabled:opacity-25 transition ease-inout
    duration-150">
355.                                      Edit
356.                                      </button>
357.                                      </div>
358.                                  </div>
359.                                  </form>
360.                                  </div>
361.                              </div>
362.                          </div>
363.
364.      </x-app-layout>
365.
366.      "index.blade.php"
```

```blade
367.        <x-app-layout>
368.        <x-slot name="header">
369.
370.            <h2 class="font-semibold text-xl text-white800
                leading-tight">
371.            {{--TASKS LIST BLADE--}}
372.            </h2>
373.            </x-slot>
374.            <div>
375.            <div class="max-w-6xl mx-auto py-10 sm:px-6 lg:px-8">
376.                <div class="block mb-8">
```

```
377.                                              <a href="{{
                                                  route('tasks.create') }}"
                                                  class=" bg-green-500
                                                  hover:bg-green-700 text-
                                                  white font-bold py-2 px4
                                                  rounded">Add Task</a>
378.                                              </div>
379.                                              <div class="flex flex-
                                                  col">
380.                                              <div class="-my-2
                                                  overflow-x-auto sm:-mx6
                                                  lg:-mx-8">
381.                                              <div class="py-2 align-
                                                  middle inlineblock min-w-
                                                  full sm:px-6 lg:px-8">
382.                                              <div class="shadow
                                                  overflowhidden border-b
                                                  border-gray-200
                                                  sm:rounded-lg">
383.                                              <table class="min-w-full
                                                  dividey divide-gray-200 w-
                                                  full">
384.                                              <thead>
385.                                              <tr>
386.                                              <th scope="col" width="50
     " class="px-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray500
   uppercase tracking-wider">
387.                                              ID
388.                                              </th>
389.                                              <th scope="col" class="px
   -6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
   500 uppercase tracking-wider">
390.                                              Description
391.                                              </th>
392.                                              <th scope="col" width="20
                                                  0" class="px-6 py-3 bg-
                                                  gray-50">
393.
394.                                              </th>
395.                                              </tr>
396.                                              </thead>
397.                                              <tbody class="bgwhite divide-y
                                                  divide-gray-200">
398.                                              @foreach ($tasks as $task)
                                                  399.
                                                  <tr>
```

```
400.    <td class="px-6 py-
```

```
    4 whitespace-nowrap text-sm text-gray-900">
401.    {{ $task->id }} 402.
</td>
403.
404.                                          <td class="px-6 py-
    4 whitespace-nowrap text-sm text-gray-900">
405.                                          {{ $task>description }}
406.                                          </td>
407.
408.                                          <td class="px-6 py-
    4 whitespace-nowrap text-sm font-medium">
```

```
409.                                          <a href="{{ route
    ('tasks.show', $task->id) }}" class="text-blue-600 hover:text-blue900 mb-2
    mr-2">View</a>
410.                                          <a href="{{ route
    ('tasks.edit', $task->id) }}" class="text-indigo-600 hover:text-indigo900
    mb-2 mr-2">Edit</a>
411.                                          <form class="inli ne-
                                              block" action="{{
                                              route('tasks.destroy',
                                              $task-
    >id) }}" method="POST" onsubmit="return confirm('Are you sure?');">
412.                                          <input type=" hidden"
                                              name="_method"
                                              value="DELETE">
413.                                          <input type=" hidden"
                                              name="_token"
                                              value="{{ csrf_token()
                                              }}">
414.                                          <input type=" submit"
                                              class="text-red-600
                                              hover:text-red-900 mb-
                                              2 mr2" value="Delete">
415.                                          </form>
416.                                          </td>
417.                                          </tr>
418.                                          @endforeach
419.                                          </tbody>
420.                                          </table>
421.                                          </div>
422.                                          </div>
423.                                          </div>
424.                                          </div>
425.
426.              </div>
427.              </div>
428.              <!-- Main Footer -->
429.
430.     </x-app-layout>
431.
432.                     "show.blade.php"

433.              <x-app-layout>
434.              <x-slot name="header">
435.              <h2 class="font-semibold text-xl text-gray-800
                  leadingtight">

436.              Show Task
```

```
437.                    </h2> 438.
439.        {{--TASKS SHOW LIST BLADE--}}
440.
441.                    </x-slot>
442.                    <div>
443.                    <div class="max-w-6xl mx-auto py-10 sm:px-6 lg:px-
                        8">
444.                    <div class="block mb-8">
```

```
445.                                                    <a href="{{
```

```
                                            route('tasks.index') }}"
                                            class="bggray-200
                                            hover:bg-gray-300 text-
                                            black font-bold py-2 px-
    4 rounded">Back to list</a>
446.                                        </div>
447.                                        <div class="flex flex-
                                            col">
448.                                        <div class="-my-2
                                            overflow-x-auto sm:-mx-6
                                            lg:mx-8">
449.                                        <div class="py-2 align-
                                            middle inlineblock min-w-
                                            full sm:px-6 lg:px-8">
450.                                        <div class="shadow
                                            overflowhidden border-b
                                            border-gray-200
                                            sm:rounded-lg">
451.                                        <table class="min-w-full
                                            dividey divide-gray-200
                                            w-full">
452.                                        <tr class="border-b">
453.                                        <th scope="col"
                                            class="px-
    6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
    500 uppercase tracking-wider">
454.                                        ID
455.                                        </th>
456.                                        <td class="px-6 py4
                                            whitespace-nowrap text-sm
                                            text-gray-900 bg-white
                                            divide-y dividegray-200">
457.                                        {{ $task->id }}
458.                                        </td>
459.                                        </tr>
460.                                        <tr class="border-b">
461.                                        <th scope="col"
                                            class="px-
    6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
    500 uppercase tracking-wider">
462.                                        Description
463.                                        </th>
464.                                        <td class="px-6 py4
                                            whitespace-nowrap text-sm
                                            text-gray-900 bg-white
                                            divide-y dividegray-200">
465.                                        {{ $task->description }}
```

466.   </td>

```
467.        </tr>
468.        </table>
469.        </div>
470.        </div>
471.        </div>
472.        </div>
473.        <div class="block mt-8">
474.        <a href="{{
            route('tasks.index') }}"
            class="bggray-200
            hover:bg-gray-300 text-
            black font-bold py-2 px-
    4 rounded">Back to list</a>
475.        </div>
476.        </div>
```

```
477.          </div>
478.
479.     </x-app-layout>
480.
```
481.

482.   LAYOUTS/USERS

483.   "create.blade.php"

```
484.        <x-app-layout>
485.        <x-slot name="header">
486.        <h2 class="font-semibold text-xl
            text-White-800 leadingtight">
487.        Create Task
488.        </h2>
489.        </x-slot>
490.        {{--TASKS CREATE BLADE--}}
491.        <div>
492.        <div class="max-w-4xl mx-auto py-10
            sm:px-6 lg:px-8">
493.        <div class="mt-5 md:mt-0 md:col-span-
            2">
494.        <form method="post" action="{{
            route('tasks.store ') }}">
495.        @csrf
496.        <div class="shadow overflowhidden
            sm:rounded-md">
497.        <div class="px-4 py-5 bg-white sm:p-
            6">
498.        <label for="description" class="block
            font-medium text-sm text-gray-
            700">Description</label>
499.        <input type="text" name="description"
            id="description" type="text"
            class="form-input rounded-md shadowsm
            mt-1 block w-full"
500.        value="{{ old('description', ' ') }}"
            />
501.        @error('description')
502.        <p class="text-sm text-red600">{{
            $message }}</p>
503.        @enderror
504.        </div>
505.
506.            <div class="flex items-center
                justifyend px-4 py-3 bg-gray-50
                text-right sm:px-6">
507.            <button class="inline-flex
                itemscenter px-4 py-2 bg-gray-800
                border border-transparent
                rounded-md fontsemibold text-xs
                text-white uppercase tracking-
                widest hover:bg-gray-
    700 active:bg-gray-900 focus:outline-none focus:border-gray-
    900 focus:shadow-outline-gray disabled:opacity-25 transition ease-inout
    duration-150">
```

508.   Create

                                                    </button>
510.   </div>
511.   </div>
512.   </form>
513.   </div>
514.   </div>

```
515.              </div>
516.
517.          </x-app-layout>
518.
519.
520.          "edit.blade.php"
521.                                  <x-app-layout>
522.                                  <x-slot name="header">
523.                                  <h2 class="font-semibold text-xl
                                      text-White-800 leadingtight">
524.                                  Edit Task
525.                                  </h2>
526.                                  </x-slot>
527.                                  {{--TASKS EDIT/UPDATE BLADE--}}
528.                                  <div>
529.                                  <div class="max-w-4xl mx-auto py-10
                                      sm:px-6 lg:px-8">
530.                                  <div class="mt-5 md:mt-0 md:col-span-
                                      2">
531.                                  <form method="post" action="{{
                                      route('tasks.updat e', $task->id)
                                      }}">
532.                                  @csrf
533.                                  @method('PUT')
534.                                  <div class="shadow overflowhidden
                                      sm:rounded-md">
535.                                  <div class="px-4 py-5 bg-white sm:p-
                                      6">
536.                                  <label for="description" class="block
                                      font-medium text-sm text-gray-
                                      700">Description</label>
537.                                  <input type="text" name="description"
                                      id="description" type="text"
                                      class="form-input rounded-md shadowsm
                                      mt-1 block w-full"
538.                                  value="{{ old('description', $ task-
                                      >description) }}" />
539.                                  @error('description')
540.                                  <p class="text-sm text-red600">{{
                                      $message }}</p>
541.                                  @enderror
542.                                  </div>
543.
544.     <div class="flex items-center justifyend px-4 py-3 bg-gray-50 text-
        right sm:px-6">
```

```
545.    <button class="inline-flex itemscenter px-4 py-2 bg-gray-800 border
   border-transparent rounded-md fontsemibold text-xs text-white uppercase
   tracking-widest hover:bg-gray-
   700 active:bg-gray-900 focus:outline-none focus:border-gray-
```

```
   900 focus:shadow-outline-gray disabled:opacity-25 transition ease-inout
   duration-150">
546.                                        Edit
547.                                        </button>
548.                                        </div>
549.                                        </div>
550.                                        </form>
551.                                        </div>
552.                                        </div>
553.                                        </div>
554.
555.      </x-app-layout>
```
556.
557.   "index.blade.php"

```
558.        <x-app-layout>
559.        <x-slot name="header">
560.
561.                                     <h2 class="font-
                                         semibold text-xl
                                         text-white800
                                         leading-tight">
562.                                     {{--TASKS LIST BLADE-
                                         -}}
563.                                     </h2>
564.                                     </x-slot>
565.                                     <div>
566.                                     <div class="max-w-6xl
                                         mx-auto py-10 sm:px-6
                                         lg:px-8">
567.                                     <div class="block mb-
                                         8">
568.                                     <a href="{{
                                         route('tasks.create')
                                         }}" class=" bg-green-
                                         500 hover:bg-green-
                                         700 text-white font-
                                         bold py-2 px4
                                         rounded">Add Task</a>
569.                                     </div>
570.                                     <div class="flex
                                         flex-col">
571.                                     <div class="-my-2
                                         overflow-x-auto sm:-
                                         mx6 lg:-mx-8">
572.                                     <div class="py-2
                                         align-middle
                                         inlineblock min-w-
                                         full sm:px-6 lg:px-
                                         8">
573.                                     <div class="shadow
                                         overflowhidden
                                         border-b border-gray-
                                         200 sm:rounded-lg">
574.                                     <table class="min-w-
                                         full dividey divide-
                                         gray-200 w-full">
575.                                     <thead>
576.                                     <tr>
577.                                     <th scope="col"
                                         width="50
```

```
        " class="px-6 py-3 bg-gray-50 text-left text-xs font-medium text-gray500
    uppercase tracking-wider">
578.                                            ID
579.                                            </th>
580.                                            <th scope="col"
                                                class="px
    -6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
    500 uppercase tracking-wider">
```
581.   Description

```
582.                                              </th>
583.                                              <th scope="col" width="20 0"
                                                  class="px-6 py-3 bg-gray-50">
584.
585.                                              </th>
586.                                              </tr>
587.                                              </thead>
588.                                              <tbody class="bgwhite divide-y
                                                  divide-gray-200">
589.                                              @foreach ($tasks as $task)
                                                  590.
                                                  <tr>
591.   <td class="px-6 py-
   4 whitespace-nowrap text-sm text-gray-900">
592.   {{ $task->id }} 593.
</td>
594.
595.                                                  <td class="px-6 py-
   4 whitespace-nowrap text-sm text-gray-900">
596.                                                  {{ $task>description }}
597.                                                  </td>
598.
599.                                                  <td class="px-6 py-
   4 whitespace-nowrap text-sm font-medium">
600.                                                  <a href="{{ route
   ('tasks.show', $task->id) }}" class="text-blue-600 hover:text-blue900 mb-2
   mr-2">View</a>
601.                                                  <a href="{{ route
   ('tasks.edit', $task->id) }}" class="text-indigo-600 hover:text-indigo900
   mb-2 mr-2">Edit</a>
602.                                                  <form class="inli ne-
                                                  block" action="{{
                                                  route('tasks.destroy',
                                                  $task-
   >id) }}" method="POST" onsubmit="return confirm('Are you sure?');">
603.                                                  <input type=" hidden"
                                                  name="_method"
                                                  value="DELETE">
604.                                                  <input type=" hidden"
                                                  name="_token"
                                                  value="{{ csrf_token()
                                                  }}">
605.                                                  <input type=" submit"
                                                  class="text-red-600
                                                  hover:text-red-900 mb-
                                                  2 mr2" value="Delete">
```

```
606.    </form>
607.    </td>
608.    </tr>
609.    @endforeach
610.    </tbody>
611.    </table>
612.    </div>
```

```
613.                              </div>
614.                            </div>
615.                        </div>
616. 617.
                          </div>
618.                  </div>
619.              <!-- Main Footer -->
620.
621.          </x-app-layout>
622.
```
623.

624.   "show.blade.php"

```
625.                <x-app-layout>
626.                <x-slot name="header">
627.                <h2 class="font-semibold text-xl text-gray-800
                    leadingtight">
628.                Show Task
629.                </h2>
630.
631.      {{--TASKS SHOW LIST BLADE--}}
632.
633.                                        </x-slot>
634.                                        <div>
635.                                        <div class="max-w-6xl
                                            mx-auto py-10 sm:px-6
                                            lg:px-8">
636.                                        <div class="block mb-
                                            8">
637.                                        <a href="{{
                                            route('tasks.index')
                                            }}" class="bggray-200
                                            hover:bg-gray-300
                                            text-black font-bold
                                            py-2 px-
    4 rounded">Back to list</a>
638.                                        </div>
639.                                        <div class="flex flex-
                                            col">
640.                                        <div class="-my-2
                                            overflow-x-auto sm:-
                                            mx-6 lg:mx-8">
641.                                        <div class="py-2
                                            align-middle
                                            inlineblock min-w-full
                                            sm:px-6 lg:px-8">
642.                                        <div class="shadow
                                            overflowhidden border-
                                            b border-gray-200
                                            sm:rounded-lg">
643.                                        <table class="min-w-
                                            full dividey divide-
                                            gray-200 w-full">
644.                                        <tr class="border-b">
645.                                        <th scope="col"
                                            class="px-
    6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
    500 uppercase tracking-wider">
646.                                        ID
```

```
647.            </th>
648.            <td class="px-6 py4
                whitespace-nowrap
                text-sm text-gray-900
                bg-white divide-y
                dividegray-200">
649.            {{ $task->id }}



650.            </td>
```

```
651.                                          </tr>
652.                                          <tr class="border-b">
653.                                          <th scope="col"
                                              class="px-
   6 py-3 bg-gray-50 text-left text-xs font-medium text-gray-
   500 uppercase tracking-wider">
654.                                          Description
655.                                          </th>
656.                                          <td class="px-6 py4
                                              whitespace-nowrap text-sm
                                              text-gray-900 bg-white
                                              divide-y dividegray-200">
657.                                          {{ $task->description }}
658.                                          </td>
659.                                          </tr>
660.                                          </table>
661.                                          </div>
662.                                          </div>
663.                                          </div>
664.                                          </div>
665.                                          <div class="block mt-8">
666.                                          <a href="{{
                                              route('tasks.index') }}"
                                              class="bggray-200
                                              hover:bg-gray-300 text-
                                              black font-bold py-2 px-
   4 rounded">Back to list</a>
667.                                          </div>
668.                                          </div>
669.                                          </div>
670.
671.      </x-app-layout>
672.
673.
674.             "createactivityadd.blade.php"
675.          <x-app-layout>
676.          <x-slot name="slot">
677.          <!-- Content Wrapper. Contains page content -->
678.
679.           <!-- /.content-header -->
680.
681.          <!-- Main content -->
682.          <!-- Google Font: Source Sans Pro -->
683.          <link rel="stylesheet"
             href="{{asset('https://fonts.googleapis.c
```

```
                om/css?family=Source+Sans+Pro:300,400,400i,700&display=fa
                llback') }}">
684.            <!-- Font Awesome -->
685.            <link rel="stylesheet"
                href="{{asset('../../plugins/fontawesomefree/css/all.min.
                css') }}">
686.            <!-- daterange picker -->
687.            <link rel="stylesheet"
                href="{{asset('../../plugins/daterangepic
                ker/daterangepicker.css') }}">
688.            <!-- iCheck for checkboxes and radio inputs -->
```

```
689.            <link rel="stylesheet"
                href="{{asset('./../plugins/icheck-
```

```
bootstrap/icheck-bootstrap.min.css') }}">
```

`<!-- Bootstrap Color Picker -->`

```
691.        <link rel="stylesheet"
```

```
href="{{asset('../../plugins/bootstrapcolorpicker/css/bootstrap-
```

```
colorpicker.min.css') }}">
```

`<!-- Tempusdominus Bootstrap 4 -->`

```
693.        <link rel="stylesheet" href="{{asset('../../plugins/tempusdominu
```

```
s-bootstrap-4/css/tempusdominus-bootstrap-4.min.css') }}">
```

<!-- Select2 -->

```
695.        <link rel="stylesheet" href="{{asset('../../plugins/select2/css/
```

```
                    select2.min.css') }}">
```

```
696.        <link rel="stylesheet"
```

```
href="{{asset('../../plugins/select2bootstrap4-theme/select2-
```

```
bootstrap4.min.css') }}">
```

`<!-- Bootstrap4 Duallistbox -->`

```
698.        <link rel="stylesheet"
```

```
href="{{asset('../../plugins/bootstrap4duallistbox/bootstrap-
```

```
duallistbox.min.css') }}">
```

`<!-- BS Stepper -->`

```
700.         <link rel="stylesheet"
```

```
href="{{asset('../../plugins/bsstepper/css/bs-stepper.min.css ')
```

```
}}">
```

`<!-- dropzonejs -->`

```
702.        <link rel="stylesheet" href="{{asset('../../plugins/dropzone/min
```

```
/dropzone.min.css') }}">
```

`<!-- Theme style -->`

```
704.        <link rel="stylesheet" href="{{asset('../../dist/css/adminlte.mi
```

```
n.css ') }}">
```

{{--CREATE ACITVITY BLADE--}}

```
<section class="col-md-12">
```

`<div class="card card-warning">`

```html
<div class="card-header">
```

```html
<h3 class="card-title">
```

```
@if (isset($editdata))
```

CREATE ACIVITY

```
@endif
```

```
</h3>
```

```
</div>
```

```
<div class="card-body">
```

`<form method="POST" action="{{ (@$editdata)?r`

```
oute('update.createactivity', $editdata-
```

```
>id): route('store.createactivity') }}" enctype="multipart/form-data">
```

`@csrf`

```
<div class="form-row">
```

```
725.                                        <div class="form-group col-sm-6">
```

`<label>Name of Activity</label>`

```
<input type="text" name="activityname
```

```
" class="form-control" required value="{{ (@$editdata-
```

```
>activityname) }}" placeholder="Name Activity">
```

```
</div>
```

```
<div class="form-group col-sm-6">
```

<label>Date and time:</label>

```html
<div class="inputgroup date"
```

id="reservationdatetime" data-

`<input type="text"`

```
" class="form-control" required value="{{ (@$editdata-
```

```
>activitydate) }}" datetimepicker-input"
```

```
datatarget="#reservationdatetime"/>
```

```
<div class="input-group-append"
```

```
<div class="input-grouptext"><i
```

```html
</div>
```

```
</div>
```

```html
</div>
```

```
</div>
```

```html
<div class="form-row">
```

```
<div class="form-group col-sm-6">
```

`<label>Activity Description</label>`

`<input type="text" name="activitydesc`

```
required value="{{ (@$editdata-
```

```
>activitydescription) }}" placeholder="Activity Description">
```

`<label>`Activity Code:`</label>`

```html
<input type="text" name="activitycode
```

```
" class="form-control" required value="{{ (@$editdata-
```

```
>activitycode) }}" placeholder="Activity Code">
```

```
</div>
```

```
</div>
```

`<div><button class="btn btnprimary"`

```
id="update" type="submit">{{
```

```
}</button></div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
755.                     </section>
```

```
757.            <!-- Main Footer -->
758.            </x-slot>
759.
760.    </x-app-layout> 761.
        <!-- ChartJS -->
762.
763.        <!-- jQuery -->
764.        <script src="../../plugins/jquery/jquery.min.js"></script>
765.        <!-- Bootstrap 4 -->
766.        <script
           src="../../plugins/bootstrap/js/bootstrap.bundle.min.js">
           </script>
767.        <!-- Select2 -->
768.        <script
           src="../../plugins/select2/js/select2.full.min.js"></scri pt>
769.        <!-- Bootstrap4 Duallistbox -->
770.        <script
           src="../../plugins/bootstrap4duallistbox/jquery.bootstrap-
           duallistbox.min.js"></script>
771.        <!-- InputMask -->
772.        <script src="../../plugins/moment/moment.min.js"></script>
773.        <script
           src="../../plugins/inputmask/jquery.inputmask.min.js"></s cript>
774.        <!-- date-range-picker -->
775.        <script
           src="../../plugins/daterangepicker/daterangepicker.js"></
           script>
776.        <!-- bootstrap color picker -->
777.        <script src="../../plugins/bootstrap-
           colorpicker/js/bootstrapcolorpicker.min.js"></script>
778.        <!-- Tempusdominus Bootstrap 4 -->
779.        <script src="../../plugins/tempusdominus-bootstrap-
   4/js/tempusdominus-bootstrap-4.min.js"></script>
780.        <!-- Bootstrap Switch -->
781.        <script src="../../plugins/bootstrap-
           switch/js/bootstrapswitch.min.js"></script>
782.        <!-- BS-Stepper -->
783.        <script src="../../plugins/bs-
           stepper/js/bsstepper.min.js"></script>
784.        <!-- dropzonejs -->
785.        <script
           src="../../plugins/dropzone/min/dropzone.min.js"></script >
```

```html
786.    <!-- AdminLTE App -->
787.    <script src="../../dist/js/adminlte.min.js"></script>
788.    <!-- AdminLTE for demo purposes -->
789.    <script src="../../dist/js/demo.js"></script>
790.    <!-- Page specific script -->
```

```
791.   <script>
792.       $(function () {
793.           //Initialize Select2 Elements
```

```
794.          $('.select2').select2()
```

```
797.    $('.select2bs4').select2({
```

```
798.    theme: 'bootstrap4'
```

```
799.    }) 800.
```

```
//Datemask dd/mm/yyyy
```

```
802.          $('#datemask').inputmask('dd/mm/yyyy', { 'placeholder': 'dd/m
```

```
                                                            m/yyyy' })
```

`//Datemask2 mm/dd/yyyy`

```
804.          $('#datemask2').inputmask('mm/dd/yyyy', { 'placeholder': 'mm/
```

```
        dd/yyyy' })
```

`$('[data-mask]').inputmask()`

```
809.    $('#reservationdate').datetimepicker({
```

format: 'L'

```
811.   }); 812.
```

//Date and time picker

```
814.        $('#reservationdatetime').datetimepicker({ icons: { time: 'fa
```

```
r fa-clock' } });
```

//Date range picker

```
817.          $('#reservation').daterangepicker()
```

//Date range picker with time picker

```
819.                    $('#reservationtime').daterangepicker({
```

```
820.                timePicker: true,
```

```
821.                    timePickerIncrement: 30,
```

```
822.                    locale: {
```

```
    format: 'MM/DD/YYYY hh:mm A'
```

}

```
825.                    })
```

`//Date range as a button`

```
827.                $('#daterange-btn').daterangepicker(
```

{

```
829.                          ranges  : {
```

```
830.                'Today'        : [moment(), moment()],
```

```
831.                        'Yesterday'    : [moment().subtract(1, 'days'), moment()
```

```
        .subtract(1, 'days')],
```

```
832.                    'Last 7 Days' : [moment().subtract(6, 'days'), moment()
```

```
],
```

```
833.                    'Last 30 Days': [moment().subtract(29, 'days'), moment(
```

)],

```
872.    <x-app-layout>
873.        <x-slot name="slot">
874.            <!-- Content Wrapper. Contains page content -->
```

```
875.
876.            <!-- /.content-header -->
854.               'This Month'  : [moment().startOf('month'), moment().en
    dOf('month')],
835.            'Last Month'   : [moment().subtract(1, 'month').startOf(
'month'), moment().subtract(1, 'month').endOf('month')] 836.            },
837.            startDate: moment().subtract(29, 'days'),
838.            endDate   : moment()
839.            },
840.            function (start, end) {
841.            $('#reportrange span').html(start.format('MMMM D, YYYY')
               + ' - ' + end.format('MMMM D, YYYY'))
842.            }
843.            ) 844.
845.    //Timepicker
846.    $('#timepicker').datetimepicker({
847.    format: 'LT'
848.    }) 849.
850.        //Bootstrap Duallistbox
851.        $('.duallistbox').bootstrapDualListbox()
852.
853.    //Colorpicker
854.    $('.my-colorpicker1').colorpicker() 855.        //color
picker with addon
856.        $('.my-colorpicker2').colorpicker()
857.
858.        $('.my-
    colorpicker2').on('colorpickerChange', function(event) {
859.        $('.my-colorpicker2 .fasquare').css('color',
           event.color.toString());
860.        }) 861.
862.    $("input[data-bootstrap-switch]").each(function(){
863.    $(this).bootstrapSwitch('state', $(this).prop('checked'));
864.    }) 865. 866.   }) 867.
868.      </script>
869.
```

870.

871.   "createactivityview.blade.php"

```
878.      {{--CREATE ACITVITY VIEW BLADE--}}
879.
880.  <!-- Main content -->
881.  <section class="col-md-12">
882.  <div class="card card-warning">
883.  <div class="card-header">
884.  <h3 class="card-title">ACIVITIES</h3>
885.  </div>
886.  <div class="card-body">
887.  <section class="col-md-12">
888.  <div class="card">
889.  <div class="card-header"> 890.                                <h3>
891.                          <a class="btn btnsuccess float-right btnsm"
                              href="{{route('create.createactivity')}}"><i
                              class="fa falist"> CREATE ACTIVITY</i></a>
892.                          </h3>
893.                          </div>
894.
895.                                <div class="cardbody" style="color:
                                   #070807; background: white;">
896.                                <table id="myTable" class="table
                                   table-stripped tabel-bordered"
                                   style="width: 100% ">
897.                                <thead>
898.                                <tr>
899.                                <th style="fontsize: 12px">Activity
                                   No.</th>
900.                                <th style="fontsize: 12px">Acitvity
                                   Name</th>
901.                                <th style="fontsize: 12px">Date of
                                   Activity</th>
902.                                <th style="fontsize: 12px">Activity
                                   Description</th>
903.                                <th style="fontsize: 12px">Activity
                                   Code</th>
904.
905.                                <th style="fontsize:
                                   12px">Action</th>
906.                                </tr>
907.                                </thead>
908.
909.                                @foreach ($alldata as $key =>
                                   $data)
910.                                <tr>
911.                                <td>{{ $key+1 }}</td>
```

```
912.                                              <td>{{ $data>activityname
                                                  }}</td>
913.                                              <td>{{ $data>activitydate
                                                  }}</td>
914.                                              <td>{{
                                                  $data>activitydescription
                                                  }}</td>
915.                                              <td>{{ $data>activitycode
                                                  }}</td>
916.                                              <td>
917.                                              <a title="Edit" class="bt n
                                                  btn-sm btn-primary" href="{{
                                                  route('edit.createactivity',
                                                  $data>id) }}">EDIT</a>
918.                                              <a title="Delete" id="del ete"
                                                  class="btn btn-sm btndanger"
                                                  href="{{
                                                  route('delete.createactivity',
                                                  $data>id) }}">DELETE</a>
919.                                              </td>
920.                                              </tr> 921.
                                                  @endforeach
922.
923.                                   </table>
924.                                   </div>
925.                                   </div>
926.                                   </section>
927.                                   </div>
928.                                   </div>
929.
930.            </section>
931.



932.            <!-- Main Footer -->
933.            </x-slot>
934.
935.  </x-app-layout> 936.       <!-
- ChartJS -->
937.
938.        <link rel="stylesheet" href="http://cdn.datatables.net/1.10.25/cs
           s/jquery.dataTables.min.css">
```

```
939.    <script src="http://cdn.datatables.net/1.10.25/js/jquery.dataTabl
        es.min.js"></script>
940.    <script>
941.    $(document).ready( function () {
942.    $('#myTable').DataTable();
943.    } ); 944.
```

```
945.    </script>
946.
```

947.

948.   **"dashboard.blade.php"**

```
949.            <x-app-layout>
950.            <x-slot name="slot">
951.            <!-- Content Wrapper. Contains page content -->
952.

953.             <!-- /.content-header -->
954.

955.      {{--MAIN DASHBOARD BLADE--}}
956.

957.                    <!-- Main content -->
958.                    <section class="content">
959.                    <div class="container-fluid">
960.                    <!-- Info boxes -->
961.                    <div class="row">
962.                    <!-- /.col -->
963.                    <div class="col-12 col-sm-6 col-md-3">
964.                    <div class="info-box mb-3">
965.                    <span class="info-box-icon bg-danger
                        elevation1"><i class="fas fa-thumbs-
                        up"></i></span>
966.
967.  <div class="info-box-content">
968.  <span class="info-box-text">FEEDBACKS</span>
969.  <span class="info-box-number">41,410</span> 970.                    </div>
971.  <!-- /.info-box-content -->
972.  </div>
973.  <!-- /.info-box -->
974.  </div> 975.                  <!-- /.col -->
976.
977.              <!-- fix for small devices only --> 978.
<div class="clearfix hidden-md-up"></div>
979.
980.                    <div class="col-12 col-sm-6 col-md-3">
981.                    <div class="info-box mb-3">
982.                    <span class="info-box-icon bgwarning elevation-
                        1"><i class="fas fa-users"></i></span>
983.
984.                        <div class="info-box-content">
985.                        <span class="info-boxtext">CREATED
                        ACTIVITIES</span>
986.                        <span class="info-box-number">2,000</span>
987.                        </div>
988.                        <!-- /.info-box-content -->
```

```html
989.                       </div>
990.                       <!-- /.info-box -->
991.                       </div>
992.                       </div>
993.
994.               </div>
995.
996.                       <!-- BAR CHART -->
997.                   <div class="card card-warning">
998.                   <div class="card-header">
999.                   <h3 class="card-title">Bar Chart</h3>
1000.
1001.                       <div class="card-tools">
1002.                       <button type="button" class="btn btntool"
                           data-card-widget="collapse">
1003.                       <i class="fas fa-minus"></i>
1004.                       </button>
1005.                       <button type="button" class="btn btntool"
                           data-card-widget="remove">
1006.                       <i class="fas fa-times"></i>
1007.                       </button>
1008.                       </div>
1009.                       </div>
1010.                       <div class="card-body">
1011.                       <div class="chart">
1012.                       <canvas id="barChart" style="minheight:
                           250px; height: 250px; max-height: 250px;
                           maxwidth: 100%;"></canvas>
1013.                       </div>
1014.                       </div>
1015.                       <!-- /.card-body -->
1016.                       </div>
1017.                       </section> 1018.
1019. <!-- Main Footer -->
1020. </x-slot> 1021.
1022. </x-app-layout> 1023.
```

1024.

```html
1026.       <x-app-layout>
1027.           <x-slot name="slot">
1028.               <!-- Content Wrapper. Contains page content -->
1029.
1030.               <!-- /.content-header -->
```

1025. "joinactivity.blade.php"

```
1031.

1032.        {{--FEEDBACK FORM BLADE--}}
1033.
1034.                            <!-- Main content -->
1035.                            <section class="content">
1036.                            <!-- general form elements disabled -->
1037.                            <div class="card card-warning">
1038.                            <div class="card-header">
1039.                            <h3 class="cardtitle">CUSTOMER
                               SATISFACTION FEEDBACK FORM</h3>
1040.                            </div>
1041.                            <!-- /.card-header -->
1042.                            <div class="card-body">
1043.                            <form class="center" method="POST"
                               action="{{ rou te('store.createfeedback')
                               }}" enctype="multipart/form-data"  >
1044.                            @csrf
1045.                            <div class="form-row">
1046.                            <div class="form-group col-sm-6">
1047.                            <label>Name of Company</label>
1048.                            <input type="text" name="feedbackcompanyn
                               ame" class="form-control"  required
                               placeholder="Enter ..." > 1049.
                               </div>
1050.
1051.                                <div class="form-group col-sm-6">
1052.                                <div class="form-group col-sm-6">
1053.                                <label>Date:</label>
1054.                                <div class="inputgroup date"
                                   id="reservationdate" data-target-
                                   input="nearest">
1055.                                <input type="text" name="feedbackda
                                   te" class="form-control
                                   datetimepicker-input"  required
                                   datatarget="#reservationdate"/>
1056.                                <div class="input-groupappend"
                                   data-target="#reservationdate"
                                   data-toggle="datetimepicker">
1057.                                <div class="input-grouptext"><i
                                   class="fa fa-calendar"></i></div>
1058.                                </div>
1059.                                </div>
1060.                                </div>
1061.
```

```html
1062. <div class="form-group col-sm-6">
1063. <label>Address</label>
1064. <input type="text" name="feedbackaddress"  class="form-control"
required placeholder="Enter ..."> 1065.                    </div>
1066.
1067.                        <div class="form-group col-sm-6">
```

```
1068.  <label>Telephone No.</label>
1069.  <input type="text" name="feedbacktelephon e" class="form-control"
required placeholder="Enter ..."> 1070.                          </div>
1071.
1072.  <div class="form-group col-sm-6">
1073.  <label>Email Address</label>
1074.  <input type="text" name="feedbackemail" c lass="form-control"
required placeholder="Enter ..."> 1075.                          </div>
1076.
1077.                          <div class="form-group col-sm-6">
1078.                          <label>Gender</label>
1079.                          <select class="formcontrol "
                              name="feedbackgender" style="width:
                              100%;">
1080.                          <option>Male</option>
1081.                          <option>Female</option>
1082.                          </select>
1083.                          </div>
1084.
1085.                          <div class="form-horizontal" >
1086.                          <label>Nature of Business (please check):
                              </label>
1087.                          <div class="checkbox">
1088.                          <label><input type="checkbox" name="f
                              eedbacknature" value="Food/Beverage "/>
                              Food/Beverage </label>
1089.                          <label><input type="checkbox" name="f
                              eedbacknature"
                              value="Agriculture/Horticulture "/>
                              Agriculture/Horticul ture </label>
1090.                          <label><input type="checkbox" name="f
                              eedbacknature" value="Metals &
                              Engineering "/> Metals & Engineering </l
                              abel>
1091.                          <label><input type="checkbox" name="f
                              eedbacknature" value="Construction"/>
                              Construction </label>
1092.                          <label><input type="checkbox" name="f
                              eedbacknature" value="Pharmaceuticals "/>
                              Pharmaceuticals </label>
1093.                          <label><input type="checkbox" name="f
                              eedbacknature"
                              value="Electronics/Semiconductors "/>
                              Electronics/Semico nductors </label>
```

```html
1094.        <label><input type="checkbox" name="feedbacknature" value="Transport"/>
             Transport </label>
1095.        <label><input type="checkbox" name="feedbacknature" value="Plastic/Rubber"/>
             Plastic/Rubber </label>
1096.        <label><input type="checkbox" name="feedbacknature"
             value="Chemicals/Petrochemicals"/>
             Chemicals/Petrochemic als </label>
1097.        <label><input type="checkbox" name="feedbacknature" value="Mining"/> Mining
             </label>
```

```
1098.                    <label><input type="checkbox" name="f
                         eedbacknature" value="Trading" /> Trading
                         </label>
1099.                    <label><input type="checkbox" name="f
                         eedbacknature" value="Academe"/> Academe
                         </label>
1100.                    <label><input type="checkbox" name="f
                         eedbacknature" value="Government"/>
                         Government </label>
1101.                    <input type="text" class="formcontrol"
                         name="feedbacknature"  placeholder="Others,
                         Please specify">
1102.                    </div>
1103.                    </div>
1104.
1105.                        <div class="form-group col-sm-6">
1106.                        <div class="checkbox">
1107.                        <label>Is it your first time to avail
                            of the programs and services of DOST
                            XI?</label>
1108.                        <label><input type="checkbox" name="f
                            eedbackyesno1" value="yes" /> Yes
                            </label>
1109.                        <label><input type="checkbox" name="
                            feedbackyesno1" value="no"/> No
                            </label>
1110.                        </div>
1111.                        </div>
1112.
1113.                    <div>
1114.                    <label style="fontsize: 20px">1 . Services
                         availed from DOST XI</label>
1115.                    <div class="form-row">
1116.                    <label>Technology Intervention (please sp
                         ecify):</label>
1117.                    <input type="text" class="formcontrol"
                         required name="feedbackserviceavailed1"
                         placeholder="Enter ... ">
1118.                    <label>Technology Intervention (please sp
                         ecify):</label>
1119.                    <input type="text" class="formcontrol"
                         required name="feedbackserviceavailed2"
                         placeholder="Enter ... ">
1120.                    </div>
1121.                    </div>
```

```
1122.
1123.                              <div class="form-col-sm-6" >
1124.                              <label>Consultancy Service:</label>
1125.                              <div class="checkbox">
1126.                              <label><input type="checkbox" name="f
                                  eedbackconsultancy" value="Energy
                                  Audit"/> Energy Audit </label>
1127.                              <label><input type="checkbox" name="f
                                  eedbackconsultancy" value="MPEX"/> MPEX
                                  </label>
```

```
1128.                    <label><input type="checkbox" name="f
                         eedbackconsultancy" value="Plant Layout
                         Design"/> Plant Layout Design < /label>
1129.                    <label><input type="checkbox" name="f
                         eedbackconsultancy" value="CPT"/> CPT
                         </label>
1130.                    <label><input type="checkbox" name="f
                         eedbackconsultancy" value="GMP Assessment"/>
                         GMP Assessment </label>
1131.                    <input type="text" class="formcontrol"
                         name="feedbackconsultancy"
                         placeholder="Others (specify):">
1132.                    </div>
1133.                    </div>
1134.
1135.                    <div class="form-col-sm-6">
1136.                    <label>Packaging and Labeling Services:</labe
                         l>
1137.                    <div class="checkbox">
1138.                    <label><input type="checkbox"  name="feed
                         backpackaging" value="Label Design"/> Label
                         Design </label>
1139.                    <label><input type="checkbox" name="feedb
                         ackpackaging" value="Nutrition Facts
                         Labeling"/> Nutrition Facts Labeli ng
                         </label>
1140.                    <label><input type="checkbox" name="feedb
                         ackpackaging" value="PTD Services"/> PTD
                         Services </label>
1141.                    <input type="text" class="formcontrol"
                         name="feedbackpackaging" placeholder=" Others
                         (specify):">
1142.                    </div>
1143.                    </div> 1144.
1145.                <div class="form-row">
1146.                <label>Scholarship (please indicate assistanc
                     e):</label>
1147.                <input type="text" class="formcontrol"
                     name="feedbackscholarship"  required
                     placeholder="Enter ...">
1148.                <label>Formula of Conversion (please indicate
                     product):</label>
1149.                <input type="text" class="formcontrol"
                     name="feedbackconversion"  required
                     placeholder="Enter ...">
1150.                <label>R&D Management (please specify):</labe l>
```

```
1151.                    <input type="text" class="formcontrol"
                         name="feedbackmanagement" required
                         placeholder="Enter ...">
1152.                    <input type="text" class="formcontrol"
                         name="feedbackmanagementspecify"
                         placeholder="Others (Specify ): ">
1153.
1154.                    </div>
1155.
1156.                    <div class="center">
```

```html
1157.                                      <label style="fontsize:
                                           20px">2 . Delivery
                                           Services </label>
1158.                                      <div class="form-row">
1159.                                      <label style="fontsize:
                                           20px">1- Poor 2- Fair 3-
    Satisfactory 4- Very Satisfactory 5- Excellent</label>
1160.                                      <table class="table
                                           table-stripped
                                           tablebordered">
1161.                                      <thead>
1162.                                      <tr>
1163.                                      <th style="fontsize:
                                           20px">ASPECTS</th>
1164.                                      <th style="fontsize:
                                           20px">1</th>
1165.                                      <th style="fontsize:
                                           20px">2</th>
1166.                                      <th style="fontsize:
                                           20px">3</th>
1167.                                      <th style="fontsize:
                                           20px">4</th>
1168.                                      <th style="fontsize:
                                           20px">5</th>
1169.                                      </tr>
1170.                                      </thead>
1171.
1172. <tr>
1173. <th style="fontsize: 20px">1. Timelessness</th> 1174.
</tr>
1175.
1176.                                      <tr>
1177.                                      <th style="fontsize:
                                           15px">Timelessness on the conduct of
                                           the activity as indicated
1178.                                      in the program (time started, tim e
                                           allotted per topic, time ended)</th>
1179.                                      <th style="fontsize: 15px"> <input
                                           type="radio" id="timelessness101"
                                           name="t1" value=" 1"></th>
1180.                                      <th style="fontsize: 15px"> <input
                                           type="radio" id="timelessness102"
                                           name="t1" value=" 2"></th>
1181.                                      <th style="fontsize: 15px"> <input
                                           type="radio" id="timelessness103"
                                           name="t1" value=" 3"></th>
```

1182.

```html
<th style="fontsize: 15px"> <input type="radio" id="timelessness104" name="t1" value=" 4"></th>
```

```
                                                    <th style="fontsize:
   15px"> <input type="radio"

1183  id="timelessness105" name="t1" value=" 5"></th>
1184.                                              </tr>
1185.                                              <tr>
1186.                                              <th style="fontsize:
                                                   15px">Timelessness on the delivery
                                                   of service,per agreed terms</t h>
1187.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="timelessness201"
                                                   name="t2" value=" 1"></th>
1188.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="timelessness202"
                                                   name="t2" value=" 2"></th>
1189.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="timelessness203"
                                                   name="t2" value=" 3"></th>
1190.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="timelessness204"
                                                   name="t2" value=" 4"></th>
1191.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="timelessness205"
                                                   name="t2" value=" 5"></th>
1192.                                              </tr>
1193.
1194. <tr>
1195. <th style="fontsize: 20px">2. Attitude of Staff</th> 1196.
                                  </tr>
1197.
1198.                                              <tr>
1199.                                              <th style="fontsize: 15px">Courtesy
                                                   and professionalism of the staff
                                                   assigned to assis t you</th>
1200.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="AOS101" name="AOS1"
                                                   value="1"></th >
1201.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="AOS102" name="AOS1"
                                                   value="2"></th >
1202.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="AOS103" name="AOS1"
                                                   value="3"></th >
1203.                                              <th style="fontsize: 15px"> <input
                                                   type="radio" id="AOS104" name="AOS1"
                                                   value="4"></th >
```

```
                                            <th style="font-
   size: 15px"> <input type="radio"
1204.                                       id="AOS105" name="AOS1"
                                            value="5"></th >
1205.                                       </tr>
```

```
                              <th style="font-
  size: 15px"> <input type="radio"
```

```
1206.                              <tr>
1207.                              <th style="fontsize:
                                   15px">Courtesy and
                                   professionalism of the
                                   trainers/experts for th e
1208.                              training/service</th>
1209.                              <th style="fontsize: 15px">
                                   <input type="radio"
                                   id="AOS201" name="AOS2"
                                   value="1"></th >
1210.                              <th style="fontsize: 15px">
                                   <input type="radio"
                                   id="AOS202" name="AOS2"
                                   value="2"></th >
1211.                              <th style="fontsize: 15px">
                                   <input type="radio"
                                   id="AOS203" name="AOS2"
                                   value="3"></th >
1212.                              <th style="fontsize: 15px">
                                   <input type="radio"
                                   id="AOS204" name="AOS2"
                                   value="4"></th >
1213.                              <th style="fontsize: 15px">
                                   <input type="radio"
                                   id="AOS205" name="AOS2"
                                   value="5"></th >
1214.                              </tr>
1215.
1216. <tr>
1217. <th style="fontsize: 20px">3. Quality of Service</th> 1218.
                          </tr>
1219.
1220.                         <tr>
1221.                         <th style="fontsize:
                              15px">Achievement of training
                              objectives</th>
1222.                         <th style="fontsize: 15px"> <input
                              type="radio" id="QOS101" name="QOS1"
                              value="1"></th >
1223.                         <th style="fontsize: 15px"> <input
                              type="radio" id="QOS102" name="QOS1"
                              value="2"></th >
```

```
                                            <th style="font-
    size: 15px"> <input type="radio"
```

```
                                        <th style="font-
    size: 15px"> <input type="radio"
1226.                                   id="QOS105" name="QOS1"
                                        value="5"></th >
1227.                                   </tr>
```

```
                        <th style="font-
    size: 15px"> <input type="radio"
```

1228.	`<tr>`
1229.	`<th style="fontsize: 15px">Delivery and mastery of the trainers on the topic/s</th>`
1230.	`<th style="fontsize: 15px"> <input type="radio" id="QOS201" name="QOS2" value="1"></th >`
1231.	`<th style="fontsize: 15px"> <input type="radio" id="QOS202" name="QOS2" value="2"></th >`
1232.	`<th style="fontsize: 15px"> <input type="radio" id="QOS203" name="QOS2" value="3"></th >`
1233.	`<th style="fontsize: 15px"> <input type="radio" id="QOS204" name="QOS2" value="4"></th >`
1234.	`<th style="fontsize: 15px"> <input type="radio" id="QOS205" name="QOS2" value="5"></th >`
1235.	`</tr>`
1236.	`<tr>`
1237.	`<th style="fontsize: 15px">Usefulness of the training materials</th>`
1238.	`<th style="fontsize: 15px"> <input type="radio" id="UTM101" name="UTM1" value="1"></th >`
1239.	`<th style="fontsize: 15px"> <input type="radio" id="UTM102" name="UTM1" value="2"></th >`
1240.	`<th style="fontsize: 15px"> <input type="radio" id="UTM103" name="UTM1" value="3"></th >`
1241.	`<th style="fontsize: 15px"> <input type="radio" id="UTM104" name="UTM1" value="4"></th >`
1242.	`<th style="fontsize: 15px"> <input type="radio" id="UTM105" name="UTM1" value="5"></th >`
1243.	`</tr>`
1244.	`<tr>`

```
                                          <th style="font-
    size: 15px"> <input type="radio"
```

1245.	`<th style="fontsize: 15px">Conductiveness of training venue for teaching</th>`
1246.	`<th style="fontsize: 15px"> <input type="radio" id="CTT101" name="CTT1" value="1"></th >`

```html
                                             <th style="font-
    size: 15px"> <input type="radio"
```

```html
                                             id="CTT102" name="CTT1"
                                             value="2"></th >
```

```html
                                             <th style="font-
```

```
                                              <th style="font-
    size: 15px"> <input type="radio"
```

```
    size: 15px"> <input type="radio" id="CTT103" name="CTT1" value="3"></th
     >
1249.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="CTT104" name="CTT1"
                                              value="4"></th >
1250.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="CTT105" name="CTT1"
                                              value="5"></th >
1251.                                         </tr>
1252.                                         <tr>
1253.                                         <th style="fontsize: 15px">Relevance
                                              of the interventions/assistance
                                              provided</th>
1254.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="RIP101" name="RIP1"
                                              value="1"></th >
1255.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="RIP102" name="RIP1"
                                              value="2"></th >
1256.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="RIP103" name="RIP1"
                                              value="3"></th >
1257.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="RIP104" name="RIP1"
                                              value="4"></th >
1258.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="RIP105" name="RIP1"
                                              value="5"></th >
1259.                                         </tr>
1260.
1261. <tr>
1262. <th style="fontsize: 20px">4. Over-all perception of the
service </th> 1263.                                           </tr>
1264.
1265.                                         <tr>
1266.                                         <th style="fontsize: 15px">Your
                                              over-
    all satisfaction with the service provided by DOST XI </th>
1267.                                         <th style="fontsize: 15px"> <input
                                              type="radio" id="SAT101" name="SAT1"
                                              value="1"></th >
```

```
                                                    <th style="font-
    size: 15px"> <input type="radio"
```

1268.
```
<th style="fontsize: 15px"> <input
type="radio" id="SAT102" name="SAT1"
value="2"></th >
```

```html
                                        <th style="font-
    size: 15px"> <input type="radio"

1269.                                   id="SAT103" name="SAT1"
                                        value="3"></th >
1270.                                   <th style="font-
```

```
                                                <th style="font-
    size: 15px"> <input type="radio"
```

```
    size: 15px"> <input type="radio" id="SAT104" name="SAT1" value="4"></th >
1271.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT105" name="SAT1"
                                     value="5"></th >
1272.                                </tr>
1273.
1274.                                <tr>
1275.                                <th style="fontsize: 20px">5. Would you
                                     like to recommend the programs and
                                     services of  DOST XI to others?  </th>
1276.                                </tr>
1277.
1278.                                <tr>
1279.                                <th style="fontsize: 15px">Considering
                                     the services availed, how likely are
                                     you to rec ommend DOST XI</th>
1280.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT201" name="SAT2"
                                     value="1"></th >
1281.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT202" name="SAT2"
                                     value="2"></th >
1282.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT203" name="SAT2"
                                     value="2"></th >
1283.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT204" name="SAT2"
                                     value="2"></th >
1284.                                <th style="fontsize: 15px"> <input
                                     type="radio" id="SAT205" name="SAT2"
                                     value="2"></th >
1285.                                </tr>
1286.
1287.                        </table>
1288.
1289.                </div>
1290.                </div>
1291.
1292.                                <div class="center">
1293.                                <label style="fontsize: 20px">6 .
                                     What other
                                     agencies/organizations/institutions
```

```html
                                        <th style="font-
    size: 15px"> <input type="radio"
```

```
                                        that hav e assisted you with
                                        similar service?</label>
1294.                                   <div class="form-row">
```

```html
    size: 15px"> <input type="radio"
```

```html
                                        <th style="font-
size: 15px"> <input type="radio"
```

1295.   `<label>`Please Rank `</label>`

```html
1296.                                  <table class="table tablestripped
                                        table-bordered">
1297.                                  <thead>
1298.                                  <tr>
1299.                                  <th style="fontsize: 20px">RANK</th
1300.                                  <th style="fontsize: 20px">Name of
                                        Agency/Organization/Instituition</
1301.                                  </tr>
1302.                                  </thead>
1303.
1304.                                  <tr>
1305.                                  <th style="fontsize: 15px"><input
                                        type="text" class="formcontrol"
                                        required name="feedbackrank1"
                                        placeholder="Enter ..."></th>
1306.                                  <th style="fontsize: 15px">Department
                                        of Science and Technology XI</th>
                                        1307.
                                        </tr>
1308.
1309.                                  <tr>
1310.                                  <th style="fontsize: 15px"><input
                                        type="text" class="formcontrol"
                                        required name="feedbackrank2"
                                        placeholder="Enter ..."></th>
1311.                                  <th style="fontsize: 15px">Department
                                        of Trade and Industry XI</th> 1312.
                                        </tr>
1313.
1314.                                  <tr>
1315.                                  <th style="fontsize: 15px"><input
                                        type="text" class="formcontrol"
                                        required name="feedbackrank3"
                                        placeholder="Enter ..."></th>
1316.                                  <th style="fontsize: 15px">Technical
                                        Skill and Development Authority
                                        XI</th> 1317.
                                        </tr>
1318.
1319.                                  <tr>
1320.                                  <th style="fontsize: 15px"><input
                                        type="text" class="formcontrol"
                                        required name="feedbackrank4"
                                        placeholder="Enter ..."></th>
```

```
1321.    <th style="fontsize: 15px">University
         of Immaculate Concepcion</th> 1322.
         </tr>
1323.
1324.    <tr>
1325.    <th style="fontsize: 15px"><input
         type="text" class="formcontrol"
         required name="feedbackrank5"
         placeholder="Enter ..."></th>
```

```
<th style="font-
```

```
         size: 15px">Others:</th>
1327.                                    </tr>
1328.
1329.                              </table>
1330.
1331.                         </div>
1332.                         </div>
1333.
1334.                         <div class="form-row ">
1335.                         <div class="form-group collg-8">
1336.                         <label>7. Give at least th ree
                             words that best describe your
                             experience with the services
                             availed: </label>
1337.                         <label>1.)<input type="tex t"
                             class="formcontrol" required
                             name="feedbackexp1"
                             placeholder="Enter ..."></label>
1338.                         <label>2.)<input type="tex t"
                             class="formcontrol" required
                             name="feedbackexp2"
                             placeholder="Enter ..."></label>
1339.                         <label>3.)<input type="tex t"
                             class="formcontrol" required
                             name="feedbackexp3"
                             placeholder="Enter ..."></label>
1340.                         <div >
1341.                         <label>8. Any other suggestio ns
                             to improve our service?</label>
1342.                         <textarea class="formcontrol"
                             rows="8" name="feedbacksuggest"
                             placeholder="Enter ..."></text
                             area>
1343.                         <label>Signature:<input t
                             ype="text" class="form-
   control" required name="feedbacksignature" placeholder="Enter ..."></la
   bel>
1344.                         <label>Designation:<input
                             type="text" class="formcontrol"
                             required
                             name="feedbackdesignation"
                             placeholder="Enter ..."< /label>
1345.
1346.                             </div>
1347.                             </div>
```

```
1348.
1349.                                              </div>
1350.


1351.                        </div>
```

```
1352.                          </div>
```

```
1353.
1354.                        <button class="btn btnprimary"
    id="update" type="submit">SUBMIT FEEDBACK</button>
1355.
1356.                        </form>
1357.

1358.          </section> 1359.
1360. <!-- Main Footer -->
1361. </x-slot> 1362.
1363. </x-app-layout>
1364. <!-- ChartJS -->
1365. <!-- jQuery -->
1366. <script src="../../plugins/jquery/jquery.min.js"></script> 1367.
      <!-- Bootstrap 4 -->
1368.     <script
         src="../../plugins/bootstrap/js/bootstrap.bundle.min.js">
         </script>
1369.     <!-- Select2 -->
1370.     <script
         src="../../plugins/select2/js/select2.full.min.js"></scri pt>
1371.     <!-- Bootstrap4 Duallistbox -->
1372.     <script
         src="../../plugins/bootstrap4duallistbox/jquery.bootstrap-
         duallistbox.min.js"></script>
1373.     <!-- InputMask -->
1374.     <script src="../../plugins/moment/moment.min.js"></script>
1375.     <script
         src="../../plugins/inputmask/jquery.inputmask.min.js"></s cript>
1376.     <!-- date-range-picker -->
1377.     <script
         src="../../plugins/daterangepicker/daterangepicker.js"></
         script>
1378.     <!-- bootstrap color picker -->
1379.     <script src="../../plugins/bootstrap-
         colorpicker/js/bootstrapcolorpicker.min.js"></script>
1380.     <!-- Tempusdominus Bootstrap 4 -->
1381.     <script src="../../plugins/tempusdominus-bootstrap-
    4/js/tempusdominus-bootstrap-4.min.js"></script>
1382.     <!-- Bootstrap Switch -->
1383.     <script src="../../plugins/bootstrap-
         switch/js/bootstrapswitch.min.js"></script>
1384.     <!-- BS-Stepper -->
```

```
1385.    <script src="../../plugins/bs-
         stepper/js/bsstepper.min.js"></script>
1386.    <!-- dropzonejs -->
1387.    <script
         src="../../plugins/dropzone/min/dropzone.min.js"></script >
```

```
1388.          <!-- AdminLTE App -->
```

```
1389.        <script src="../../dist/js/adminlte.min.js"></script>
1390.        <!-- AdminLTE for demo purposes -->
1391.        <script src="../../dist/js/demo.js"></script>
1392.        <!-- Page specific script -->
1393.        <script>
1394.        $(function () {
1395.        //Initialize Select2 Elements
1396.        $('.select2').select2()
1397.
1398. //Initialize Select2 Elements
1399. $('.select2bs4').select2({
1400. theme: 'bootstrap4'
1401. }) 1402.
1403.        //Datemask dd/mm/yyyy
1404.        $('#datemask').inputmask('dd/mm/yyyy', { 'placeholder': 'dd/m
             m/yyyy' })
1405.        //Datemask2 mm/dd/yyyy
1406.        $('#datemask2').inputmask('mm/dd/yyyy', { 'placeholder': 'mm/
             dd/yyyy' })
1407.        //Money Euro
1408.        $('[data-mask]').inputmask()
1409.
1410. //Date picker
1411. $('#reservationdate').datetimepicker({
1412. format: 'L'
1413. }); 1414.
1415.        //Date and time picker
1416.        $('#reservationdatetime').datetimepicker({ icons: { time: 'fa
             r fa-clock' } });
1417.
1418.           //Date range picker
1419.           $('#reservation').daterangepicker()
1420.           //Date range picker with time picker
1421.           $('#reservationtime').daterangepicker({
1422.           timePicker: true,
1423.           timePickerIncrement: 30,
1424.           locale: {
1425.           format: 'MM/DD/YYYY hh:mm A'
1426.           }
1427.           })
1428.           //Date range as a button
1429.           $('#daterange-btn').daterangepicker(
1430.           {
1431.           ranges   : {
```

```
1432.                    'Today'          : [moment(), moment()],
```

```
1433.                    'Yesterday'   : [moment().subtract(1, 'days'), moment()
```

```
         .subtract(1, 'days')],
1434.          'Last 7 Days' : [moment().subtract(6, 'days'), moment()
               ],
1435.          'Last 30 Days': [moment().subtract(29, 'days'), moment(
               )],
1436.          'This Month'  : [moment().startOf('month'), moment().en
               dOf('month')],
1437.          'Last Month'  : [moment().subtract(1, 'month').startOf(
    'month'), moment().subtract(1, 'month').endOf('month')]
1438.          },
1439.          startDate: moment().subtract(29, 'days'),
1440.          endDate  : moment()
1441.          },
1442.          function (start, end) {
1443.          $('#reportrange span').html(start.format('MMMM D,
               YYYY') + ' - ' + end.format('MMMM D, YYYY'))
1444.          }
1445.          ) 1446.
1447. //Timepicker
1448. $('#timepicker').datetimepicker({
1449. format: 'LT'
1450. }) 1451.
1452.       //Bootstrap Duallistbox
1453.       $('.duallistbox').bootstrapDualListbox()
1454.
1455. //Colorpicker
1456. $('.my-colorpicker1').colorpicker() 1457.      //color
picker with addon
1458.       $('.my-colorpicker2').colorpicker()
1459.
1460. $('.mycolorpicker2').on('colorpickerChange',
    function(event) {
1461. $('.my-colorpicker2 .fasquare').css('color',
    event.color.toString()); 1462.         }) 1463.

1464. $("input[data-bootstrap-switch]").each(function(){
1465. $(this).bootstrapSwitch('state', $(this).prop('checked'));
1466. }) 1467.  1468.   }) 1469.
1470. </script> 1471.


1472.    <style>
```

```
1473.
1474.    .center {
1475.    margin: auto;
1476.    width: 100%;
1477.    border: 5px solid #f5b042;
1478.    padding: 10px;
1479.    }
1480.
1481.    </style>
1482.
```
1483.   "joinactivitytest.blade.php"

```
1484.            <x-app-layout>
1485.            <x-slot name="slot">
1486.           <!-- Content Wrapper. Contains page content -->
1487.
1488.            <!-- /.content-header -->
1489.
1490.    {{--JOIN ACTIVITY AUTHENTICATION BLADE--}}
1491.
1492.            <!-- Main content -->
1493.
1494.            @php
1495.            $prefix = Request::route()->getPrefix();
1496.            $route= Route::current()->getName();
1497.
1498. @endphp
1499. <section class="col-md-12">
1500. <div class="card card-warning">
1501. <div class="card-header">
1502. <h3 class="card-title">
1503. JOIN ACTIVITY
1504. </h3> 1505.                   </div>
1506.
1507.                            <div class="card-body">
1508.                            <form action="{{ route('data.index')
                               }}" meth od="GET" role="search">
1509.                            <div>
1510.                            <label>ENTER ACTIVITY CODE:</label>
1511.                            <input class="form-control mr-
   2" name="code" placeholder="Activity Code" id="code" required  />
1512.
1513.                                {{--<a class="btn btnprimary"
   href="{{ route('viewjoin.joinactivity') }}" class="navlink {{
   ($route=='viewjoin.joinactivity')?'active':'' }}" role="button" >JOIN
   ACTIVITY</a>
1514.                                    --}} 1515.
```

```
1516.                                         <button class="btn btnprimary"
                                              type="submit" title="Refresh
                                              page" >
1517.                                         <a href="{{
                                              route('viewjoin.joinactiv ity')
                                              }}" class=" mt-1">JOIN ACTIVITY
1518.                                         </button>
1519.                                         </div>
1520.
1521.                </form> 1522.

1523.                </div> 1524.
1525.            </section> 1526.


1527. <!-- Main Footer -->
1528. </x-slot> 1529.
1530. </x-app-layout> 1531.
      <!-- ChartJS --> 1532.
```

1533.
1534.   "joinactivityview.blade.php"

```
1535.        <x-app-layout>
1536.        <x-slot name="slot">
1537.        <!-- Content Wrapper. Contains page content -->
1538.
1539.         <!-- /.content-header -->
1540.
1541.    {{--FEEDBACK FORM  LIST BLADE--}}
1542.
1543.                                    <!-- Main content -->
1544.                                    <section class="col-md-12">
1545.                                    <div class="card card-warning">
1546.                                    <div class="card-header">
1547.                                    <h3 class="card-title">FEEDBACK
                                        LOG</h3>
1548.                                    </div>
1549.                                    <div class="card-body">
1550.                                    <section class="col-md-12">
1551.                                    <div class="card">
1552.                                    <div class="cardbody"
                                        style="color: #070807;
                                        background: white;">
1553.                                    <div id="table-scroll">
1554.                                    <table id="myTable" class="table
                                        table-stripped tabel-bordered"
                                        style="width: 100% ">
1555.                                               <thead>
1556.                                               <tr>
1557.                                               <th
                                               style="fontsize:
                                               12px">Feedback
                                               ID.</th>
1558.                                               <th
                                               style="fontsize:
                                               12px">Company
                                               Name</th>
1559.                                               <th
                                               style="fontsize:
                                               12px">Date</th>
1560.                                               <th
                                               style="fontsize:
                                               12px">Address</t
                                               h>
1561.                                               <th
                                               style="fontsize:
```

```
                              12px">Telephone<
                              /th>
1562.                         <th
                              style="fontsize:
                              12px">Email</th>
1563.                         <th
                              style="fontsize:
                              12px">Gender</th
                              >
1564.                         <th
                              style="fontsize:
                              12px">Nature</th
                              >
1565.                         <th
                              style="fontsize:
                              12px">Yes/No</th
                              >
1566.                         <th
                              style="fontsize:
                              12px">Service
                              Availed 1</th>
1567.                         <th
                              style="fontsize:
                              12px">Service
                              Availed 2</th>
1568.                         <th
                              style="fontsize:
                              12px">Consultanc
                              y</th>
1569.                         <th
                              style="fontsize:
                              12px">Packaging<
                              /th>
1570.                         <th
                              style="fontsize:
                              12px">Scholarshi
                              p</th>
1571.                         <th
                              style="fontsize:
                              12px">Conversion
                              </th>
1572.                         <th
                              style="fontsize:
                              12px">Management
                              </th>
1573.                         <th
                              style="fontsize:
```

```
1574.          12px">Management
               Specify</th>
               <th
               style="fontsize:
1575.          12px">T1</th>
               <th
               style="fontsize:
1576.          12px">T2</th>
               <th
               style="fontsize:
1577.          12px">AOS1</th>
               <th
               style="fontsize:
1578.          12px">AOS2</th>
               <th
               style="fontsize:
               12px">QOS1</th>
1579.          <th style="font-
size: 12px">QOS2</th>
```

1580.   `<th style="font-`

```
      size: 12px">UTM1</th>
1581. <th style="fontsize: 12px">CTT1</th>
1582. <th style="fontsize: 12px">RIP1</th>
1583. <th style="fontsize: 12px">SAT1</th>
1584. <th style="fontsize: 12px">SAT2</th>
1585. <th style="fontsize: 12px">Rank 1 </th>
1586. <th style="fontsize: 12px">Rank 2 </th>
1587. <th style="fontsize: 12px">Rank 3 </th>
1588. <th style="fontsize: 12px">Rank 4 </th>
1589. <th style="fontsize: 12px">Rank 5 </th>
1590. <th style="fontsize: 12px">Experience 1 </th>
1591. <th style="fontsize: 12px">Experience 2 </th>
1592. <th style="fontsize: 12px">Experience 3  </th>
1593. <th style="fontsize: 12px">Suggestion </th>
1594. <th style="fontsize: 12px">Signature </th>
1595. <th style="fontsize: 12px">Designation </th>
1596.
1597.                                      </tr>
1598.                                      </thead>
1599.
1600.                                      @foreach ($alldata as
                                         $key =>  $data)
1601.                                      <tr>
1602.                                      <td>{{ $key+1 }}</td>
1603.                                      <td>{{
                                         $data>feedbackcompanyname
                                         }}</td>
1604.                                      <td>{{ $data>feedbackdate
                                         }}</td>
1605.                                      <td>{{
                                         $data>feedbackaddress
                                         }}</td>
1606.                                      <td>{{ $data-
```

```
>feedbacktelephone }}</td>
1607.                                                    <td>{{ $date-
```

```
        >feedbackemail }}</td>
1608.                                    <td>{{ $data>feedbackgender
                                         }}</td>
1609.                                    <td>{{ $data>feedbacknature
                                         }}</td>
1610.                                    <td>{{ $data>feedbackyesno1
                                         }}</td>
1611.                                    <td>{{
                                         $data>feedbackserviceavailed1
                                         }}</td>
1612.                                    <td>{{
                                         $data>feedbackserviceavailed2
                                         }}</td>
1613.                                    <td>{{
                                         $data>feedbackconsultancy
                                         }}</td>
1614.                                    <td>{{
                                         $data>feedbackpackaging
                                         }}</td>
1615.                                    <td>{{
                                         $data>feedbackscholarship
                                         }}</td>
1616.                                    <td>{{
                                         $data>feedbackconversion
                                         }}</td>
1617.                                    <td>{{
                                         $data>feedbackmanagement
                                         }}</td>
1618.                                    <td>{{ $data-
        >feedbackmanagementspecify }}</td>
1619.                                    <td>{{ $data->t1 }}</td>
1620.                                    <td>{{ $data->t2 }}</td>
1621.                                    <td>{{ $data>AOS1 }}</td>
1622.                                    <td>{{ $data>AOS2 }}</td>
1623.                                    <td>{{ $data>QOS1 }}</td>
1624.                                    <td>{{ $data>QOS2 }}</td>
1625.                                    <td>{{ $data>UTM1 }}</td>
1626.                                    <td>{{ $data>CTT1 }}</td>
1627.                                    <td>{{ $data>RIP1 }}</td>
1628.                                    <td>{{ $data>SAT1 }}</td>
1629.                                    <td>{{ $data>SAT2 }}</td>
```

```
1630.                                    <td>{{ $data>feedbackrank1
                                         }}</td>
1631.                                    <td>{{ $data-
```

```
>feedbackrank2 }}</td>
1632.                                               <td>{{ $late-
```

```
      >feedbackrank3 }}</td>
1633. <td>{{ $data>feedbackrank4 }}</td>
1634. <td>{{ $data>feedbackrank5 }}</td>
1635. <td>{{ $data>feedbackexp1 }}</td>
1636. <td>{{ $data>feedbackexp2 }}</td>
1637. <td>{{ $data>feedbackexp3 }}</td>
1638. <td>{{ $data>feedbacksuggest }}</td>
1639. <td>{{ $data>feedbacksignature }}</td>
1640. <td>{{ $data>feedbackdesignation }}</td>
1641.
1642.                                      </tr> 1643.
@endforeach
1644.
1645.                                      </table>
1646.                                      </div>
1647.                                      </div>
1648.                                      </div>
1649.
1650.          </section> 1651.




1652. <!-- Main Footer -->
1653. </x-slot> 1654.
1655. </x-app-layout> 1656.
      <!-- ChartJS --> 1657.

1658.    <link rel="stylesheet"
        href="http://cdn.datatables.net/1.10.25/cs
        s/jquery.dataTables.min.css">
1659.    <script
        src="http://cdn.datatables.net/1.10.25/js/jquery.dataTabl
        es.min.js"></script>
1660.    <script>
1661.    $(document).ready( function () {
1662.
```

```
1663.            $('#myTable').DataTable()
1664.
```

```
1665.        } );
1666.
1667.    </script>
1668.
1669.    <style>
1670.        #table-wrapper {
1671.        position:relative;
1672.        }
1673.    #table-scroll {
1674.        height:500px;
1675.        overflow:auto;
1676.        margin-top:20px;
1677.        }
1678.    #table-wrapper table {
1679.        width:100%;
1680.
1681.        }
1682.    #table-wrapper table * {
1683.        background:rgb(255, 255, 255);
1684.        color:black;
1685.        }
1686.    #table-wrapper table thead th .text {
1687.        position:absolute;
1688.        top:-20px;
1689.        z-index:2;
1690.        height:20px;
1691.        width:35%;
1692.        border:1px solid red;
1693.        }
1694.    </style>
1695.
1696.
1697.    "navigation-dropdown.blade.php"
1698.    <nav x-data="{ open: false }" class="bg-white border-b border-
```

```blade
      gray-100">
1699.
1700.     {{--JETS STREAM MAIN NAVIGATION  BLADE--}}
1701.
1702.                          <!-- Primary Navigation Menu -->
1703.                          <div class="max-w-7xl mx-auto px-4 sm:px-
                               6 lg:px-8">
1704.                          <div class="flex justify-between h-16">
1705.                          <div class="flex">
1706.                          <!-- Logo -->
1707.                          <div class="flex-shrink-0 flex items-
                               center">
1708.                          <a href="{{ route('dashboard') }}">
1709.                          <x-jet-application-mark class="block h-
      9 w-auto" />
1710.                    </a> 1711.
</div>
```

```
1712.
1713.                         <!-- Navigation Links -->
1714.                         <div class="hidden space-x-8 sm:-my-px sm:ml10
                             sm:flex">
1715.                         <x-jet-navlink href="{{ route('dashboard') }}"
                             :active="request()>routeIs('dashboard')">
1716.
1717. {{ __('Dashboard') }}
1718. </x-jet-nav-link>
1719. </div>
1720. </div> 1721.
1722. </div>
1723. </div> 1724.
1725.                             <!-- Settings Dropdown -->
1726.                             <div class="hidden sm:flex sm:items-
                                 center sm:ml-6">
1727.                             <x-jet-dropdown align="right"
                                 width="48">
1728.                             <x-slot name="trigger">
1729.                             @if
                                 (Laravel\Jetstream\Jetstream::manages
                                 ProfilePhotos())
1730.                             <button class="flex text-sm border2
                                 border-transparent rounded-full
                                 focus:outline-none focus:border-
                                 gray300 transition duration-150 ease-
                                 in-out">
1731.                             <img class="h-8 w-8 roundedfull
                                 object-cover" src="{{ Auth::user()-
      >profile_photo_url }}" alt="{{ Auth::user()->name }}" />
1732.                             </button>
1733.                             @else
1734.                             <button class="flex itemscenter text-
                                 sm font-medium text-gray-500
                                 hover:text-gray-
      700 hover:border-gray-300 focus:outline-none focus:text-gray-
      700 focus:border-gray-300 transition duration-150 ease-in-out">
1735.                                 <div>{{ Auth::user()>name
}}</div>
1736.
1737.                                 <div class="ml-1">
1738.                                 <svg class="fill-current h-
      4 w-4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20">
```

```
1739.    <path fillrule="evenodd"
         d="M5.293 7.293a1 1 0 011.414
         0L10 10.586l3.2933.293a1 1 0
         111.414 1.414l-4 4a1 1 0 01-
         1.414 0l-4-4a1 1 0 010-

    1.414z" clip-rule="evenodd" />
1740.    </svg>
```

```
1741.        </div>
1742.      </butt
         on>
1743.

         @endif
```

```blade
1744.                    </x-slot>
1745.
1746.                        <x-slot name="content">
1747.                            <!-- Account Management -->
1748.                            <div class="block px-4 py-2 text-xs
                                textgray-400">
1749.                            {{ __('Manage Account') }}
1750.                            </div>
1751.
1752.                            <x-jet-dropdownlink href="{{
                                route('profile.show') }}">
1753.                            {{ __('Profile') }}
1754.                            </x-jet-dropdown-link>
1755.
1756.                                @if
                                (Laravel\Jetstream\Jetstream::hasApiF
                                eatures())
1757.                                <x-jet-dropdownlink href="{{
                                route('api-tokens.index') }}">
1758.                                {{ __('API Tokens') }}
1759.                                </x-jet-dropdown-link>
1760.                                @endif
1761.
1762.                    <div class="border-t border-gray100"></div>
1763.
1764.                                <!-- Team Management -->
1765.                                @if
                                (Laravel\Jetstream\Jetstream::hasTeam
                                Features())
1766.                                <div class="block px-4 py-2 textxs
                                text-gray-400">
1767.                                {{ __('Manage Team') }}
1768.                                </div>
1769.
1770.                                <!-- Team Settings -->
1771.                                <x-jet-dropdownlink href="{{
                                route('teams.show', Auth::user()-
                                >currentTeam->id) }}">
1772.                                {{ __('Team Settings') }} 1773.
                                </x-jet-dropdown-link>
1774.
```

```
1775.        @can('create',
             Laravel\Jetstream\Jets
             tream::newTeamModel())
1776.        <x-jet-dropdownlink href="{{
             route('teams.create') }}">
1777.        {{ __('Create New Team') }}
1778.        </x-jet-dropdown-link>
```

```
<div class="border-t border-gray-
```

```
100"></div>
```

```
1782.
1783.                                <!-- Team Switcher -->
1784.                                <div class="block px-4 py-2 textxs text-gray-
                                     400">
1785.                                {{ __('Switch Teams') }}
1786.                                </div>
1787.
1788.                            @foreach (Auth::user()>allTeams() as $team)
1789.                            <x-jet-switchableteam :team="$team" />
1790.                            @endforeach
1791.
1792.                        <div class="border-t border-gray100"></div>
1793.                        @endif
1794.
1795.                                <!-- Authentication -->
1796.                                <form method="POST" action="{{ route('log out')
                                     }}">
1797.                                @csrf
1798.
1799.                                            <x-jet-
                                                dropdownlink
                                                href="{{
                                                route('logout')
                                                }}"
1800.                                            onclick="event.pr
                                                eventDefault();
1801.                                            this.
    closest('form').submit();">
1802.                                            {{ __('Logout')
                                                }}
1803.                                            </x-jet-dropdown-
                                                link>
1804.                                            </form>
1805.                                            </x-slot>
1806.                                            </x-jet-dropdown>
1807.                                            </div> 1808.

1809.                        <!-- Hamburger -->
1810.                        <div class="-mr-2 flex items-center sm:hidden">
1811.                        <button @click="open = ! open" class="inlineflex items-
                           center justify-center p-2 rounded-md text-gray-
    400 hover:text-gray-500 hover:bg-gray-100 focus:outline-none focus:bggray-100
    focus:text-gray-500 transition duration-150 ease-in-out">
1812.                        <svg class="h-6 w-
```

```
6" stroke="currentColor" fill="none" viewBox="0 0 24 24">
```

```
1813.    <path :class="{'hidden': open, 'inlineflex': ! open }"
         class="inline-flex" stroke-linecap="round"
         strokelinejoin="round" stroke-width="2" d="M4 6h16M4
         12h16M4 18h16" />
```

```
<path :class="{'hidden': ! open, 'inline-
```

```
     flex': open }" class="hidden" stroke-linecap="round"
     strokelinejoin="round" stroke-width="2" d="M6 18L18 6M6 6l12 12" />
1815. </svg>
1816. </button>
1817. </div>
1818. </div>
1819. </div> 1820.
1821.                    <!-- Responsive Navigation Menu -->
1822.                    <div :class="{'block': open, 'hidden': ! open}"
                         class="hidden  sm:hidden">
1823.                    <div class="pt-2 pb-3 space-y-1">
1824.                    <x-jet-responsive-navlink href="{{
                         route('dashboard') }}"
                         :active="request()>routeIs('dashboard')">
1825.                    {{ __('Dashboard') }}
1826.                    </x-jet-responsive-nav-link>
1827.                    </div> 1828.
1829.                    <!-- Responsive Settings Options -->
1830.                    <div class="pt-4 pb-1 border-t border-gray-200">
1831.                    <div class="flex items-center px-4">
1832.                    <div class="flex-shrink-0">
1833.                    <img class="h-10 w-10 roundedfull" src="{{
                         Auth::user()->profile_photo_url }}" alt="{{
                         Auth::user()>name }}" />
1834.                    </div>
1835.
1836.                    <div class="ml-3">
1837.                    <div class="font-medium text-base text-gray800">{{
                         Auth::user()->name }}</div>
1838.                    <div class="font-medium text-sm text-gray500">{{
                         Auth::user()->email }}</div>
1839.                    </div>
1840.                    </div> 1841.
1842.                    <div class="mt-3 space-y-1">
1843.                    <!-- Account Management -->
1844.                    <x-jet-responsive-navlink href="{{
                         route('profile.show') }}"
                         :active="request()>routeIs('profile.show')">
1845.                    {{ __('Profile') }} 1846.
                         </x-jet-responsive-nav-link>
1847.
1848.                    @if (Laravel\Jetstream\Jetstream::hasApiFeatures(
```

```
        )
1849.                    <x-jet-responsive-nav-
```

```
       link href="{{ route('api-tokens.index') }}"
       :active="request()>routeIs('api-tokens.index')">
1850.                              {{ __('API Tokens') }}
1851.                              </x-jet-responsive-nav-link>
1852.                              @endif
1853.

1854.                          <!-- Authentication -->
1855.                          <form method="POST" action="{{ route('logout')
                              }} ">
1856.                          @csrf

1858.                              <x-jet-responsive-navlink href="{{
                                  route('logout') }}"
1859.                              onclick="event.preventDefault ();
1860.                              this.closest('for m').submit();">
1861.                              {{ __('Logout') }}
1862.                              </x-jet-responsive-nav-link>
1863.                              </form>
1864.

1865.                          <!-- Team Management -->
1866.                          @if
                              (Laravel\Jetstream\Jetstream::hasTeamFeatures
                              ())
1867.                          <div class="border-t border-gray-200"></div>
1868.
1869.                              <div class="block px-4 py-2 text-xs
                                  textgray-400">
1870.                              {{ __('Manage Team') }}
1871.                              </div>
1872.

1873.                          <!-- Team Settings -->
1874.                          <x-jet-responsive-navlink href="{{
                              route('teams.show', Auth::user()-
                              >currentTeam-
   >id) }}" :active="request()->routeIs('teams.show')">
1875.                              {{ __('Team Settings') }}
1876.                              </x-jet-responsive-nav-link>
1877.
1878.                              <x-jet-responsive-navlink href="{{
                                  route('teams.create') }}"
                                  :active="request()>routeIs('teams.create')">
1879.                              {{ __('Create New Team') }}
1880.                              </x-jet-responsive-nav-link>
```

```
1882.                      <div class="border-t border-gray-200"></div>
1883.
1884.                      <!-- Team Switcher -->
```

```
1885.                        <div class="block px-4 py-2 text-xs text-
    gray-400">
1886.                            {{ __('Switch Teams') }}
1887.                        </div>
1888.
1889.                        @foreach (Auth::user()->allTeams() as $team)
1890.                        <x-jet-switchableteam :team="$team"
                            component="jet-responsive-nav-link" />
1891.                        @endforeach
1892.                        @endif
1893.                    </div>
1894.                </div>
1895.            </div>
1896.        </nav> 1897.
```

1898.

1899.   "navigation-menu.blade.php"

```
1900.      <nav x-data="{ open: false }" class="bg-white border-b border-
```

```
  gray-100">
1901.            <!-- Primary Navigation Menu -->
1902.


1903.      {{--JETS STREAM MAIN NAVIGATION  BLADE--}}
1904.
1905.                      <div class="max-w-7xl mx-auto px-4 sm:px-6
                          lg:px-8">
1906.                      <div class="flex justify-between h-16">
1907.                      <div class="flex">
1908.                      <!-- Logo -->
1909.                      <div class="flex-shrink-0 flex items-center">
1910.                      <a href="{{ route('dashboard') }}">
1911.                      <x-jet-application-mark class="block h9 w-
                          auto" />
1912.                      </a>
1913.                      </div>
1914.
1915.                          <!-- Navigation Links -->
1916.                          <div class="hidden space-x-8 sm:-my-px
                              sm:ml10 sm:flex">
1917.                              <x-jet-navlink href="{{
                              route('dashboard') }}"
                              :active="request()>routeIs('dashboard')">
1918.                              {{ __('Dashboard') }}
1919.                              </x-jet-nav-link>
1920.                              </div>
1921.
1922.                  <div class="hidden space-x-8 sm:-my-px sm:ml-
    10 sm:flex">
1923.                      <x-jet-nav-
```

```
link href="{{ route('tasks.index') }}" :active="request()>routeIs('tasks.*')">
```

```
1924.                        Tasks
1925.                        </x-jet-nav-link>
1926.                        </div>
1927.                        <div class="hidden space-x-8 sm:-my-px sm:ml10
                             sm:flex">
1928.                        <x-jet-navlink href="{{ route('users.index') }}"
                             :active="request()>routeIs('users.*')">
1929.                        Users
1930.                        </x-jet-nav-link>
1931.                        </div>
1932.                        </div> 1933.

1934.            <div class="hidden sm:flex sm:items-center sm:ml-6"> 1935.
<!-- Teams Dropdown -->
1936.                        @if
                             (Laravel\Jetstream\Jetstream::hasTeamFeatures
                             ())
1937.                        <div class="ml-3 relative">
1938.                        <x-jet-dropdown align="right" width="60">
1939.                        <x-slot name="trigger">
1940.                        <span class="inline-flex roundedmd">
1941.                        <button type="button" class=" inline-flex
                             items-center px-3 py-2 border border-
                             transparent textsm leading-4 font-medium
                             rounded-md text-gray-500 bg-white
                             hover:bggray-50 hover:text-gray-700
                             focus:outline-none focus:bg-gray-
   50 active:bg-gray-50 transition">
1942.                        {{ Auth::user()>currentTeam->name }}
1943.
1944.                            <svg class="ml-2 -mr-
   0.5 h-4 w-
   4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20" fill="current Color">
1945.                            <path fillrule="evenodd" d="M10
                                3a1 1 0 01.707.293l3 3a1 1 0 01-
   1.414 1.414L10 5.414 7.707 7.707a1 1 0 01-1.414-1.414l3-
   3A1 1 0 0110 3zm-3.707 9.293a1 1 0 011.414 0L10 14.586l2.293-
   2.293a1 1 0 011.414 1.414l-3 3a1 1 0 01-1.414 0l-3-3a1 1 0 010-
   1.414z" clip-rule="evenodd" />
1946.                            </svg>
1947.                            </button>
1948.                            </span>
1949.                            </x-slot>
```

`<x-slot name="content">`

```blade
1952.                                    <div class="w-60">
1953.                                    <!-- Team Management -->
1954.                                    <div class="block px-4 py2
       text-xs text-gray-400">
1955.                                    {{ __('Manage Team') }} 1956.

                                         </div>
1957.
1958.                                    <!-- Team Settings -->
1959.                                    <x-jet-dropdownlink href="{{
       route('teams.show',
       Auth::user()->currentTeam-
       >id) }}">
1960.                                    {{ __('Team Settings') }}
                                         1961.
                                         </x-jet-dropdown-link>
1962.
1963. @can('create', Laravel\Jetstr eam\Jetstream::newTeamModel())
1964. <x-jet-dropdownlink href="{{ route('teams.create') }}">
1965. {{ __('Create New Tea m') }}
1966. </x-jet-dropdown-link> 1967.
   @endcan
1968.
1969.                                    <div class="border-t bordergray-
   100"></div>
1970.
1971.                                    <!-- Team Switcher -->
1972.                                    <div class="block px-4 py2
                                         text-xs text-gray-400">
1973.                                    {{ __('Switch Teams') }}
                                         1974.
                                         </div>
1975.
1976.                                    @foreach
                                         (Auth::user()>allTeams() as
                                         $team)
1977.                                    <x-jet-switchableteam
                                         :team="$team" />
1978.                                    @endforeach
1979.                                    </div>
1980.                                    </x-slot>
1981.                                    </x-jet-dropdown>
1982.                                    </div>
```

```html
<!-- Settings Dropdown -->
<div class="ml-3 relative">
<x-jet-dropdown align="right" width="48">
<x-slot name="trigger">
```

```blade
agesProfilePhotos())
1990.                              <button class="flex
                                   textsm border-2 border-
                                   transparent rounded-full
                                   focus:outlinenone
                                   focus:border-gray-300
                                   transition">
1991.                              <img class="h-8 w-8
                                   roundedfull object-cover"
                                   src="{{ Auth::user()-
   >profile_photo_url }}" alt="{{ Auth::user()->name }}" />
1992.                              </button>
1993.                              @else
1994.                              <span class="inline-flex
                                   roundedmd">
1995.                              <button type="button"
                                   class=" inline-flex
                                   items-center px-3 py-2
                                   border border-transparent
                                   textsm leading-4 font-
                                   medium rounded-md text-
                                   gray-500 bg-white
                                   hover:textgray-700
                                   focus:outline-none
                                   transition">
1996.                              {{ Auth::user()->name }}
1997.
1998.                              <svg class="ml-2 -mr-
   0.5 h-4 w-
   4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20" fill="current
   Color">
1999.                              <path fillrule="evenodd"
                                   d="M5.293 7.293a1 1 0
                                   011.414 0L10
                                   10.586l3.2933.293a1 1 0
                                   111.414 1.414l-4 4a1 1 0
                                   01-1.414 0l-4-4a1 1 0
                                   010-
   1.414z" clip-rule="evenodd" />
2000.                              </svg>
2001.                              </button>
2002.                              </span>
2003.                              @endif
2004.                              </x-slot>
2005.
```

`<x-slot name="content">`

```
2007.                        <!-- Account Management -->
2008.                        <div class="block px-4 py-2 textxs
                             text-gray-400">
2009.                        {{ __('Manage Account') }} 2010.
                                               </div>
2011.
2012.                            <x-jet-dropdownlink href="{{
                                 route('profile.show') }}">
2013.                            {{ __('Profile') }}
2014.                            </x-jet-dropdown-link>
2015.
2016. @if (Laravel\Jetstream\Jetstream::has ApiFeatures())
2017. <x-jet-dropdownlink href="{{ route('api-tokens.index') }}">
```

{{ __('API Tokens') }}

```
2019.                          </x-jet-dropdown-link>
2020.                          @endif
2021.
2022.                      <div class="border-t border-
      gray100"></div>
2023.
2024.                          <!-- Authentication -->
2025.                          <form method="POST" action="{{
                              route( 'logout') }}">
2026.                          @csrf
2027.
2028.                              <x-jet-dropdownlink href="{{
                                  route('logout') }}"
2029.                              onclick="event.preventDe
                                  fault();
2030.                              this.closest('for
                                  m').submit();">
2031.                              {{ __('Log Out') }}
2032.                              </x-jet-dropdown-link>
2033.                              </form>
2034.                              </x-slot>
2035.                              </x-jet-dropdown>
2036.                              </div>
2037.                              </div> 2038.
2039.                  <!-- Hamburger -->
2040.                  <div class="-mr-2 flex items-center
                      sm:hidden">
2041.                  <button @click="open = ! open"
                      class="inlineflex items-center justify-center
                      p-2 rounded-md text-gray-
      400 hover:text-gray-500 hover:bg-gray-100 focus:outline-none
      focus:bggray-100 focus:text-gray-500 transition">
2042.                  <svg class="h-6 w-
      6" stroke="currentColor" fill="none" viewBox="0 0 24 24">
2043.                  <path :class="{'hidden': open, 'inlineflex':
                      ! open }" class="inline-flex" stroke-
                      linecap="round" strokelinejoin="round"
                      stroke-width="2" d="M4 6h16M4 12h16M4 18h16"
                      />
2044.                  <path :class="{'hidden': ! open,
                      'inlineflex': open }" class="hidden" stroke-
                      linecap="round" strokelinejoin="round"
                      stroke-width="2" d="M6 18L18 6M6 6l12 12" />
2045.                  </svg>
```

```html
</button>
```

```
2047.                        </div>
2048.                        </div>
2049.                        </div>
2050.
```

```
<!-- Responsive Navigation Menu -->
```

```
<!-- Responsive Navigation Menu -->
```

```
2052.            <div :class="{'block': open, 'hidden': ! open}" class="hidden
```

```
2053.                    <div class="pt-2 pb-3 space-y-1">
2054.                    <x-jet-responsive-navlink href="{{ route('dashboard')
                         }}" :active="request()>routeIs('dashboard')">
2055.                    {{ __('Dashboard') }}
2056.                    </x-jet-responsive-nav-link>
2057.                    </div> 2058.
2059.                       <!-- Responsive Settings Options -->
2060.                       <div class="pt-4 pb-1 border-t border-gray-200">
2061.                       <div class="flex items-center px-4">
2062.                       @if (Laravel\Jetstream\Jetstream::managesProfileP
                           hotos())
2063.                       <div class="flex-shrink-0 mr-3">
2064.                       <img class="h-10 w-10 roundedfull object-cover"
                           src="{{ Auth::user()->name }}" />
2065.                       </div>
2066.                       @endif
2067.
2068.                    <div>
2069.                    <div class="font-medium text-base text-gray800">{{
                         Auth::user()->name }}</div>
2070.                    <div class="font-medium text-sm text-gray500">{{
                         Auth::user()->email }}</div>
2071.                    </div>
2072.                    </div> 2073.
2074.                    <div class="mt-3 space-y-1">
2075.                       <!-- Account Management -->
2076.                    <x-jet-responsive-navlink href="{{
                         route('profile.show') }}"
                         :active="request()>routeIs('profile.show')">
2077.                    {{ __('Profile') }} 2078.
                         </x-jet-responsive-nav-link>
2079.
2080.                          @if
                              (Laravel\Jetstream\Jetstream::hasApiFeatures(
                              ))
2081.                          <x-jet-responsive-navlink href="{{
                              route('api-tokens.index') }}"
                              :active="request()>routeIs('api-
                              tokens.index')">
2082.                          {{ __('API Tokens') }}
2083.                          </x-jet-responsive-nav-link>
2084.                          @endif
2085.
```

```
2086.          <!-- Authentication -->
2087.          <form method="POST" action="{{ route('logout') }}
```

```
          ">
2088.                    @csrf
2089.
2090.                       <x-jet-responsive-navlink href="{{
                            route('logout') }}"
2091.                       onclick="event.preventDefault( );
2092.                       this.closest('form').submit() ;">
2093.                       {{ __('Log Out') }}
2094.                       </x-jet-responsive-nav-link>
2095.                       </form>
2096.
2097.                    <!-- Team Management -->
2098.                    @if    (Laravel\Jetstream\Jetstream::hasTeamFeatures
                        ())
2099.                    <div class="border-t border-gray-200"></div>
2100.
2101.                       <div class="block px-4 py-2 text-xs textgray-
                           400">
2102.                       {{ __('Manage Team') }}
2103.                       </div>
2104.
2105.                       <!-- Team Settings -->
2106.                       <x-jet-responsive-navlink href="{{
                           route('teams.show', Auth::user()->currentTeam-
   >id) }}" :active="request()->routeIs('teams.show')">
2107.                       {{ __('Team Settings') }}
2108.                       </x-jet-responsive-nav-link>
2109.
2110.                        @can('create',
                            Laravel\Jetstream\Jetstream::n
                            ewTeamModel())
2111.                       <x-jet-responsive-navlink href="{{
                           route('teams.create') }}"
                           :active="request()>routeIs('teams.create')">
2112.                       {{ __('Create New Team') }}
2113.                       </x-jet-responsive-nav-link>
2114.                       @endcan
2115.
2116.                   <div class="border-t border-gray-200"></div>
2117.
2118.                       <!-- Team Switcher -->
2119.                       <div class="block px-4 py-2 text-xs textgray-
                           400">
2120.                       {{ __('Switch Teams') }}
```

```
2121.                    </div> 2122.

2123.                    @foreach (Auth::user()->allTeams() as $team)
2124.                    <x-jet-switchableteam :team="$team"
                         component="jet-responsive-nav-link" />
2125.                    @endforeach
2126.                    @endif
2127.                    </div>
2128.                    </div>
2129.                    </div>
2130.                    </nav> 2131.
```

2132.

2133.   CONTROLLERS

2134.   "activityController.php"

```php
<?php 2136.
    namespace App\Http\Controllers;

    use Illuminate\Http\Request;
    use App\Models\activity1;

        class activityController extends Controller
        {
        //
        public function create(){

return view('createactivityadd');
} 2149.
        public function viewjoin(){

return view('joinactivity');
} 2154.
        public function viewjointest(){

return view('joinactivitytest');
} 2159.
//FUNCTIONS FOR CREATE AMD STPRE
public function store(Request $request)
{ 2163.
            $data = new activity1;
            $data -> ActivityName = $request->activityname;
            $data -> ActivityDate = $request->activitydate;
            $data -> ActivityDescription =
            $request>activitydescription;
            $data -> ActivityCode = $request->activitycode;
```

```
2109.            $data->save();
```

```php
                $notification = array(
                'message' => 'Activity Inserted Successfully',
                'alert-type' => 'success'
                );
                return redirect()-
                >route('view.createactivity')>with($notification);


    } 
//FUNCTIONS FOR VIEW
public function view()
{ 
$alldata = activity1::all();
return view('createactivityview', compact('alldata'));
} 
            //FUNCTIONS FOR DELETE
            public function delete($id)
            {
            activity1::find($id)->delete();

$notification = array(
'message' => 'Activity Deleted Successfully',
'alert-type' => 'warning'
);
return back()->with($notification);
            } 
                //FUNCTIONS FOR EDIT
                public function edit($id)
                {
                $editdata = activity1::where('id', $id)->first();

return view('createactivityadd',
compact('editdata'));
            } 
//FUNCTIONS FOR UPDATE
public function update(Request $request,$id)
{ 
            $data = activity1::where('id', $id)->first();
            $data-> ActivityName = $request->activityname;
```

```php
                    $data-> ActivityDate = $request->activitydate;
2216.               $data-> ActivityDescription =
                    $request>activitydescription;
2217.               $data-> ActivityCode = $request->activitycode;
2218.
2219. $data->save();
2220. $notification = array(
2221. 'message' => 'Activity Updated Successfully',
2222. 'alert-type' => 'success'
2223. );
2224. return back()->with($notification);
2225. 2226.       } 2227.
2228.          public function index(Request $request){
2229.
2230. $data = activity1::where([
2231. ['activitycode', '!=', null],
2232. [function($query)use ($request) {
2233. if(($code = $request->code)) {
2234. $query-
   >orWhere('activitycode', 'LIKE', '%' . $code . '%')->get();
2235. } 2236.
2237.          }] 2238.


2239.              ])
2240.              ->orderBy("id", "desc")
2241.              ->paginate(10);
2242.
2243.              return view('data.index', compact('data'))
2244.              ->with('i', (request()->input('page', 1) 1
                    )* 5);
2245.              2246.       } 2247.      2248.       }
                    2249.
```

2250.

2251.   "feedbackController.php"

```php
2252.    <?php
2253.
2254.    namespace App\Http\Controllers;
```

```
2255.
2256.    use Illuminate\Http\Request;
2257.    use App\Models\feedback2;
2258.    class feedbackController extends Controller
2259.    {
2260.        //
```

```
2261.         public function create(){
```

```php
2262.
2263. return view('joinactivity');
2264. } 2265.


2266. //FUNCTIONS FOR CREATE AMD STPRE
2267. public function store(Request $request)
2268. { 2269.
2270.          $data = new feedback2;
2271.          $data -> feedbackcompanyname =
                 $request>feedbackcompanyname;
2272.          $data -> feedbackdate = $request->feedbackdate;
2273.          $data -> feedbackaddress = $request->feedbackaddress;
2274.          $data -> feedbacktelephone = $request->feedbacktelephone;
2275.          $data -> feedbackemail = $request->feedbackemail;
2276.          $data -> feedbackgender = $request->feedbackgender;
2277.          $data -> feedbacknature = $request->feedbacknature;
2278.          $data -> feedbackyesno1 = $request->feedbackyesno1;
2279.          $data -> feedbackserviceavailed1 =
                 $request>feedbackserviceavailed1;
2280.          $data -> feedbackserviceavailed2 =
                 $request>feedbackserviceavailed2;
2281.          $data -> feedbackconsultancy =
                 $request>feedbackconsultancy;
2282.          $data -> feedbackpackaging = $request->feedbackpackaging;
                 2283.          $data -> feedbackscholarship =
                 $request>feedbackscholarship;
2284.          $data -> feedbackconversion =
                 $request>feedbackconversion;
2285.          $data -> feedbackmanagement =
                 $request>feedbackmanagement;
2286.          $data -> feedbackmanagementspecify =
                 $request>feedbackmanagementspecify;
2287.          $data -> t1 = $request->t1;
2288.          $data -> t2 = $request->t2;
2289.          $data -> AOS1 = $request->AOS1;
2290.          $data -> AOS2 = $request->AOS2;
2291.          $data -> QOS1 = $request->QOS1;
2292.          $data -> QOS2 = $request->QOS2;
2293.          $data -> UTM1 = $request->UTM1;
2294.          $data -> CTT1 = $request->CTT1;
2295.          $data -> RIP1 = $request->RIP1;
```

```php
2296.             $data -> SAT1 = $request->SAT1;
2297.             $data -> SAT2 = $request->SAT2; 2298.  $data ->
                  feedbackrank1 = $request->feedbackrank1;
2299. $data -> feedbackrank2 = $request->feedbackrank2;
2300. $data -> feedbackrank3 = $request->feedbackrank3;
2301. $data -> feedbackrank4 = $request->feedbackrank4;
2302. $data -> feedbackrank5 = $request->feedbackrank5;
2303. $data -> feedbackexp1 = $request->feedbackexp1;
2304. $data -> feedbackexp2 = $request->feedbackexp2;
2305. $data -> feedbackexp3 = $request->feedbackexp3;
2306. $data -> feedbacksuggest = $request->feedbacksuggest;
2307. $data -> feedbacksignature = $request->feedbacksignature; 2308.
$data -> feedbackdesignation = $request>feedbackdesignation; 2309.
$data->save();
2310.
2311.             $notification = array(
2312.             'message' => 'Activity Inserted Successfully',
2313.             'alert-type' => 'success'
2314.             );
2315.             return redirect()-
                  >route('joinactivityview')>with($notification);
2316.

2317.     } 2318.
2319. //FUNCTIONS FOR VIEW
2320. public function view()
2321. { 2322.
2323. $alldata = feedback2::all();
2324. return view('joinactivityview', compact('alldata'));
2325. } 2326.


2327.         } 2328.
```

2329.

2330.   "TasksController.php"

```php
2331.     <?php
2332.
2333.     namespace App\Http\Controllers;
```

```
2334.
2335.    use App\Http\Requests\StoreTaskRequest;
2336.    use App\Http\Requests\UpdateTaskRequest;
2337.    use App\Models\Task;
2338.
2339.    use Illuminate\Http\Request;
2340.    use Illuminate\Support\Facades\Gate;
2341.    use Symfony\Component\HttpFoundation\Response;
```

```php
class TasksController extends Controller
{
public function index()
{
// abort_if(Gate::denies('task_access'), Response::HTTP_F
ORBIDDEN, '403 Forbidden');

$tasks = Task::all();
// dd('ok');
return view('tasks.index', compact('tasks'));
} 

public function create()
{
abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');

return view('tasks.create');
} 

public function store(StoreTaskRequest $request)
{
Task::create($request->validated());

return redirect()->route('tasks.index');
} 

public function show(Task $task)
{
abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');

return view('tasks.show',
compact('task'));
} 

public function edit(Task $task)
{
abort_if(Gate::denies('task_access'), Response::HTTP_FORB
IDDEN, '403 Forbidden');

return view('tasks.edit',
compact('task'));
} 

public function update(UpdateTaskRequest $request, Task $task
```

```
          )
2383.                 {
2384.                 $task->update($request->validated());
2385.

2386. return redirect()->route('tasks.index');
2387. } 2388.
2389.        public function destroy(Task $task)
2390.        {
2391.        abort_if(Gate::denies('task_access'), Response::HTTP_FORB
           IDDEN, '403 Forbidden');
2392.
2393.            $task->delete();
2394.
2395. return redirect()-
>route('tasks.index');
2396. } 2397.      } 2398.
```

2399.

2400.   "UsersController.php"

```php
2401. <?php 2402.
2403.    namespace App\Http\Controllers;
2404.
2405.    use App\Http\Requests\StoreUserRequest;
2406.    use App\Http\Requests\UpdateUserRequest;
2407.    use App\Models\Role;
2408.    use App\Models\User;
2409.    use Illuminate\Http\Requests;
2410.    use Illuminate\Support\Facades\Gate;
2411.    use Symfony\Component\HttpFoundation\Response;
2412.
2413.       class UsersController extends Controller
2414.       {
2415.       public function index()
2416.       {
2417.       // abort_if(Gate::denies('user_access'), Response::HTTP_F
          ORBIDDEN, '403 Forbidden');
2418.
2419.           $users = User::with('roles')->get();
2420.
2421. return view('users.index',
compact('users'));
2422. } 2423.
2424.       public function create()
2425.       {
2426.       // abort_if(Gate::denies('user_access'), Response::HTTP_F
          ORBIDDEN, '403 Forbidden');
2427.
2428.           $roles = Role::pluck('title', 'id');
```

```
return view('users.create',
```

```
2430. return view('users.create',
```

```php
compact('roles'));
2431. } 2432.
2433.     public function store(StoreUserRequest $request) 2434.
          {
2435.         $user = User::create($request->validated()); 2436.
              $user->roles()->sync($request->input('roles', []));
2437.
2438. return redirect()->route('users.index');
2439. } 2440.
2441.     public function show(User $user)
2442.     {
2443.     // abort_if(Gate::denies('user_access'), Response::HTTP_F
          ORBIDDEN, '403 Forbidden');
2444.
2445. return view('users.show',
compact('user'));
2446. } 2447.
2448.     public function edit(User $user)
2449.     {
2450.     // abort_if(Gate::denies('user_access'), Response::HTTP_F
          ORBIDDEN, '403 Forbidden');
2451.
2452.         $roles = Role::pluck('title', 'id');
2453.
2454.         $user->load('roles');
2455.
2456. return view('users.edit', compact('user',
'roles'));
2457. } 2458.
2459.         public function update(UpdateUserRequest $request, User
              $user )
2460.         {
2461.         $user->update($request->validated());
2462.         $user->roles()->sync($request->input('roles', []));
2463.
2464. return redirect()->route('users.index');
2465. } 2466.
2467.     public function destroy(User $user)
2468.     {
2469.     // abort_if(Gate::denies('user_access'), Response::HTTP_F
          ORBIDDEN, '403 Forbidden');
2470.
```

```
2471.                    $user->delete();
2472.
```

```
2473.                 return redirect()->route('users.index');
2474.         }
2475.     }
2476.
```

2477.

2478.   Middleware 2479.
"AuthGates.php"

```
2480.  <?php 2481.
2482.     namespace App\Http\Middleware;
2483.
2484.     use App\Models\Role;
2485.     use Closure;
2486.     use Illuminate\Support\Facades\Gate;
2487.     use Illuminate\Support\Facades\Auth;
2488.
2489.           class AuthGates
2490.           {
2491.           public function handle($request, Closure $next)
2492.           {
2493.           $user = Auth::user();
2494.
2495.  if ($user) {
2496.  $roles           = Role::with('permissions')->get(); 2497.
$permissionsArray = [];
2498.
2499.  foreach ($roles as $role) {
2500.  foreach ($role->permissions as $permissions) { 2501.
$permissionsArray[$permissions>title][] = $role->id;
2502.  }
2503.  } 2504.
2505.                     foreach ($permissionsArray as $title => $roles) {
2506.                     Gate::define($title, function ($user) use ($roles
                         ) {
2507.                     return count(array_intersect($user-
                         >roles>pluck('id')->toArray(), $roles)) > 0;
2508.                     });
2509.                     }
2510.                     } 2511.
2512.  return $next($request);
2513.  } 2514.      } 2515.
```

2516.

2517.   CONTROLLERS/REQUEST 2518. "StoreTaskRequest.php"

```php
2519.    <?php
2520.
2521.    namespace App\Http\Requests;
2522.
2523.    use Illuminate\Foundation\Http\FormRequest;
2524.    use Illuminate\Support\Facades\Gate;
2525.
2526.    class StoreTaskRequest extends FormRequest
2527.    {
2528.        public function rules()
2529.        {
2530.            return [
2531.                'description' => [
2532.                    'required', 'string',
2533.                ]
2534.            ];
2535.        }
2536.
2537.        public function authorize()
2538.        {
2539.            return Gate::allows('task_access');
2540.        }
2541.    }
2542.
```

2543.

2544.   "StoreUserRequest.php"

```php
2545.    <?php
2546.
2547.    namespace App\Http\Requests;
2548.
2549.    use Illuminate\Foundation\Http\FormRequest;
2550.    use Illuminate\Support\Facades\Gate;
2551.
2552.    class StoreUserRequest extends FormRequest
2553.    {
2554.        public function rules()
2555.        {
2556.            return [
2557.                'name'    => [
2558.                    'string',
2559.                    'required',
2560.                ],
2561.                'email'   => [
```

```php
2562.                    'required',
2563.                    'unique:users',
2564.                ],
2565.                'password' => [
2566.                    'required',
2567.                ],
2568.                'roles.*'  => [
2569.                    'integer',
2570.                ],
2571.                'roles'    => [
2572.                    'required',
2573.                    'array',
2574.                ],
2575.            ];
2576.        }
2577.
2578.        public function authorize()
2579.        {
2580.            return Gate::allows('user_access');
2581.        }
2582.    }
2583.
```

2584.

2585.   "UpdateTaskRequest.php"

```php
2586.    <?php
2587.
2588.    namespace App\Http\Requests;
2589.
2590.    use Illuminate\Foundation\Http\FormRequest;
2591.    use Illuminate\Support\Facades\Gate;
2592.
2593.    class UpdateTaskRequest extends FormRequest
2594.    {
2595.        public function rules()
2596.        {
2597.            return [
2598.                'description' => [
2599.                    'required', 'string',
2600.                ]
2601.            ];
2602.        }
2603.
2604.        public function authorize()
```

```
2605.         {
2606.             return Gate::allows('task_access');
2607.         }
2608.     }
2609.
```

2610.

2611.   **"UpdateUserRequest.php"**

2612.

```
2613.     <?php
2614.
2615.     namespace App\Http\Requests;
2616.
2617.     use Illuminate\Foundation\Http\FormRequest;
2618.     use Illuminate\Support\Facades\Gate;
2619.
2620.                  class UpdateUserRequest extends FormRequest
2621.                  {
2622.                  public function rules()
2623.                  {
2624.                  return [
2625.                  'name'    => [
2626.                  'string',
2627.                  'required',
2628.                  ],
2629.                  'email'   => [
2630.                  'required',
2631.                  'unique:users,email,' . request()-
                     >route('user')>id,
2632.                  ],
2633.                  'roles.*' => [
2634.                  'integer', 2635.             ],
2636. 'roles'   => [
2637. 'required',
2638. 'array',
2639. ],
2640. ];
2641. } 2642.
2643. public function authorize()
2644. {
2645. return Gate::allows('user_access');
2646. } 2647.      } 2648.
```

2649.

2650.   **MODELS**

2651. **"Permission.php"**

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Permission extends Model
{
    use HasFactory;

    protected $fillable = [
        'title',
    ];

    public function roles()
    {
        return $this->belongsToMany(Role::class);
    }
}

```

2673.

2674. **"Role.php"**

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Role extends Model
{
    use HasFactory;

    protected $fillable = [
        'title'
    ];

    public function users()
    {
        return $this->belongsToMany(User::class);
    }
```

```php
2694.
2695.        public function permissions()
2696.        {
2697.            return $this->belongsToMany(Permission::class);
2698.        }
2699.    }
2700.
```

2701.

2702.   "Task.php"

```php
2703.    <?php
2704.
2705.    namespace App\Models;
2706.
2707.    use Illuminate\Database\Eloquent\Factories\HasFactory;
2708.    use Illuminate\Database\Eloquent\Model;
2709.    use Illuminate\Database\Eloquent\SoftDeletes;
2710.
2711.    class Task extends Model
2712.    {
2713.        use HasFactory, SoftDeletes;
2714.
2715.        protected $fillable = [
2716.            'description'
2717.        ];
2718.    }
2719.
```

2720.

2721.   "User.php"

```php
2722.    <?php
2723.
2724.    namespace App\Models;
2725.
2726.    use Illuminate\Contracts\Auth\MustVerifyEmail;
2727.    use Illuminate\Database\Eloquent\Factories\HasFactory;
2728.    use Illuminate\Foundation\Auth\User as Authenticatable;
2729.    use Illuminate\Notifications\Notifiable;
2730.    use Laravel\Fortify\TwoFactorAuthenticatable;
2731.    use Laravel\Jetstream\HasProfilePhoto;
2732.    use Laravel\Sanctum\HasApiTokens;
2733.
2734.    class User extends Authenticatable
2735.    {
2736.        use HasApiTokens;
2737.        use HasFactory;
```

```php
         use HasProfilePhoto;
         use Notifiable;
         use TwoFactorAuthenticatable;

         /**
          * The attributes that are mass assignable.
          *
          * @var array
          */
         protected $fillable = [
             'name',
             'email',
             'password',
         ];

         /**
          * The attributes that should be hidden for arrays.
          *
          * @var array
          */
         protected $hidden = [
             'password',
             'remember_token',
             'two_factor_recovery_codes',
             'two_factor_secret',
         ];

         /**
          * The attributes that should be cast to native types.
          *
          * @var array
          */
         protected $casts = [
             'email_verified_at' => 'datetime',
         ];

         /**
          * The accessors to append to the model's array form.
          *
          * @var array
          */
         protected $appends = [
             'profile_photo_url',
```

```php
2781.            ];
2782.
2783.        public function __construct(array $attributes = [])
2784.        {
2785.            parent::__construct($attributes);
2786.            self::created(function (User $user) {
2787.                if (!$user->roles()->get()->contains(2)) {
2788.                    $user->roles()->attach(2);
2789.                }
2790.            });
2791.        }
2792.
2793.        public function roles()
2794.        {
2795.            return $this->belongsToMany(Role::class);
2796.        }
2797.    }
2798.
```

2799.

2800.   MIGRATIONS

2801.   "2014_10_12_000000_create_users_table"

```php
2802.    <?php
2803.
2804.    use Illuminate\Database\Migrations\Migration;
```

```php
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateUsersTable extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('users', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->string('email')->unique();
            $table->timestamp('email_verified_at')->nullable();
            $table->string('password');
            $table->rememberToken();
            $table->foreignId('current_team_id')->nullable(); $table->string('profile_photo_path', 2048)>nullable();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('users');
    }
}
```

"2021_06_28_050828_create_activity1s_table"

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateActivity1sTable extends Migration
{
```

```php
        /**
         * Run the migrations.
         *
         * @return void
         */
        public function up()
        {
            Schema::create('activity1s', function (Blueprint $table) {
                $table->id();
                $table->string('activityname');
                $table->string('activitydate');
                $table->string('activitydescription');
                $table->string('activitycode');
                $table->timestamps();
            });
        }

        /**
         * Reverse the migrations.
         *
         * @return void
         */
        public function down()
        {
            Schema::dropIfExists('activity1s');
        }
    }
```

"2021_07_05_061851_create_tasks_table"

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateTasksTable extends Migration
{
    public function up()
    {
        Schema::create('tasks', function (Blueprint $table) {
```

```php
            $table->id();
            $table->string('description');
            $table->timestamps();
            $table->softDeletes();
        });
    }

    public function down()
    {
        Schema::dropIfExists('tasks');
    }
}
```

"2021_07_07_020937_create_roles_table"

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateRolesTable extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('roles', function (Blueprint $table) {
            $table->id();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
```

```
2936.            Schema::dropIfExists('roles');
2937.        }
2938.    }
2939.
```

2940.

2941.   "2021_07_07_021001_create_permissions_table"

```
2942.    <?php
2943.
2944.    use Illuminate\Database\Migrations\Migration;
2945.    use Illuminate\Database\Schema\Blueprint;
2946.    use Illuminate\Support\Facades\Schema;
2947.
2948.    class CreatePermissionsTable extends Migration
2949.    {
2950.        /**
2951.         * Run the migrations.
2952.         *
2953.         * @return void
2954.         */
2955.        public function up()
2956.        {
2957.            Schema::create('permissions', function (Blueprint $table)
    {
2958.                $table->id();
2959.                $table->timestamps();
2960.            });
2961.        }
2962.
2963.        /**
2964.         * Reverse the migrations.
2965.         *
2966.         * @return void
2967.         */
2968.        public function down()
2969.        {
2970.            Schema::dropIfExists('permissions');
2971.        }
2972.    }
2973.
```

2974.

2975.   "2021_07_07_054403_create_role_user_pivot_table"

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateRoleUserPivotTable extends Migration
{
    public function up()
    {
        Schema::create('role_user', function (Blueprint $table) {
            $table->foreignId('role_id')->references('id')->on('roles')->cascadeOnDelete();
            $table->foreignId('user_id')->references('id')->on('users')->cascadeOnDelete();
        });
    }

    public function down()
    {
        Schema::dropIfExists('role_user');
    }
}
```

"2021_07_07_054421_create_permission_role_pivot_table"

```php
<?php 3003.
    use Illuminate\Database\Migrations\Migration;
    use Illuminate\Database\Schema\Blueprint;
    use Illuminate\Support\Facades\Schema;

            class CreatePermissionRolePivotTable extends
            Migration
            {
            public function up()
            {
            Schema::create('permission_role', function (Blueprint
            $ta ble) {
            $table->foreignId('role_id')-
            >references('id')>on('roles')->cascadeOnDelete();
            $table->foreignId('permission_id')->references('id')-
  >on('permissions')->cascadeOnDelete();
            });
            } 3017.
public function down()
{
Schema::dropIfExists('permission_role');
} 3022.      } 3023.
```

3024.

3025.   **"2021_07_11_152511_create_feedback2_table"**

```php
    <?php

    use Illuminate\Database\Migrations\Migration;
    use Illuminate\Database\Schema\Blueprint;
    use Illuminate\Support\Facades\Schema;

    class CreateFeedback2sTable extends Migration
    {
        /**
         * Run the migrations.
         *
         * @return void
         */
        public function up()
        {
            Schema::create('feedback2s', function (Blueprint $table)
  {
                $table->id();
```

```php
3043.                $table->string('feedbackcompanyname');
3044.                $table->string('feedbackdate');
3045.                $table->string('feedbackaddress');
3046.                $table->string('feedbacktelephone');
3047.                $table->string('feedbackemail');
3048.                $table->string('feedbackgender');
3049.                $table->string('feedbacknature');
3050.                $table->string('feedbackyesno1');
3051.                $table->string('feedbackserviceavailed1');
3052.                $table->string('feedbackserviceavailed2');
3053.                $table->string('feedbackconsultancy');
3054.                $table->string('feedbackpackaging');
3055.                $table->string('feedbackscholarship');
3056.                $table->string('feedbackconversion');
3057.                $table->string('feedbackmanagement');
3058.                $table->string('feedbackmanagementspecify');
3059.                $table->string('t1');
3060.                $table->string('t2');
3061.                $table->string('AOS1');
3062.                $table->string('AOS2');
3063.                $table->string('QOS1');
3064.                $table->string('QOS2');
3065.                $table->string('UTM1');
3066.                $table->string('CTT1');
3067.                $table->string('RIP1');
3068.                $table->string('SAT1');
3069.                $table->string('SAT2');
3070.                $table->string('feedbackrank1');
3071.                $table->string('feedbackrank2');
3072.                $table->string('feedbackrank3');
3073.                $table->string('feedbackrank4');
3074.                $table->string('feedbackrank5');
3075.                $table->string('feedbackexp1');
3076.                $table->string('feedbackexp2');
3077.                $table->string('feedbackexp3');
3078.                $table->string('feedbacksuggest');
3079.                $table->string('feedbacksignature');
3080.                $table->string('feedbackdesignation');
3081.                $table->timestamps();
3082.            });
3083.        }
3084.
3085.        /**
```

```php
         * Reverse the migrations.
         *
         * @return void
         */
        public function down()
        {
            Schema::dropIfExists('feedback2');
        }
    }

```

SEEDERS

3099. "DatabaseSeeder.php"

```php
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    /**
     * Seed the application's database.
     *
     * @return void
     */
    public function run()
    {
        $this->call([
            PermissionsTableSeeder::class,
            RolesTableSeeder::class,
            PermissionRoleTableSeeder::class,
            UsersTableSeeder::class,
            RoleUserTableSeeder::class,
        ]);
    }
}

```

3127. "PermissionRoleTableSeeder.php"

```php
3128.    <?php
3129.
3130.    namespace Database\Seeders;
3131.
3132.    use App\Models\Permission;
3133.    use App\Models\Role;
3134.    use Illuminate\Database\Seeder;
3135.
3136. class PermissionRoleTableSeeder extends Seeder
3137. {
3138. public function run()
3139. {
3140. $admin_permissions = Permission::all();
3141. Role::findOrFail(1)->permissions()-
   >sync($admin_permissions->pluck('id'));
3142. $user_permissions = $admin_permissions-
   >filter(function ($permission) {
3143. return substr($permission->title, 0, 5) != 'user_';
3144. });
3145. Role::findOrFail(2)->permissions()-
   >sync($user_permissions);
3146. } 3147.        } 3148.
```

3149.

3150.

3151.   **"PermissionTableSeeder.php"**

```php
3152.    <?php
3153.
3154.    namespace Database\Seeders;
3155.
3156.    use App\Models\Permission;
3157.    use Illuminate\Database\Seeder;
3158.
3159.    class PermissionsTableSeeder extends Seeder
3160.    {
3161.        public function run()
3162.        {
3163.            $permissions = [
3164.                [
3165.                    'id'    => 1,
3166.                    'title' => 'user_access',
3167.                ],
3168.                [
3169.                    'id'    => 2,
```

```php
3170.                    'title' => 'task_access',
3171.                ],
3172.            ];
3173.
3174.            Permission::insert($permissions);
3175.        }
3176.    }
3177.
```

3178.

3179.

3180.   "RolesTableSeeder.php"

```php
3181.    <?php
3182.
3183.    namespace Database\Seeders;
3184.
3185.    use App\Models\User;
3186.    use Illuminate\Database\Seeder;
3187.
3188.    class RoleUserTableSeeder extends Seeder
3189.    {
3190.        public function run()
3191.        {
3192.            User::findOrFail(1)->roles()->sync(1);
3193.            User::findOrFail(2)->roles()->sync(2);
3194.        }
3195.    }
```

3196.

3197.   "RoleUserTableSeeder.php"

```php
3198.    <?php
3199.
3200.    namespace Database\Seeders;
3201.
3202.    use App\Models\Role;
3203.    use Illuminate\Database\Seeder;
3204.
3205.    class RolesTableSeeder extends Seeder
3206.    {
3207.        public function run()
3208.        {
3209.            $roles = [
3210.                [
3211.                    'id'    => 1,
3212.                    'title' => 'Admin',
3213.                ],
```

```
3214.                    [
3215.                        'id'    => 2,
3216.                        'title' => 'User',
3217.                    ],
3218.                ];
3219.
3220.            Role::insert($roles);
3221.        }
3222.    }
3223.
```

3224.

3225.   "UsersTableSeeder.php"

```
3226.    <?php
3227.
3228.    namespace Database\Seeders;
3229.
3230.    use App\Models\User;
3231.    use Illuminate\Database\Seeder;
3232.
3233.    class UsersTableSeeder extends Seeder
3234.    {
3235.        public function run()
3236.        {
3237.            $users = [
3238.                [
3239.                    'id'             => 1,
3240.                    'name'           => 'Admin',
3241.                    'email'          => 'admin@admin.com',
3242.                    'password'       => bcrypt('password'),
3243.                    'remember_token' => null,
3244.                ],
3245.                [
3246.                    'id'             => 2,
3247.                    'name'           => 'User',
3248.                    'email'          => 'user@user.com',
3249.                    'password'       => bcrypt('password'),
3250.                    'remember_token' => null,
3251.                ],
3252.            ];
3253.
3254.            User::insert($users);
3255.        }
3256.    }
3257.
```

3258.

3259. **WEB.PHP**

```php
<?php

use Illuminate\Support\Facades\Route;
use Laravel\Fortify\Http\Controllers\ProfileInformationController
;
use App\Http\Controllers\activityController;
use App\Http\Controllers\TaskController;
use App\Http\Controllers\UserController;
use App\Http\Controllers\feedbackController;
use App\Http\Controllers\ChartJsController;

/*
```

```php
3271.    /*--------------------------------------------------------------
         ----------
3272.    | Web Routes
3273.    |--------------------------------------------------------------
         ----------
3274.    |
3275.    | Here is where you can register web routes for your application.
         These
3276.    | routes are loaded by the RouteServiceProvider within a group wh
         ich
3277.    | contains the "web" middleware group. Now create something great
         !
3278.    |
3279.    */ 3280.
3281. Route::get('/', function () {
3282. return view('welcome'); 3283.  }); 3284.
3285.      Route::middleware(['auth:sanctum', 'verified'])-
   >get('/dashboard', function () {
3286.      return view('dashboard');
3287.      })->name('dashboard');
3288.
3289.    Route::group(['middleware' => 'auth'], function () {
3290.    Route::resource('tasks', \App\Http\Controllers\TasksControlle
         r::class);
3291.
3292. Route::resource('users',
   \App\Http\Controllers\UsersControlle
   r::class);
3293. }); 3294.

3295.      Route::prefix('createactivity')->group(function()
3296.      {
3297.      //   Route::get('/create', function () {
3298.      //     return view('create');
3299.      // })->name('create');
3300.
3301.    //ROUTES FOR CRUD
3302.    Route::get('view',  [activityController::class,
         'view'])>name('view.createactivity');
3303.    Route::get('create',  [activityController::class,
         'create'])>name('create.createactivity');
3304.    Route::post('store',  [activityController::class,
         'store'])>name('store.createactivity');
3305.    Route::post('/update/{id}',  [activityController::class,
         'update'
   ])->name('update.createactivity');
```

```php
3306. Route::get('delete/{id}', [activityController::class, 'delete']) -
    >name('delete.createactivity');
3307. Route::get('edit/{id}', [activityController::class,
    'edit'])>name('edit.createactivity');
3308.


3309. }); 3310.

3311.     Route::prefix('createfeedback')->group(function()
3312.     {
3313.     //  Route::get('/create', function () {
3314.     //      return view('create');
3315.     // })->name('create');
3316.
3317.   //ROUTES FOR CRUD FEEDBACK
3318.   Route::get('view', [feedbackController::class,
        'view'])>name('joinactivityview');
3319.   Route::get('create', [feedbackController::class,
        'create'])>name('create.createfeedback');
3320.   Route::post('store', [feedbackController::class,
        'store'])>name('store.createfeedback');
3321.   Route::post('/update/{id}', [feedbackController::class,
        'update' ])->name('update.createfeedback');
3322.   Route::get('delete/{id}', [feedbackController::class,
        'delete']) ->name('delete.createfeedback');
3323.   Route::get('edit/{id}', [feedbackController::class,
        'edit'])>name('edit.createfeedback');
3324.




3325. }); 3326.

3327. //FEEDBACK FORM 3328.

3329.   Route::prefix('joinactivity')->group(function()
3330.   {
3331.   Route::get('viewjoin', [activityController::class, 'viewjoin
        '])->name('viewjoin.joinactivity');
3332.   3333.     }); 3334.
3335. //JOINACTIVITY 3336.

3337.   Route::prefix('joinactivitytest')->group(function()
3338.     {
```

```php
3339. Route::get('viewjointest',
   [activityController::class, 'view
   jointest'])-
   >name('viewjointest.joinactivitytest');
3340. 3341. }); 3342.
3343.    //JOINACITIVTY AUTHENTICATION
3344.
3345.    Route::prefix('index')->group(function()
3346.    {
3347.    Route::get('data', [activityController::class,
        'data'])>name('data.index');
3348.    3349.    }); 3350.
```