# **VISTA NAVEGADOR**



### **SERVICIOS DESPLEGADOS**

PS C:\Users\johna\Documents\Programacion\Proyectos\topicos\entrega> kubectl get services							
NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE		
api-peliculas	LoadBalancer	34.118.230.182	34.132.83.132	5000:31470/TCP	4m32s		
db	ClusterIP	34.118.225.97	<none></none>	5432/TCP	24m		
kubernetes	ClusterIP	34.118.224.1	<none></none>	443/TCP	4d20h		

### **DEPLOYMENTS EN USO**

PS C:\Users\johna\Document	s\Progra	amacion\Proye	ctos\topicos	\entrega>	kubectl	get	deployments
NAME	READY	UP-TO-DATE	AVAILABLE	AGE			
api-peliculas-deployment	10/10	10	10	16m			
db	1/1	1	1	36m	_		

#### **CONFIGMAP CARGADO**

```
PS C:\Users\johna\Documents\Programacion\Proyectos\topicos\entrega> kubectl get configmaps
NAME DATA AGE
api-configmap 1 126m
kube-root-ca.crt 1 4d20h
```

# **SECRETS CARGADO**

PS C:\Users\johna\Documents\Programacion\Proyectos\topicos\entrega> kubectl get secrets						
NAME	TYPE	DATA	AGE			
api-secrets	Opaque	1	126m	_		

# **GET LISTA DE PELICULAS**

#### **GET ACTOR ESPECÍFICO**

# **GET CINE ESPECÍFICO**

