

```
#include <stdio.h>
```

```
int main() {  
    long long n;  
    printf("Enter the number: ");  
    scanf("%lld", &n);
```

```
    int count = 0;  
    while (n > 0) {  
        count++;  
        n = n / 10;  
    }
```

```
    printf("Total number of digits: %d\n", count);  
    return 0;  
}
```

```
#include <stdio.h>
```

```
int main() {
```

```
long long n, rev = 0;
```

```
printf("Enter the number: ");
```

```
scanf("%lld", &n);
```

```
while (n > 0) {
```

```
int digit = n % 10;
```

```
rev = rev * 10 + digit;
```

```
n = n / 10;
```

```
}
```

```
printf("Reversed number: %lld\n", rev);
```

```
return 0;
```

```
}
```

```
#include <stdio.h>
```

```
int main() {  
    long long n;  
    printf("Enter the number: ");  
    scanf("%lld", &n);
```

```
    long long sum = 0;  
    while (n > 0) {  
        sum = sum + n % 10;  
        n = n / 10;  
    }
```

```
    printf("Sum of digits: %lld\n", sum);  
    return 0;  
}
```

```
#include
```

```
int main() {  
    long long n;  
    printf("Enter the number: ");  
    scanf("%lld", &n);
```

```
    int even = 0, odd = 0;  
    while (n > 0) {  
        int digit = n % 10;  
        if (digit % 2 == 0)  
            even++;  
        else  
            odd++;  
        n = n / 10;  
    }
```

```
    printf("Even digits: %d\n", even);  
    printf("Odd digits: %d\n", odd);  
    return 0;  
}
```

```
#include
```

```
int main() {  
    long long n;  
    printf("Enter the number: ");  
    scanf("%lld", &n);
```

```
    int maxDigit = 0;  
    while (n > 0) {  
        int digit = n % 10;  
        if (digit > maxDigit)  
            maxDigit = digit;  
        n = n / 10;  
    }
```

```
    printf("Largest digit: %d\n", maxDigit);  
    return 0;  
}
```

```
#include
```

```
int isPrime(int num) {  
    if (num < 2)  
        return 0;  
    for (int i = 2; i * i <= num; i++) {  
        if (num % i == 0)  
            return 0;  
    }  
    return 1;  
}
```

```
int main() {  
    int l, r;  
    printf("Enter L and R: ");  
    scanf("%d %d", &l, &r);
```

```
    int count = 0;  
    for (int i = l; i <= r; i++) {  
        if (isPrime(i))  
            count++;  
    }
```

```
    printf("Total prime numbers: %d\n", count);  
    return 0;
```

```
#include
```

```
int main() {
```

```
int n;
```

```
printf("Enter the number: ");
```

```
scanf("%d", &n);
```

```
int sum = 0;
```

```
for (int i = 1; i <= n / 2; i++) {
```

```
if (n % i == 0)
```

```
sum += i;
```

```
}
```

```
printf("Sum of proper divisors: %d\n", sum);
```

```
return 0;
```

```
}
```



```
#include
```

```
int main() {
```

```
int n;
```

```
printf("Enter the number: ");
```

```
scanf("%d", &n);
```

```
printf("Factors of %d: ", n);
```

```
for (int i = 1; i <= n; i++) {
```

```
if (n % i == 0)
```

```
printf("%d ", i);
```

```
}
```

```
printf("\n");
```

```
return 0;
```

```
}
```