

```
In [4]: from sklearn import datasets
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt

# Given datasets
iris = datasets.load_iris()

data = {
    "weight": [4.17, 5.58, 5.18, 6.11, 4.50, 4.61, 5.17, 4.53, 5.33, 5.14,
               4.81, 4.17, 4.41, 3.59, 5.87, 3.83, 6.03, 4.89, 4.32, 4.69,
               6.31, 5.12, 5.54, 5.50, 5.37, 5.29, 4.92, 6.15, 5.80, 5.26],
    "group": ["ctrl"] * 10 + ["trt1"] * 10 + ["trt2"] * 10
}


PlantGrowth = pd.DataFrame(data)
```

```
In [5]: iris_df = pd.DataFrame(iris.data, columns=iris.feature_names)
```

```
In [7]: ## 1a

plt.figure()
plt.hist(iris_df["sepal width (cm)"], bins=10)
plt.xlabel("Sepal Width (cm)")
plt.ylabel("Frequency")
plt.title("Histogram of Sepal Width")
plt.show()
```

Histogram of Sepal Width



```
In [ ]: ## 1b: since the histogram is skewed to the right, mean is expected to be hi
```

```
In [10]: ## 1c
```

```
mean_sw = iris_df["sepal width (cm)"].mean()  
median_sw = iris_df["sepal width (cm)"].median()  
  
mean_sw, median_sw
```

```
Out[10]: (np.float64(3.057333333333337), 3.0)
```

```
In [12]: ## 1d
```

```
threshold = np.percentile(iris_df["sepal width (cm)"], 73)  
threshold
```

```
Out[12]: np.float64(3.3)
```

```
In [13]: ## 3.3 cm
```

```
In [14]: ## 1e
```


```
cols = iris_df.columns  
plt.figure(figsize=(10, 8))  
plot_num = 1  
  
for i in range(len(cols)):
```

```

for j in range(i + 1, len(cols)):
    plt.subplot(3, 2, plot_num)
    plt.scatter(iris_df[cols[i]], iris_df[cols[j]])
    plt.xlabel(cols[i])
    plt.ylabel(cols[j])
    plot_num += 1

plt.tight_layout()
plt.show()

```



In [17]: *## If: the strongest relation ship was petal length and petal width, the wea*


In [19]: *##2a*

```

bins = np.arange(3.3, PlantGrowth["weight"].max() + 0.3, 0.3)

plt.figure()
plt.hist(PlantGrowth["weight"], bins=bins)
plt.xlabel("Weight")
plt.ylabel("Frequency")
plt.title("Histogram of Plant Weights")
plt.show()

```




```
In [20]: ## 2b
```

```
plt.figure()
PlantGrowth.boxplot(column="weight", by="group")
plt.xlabel("Group")
plt.ylabel("Weight")
plt.title("Plant Weight by Group")
plt.suptitle("")
plt.show()
```

```
<Figure size 640x480 with 0 Axes>
```

Plant Weight by Group



```
In [21]: ## 2c: approx 80%
```

```
In [22]: ## 2d

min_trt2 = PlantGrowth[PlantGrowth["group"] == "trt2"]["weight"].min()

trt1 = PlantGrowth[PlantGrowth["group"] == "trt1"]["weight"]
percent_below = (trt1 < min_trt2).mean() * 100


percent_below
```

```
Out[22]: np.float64(80.0)
```

```
In [24]: ## 2e

filtered = PlantGrowth[PlantGrowth["weight"] > 5.5]
counts = filtered["group"].value_counts()

plt.figure()
counts.plot(kind="bar", colormap="plasma")
plt.xlabel("Group")
plt.ylabel("Count")
plt.title("Plant Groups with Weight > 5.5")
plt.show()
```



In []: