


Occupancy on APV 0 - Run: 13444 - Cut: 3A - Ustrips Only


Entries



h_APV0_occupancy_U	
Entries	12654
Mean	0.09081
Std Dev	0.1614

Occupancy on APV 1 - Run: 13444 - Cut: 3A - Ustrips Only

Entries



Occupancy on APV 2 - Run: 13444 - Cut: 3A - Ustrips Only

Entries

7000

6000

5000

4000

3000

2000

1000

0

0

0.1

0.2

0.3

0.4

0.5

0.6


0.7

0.8

0.9

Occupancy

h_APV2_occupancy_U	
Entries	34098
Mean	0.09129
Std Dev	0.1368




Occupancy on APV 3 - Run: 13444 - Cut: 3A - Ustrips Only

Entries

7000
6000
5000
4000
3000
2000
1000
0


h_APV3_occupancy_U	
Entries	34083
Mean	0.07885
Std Dev	0.1067

Occupancy




Occupancy on APV 4 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 5 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 6 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 7 - Run: 13444 - Cut: 3A - Ustrips Only




Occupancy on APV 8 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 9 - Run: 13444 - Cut: 3A - Ustrips Only

Entries



Occupancy on APV 10 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




h_APV10_occupancy_U	
Entries	47573
Mean	0.0975
Std Dev	0.116

Occupancy on APV 11 - Run: 13444 - Cut: 3A - Ustrips Only

Entries

6000
5000
4000
3000
2000
1000
0



h_APV11_occupancy_U	
Entries	52440
Mean	0.16
Std Dev	0.1871

Occupancy

Occupancy on APV 12 - Run: 13444 - Cut: 3A - Ustrips Only


Entries

6000
5000
4000
3000
2000
1000
0

h_APV12_occupancy_U	
Entries	55165
Mean	0.1766
Std Dev	0.2075


0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9

Occupancy




Occupancy on APV 13 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 14 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 15 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 16 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 17 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 18 - Run: 13444 - Cut: 3A - Ustrips Only



Occupancy on APV 19 - Run: 13444 - Cut: 3A - Ustrips Only


Entries



h_APV19_occupancy_U	
Entries	59891
Mean	0.2271
Std Dev	0.206


Occupancy on APV 20 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 21 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 22 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 23 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




h_APV24_occupancy_U	
Entries	61073
Mean	0.1971
Std Dev	0.1816




Occupancy on APV 25 - Run: 13444 - Cut: 3A - Ustrips Only

Entries




Occupancy on APV 26 - Run: 13444 - Cut: 3A - Ustrips Only

Entries



Occupancy on APV 27 - Run: 13444 - Cut: 3A - Ustrips Only


Entries



h_APV27_occupancy_U	
Entries	49557
Mean	0.1164
Std Dev	0.1399

Occupancy on APV 28 - Run: 13444 - Cut: 3A - Ustrips Only

Entries



Occupancy on APV 29 - Run: 13444 - Cut: 3A - Ustrips Only

Entries

