
product infomation
voice SDK
Select product category
Choose a scene
Choose a module
Fill in the product information
save product information
Select product category
Electric Wheelchair
select scene/module
scene
module
Offline
No need to connect to the Internet, can
VC-02
Offline
No need to connect to the Internet, can
also operate offline
VC-02
fill-up product information
* product name
wheel_chair_2
* select language
english
save


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
front-end signal processing
Device microphone configuration, packaged SDK optimizes the signal according to different microphone conditions, so that the device can recognize the voice more accurately
Microphone configuration
single MIC
double MIC
distance recognition
Near field 0-1m
Far field 1-5m
//消噪
AEC echo cancellation
close
open
Steady-state noise reduction
close
open
Pin configuration
Through customization, code can be automatically generated, and ports such as GPIO, PWM, and UART can output custom signals according to voice commands, and external devices can be controlled without code development.
Pin No.
Function
parameter 1
parameter 2
parameter 3
parameter 4
Remark
1
SW_CLK
Burning function, after co nfiguring other functions, you cannot use the burne r to download firmware

安信可语音开放平 Home product management Official website Sample Purchase aabb 中文

2	SW_D					Burning function, after configuring other functions, you cannot use the burner to download firmware
3	GPIO_A25	default is low level				The pulse level is high when the default low level
4	GPIO_A26	default is low level				The pulse level is high when the default low level
5	GPIO_A27	default is low level				The pulse level is high when the default low level
6	GPIO_A28	default is low level				It is designed as a PA chip enable control pin on the standard example development board, please confirm that the hardware design has been modified (high level will affect the au

安信可语音开放平 Home product management Official website Sample Purchase aabb 中文

7	UART1_RX					When configuring UART_RX function, Pin8 will be automatically configured as UART_TX function
8	UART1_TX	baud rate 9600	data bit 8	stop bit 1	No check bit	
21	GPIO_B2	default is low level				The pulse level is high when the default low level
22	GPIO_B3	default is low level				The pulse level is high when the default low level

Wake-up word customization

Through customization, code can be automatically generated, and ports such as GPIO, PWM, and UART can output custom signals according to voice commands, and external devices can be controlled without code development.Wake-up Word Custom Rules

安信可语音开放平 Home product management Official website Sample Purchase aabb 中文

Wake-up word customization

Through customization, code can be automatically generated, and ports such as GPIO, PWM, and UART can output custom signals according to voice commands, and external devices can be controlled without code development.Wake-up Word Custom Rules

Wake-up Word	Pinyin	operation
hey pudding		delete
Ni Hao		delete
Wheelchair wake		delete
Hey Friday		delete

add one

Wake-up Sensitivity ○ low ○ middle ● high


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
reply for wake-up
I am here
delete
please go ahead
delete
what can I do for you
delete
yes, iam listening
delete
+add
Customize offline command words and response words
If you want to control your own device, come and configure custom command words to make your device smart.
basic information
control details
inde x
behavior
command word
reply word
operation


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
basic information
control details
inde x
behavior
command word
reply word
operation
1
MoveLeft
Left|move left
ok,turning left
delete
2
MoveRight
Right|move right
ok,Turning right
delete
3
Stop
Stop|halt|stop the wheelchair
ok,stopped
delete
4
Emergency
Emergency|Emergency call
ok,Notification sent
delete
5
MoveForward
Forward|Move forward|GO
ok,going forward
delete
6
MoveBackward
Backward|Move backward|Back
ok,going backward
delete
Note: If you want to adjust the device volume, please set the action to volumeUpUni (increase volume), volumeDownUni (decrease volume), volumeMaxUni (maximum volume), volumeMidUni (medium volume), volumeMinUni (minimum volume), otherwise it will not take effect.

安信可语音开放平 Home product management Official website Sample Purchase aabb

Customize offline command words and response words

If you want to control your own device, come and configure custom command words to make your device smart.

basic information | control details

index	behavior	command word	reply word	operation
1	TurnOn	please light up the lamp|please light u	Lighting is turned on for you	delete
2	TurnOff	Turn off the light	Light is turned off	delete
3	MoveLeft	Left|move left	ok,turning left	delete
4	MoveRight	Right|move right	ok,Turning right	delete
5	Stop	Stop|halt|stop the wheelchair	ok,stopped	delete
6	Emergency	Emergency|Emergency call	ok,Notification sent	delete

安信可语音开放平 Home product management Official website Sample Purchase aabb 中文

2	TurnOff	Turn off the light	Light is turned off	delete
3	MoveLeft	Left|move left	ok,turning left	delete
4	MoveRight	Right|move right	ok,Turning right	delete
5	Stop	Stop|halt|stop the wheelchair	ok,stopped	delete
6	Emergency	Emergency|Emergency call	ok,Notification sent	delete
7	MoveForward	Forward|Move forward|GO	ok,going forward	delete
8	MoveBackward	Backward|Move backward|Back	ok,going backward	delete

Note: If you want to adjust the device volume, please set the action to volumeUpUni (increase volume), volumeDownUni (decrease volume), volumeMaxUni (maximum volume), volumeMidUni (medium volume), volumeMinUni (minimum volume), otherwise it will not take effect.

+add one | massive import | clear

automatic study commands


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
basic information
control details
index
behavior
command word
control type
action
action parameters
operation
1
wakeup_uni
hey pudding|Ni Hao|Wheelchair wake|Hey Friday
UART1_TX
send
parameter: AA AA
edit
delete
add control
2
TurnOn
please light up the lamp|please light up|light up|turn on
GPIO_A27
settings
high level
edit
delete
add control
3
TurnOff
Turn off the light
GPIO_A27
settings
low level
edit
delete
add control
4
MoveLeft
Left|move left
UART1_TX
send
parameter: A0 20
edit
delete


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
5
MoveRight
Right|move right
UART1_TX
send
parameter: A0 30
edit
delete
add control
6
Stop
Stop|halt|stop the wheelchair
UART1_TX
send
parameter: AA 11
edit
delete
add control
7
Emergency
Emergency|Emergency call
UART1_TX
send
parameter: BB 22
edit
delete
add control
8
MoveForward
Forward|Move forward|GO
UART1_TX
send
parameter: A1 89
edit
delete
add control
9
MoveBackward
Backward|Move backward|Back
UART1_TX
send
parameter: A1 91
edit
delete


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
index
behavior
command word
control type
action
action parameters
operation
1
wakeup_uni
hey pudding|Ni Hao|Wheelchair wake|Hey Friday
add control
2
MoveLeft
Left|move left
UART1_TX
send
parameter: A0 20
edit
delete
add control
3
MoveRight
Right|move right
UART1_TX
send
parameter: A0 30
edit
delete
add control
4
Stop
Stop|halt|stop the wheelchair
UART1_TX
send
parameter: AA 11
edit
delete
add control
edit


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
5
Emergency
Emergency|Emergency call
UART1_TX
send
parameter: BB 22
edit
delete
add control
6
MoveForward
Forward|Move forward|GO
UART1_TX
send
parameter: A1 89
edit
delete
add control
7
MoveBackward
Backward|Move backward|Back
UART1_TX
send
parameter: A1 91
edit
delete
add control
automatic study commands
recognition sensitivity
low
middle
high


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
Wake-up-free command words (up to 10 words, otherwise, only the first 10 will be in use)
options 0/13
please light up...
please light up
light up
turn on the light
i am back
Turn off ight
move left
move right
selected options 0/8
Left
Right
Stop
halt
stop the wheel...
Emergency
Forward
Backward
reset wakeup-free
(If you cannot add 10 items, please click the reset button)
Speaker configuration
Let the device speak in a voice you define


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
Speaker configuration
Let the device speak in a voice you define
synthesized voice type
local synthesized voice
speaker
xuanxuan
sweet girl
lingling
Chinese Taiwan girl
tangtang
lively girl
kiyo
cute girl
xiaowen
female announcer
xiaofeng
male announcer
tiantian
naive boy
volume
50


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
speed of speech
50
brightness
50
other configuration
Let the device speak in a voice you define
boot broadcast
has boot broadcast
no boot broadcast
voice control wheelchair
24/200
quit for timeout
timeout time:
41
seconds
(Recommended between 5-60 seconds)
reply for quit
please call me if necessary
delete


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
reply for quit
please call me if necessary
delete
+add
quit
quit command
quit
delete
+add
reply for quit
please call me if necessary
delete
see you later
delete
+add
make new version


安信可语音开放平
Home
product management
Official website
Sample Purchase
aabb
中文
20260301002
voice_1_kiyo
2026-03-01 13:28:24
built
edit
download SDK
delete
download firmware


COM7
Send
voice controlled wheel chair

Data From VC 02
Received Hex value: 0xA030
RIGHT command received

Data From VC 02
Received Hex value: 0xA020
LEFT command received

Data From VC 02
Received Hex value: 0xAA11
STOP command received

Data From VC 02
Received Hex value: 0xA191
BACKWARD command received

Data From VC 02
Received Hex value: 0xA189
FORWARD command received

Data From VC 02
Received Hex value: 0xAA11
STOP command received
Autoscroll
Show timestamp
Newline
9600 baud
Clear output