Daily NetFlow Traffic Report

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)


COMPLETE

Data coverage 100% · 288/288 intervals

DEMO - synthetic data, not measured · this is a layout example, not an operational report

INBOUND (EST.)	OUTBOUND (EST.)	PEAK INBOUND	PEAK OUTBOUND	TOTAL (EST.)	DATA COVERAGE
4.1 TB	1.4 TB	760.8 Mb/s	258.0 Mb/s	5.5 TB	100%
Average 378.9 Mb/s	Average 127.2 Mb/s	at 11:15 · 5-min average	at 11:40 · 5-min average	Inbound + outbound	288 of 288 five-minute intervals
▲ 6.5% vs prev. day	▼ 2.9% vs prev. day			▲ 3.9% vs prev. day	

Traffic by direction - 5-minute average



KEY OBSERVATIONS

- Inbound 4.1 TB and outbound 1.4 TB (estimated from sampled flows); average 378.9 Mb/s in and 127.2 Mb/s out.
- Inbound peaked at 760.8 Mb/s at 11:15; outbound peaked at 258.0 Mb/s at 11:40 (5-minute averages, Asia/Riyadh).
- Total volume +3.9% against the previous day (inbound +6.5%, outbound -2.9%).
- Largest source: 203.0.113.10 with 11.8% of inbound plus outbound volume.
- Volumes are estimates: exporters sample 1 in 1000 packets and each record is scaled by its sampling rate.

COLLECTION & COMPLETENESS

Status	COMPLETE
Intervals with data	288 / 288
Exporters reporting	3
Newest flow record	7.1 h ago
Volume basis	Estimated (sampled)

DEMO – SYNTHETIC DATA

Traffic Analysis


Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

COMPLETE


Data coverage 100%

DEMO - synthetic data, not measured · this is a layout example, not an operational report


Hourly volume



Report day vs previous day




Protocol mix (volume)




TCP	71.2%	UDP	24.1%
Other	3.6%	ICMP	1.1%

Traffic by site



Traffic by ISP / provider



DEMO - SYNTHETIC DATA

Technical Details

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

COMPLETE

Data coverage 100%

DEMO - synthetic data, not measured · this is a layout example, not an operational report

TOP 10 SOURCE IPS

	IP ADDRESS	NETWORK	VOLUME	SHARE
1	203.0.113.10	DEMO-CDN-A	644.9 GB	11.8%
2	198.51.100.24	DEMO-CLOUD-B	513.7 GB	9.4%
3	203.0.113.77	DEMO-CDN-A	388.0 GB	7.1%
4	192.0.2.45	DEMO-SAAS	317.0 GB	5.8%
5	198.51.100.200	-	240.5 GB	4.4%
6	203.0.113.130	DEMO-CDN-C	213.1 GB	3.9%
7	192.0.2.9	DEMO-DNS	169.4 GB	3.1%
8	198.51.100.61	DEMO-CLOUD-B	147.6 GB	2.7%
9	203.0.113.201	-	120.2 GB	2.2%
10	192.0.2.150	DEMO-SAAS	98.4 GB	1.8%

TOP 10 DESTINATION IPS

	IP ADDRESS	NETWORK	VOLUME	SHARE
1	10.20.4.15	DEMO-LAN-HQ	557.4 GB	10.2%
2	10.20.4.88	DEMO-LAN-HQ	453.6 GB	8.3%
3	10.30.1.20	DEMO-LAN-DC	366.2 GB	6.7%
4	10.20.9.4	DEMO-LAN-HQ	300.6 GB	5.5%
5	10.40.2.31	DEMO-LAN-BR	256.9 GB	4.7%
6	10.30.1.45	DEMO-LAN-DC	196.7 GB	3.6%
7	10.20.4.120	DEMO-LAN-HQ	158.5 GB	2.9%
8	10.30.5.2	DEMO-LAN-DC	131.2 GB	2.4%
9	10.40.2.77	DEMO-LAN-BR	109.3 GB	2.0%
10	10.20.7.19	DEMO-LAN-HQ	87.4 GB	1.6%

TOP 10 CONVERSATIONS

	SOURCE → DESTINATION	SERVICE	VOLUME
1	203.0.113.10 → 10.20.4.15	TCP/443	333.4 GB
2	198.51.100.24 → 10.20.4.88	TCP/443	262.3 GB
3	10.30.1.20 → 192.0.2.45	TCP/443	202.2 GB
4	203.0.113.77 → 10.30.1.20	TCP/443	180.4 GB
5	198.51.100.200 → 10.20.9.4	UDP/443	158.5 GB
6	203.0.113.130 → 10.40.2.31	TCP/80	131.2 GB
7	10.20.4.120 → 192.0.2.9	UDP/53	103.8 GB
8	198.51.100.61 → 10.30.5.2	TCP/22	87.4 GB
9	10.40.2.77 → 203.0.113.201	TCP/443	76.5 GB
10	192.0.2.150 → 10.20.7.19	TCP/443	65.6 GB

TOP 10 PROTOCOLS / PORTS

	PROTOCOL / PORT	VOLUME	SHARE
1	TCP/443 (HTTPS)	3.1 TB	56.2%
2	UDP/443	715.9 GB	13.1%
3	UDP/53 (DNS)	240.5 GB	4.4%
4	TCP/80 (HTTP)	213.1 GB	3.9%
5	TCP/22 (SSH)	114.8 GB	2.1%
6	UDP/123 (NTP)	32.8 GB	0.6%
7	TCP/445 (SMB)	103.8 GB	1.9%
8	TCP/3389 (RDP)	60.1 GB	1.1%
9	TCP/8443	49.2 GB	0.9%
10	UDP/5060 (SIP)	38.3 GB	0.7%

EXPORTERS (EACH LISTED SEPARATELY - NOT ADDITIVE)

EXPORTER	SITE	INBOUND	OUTBOUND	SAMPLING	COVERAGE	LAST RECORD
demo-edge-01	DEMO-HQ	2.4 TB	755.4 GB	1:1000	100%	23:55
demo-edge-02	DEMO-DC	1.3 TB	480.7 GB	1:1000	100%	23:55
demo-branch-01	DEMO-BRANCH	450.1 GB	137.3 GB	1:1000	97%	23:55

DATA QUALITY & METHODOLOGY

- Volumes are derived from NetFlow records scaled by the exporter sampling rate: sampled exporters give ESTIMATED traffic, unsampled exporters give observed volume.
- Direction comes from interface boundary metadata (external to internal = inbound). Transit and unclassified flows are not part of inbound or outbound.
- Top-10 shares are relative to inbound plus outbound volume; per-IP and per-service tables use flow records classified as inbound or outbound only.
- Exporters are listed separately and are not added together; a flow seen by two exporters appears in each exporter row.

DEMO - SYNTHETIC DATA