Daily Network Health Report

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

PARTIAL

7 of 8 devices reporting

DEMO - synthetic data, not measured · this is a layout example, not an operational report

DEVICES IN SCOPE	UP AT END OF DAY	DOWN / UNKNOWN	NO DATA / NOT MONITORED	AVERAGE AVAILABILITY	HIGHEST CPU PEAK
8	4	1 / 1	1 / 1	97.11%	93%
All monitored devices	50% of devices	DEMO-BR1-R1	not the same as down	2 devices with down time	DEMO-DC-R1 at 11:00

DEVICES REQUIRING ATTENTION

DEVICE	STATE	WHY
DEMO-BR1-R1	DOWN	down at the end of the day
DEMO-BR2-AP1	UNKNOWN	availability unknown at the end of the day
DEMO-BR2-R1	NO DATA	no data in the last 10 minutes of the day; coverage 88 %
DEMO-BR2-SW1	NOT MONITORED	no availability monitoring
DEMO-DC-R1	UP	CPU peaked at 93 %

+ 1 more: see Technical Details

KEY OBSERVATIONS

- 4 of 8 devices were UP at the end of the day, 1 DOWN, 1 UNKNOWN, 1 with NO DATA, 1 NOT MONITORED.
- Average availability of the 6 reporting devices was 97.11%; 2 devices had down time (longest 210 min).
- Highest CPU peak: DEMO-DC-R1 at 93 %; highest memory peak: DEMO-DC-R1 at 70 % (5-minute averages).
- 1 device is reachable but has no CPU or memory data (DEMO-HQ-SW1); they are not counted as down.
- Some devices have incomplete data for the day: their availability figures cover only the intervals that were collected (see Technical Details).

DEVICE STATUS AT END OF DAY

DEVICE	SITE	STATE	AVAILABILITY	CPU PEAK	MEMORY PEAK
DEMO-BR1-R1	DEMO-BRANCH-1	DOWN	85.42%	47%	45%
DEMO-BR2-AP1	DEMO-BRANCH-2	UNKNOWN	N/A	N/A	N/A
DEMO-BR2-R1	DEMO-BRANCH-2	NO DATA	100.00%	62%	59%
DEMO-BR2-SW1	DEMO-BRANCH-2	NOT MONITORED	N/A	N/A	N/A
DEMO-DC-R1	DEMO-DC	UP	100.00%	93%	70%
DEMO-HQ-R1	DEMO-HQ	UP	100.00%	71%	56%
DEMO-HQ-R2	DEMO-HQ	UP	97.22%	56%	51%
DEMO-HQ-SW1	DEMO-HQ	UP	100.00%	N/A	N/A

SCOPE & COMPLETENESS

Scope	All monitored devices
Status	PARTIAL
Devices reporting	7 / 8
Metrics	availability, cpu, memory

DEMO – SYNTHETIC DATA

Availability & Load


Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

PARTIAL


7 of 8 devices reporting

DEMO - synthetic data, not measured · this is a layout example, not an operational report


Availability timeline (ICMP, 30-minute cells)




Availability by device (lowest 9)



CPU utilisation (5-minute average)



Memory utilisation (5-minute average)



DEMO - SYNTHETIC DATA

Technical Details

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

PARTIAL

7 of 8 devices reporting

DEMO - synthetic data, not measured · this is a layout example, not an operational report

DEVICES

DEVICE	SITE	TYPE	STATE AT END OF DAY	AVAILABILITY	DOWN TIME	COVERAGE	CPU AVG	CPU PEAK	MEMORY AVG	MEMORY PEAK
DEMO-HQ-R1	DEMO-HQ	Router	UP	100.00%	0 min	100%	16%	71%	53%	56%
DEMO-HQ-R2	DEMO-HQ	Router	UP	97.22%	40 min	100%	14%	56%	48%	51%
DEMO-HQ-SW1	DEMO-HQ	Switch	UP	100.00%	0 min	100%	N/A	N/A	N/A	N/A
DEMO-DC-R1	DEMO-DC	Router	UP	100.00%	0 min	100%	28%	93%	66%	70%
DEMO-BR1-R1	DEMO-BRANCH-1	Router	DOWN	85.42%	210 min	100%	12%	47%	41%	45%
DEMO-BR2-R1	DEMO-BRANCH-2	Router	NO DATA	100.00%	0 min	88%	16%	62%	55%	59%
DEMO-BR2-AP1	DEMO-BRANCH-2	Switch	UNKNOWN	N/A	N/A	100%	N/A	N/A	N/A	N/A
DEMO-BR2-SW1	DEMO-BRANCH-2	Switch	NOT MONITORED	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DATA QUALITY & METHODOLOGY

- Device state is evaluated at the end of the reporting day from monitoring data only (ICMP ping and SNMP availability reported to Zabbix); NetFlow traffic is never used to decide whether a device is up.
- UP / DOWN need a sample in the last 10 minutes of the day. NO DATA = monitored but silent at the end of the day (a stale collection, not proof of an outage). NOT MONITORED = no availability sample in the previous 8 days.
- A device that answers ping but has no CPU or memory item stays UP: those columns show N/A (not monitored). Nothing is invented for missing metrics.
- Availability = share of 5-minute ICMP intervals that were up (SNMP availability when a device has no ICMP item). Down time counts intervals below 50 % up. CPU and memory are 5-minute averages; a device with several CPU items shows its busiest one.

DEMO - SYNTHETIC DATA