Daily NetFlow Traffic Report

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)


PARTIAL

Data coverage 87% · 250/288 intervals

DEMO - synthetic data, not measured · this is a layout example, not an operational report

INBOUND (EST.)	OUTBOUND (EST.)	PEAK INBOUND	PEAK OUTBOUND	TOTAL (EST.)	DATA COVERAGE
3.2 TB	1.1 TB	760.8 Mb/s	258.0 Mb/s	4.2 TB	87%
Average 293.6 Mb/s	Average 98.4 Mb/s	at 11:15 · 5-min average	at 11:40 · 5-min average	Comparison not shown (incomplete day)	250 of 288 five-minute intervals

Traffic by direction - 5-minute average



KEY OBSERVATIONS

- Inbound 3.2 TB and outbound 1.1 TB (estimated from sampled flows); average 293.6 Mb/s in and 98.4 Mb/s out.
- Inbound peaked at 760.8 Mb/s at 11:15; outbound peaked at 258.0 Mb/s at 11:40 (5-minute averages, Asia/Riyadh).
- Previous-day comparison is not shown: this day is incomplete (coverage 87%), so it is not comparable with a full day.
- Largest source: 203.0.113.10 with 11.8% of inbound plus outbound volume.
- Data coverage is 87% (250 of 288 five-minute intervals): the volumes above understate real traffic.
- Volumes are estimates: exporters sample 1 in 1000 packets and each record is scaled by its sampling rate.

COLLECTION & COMPLETENESS

Status	PARTIAL
Intervals with data	250 / 288
Exporters reporting	3
Newest flow record	7.1 h ago
Volume basis	Estimated (sampled)

DEMO - SYNTHETIC DATA

Traffic Analysis


Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

PARTIAL


Data coverage 87%

DEMO - synthetic data, not measured · this is a layout example, not an operational report


Hourly volume



Report day vs previous day




Protocol mix (volume)




TCP 71.2% UDP 24.1%

Other 3.6% ICMP 1.1%

Traffic by site



Traffic by ISP / provider



DEMO - SYNTHETIC DATA

Technical Details

Sunday, 11 October 2026 · 2026-10-11 00:00 – 24:00 · Asia/Riyadh (UTC+03:00)

PARTIAL

Data coverage 87%

DEMO - synthetic data, not measured · this is a layout example, not an operational report

TOP 10 SOURCE IPS

	IP ADDRESS	NETWORK	VOLUME	SHARE
1	203.0.113.10	DEMO-CDN-A	499.6 GB	11.8%
2	198.51.100.24	DEMO-CLOUD-B	398.0 GB	9.4%
3	203.0.113.77	DEMO-CDN-A	300.6 GB	7.1%
4	192.0.2.45	DEMO-SAAS	245.5 GB	5.8%
5	198.51.100.200	-	186.3 GB	4.4%
6	203.0.113.130	DEMO-CDN-C	165.1 GB	3.9%
7	192.0.2.9	DEMO-DNS	131.2 GB	3.1%
8	198.51.100.61	DEMO-CLOUD-B	114.3 GB	2.7%
9	203.0.113.201	-	93.1 GB	2.2%
10	192.0.2.150	DEMO-SAAS	76.2 GB	1.8%

TOP 10 DESTINATION IPS

	IP ADDRESS	NETWORK	VOLUME	SHARE
1	10.20.4.15	DEMO-LAN-HQ	431.8 GB	10.2%
2	10.20.4.88	DEMO-LAN-HQ	351.4 GB	8.3%
3	10.30.1.20	DEMO-LAN-DC	283.6 GB	6.7%
4	10.20.9.4	DEMO-LAN-HQ	232.8 GB	5.5%
5	10.40.2.31	DEMO-LAN-BR	199.0 GB	4.7%
6	10.30.1.45	DEMO-LAN-DC	152.4 GB	3.6%
7	10.20.4.120	DEMO-LAN-HQ	122.8 GB	2.9%
8	10.30.5.2	DEMO-LAN-DC	101.6 GB	2.4%
9	10.40.2.77	DEMO-LAN-BR	84.7 GB	2.0%
10	10.20.7.19	DEMO-LAN-HQ	67.7 GB	1.6%

TOP 10 CONVERSATIONS

	SOURCE → DESTINATION	SERVICE	VOLUME
1	203.0.113.10 → 10.20.4.15	TCP/443	258.2 GB
2	198.51.100.24 → 10.20.4.88	TCP/443	203.2 GB
3	10.30.1.20 → 192.0.2.45	TCP/443	156.6 GB
4	203.0.113.77 → 10.30.1.20	TCP/443	139.7 GB
5	198.51.100.200 → 10.20.9.4	UDP/443	122.8 GB
6	203.0.113.130 → 10.40.2.31	TCP/80	101.6 GB
7	10.20.4.120 → 192.0.2.9	UDP/53	80.4 GB
8	198.51.100.61 → 10.30.5.2	TCP/22	67.7 GB
9	10.40.2.77 → 203.0.113.201	TCP/443	59.3 GB
10	192.0.2.150 → 10.20.7.19	TCP/443	50.8 GB

TOP 10 PROTOCOLS / PORTS

	PROTOCOL / PORT	VOLUME	SHARE
1	TCP/443 (HTTPS)	2.4 TB	56.2%
2	UDP/443	554.6 GB	13.1%
3	UDP/53 (DNS)	186.3 GB	4.4%
4	TCP/80 (HTTP)	165.1 GB	3.9%
5	TCP/22 (SSH)	88.9 GB	2.1%
6	UDP/123 (NTP)	25.4 GB	0.6%
7	TCP/445 (SMB)	80.4 GB	1.9%
8	TCP/3389 (RDP)	46.6 GB	1.1%
9	TCP/8443	38.1 GB	0.9%
10	UDP/5060 (SIP)	29.6 GB	0.7%

EXPORTERS (EACH LISTED SEPARATELY - NOT ADDITIVE)

EXPORTER	SITE	INBOUND	OUTBOUND	SAMPLING	COVERAGE	LAST RECORD
demo-edge-01	DEMO-HQ	1.8 TB	584.2 GB	1:1000	87%	23:55
demo-edge-02	DEMO-DC	983.1 GB	371.8 GB	1:1000	87%	23:55
demo-branch-01	DEMO-BRANCH	348.8 GB	106.2 GB	1:1000	84%	23:55

DATA QUALITY & METHODOLOGY

- Volumes are derived from NetFlow records scaled by the exporter sampling rate: sampled exporters give ESTIMATED traffic, unsampled exporters give observed volume.
- Direction comes from interface boundary metadata (external to internal = inbound). Transit and unclassified flows are not part of inbound or outbound.
- Top-10 shares are relative to inbound plus outbound volume; per-IP and per-service tables use flow records classified as inbound or outbound only.
- Exporters are listed separately and are not added together; a flow seen by two exporters appears in each exporter row.

DEMO - SYNTHETIC DATA