Ezzogenics Pte. Ltd.

59 Ubi Avenue 1 #06-16 Bizlink Centre Singapore S408938 +65 69683098 admin@ezzogenics.com www.ezzogenics.com GST Registration No.: Quotation QE0123TV2-1



ADDRESS

201208665Z

201208665Z

High X Cess Solutions Pte Ltd (Customer) 1 Paya Lebar Link, Paya Lebar Quarter, #04-01, Singapore 408533

Company Registration No.

DATE 12/02/2023

TOTAL SGD 151,200.00

5.000.00

5.000.00

PROJECT

Thomson V2 Roof Pool WP

ACTIVITY	QTY RATE	AMOUNT
Waterproofing works	1 15,000.00	15,000.00

1. Waterproofing works for Swimming Pool Drainage

Work scope:

- a. Removal of WPC decking for drainage area only and disposal of damaged batten (if required)
- b. Hacking works on existing swimming pool drain, removal of tiles to cement base
- Supply materials and waterproofing labour to lay Davco K11 Flexible membrane on the raw cement base, check for crack lines. Existing crack lines to be repaired with Davco Non-Shrink Grout and Fiber Glass Mesh.
- c. Floor screeding works to be done using Davoc 3-in-1 waterproofing cement in preparation for tiling works
- d. Supply and lay newly proposed drain floor tiles
- e. Tiling to be using tilemix 303 cement. Grouting to be Mapei (White) for drain tiling works
- f. Disposal of renovation debris

Polyurethane Injection

- 2. Supply labour specialist and waterproofing materials for polyurethane foam (PU) injection for 4 areas such as the adjacent ramp to the gym (ramp in front of gym) and where is reachable affected ceiling below (2 areas). Affected areas (2 location) are near the gym at the corner of the pool. To inject directly into the concrete RC near the affected corner.
- To open Bridal Salon damaged false ceiling investigate, and propose repair, if possible.
- Upon completion of waterproofing, to make good ceiling

ACTIVITY	QTY	RATE	AMOUNT
Grouting repair 3. 1. To re-grout existing swimming pool with new grout. After removal of grouting, to provide waterproofing treatment using Davco K10 DP Deep Penetrating for Concrete Substrate. For swimming pool size 22m x 3m. - Does not include replacement of hollow flooring due to wear and tear	1	15,000.00	15,000.00
Water proofing 4. Waterproofing system treatment to Aluminium Roof plating and where applicable replace damaged existing bitumen membrane with new Torch On Membrane on the basis of the OVERLAY method.	1	55,000.00	55,000.00
Work scope: Surface Preparation 1. All debris/existing DAMAGED waterproofing membranes must be cleared off and disposed of in an approved government facility. 2. To Supply labour to clean the surface by removing all loose particles, sharp projection, dust, dirt oil, fungus, and other contamination using a high-pressure water jet and instruments deemed not appropriate on-site. 3. Seal crack line, damaged screed, rainwater downpipe area and other possible leakage areas using Davco Non-Shrink Grout cement 4. Supply labour to seal crack beneath ridge tiles and other possible leakage areas using fibreglass mesh/patching compound/ Davco Green Sheet R 5. Seal crack line, damaged screed, rainwater down pipe area and other possible leakage areas using Non-Shrink patching compound. 6. All edges (between the wall and RC slab junction) are to be sealed by laying Davco Non-Shrink Grout cement bonding agents 25mm x 25mm angle fillet to enable the proper membrane to turn up. 7. After surface preparation, apply one coat of high-bonding Bituminous primer over the treated surface to provide good bonding between the membrane and the slab. 8. Install DAVCO/MAPEI Mapethene Bitumen Torch On Waterproofing Membrane with a mineral finish to turn up 300mm on the wall. 9. Total area currently covered by bitumen protection @ 490sqm 10. On completion to apply one layer of Davco Non-Shrink Grout Cement as UV and physical protective top-coat			
Water proofing 5. Aluminium roof sheeting waterproofing using Davco Green Sheet R 1. Apply DAVCO Green Sheet R Flexible Acrylic Waterproofing Membrane (5-layer system) with 1 layer of reinforcement fibreglass mat to enhance water tightness from all membrane turn up junction at 150mm between torch on membrane termination and parapet wall (1 primer coat, 1 fibreglass mat and 3 top coats) 2. After completion of surface preparation, apply 1 coat of Davco high bonding primer over the treated surface to provide bonding between membrane and slab Total estimated area: 1300sqm 3. Painting of internal damaged false ceiling from water seepage using Nippon Matex paint or similar grade.	1	50,000.00	50,000.00
Insurance Others: - Provision of Public Liability and Contractor All Risk Insurance up to \$2,000,000 - Supply manpower and waterproofing expertise for commencement of works			

ACTIVITY		QTY	RATE	AMOUNT
Warranty - 3 Years on repaired/replaced areas for the drainage a pool repair. Does not include areas not repaired not stated in this 3 Years Warranty on Roofing repair works Future leakage affecting adjacent apartment units and units below waterproofing treatment's deterioration arising from the unrepaire areas of the drainage or perimeter of the swimming pool may occ	quote. v due to d and/or replaced			
Payments Terms Deposit 20% on confirmation 1st Claim: 40% upon start date VO Claims: As project progress and VO is approved by the custo Final Balance: 40% on handover. No retention on completion.	mer			
Terms & Conditions :	SUBTOTAL			140,000.00
(1) All quoted works are quoted as-is only. Non-quoted items shall be subjected to additional charges.(2) If changes are made to the work scope by shifting, amending, correcting or re-doing any work (be it completed or already started) due to change of plan by the customer and	GST TOTAL			11,200.00
	TOTAL		SGD 151	,200.00
through no fault of the contractor, additional charges shall be incurred.				THANK YOU.

(5) Pay by cheque: "Ezzogenics Pte. Ltd" or

to stop work if any payment due is not paid.

unless otherwise approved by the Contractor.

OCBC Bank: 555-846724001 or Paynow: 201208665Z

(3) Job is confirmed with the invoice issued and deposit paid with quotation signed and stamped. Deposit paid is not refundable. Approved purchase order cannot be cancelled

(4) Payment terms: As stated in the quote. We reserve the right

(8) The validity of quotation:14 days.

(9) Please sign and stamp on this quotation.

Accepted By **Accepted Date**