

REQUEST FOR QUOTATION FORM
Quotation No.: RFQ/MSIT/UBI/2020/002

pec	tification of services :				
lecti	fication Work to Water Seepage Problem at Various Location		***************************************		
5/N	Description	Qty	U/Price	Amount	
	Inside Unit #04-04				
	Supply labour, tools & material to carry out the following works at	_			
	window area;				
	Surface Preparation	-			
	a. Clean entire internal & external wall surface to remove all dust,				
	dirt etc.				
	b. Patch up crack lines with epoxy adhesive and patching compound.		Surface Preparation and Internal work \$850 Note: PU grouting up to 3n max. Additional charged at		
	External				
	a. Apply and seal up window and wall joint using waterproof &	٦			
1 1	weatherproof silicone sealant	- 1 lot			
	b. Apply 3 coat of waterproofing treatment with flexible acrylic	1			
	waterproofing membrane.		\$20 per pa	ncker	
Ì	c. Make good affected wall and apply 2 finish coat of weather shield			_	
	paint				
Ī	Internal				
ı	a. Drill holes at 150mm interval and pressure grout to the wall to seal				
ľ	cracks in the concrete.				
ŀ	b. Make good to affected wall and apply 2 finishing coat of emulsion				
Ì	paint				
\neg	Passenger Lift Motor Room				
ŀ	Supply labour, tools & material to carry out the following works at	7			
Ī	internal & external wall;	1			
Ī		_			
ľ	Surface Preparation				
Ī	a. Clean entire internal & external wall surface to remove all dust,	-			
Ì	dirt etc.	***			
f	External	1			
- 1	a. Hack V-groove along existing crack lines and patch up with epoxy	-			
r	adhesive and patching compound/high flexibility putty compound.				
	b. Apply 3 coat of waterproofing treatment with flexible acrylic				
- [waterproofing membrane.	-			
/ F	c. Apply 2 finish coat of weather shield paint.	1 lot	Surface Preparation and Internal work		
-	d. Apply and seal up wndow and wall joint area with waterproof &	1			
-	weatherproof silicone sealant	-	\$850	outing up to 3m	
-	e. Supply & install lourves to exisitng lourves panel;	-	max.	outing up to SIII	
ŀ	- 1pcs of 1.8m, 1pcs of 1m		Additional of	harged at	
ŀ	Internal		\$20 per pac		
- 1	a. Drill holes at 150mm interval and pressure grout to the wall to seal	-			
-	cracks in the concrete.	-			
- I-		-			
-	o. Apply and seal up wndow and wall joint area with waterproof & weatherproof silicone sealant	-			
٠,	weather proof sincone sealant	-			
Γ.	c. Make good to affected wall and apply 2 finishing coat of emulsion	1	1		

REQUEST FOR QUOTATION FORM

Quotation No.: RFQ/MSIT/UBI/2020/002

pec	tification of services :		***************************************				
}ecti	fication Work to Water Seepage Problem at Various Location						
s/N	Description	Qty	U/Price	Amount			
7	Service/Cargo Lift Motor Room		, , , , , , , , , , , , , , , , , , , ,				
	Supply labour, tools & material to carry out the following works at	_					
	internal & external wall;						
	Surface Preparation	7					
	a. Clean entire internal & external wall surface to remove all dust,						
	dirt etc.						
	External						
_	a. Hack V-groove along existing crack lines and patch up with epoxy						
3	adhesive and patching compound/high flexibility putty compound.	1 lot					
	b. Apply 3 coat of waterproofing treatment with flexible acrylic	7					
	waterproofing membrane.		reparation an	d			
	c. Apply 2 finish coat of weather shield paint.	Internal w \$850	UIK				
	Internal		Note: PU grouting up to 3m max.				
	a. Drill holes at 150mm interval and pressure grout to the wall to seal	Additional	charged at				
	cracks in the concrete.	\$20 per p	acker				
	b. Make good to affected wall and apply 2 finishing coat of emulsion	_					
	paint						
	Generator Room						
	Supply labour, tools & material to carry out the following works;	_					
	Supply labour, costs at material to early out the relief and						
	Surface Preparation						
	a. Clean entire internal & external wall surface to remove all dust,						
	dirt etc.						
	b. Remove all debonded/damaged sealant etc.						
	External	_	Surface Preparation and				
	a. Apply and seal up wndow and wall joint area with waterproof &		Internal work \$850 Note: PU grouti	K			
	weatherproof silicone sealant	1 lot					
4	b. Make good affected wall and apply 2 finish coat of weather shield	1100	max.				
	paint		Additional c				
	c. Supply & install fixed canopy of the following size;		\$20 per pac	ker			
	- 1.5m x 0.5m		1				
	Material : Aluminium composite panel						
	Internal		ļ				
	a. Apply and seal up wndow and wall joint area with waterproof &						
	weatherproof silicone sealant						
	b. Make good to affected wall and apply 2 finishing coat of emulsion						
	paint						
	Staircase A			V. 37 (28 74 3 54 X)			
	Supply labour, tools & material to carry out the following works;		Part Strain				
_							
5	Surface Preparation						
	a. Clean internal & external wall surface to remove all dust, dirt etc.						
	b. Remove all debonded/damaged sealant.						

REQUEST FOR QUOTATION FORM

Quotation No.: RFQ/MSIT/UBI/2020/002

Spec	ctification of services :	· · · · · · · · · · · · · · · · · · ·			
Rect	ification Work to Water Seepage Problem at Various Location		*****		
		***************************************		····	
0 (2)			T		
s/N	Description Staircase A	Qty	U/Price	Amount	
	External	4			
		_			
	a. Apply and seal up wndow and wall joint area with waterproof & weatherproof silicone sealant	_			
	b. Make good affected wall and apply 2 finish coat of weather shield	-			
	paint				
		=	Surface Preparation and Internal work \$950 Excludes scaffolding		
5	Internal	1 lot			
	a. Apply and seal up wndow and wall joint area with waterproof & weatherproof silicone sealant				
	b. Make good to affected wall and apply 2 finishing coat of emulsion	-			
	paint	-			
	ран				
	Size of the lourves window;				
	a. 1.4m x 1.1m 8 nos.		ŀ		
	Staircase B	_			
	Supply labour, tools & material to carry out the following works;	_	ļ		
		_			
	Surface Preparation	4			
	a. Clean internal & external wall surface to remove all dust, dirt etc.	_			
	b. Remove all debonded/damaged sealant	_			
	<u>External</u>	_			
	a. Apply and seal up wndow and wall joint area with waterproof &				
	weatherproof silicone sealant	4			
	b. Make good affected wall and apply 2 finish coat of weather shield	_			
6	paint	1 lot			
	<u>Internal</u>				
	a. Apply and seal up wndow and wall joint area with waterproof &				
	weatherproof silicone sealant	_	Surface Pre	paration and	
	b. Make good to affected wall and apply 2 finishing coat of emulsion	4	Internal wor	k	
	paint	_	\$1250 Excludes so	offolding	
		4	Excludes so	anoluling	
ı	Size of the lourves window;	-			
	a. 1.4m x 1.1m — 6 nos. b. 1.1m x 0.9m 4 nos.	_			
ł	c. 1.1m x 0.5m 4 nos.	_			
!	C. 1.1111X 0.3111 4 110S.	<u> </u>	<u> </u>		
ļ	Inside Unit #01-02	_			
	Supply labour, tools & material to carry out the following works at	_			
	internal wall;	_			
ļ		_	Surface Preparation and		
- 1	Surface Preparation	_	Internal work \$850 Note: PU grouting up to 3m ma Additional charged at \$20 per packer		
7	a. Clean wall surface to remove all dust, dirt etc.	1 lot			
1	<u>Internal</u>				
	a. Drill holes at 150mm interval and pressure grout to the wall to seal				
	cracks in the concrete.				
	b. Make good to affected wall and apply 2 finishing coat of emulsion				
	paint				

Quotation No.: RFQ/MSIT/UBI/2020/002

ecti	fication Work to Water Seepage Problem at Various Location			
			11/D-2-	A
'N	Description Unit #05-03 Air-Con Ledge	Qty	U/Price	Amount
ŀ	Supply labour, tools & material to carry out the following works at	-		
ł	external wall:			
ŀ	31337			
ı	Surface Preparation			
	a. Clean wall surface to remove all dust, dirt etc.			
Ì	External			
ı	a. Apply and seal up wall joint area with waterproof & weatherproof			
1	silicone sealant			
Ī	b. Apply 3 coat of waterproofing treatment with flexible acrylic			
} [waterproofing membrane.	1 lot		
[c. Make good affected wall and apply 2 finish coat of weather shield			ing aircon, internally
	paint			
ı	Internal		painting \$600	
ı	a. Make good to affected wall and apply 2 finishing coat of emulsion		\$000	
	paint			
ł	Dimension : 7m			
- [Note : Contractor will have to temporary dismantle exisitng]		
	air-con for the work. Not require to fix back after completion of			
[the work			
T	Fire Stop Lobby(Lobby A)			
	Supply labour, tools & material to carry out the following works;			
[_		
	Surface Preparation			
I	a. Clean internal & external wall surface to remove all dust, dirt etc.			
ļ	b. Remove all debonded/damaged sealant			
[<u>External</u>		Surface Preparation and Internal work \$850	
[a. Apply and seal up wndow and wall joint area with waterproof &			
	weatherproof silicone sealant			
•	b. Make good affected wall and apply 2 finish coat of weather shield	1 lot		
	paint			I
	<u>Internal</u>			
	a. Apply and seal up wndow and wall joint area with waterproof &			l
	weatherproof silicone sealant			
	b. Make good to affected wall and apply 2 finishing coat of emulsion			
ĺ	paint			
ļ				
	Size of the windows;			1

Note:

- a. Costing should include provision of equipment(Scaffolding etc), dismantle of the equipment & accessories, dispose off site.
- b. Costing should include provision of rope access personnal to carry out the work.
- c. Costing should have taken into consideration of work to be carry out on weekend.
- ${\bf d.} \quad {\bf The \ validity \ period \ of \ the \ quotation \ shall \ be \ for \ 90 \ days \ from \ date \ of \ closing \ of \ this \ invitation.}$
- e. Contractor will require to provide 1 year warranty for the work.

I/We of	
nd complete the specified services at the lump	sum of Singapore Dollars
	s\$
ignature:	
lame :	The Market II.
Company stamp :	
Samaani Addeses	
ompany Address :	
	<u>'</u>
-mail Address :	
For Purchase order issue)	
ate:	

i i