

Devoxx Belgium 2026 Talks sorted by Likes

Source: [Devoxx Belgium 2026 talks](#)


Snapshot date: 2026-10-03

Speaker Stats

- Speaker filter: **Juan Antonio Breña Moral OR Leandro Loureiro**

The source lists the filtered speakers as **Juan Antonio Breña** 🇪🇸 🇵🇹 **(IG)** (Juan Antonio Breña Moral) and **Leandro Loureiro (ING)**. Talks matching both speakers are included only once. Percentile rank is tie-aware and uses the midpoint of all talks with the same number of likes within each subsection; a higher percentage indicates a stronger relative position.


Likes distribution with Outliers



The likes distribution across all **205 talks** is **right-skewed** (skewness **+1.35**, standard error 0.17; excess kurtosis **+2.03**): mean **56.1 likes** is above the median **49 likes**, with quartiles Q1 **27** and Q3 **74** (IQR 47), **6 outlier talks** above the Tukey fence of **144.5 likes** (Q3 + 1.5 IQR) and **1 super outlier** above **215.0 likes** (Q3 + 3 IQR); there are no low outliers, and a long tail up to **217 likes** (minimum **5**). A normal curve is therefore not a suitable model; the chart uses a log-normal fit instead (log-likes skewness -0.23, $\mu=3.80$, $\sigma=0.70$). The Technical Workshop is at **49 likes** (percentile **50.7%**) and the HITL talk is at **47 likes** (percentile **48.5%**), just below the median.

Likes distribution without Outliers

Likes across all non-outlier talks: histogram, log-normal fit and boxplot



Excluding the **7 outlier talks** above **144.5 likes**, the distribution across the remaining **198 talks** is **right-skewed** but clearly milder (skewness **+0.89**, standard error 0.17; excess kurtosis **+0.19**): mean **52.1 likes** vs median **47 likes**, population standard deviation **31.7 likes**, quartiles Q1 **27** and Q3 **71.75** (IQR 44.75), and values from **5** to **141 likes**. The recalculated Tukey fence is **138.9 likes** and flags **2 further talks** (141, 141 likes); outliers are removed in a single pass, so they stay in this subsection. The log-normal fit is kept for comparison with the previous chart (log-likes skewness -0.36, $\mu=3.75$, $\sigma=0.66$). Within these 198 talks the Technical Workshop at **49 likes** has percentile **52.5%** and the HITL talk at **47 likes** has percentile **50.3%**, equal to the median of **47 likes**.

Hands-on Lab Talks

- Session type: **Hands-on Lab**
- Total talks in cohort: **12**
- Matching talks: **1**
- **Technical Workshop on AI-Native Tooling for Java Development** - Juan Antonio Breña 🇪🇸 🇧🇪 (IG), Leandro Loureiro (ING) — 49 likes; current row **5 of 12**; tied position range **5–5**; percentile rank **62.5%**.


Tools-in-Action talks

- Session type: **Tools-in-Action**
- Total talks in cohort: **24**
- Matching talks: **1**
- **The Importance of HITL to Avoid Chaos and EU Regulations for AI** - Juan Antonio Breña 🇪🇸 🇪🇺 (IG) — 47 likes; current row **12 of 24**; tied position range **12–12**; percentile rank **52.1%**.

All talks

- Scope: **All session types**
- Total talks in cohort: **205**
- Matching talks: **2**
- **Technical Workshop on AI-Native Tooling for Java Development** - Juan Antonio Breña 🇪🇸 🇪🇺 (IG), Leandro Loureiro (ING) — 49 likes; current row **101 of 205**; tied position range **100–103**; percentile rank **50.7%**.
- **The Importance of HITL to Avoid Chaos and EU Regulations for AI** - Juan Antonio Breña 🇪🇸 🇪🇺 (IG) — 47 likes; current row **107 of 205**; tied position range **105–107**; percentile rank **48.5%**.

Talks grouped by Likes




Percentages represent the share of talks in each likes band; band totals sum to 205 talks.

The pie chart groups talks by their number of likes: **44 talks (21.5%)** have 0–24 likes, **62 (30.2%)** have 25–49, **48 (23.4%)** have 50–74, **24 (11.7%)** have 75–99, **21 (10.2%)** have 100–149, and **6 (2.9%)** have 150 or more. The **25–49 likes** band is the largest slice and contains both analyzed talks: the Technical Workshop at **49 likes** by Juan Antonio Breña and Leandro Loureiro, and the HITL talk at **47 likes** by Juan Antonio Breña.

Likes grouped by Companies

Likes attributed by company

Each talk's likes are split equally among its distinct represented companies




Attributed likes sum to 11,508; fractional totals result from equal allocation across distinct companies on joint talks.

The company pie chart allocates each talk's likes equally among its distinct represented companies, so its slices sum to the cohort's **11,508 likes** without double-counting joint talks. It shows the eight largest company totals, the analyzed speakers' companies **IG** and **ING**, and the remaining 126 companies as **Other**. **IG** has **71.5 attributed likes (0.6%)** across two talks—the HITL talk's 47 likes plus 24.5 from its half of the joint workshop—while **ING** has **55.5 attributed likes (0.5%)** across two company-associated talks, including 24.5 from its half of the workshop. Company totals include every cohort talk involving that company, not only talks by the analyzed speakers.

Talks grouped by Company

Talks attributed by company


Multi-company talks are split equally, so attributed talk counts sum to 205



Fractional counts prevent multi-company talks from being counted twice; attributed totals sum to 205.

The company pie chart allocates each talk equally among its distinct represented companies, so the attributed counts sum to the **205-talk cohort** without double-counting multi-company talks. It shows the eight largest company totals, **IG** and **ING** for the analyzed speakers, and the remaining 126 companies as **Other**. **IG** has **1.5 attributed talks (0.7%)** from two represented talks—the full HITL talk plus half of the joint workshop. **ING** also has **1.5 attributed talks (0.7%)** from two company-associated talks, including half of the workshop. Fractional attributed counts result from splitting multi-company talks; represented counts include a company in full whenever it appears on a talk.

Likes grouped by Speaker country



"UK" is normalized to "United Kingdom"; attributed likes sum to 11,508 across all markets.

The market pie chart uses each speaker’s country as the market and divides a joint talk’s likes equally among its distinct represented markets. It shows the eight largest market totals, **Spain** and the **Netherlands** for the analyzed speakers, and the remaining 20 markets as **Other**; **UK** is normalized to **United Kingdom** . Spain has **454.0 attributed likes (3.9%)** across nine talks, with the analyzed talks contributing the HITL talk’s 47 likes and 24.5 from half of the joint workshop. The Netherlands leads with **2,264.5 attributed likes (19.7%)** across 42 talks, including 24.5 from half of the workshop. Market totals include every cohort talk involving that market, not only talks by the analyzed speakers.

Hands-on Lab Talks

- Session type: **Hands-on Lab**
- Matching talks: **12**

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)** . Talks matching the speaker filter are highlighted in bold and color.

1. **61 likes** — Building Autonomous AI Agents with Spring - Timo Salm (Broadcom), Sandra Ahlgrimm (Microsoft / GitHub)
2. **57 likes** — Analyze and Optimize Your Applications with JFR - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
3. **57 likes** — 🚀 From Java to AI: Build Your First Intelligent Agent System! - Emmanuel Hugonnet (IBM), Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM)
4. **51 likes** — Using Structured Concurrency and Scoped Values to Create a Virtual Threads Based Asynchronous Application - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
5. **49 likes** — **Technical Workshop on AI-Native Tooling for Java Development - Juan Antonio Breña 🇪🇸 🇬🇧 (IG), Leandro Loureiro (ING)**
6. **32 likes** — From code to control: master deployments with Feature Flagging and OpenFeature - Alexandre Touret (Magellan), Philippe Duval (Magellan)
7. **29 likes** — 🏠 Developing with AI: What if it were as simple as adding a library? 🧑‍💻 - Stéphane Philippart (OVHcloud), Matthieu Vincent (Sopra Steria)
8. **25 likes** — Java is for Data Science, Too: Building an End-to-End ML Pipeline Without Leaving the JVM - Sven Reimers (Airbus), Zoran Sevarac (Deep Netts)
9. **23 likes** — Building Production-Ready Agentic Systems with LangChain4j and Quarkus - Mario Fusco (IBM), Georgios Andrianakis (IBM), Kevin Dubois (IBM)
10. **20 likes** — Beyond the Chatbox: Ship On-Device AI in Your Browser - Marcel Bagemihl (Consid), Stefan Ludwig (Consid)
11. **18 likes** — Wiring Up the AI Mesh: Building A2A-Compliant Java Agents - Emmanuel Hugonnet (IBM), Mario Fusco (IBM), Kevin Dubois (IBM)
12. **17 likes** — From Install to Insight: A Hands-On GPU Lab for Java Developers - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Christos Kotselidis (Beestream.ai, University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j)

Tools-in-Action talks

- Session type: **Tools-in-Action**
- Matching talks: **24**

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)**. Talks matching the speaker filter are highlighted in bold and color.

1. **114 likes** —  Dev Containers: the ultimate toolbox for developers? - Stéphane Philippart (OVHcloud)
2. **111 likes** — Secure Your Coding Agent Like It's Malware - Richard Gross (MaibornWolff GmbH)
3. **90 likes** — Stopping AI-Generated Architectural Drift: Deterministic Guardrails for Agentic Coding - Sasha Podlesniuk (INSHUR)
4. **81 likes** — AsyncAPI in action: OpenAPI for event-driven applications - Michel Schudel (Craftsmen)
5. **78 likes** — Your AI Agent Trusts Strangers. Let Me Show You. - Elder Moraes (IBM)
6. **73 likes** — Testing Architecture Made Simple - Gunter Rotsaert (ICT TriOpSys)
7. **64 likes** — Teaching a New Dog Old Tricks: Give the Agent a Debugger - Anton Arhipov (JetBrains)
8. **63 likes** — The Magic of OpenTelemetry: Rewriting Your App in Production - Bruce Bujon (Datadog)
9. **54 likes** — Solving Distributed Transactions with the Saga Pattern and Temporal - Andrei Sulyz (Skyro)
10. **52 likes** — One tool to rule them all: bash, a tiny LLM, and the birth of a coding agent - Philippe Charrière (Docker)
11. **49 likes** — In the loop, not in the dark: staying in control in the era of dark software factories - Alex Gavrilescu (Backlog.md)
12. **47 likes** — **The Importance of HITL to Avoid Chaos and EU Regulations for AI - Juan Antonio Breña   (IG)**
13. **44 likes** — BootUI, the missing developer console for Spring Boot and Quarkus - Julien Dubois (GitHub)
14. **37 likes** — The day we stopped publishing Kafka event from our API... - Virginie Zinck (Decathlon)
15. **32 likes** — Java Script (No, Not That One): Modern Automation with Java - Loïc Magnette (Oniryx)
16. **31 likes** — Exquisite Evals for Skills & MCPs - Christian Tzolov (Spring Team @ Broadcom), James Ward (AWS)
17. **27 likes** — Expanding Vector Search Beyond Similarity - Alina Yurenko (Oracle)
18. **27 likes** — Beyond assertEquals: Probabilistic Security and Bias Testing for Java LLM Applications - Iryna Dohndorf (Karakun)
19. **23 likes** — Building the Trusted Agent Ecosystem - Ivan Petrov (Google DeepMind), Patrick McGrath (Google DeepMind)
20. **21 likes** — From Laptop to Lakehouse: Analytical SQL with DuckDB - Oliver Geisser (Geisser Consulting)
21. **21 likes** — Do We Need a Build Language? Java Builds Java - Rafael Winterhalter (Scienta)
22. **21 likes** — 30 minutes to build your first Vidocq app, the 100% European Sovereign Java stack with zero external dependencies - Sebastien Blanc (SCIAM)
23. **17 likes** — Tap into the NVIDIA Ecosystem from Java with TornadoVM's Hybrid API - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j), Mary Xekalaki (beestream.ai | TornadoVM)
24. **17 likes** — Beyond Code: The Intent-Driven IDE for the Agentic Age - Bruno Borges (GitHub)

All talks

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)**. Talks matching the speaker filter are highlighted in bold and color.

1. **217 likes** — From Developer to Builder: A Spec-Driven Development Deep Dive - Simon Martinelli (Martinelli GmbH)
2. **203 likes** — Architecture Observability and Guardrails - Victor Rentea (Freelance)
3. **167 likes** — Welcome to Devox - Stephan Janssen (Devox)
4. **153 likes** — Modern Java in Practice - The Features That Matter - Nicolai Parlog (Oracle), Falk Sippach (embarc Software Consulting GmbH)
5. **152 likes** — A Year of Agentic AI Evolution: Lessons Learned Building Production-grade Agentic Systems - Mario Fusco (IBM), Kevin Dubois (IBM)
6. **152 likes** — A Fleet of AI Agents, Each in Its Own Sandbox: Inside Docker's Agentic Platform - Jean-Laurent de Morlhon (Docker)
7. **149 likes** — Responsibly Dimming the Lights in the Software Factory - Victor Rentea (Freelance)
8. **141 likes** — From Autocomplete to Autopilot: How AI Is Changing the Developer Experience - Tugdual Grall (GitHub)
9. **141 likes** — ADRs: The Why and How - Venkat Subramaniam
10. **138 likes** — The Year of the Runtime - Ron Pressler (Oracle)
11. **137 likes** — Bootiful Spring Boot 4 - Josh Long (the Spring team)
12. **136 likes** — Half of a billion Idle GPUs: The Case for On-Device AI - Prince Canuma (Neywa Labs)
13. **134 likes** — 223 Pull Requests in 11 Days: The Recipe for Building Real Software with AI Agents - Julien Dubois (GitHub)
14. **132 likes** — Agentic Engineering Reconversion - Victor Rentea (Freelance)
15. **126 likes** — From Brainless to Brilliant — Giving an Open-Source Robot a Mind of Its Own - Jan Van Wassenhove (Sopra Steria)
16. **119 likes** — How to survive and thrive as a dev (team) in the exponential age of AI. Real-world AI adoption, smarter ways of working, and lessons from the front lines - Sander Hoogendoorn (ibood.com)
17. **115 likes** — Loop Engineering, beyond prompt, context, and harness engineering - Guillaume Laforge (Google), Wietse Venema (Google Cloud)
18. **114 likes** — 📦 Dev Containers: the ultimate toolbox for developers? - Stéphane Philippart (OVHcloud)
19. **111 likes** — The Dark Secrets of Computer Science - Fabien Marsaud (Nonstatic)
20. **111 likes** — Secure Your Coding Agent Like It's Malware - Richard Gross (MaibornWolff GmbH)
21. **111 likes** — Integration patterns for distributed systems - Dirk Fröhner (Amazon Web Services), Sabarish Sekar (Amazon Web Services)
22. **105 likes** — Consistency Patterns in Event-Driven Architecture - Emanuel Trandafir
23. **104 likes** — Harness Engineering: Building the System Around Your AI Coding Agent - JI Darwish (Xomnia)
24. **103 likes** — Life in the Ivory Tower: Confessions of a Former Developer Who Turned Into an Architect - Robin Custers (Cegeka)
25. **103 likes** — Agents With Seatbelts: Practical Ways to Keep AI Code Gen Under Control - Jonathan Vila López (GK Software)

26. **102 likes** — 0 to 350 Engineers on Claude Code: What Could Go Wrong? - Nicolas Martignole (Back Market)
27. **101 likes** — The Hexagonal Hangover - Ties van de Ven (Alliander)
28. **98 likes** — Write Java Code Like a Seasoned Hacker: 2026 Edition - Soroosh Khodami (Rabobank)
29. **97 likes** — You thought technical debt was bad? Meet design debt! - Julien Topçu (Shodo Group), Josian Chevalier (Shodo)
30. **96 likes** — All you need to know about Maven 4! - Matthias Bühner (ITZBund)
31. **94 likes** — From vibe coding to harness engineering: modernizing a regulated environment with AI - Anyul Rivas (GFT)
32. **92 likes** — Software engineering in the age of AI agents: who's in control? - Bert Jan Schrijver (OpenValue)
33. **91 likes** — AI Security Deep Dive, Securing Agents and AI Applications - Brian Vermeer (Snyk)
34. **90 likes** — Stopping AI-Generated Architectural Drift: Deterministic Guardrails for Agentic Coding - Sasha Podlesniuk (INSHUR)
35. **88 likes** — Taming Microservice Overload: Our Journey to Modular Monoliths - Mario Klaver (Port of Rotterdam)
36. **88 likes** — Destructoring is the future of Javas Encapsulation - Richard Gross (MaibornWolff GmbH)
37. **87 likes** — Learning modern Java the playful way - Marit van Dijk (JetBrains), Piotr Przybyl (Elastic)
38. **85 likes** — Kubernetes for Developers - Alain Regnier (SCIAM)
39. **85 likes** — Fun with Flags: How OpenFeature Solves Your Feature Flag Headaches - Simon Schrottner (Flagsmith)
40. **82 likes** — Structured Concurrency Looms - Alan Bateman (Oracle), Viktor Klang (Oracle)
41. **82 likes** — Java and the Next Generation of Programming Models - Ana-Maria Mihalceanu (Oracle)
42. **81 likes** — F*ck The System, and other bad ideas for the future - Jo Caudron
43. **81 likes** — AsyncAPI in action: OpenAPI for event-driven applications - Michel Schudel (Craftsmen)
44. **79 likes** — rm -rf self-doubt: Debugging Impostor Syndrome for Developers - Vincent Mayers (Neo4j)
45. **78 likes** — Your AI Agent Trusts Strangers. Let Me Show You. - Elder Moraes (IBM)
46. **78 likes** — Is the IDE dead ? - Martin Lippert (Broadcom)
47. **77 likes** — Owning the Code You Didn't Type - Renato Guerra Cavalcanti (Octo Cogito)
48. **77 likes** — Escaping Java's Allocation Gravity with Value Classes - Clément de Tastes (SCIAM), Remi Forax (University Gustave Eiffel)
49. **77 likes** — AI Made Building Cheap. Now Decisions Are the Bottleneck. - Dave Sammut (Equal Experts), João Rosa (João Rosa Consulting)
50. **76 likes** — Agent Loops, Decoded: Fundamentals to Agentic Patterns in Spring AI - Christian Tzolv (Spring Team @ Broadcom)
51. **75 likes** — MCP 2.0 - Stateless, New Auth (CIMD), and Exciting Extensions - James Ward (AWS)
52. **74 likes** — Will Valhalla Fix Tony's Billion-Dollar Mistake? - José Paumard (Oracle), Remi Forax (University Gustave Eiffel)
53. **74 likes** — Build the Builder: A Java Coding Agent in Your IDE with ACP - Vadim Brilliantov (JetBrains)
54. **73 likes** — Testing Architecture Made Simple - Gunter Rotsaert (ICT TriOpSys)
55. **72 likes** — Strangling the dragon: modernizing legacy systems with the Strangler Fig pattern - Daniel Raneland (factor10)
56. **72 likes** — I Hired a Real Robot as My Junior Dev — and Now My Kids Don't Want to Learn Java Anymore - Jan Van Wassenhove (Sopra Steria)

57. **72 likes** — Bootiful Security - Daniel Garnier-Moiroux (Spring), Josh Long (the Spring team)
58. **71 likes** — Java, Raspberry Pi, and the Art of Overengineering Everyday Life - Matti Tahvonen (Vaadin)
59. **70 likes** — Prompt It Right: Spring Boot Testing in the AI Era - Philip Riecks (PragmaTech GmbH)
60. **67 likes** — The Yearly Java Performance Update for 2026 - Per-Ake Minborg (Oracle)
61. **66 likes** — Conquest, time travel and explosions using Git - Alexander Chatzizacharias (JDriven)
62. **66 likes** — 10 boring reasons why Java is the best ecosystem for agentic development - Ed Burns (GitHub)
63. **65 likes** — The pizza party of the future 🍕 software teams and product value in the age of coding agents - Katie Clark (Comsysto Reply), Simon Rohrer (Saxo Bank)
64. **64 likes** — Teaching a New Dog Old Tricks: Give the Agent a Debugger - Anton Arhipov (JetBrains)
65. **64 likes** — Help! I hate my team mate! - Jessica Siewert (Het ConsultancyHuis)
66. **64 likes** — Coder, Coach, Catalyst - using questions to make people grow - Martin Mazur (Mazur & Co)
67. **63 likes** — The Magic of OpenTelemetry: Rewriting Your App in Production - Bruce Bujon (Datadog)
68. **63 likes** — Microservices Without the Distributed Mess - Steven Hillaert (Sofico)
69. **63 likes** — Is AI killing XP practices? (Or are we letting it?) - Nacho Cougil (Dynatrace)
70. **62 likes** — Everyday JSON - Viktor Klang (Oracle), Alan Bateman (Oracle)
71. **61 likes** — Building Autonomous AI Agents with Spring - Timo Salm (Broadcom), Sandra Ahlgrimm (Microsoft / GitHub)
72. **60 likes** — Kill All Mutants! (Intro to Mutation Testing) - Dave Aronson (Codosaurus)
73. **59 likes** — Software Monuments - Architectural Lessons from the Systems That Shaped Computing - Tobias Voss (viadee Consultancy)
74. **58 likes** — Toxic Flows in MCP Servers and Skills: What Your Agent Blindly Trusts - Brian Vermeer (Snyk)
75. **58 likes** — State of Agentic Coding - Daniela Petruzalek (Google Cloud)
76. **58 likes** — Post-Quantum Today: How Your Passwords Will Be Safe in a Quantum Future - Julian Burr (Sonar AI)
77. **58 likes** — Measuring the Unmeasurable: Evaluating Generative AI in Practice - Erin Pacquetet (SCIAM)
78. **58 likes** — Eval Driven Development: Why you need it to make your Agentic Application survive Production - Urs Peter (Xebia)
79. **57 likes** — Java on Kubernetes Without Container Images: The WebAssembly Way - Bruno Borges (GitHub)
80. **57 likes** — Analyze and Optimize Your Applications with JFR - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
81. **57 likes** — 🚀 From Java to AI: Build Your First Intelligent Agent System! - Emmanuel Hugonnet (IBM), Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM)
82. **56 likes** — Making sense of vector databases - Balkrishna Rawool (ING Bank)
83. **56 likes** — From AI to Agent: A Field Guide to Agentic Patterns in LangChain4j - Loïc Magnette (Oniryx)
84. **55 likes** — Why Java Is Perfect for AI - Just Not the AI You're Thinking Of - Trisha Gee (Digital Aguacates), Andrey Santrosyan (Redouble AI)
85. **55 likes** — Snake in 10 Lines: Learning More by Coding Less - Guus de Wit (adesso)
86. **54 likes** — Why Documentation Won't Write Itself—and AI Won't Save You - Christian Heitzmann (SimplexaCode AG)
87. **54 likes** — When ORM Becomes OMG: Performance Pitfalls in JPA and Friends - Jos Roseboom (EasingYou)

88. **54 likes** — Solving Distributed Transactions with the Saga Pattern and Temporal - Andrei Sulyz (Skyro)
89. **54 likes** — Building AI Agents from First Principles - Adib Saikali (Broadcom)
90. **54 likes** — 10 Billion Records vs. The Regulator: An Architectural Post-Mortem of an 11TB Exadata Failure - Martin Ladecky (Commerzbank)
91. **53 likes** — How to Architect Green Software - Ioannis Kolaxis (Accenture)
92. **53 likes** — Emergent DevEx: The Good, the Bad, and the Legacy - Makan Sepehrifar (Productboard), Soroosh Khodami (Rabobank)
93. **53 likes** — Beyond system.out.println: Applying a Debugging Mindset at Scale - Cees Bos (OpenValue)
94. **52 likes** — One tool to rule them all: bash, a tiny LLM, and the birth of a coding agent - Philippe Charrière (Docker)
95. **51 likes** — Using Structured Concurrency and Scoped Values to Create a Virtual Threads Based Asynchronous Application - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
96. **51 likes** — Modernizing legacy code with AI: hands-on examples & lessons learned - Koen Vanderkimpen (Smals), Wim Lambrecht (Smals)
97. **51 likes** — Mission Possible: The 45-Minute Path to Bullet-Proof Java Container Images - Pasha Finkelshtein (Bellsoft)
98. **51 likes** — Create your own AI Agents without code - David Gageot (Docker)
99. **50 likes** — When benchmarks go bad - what we learned from measuring performance wrong - Francesco Nigro (IBM), Holly Cummins (IBM)
100. **49 likes** — What's happening with Project Amber? - Gavin Bierman (Oracle)
101. **49 likes** — **Technical Workshop on AI-Native Tooling for Java Development - Juan Antonio Breña 🇪🇸 🇩🇪 (IG), Leandro Loureiro (ING)**
102. **49 likes** — In the loop, not in the dark: staying in control in the era of dark software factories - Alex Gavrilescu (Backlog.md)
103. **49 likes** — Cheaper or Better? The Strategic Choice Behind AI Adoption - Miriam Sasse (S&N Invent)
104. **48 likes** — CRacking Compliance - The EU Cyber Resilience Act - Christian Schabetsberger (Finxit IT Solutions)
105. **47 likes** — We created our own AI orchestrator and it became so much more! - Ricky van Rijn (MetaFactory)
106. **47 likes** — Their API Went Down. So Why Is My App on Fire? - Ines Panker
107. **47 likes** — **The Importance of HITL to Avoid Chaos and EU Regulations for AI - Juan Antonio Breña 🇪🇸 🇩🇪 (IG)**
108. **46 likes** — Wrap, Reshape, or Redesign: Retrofitting Your APIs for a World of Agents - Horacio Gonzalez (Clever Cloud)
109. **45 likes** — The Quantum Tech Lead: Hands-On and Abstract at the Same Time - Cristian Schuszter (CERN)
110. **45 likes** — Java, LEGO & AI: Teaching the Next Generation to Build, Not Just Prompt - Eddy Vos (Devoux4Kids Netherlands)
111. **44 likes** — Choose your own adventure in agentic design patterns - Guillaume Laforge (Google)
112. **44 likes** — BootUI, the missing developer console for Spring Boot and Quarkus - Julien Dubois (GitHub)
113. **43 likes** — Who to blame? The AI, The Programmer, or The Prompt? - Makan Sepehrifar (Productboard)
114. **43 likes** — G1, ZGC, Shenandoah, ... with all these GCs in Java, which one do I choose? - Antoine DESSAIGNE (Axway)

115. **42 likes** — Why it takes 3000 commits to bring Valhalla's value objects to the JDK - David Simms (Java Platform Group - Oracle)
116. **42 likes** — What Does it Print? The Java Quiz (Hard Edition 🤖) - Clément de Tastes (SCIAM)
117. **42 likes** — Teaching an Old Handle New Tricks: From Core Reflection to FFM - Maurizio Cimadamore (Oracle), Viktor Klang (Oracle)
118. **42 likes** — Deterministic by Design - Achieving Reproducible Builds with Maven - Maarten Mulders (Info Support)
119. **42 likes** — Decoding the Cosmos: Voyager's 1970s Algorithms Meet Today's Cutting-Edge Tech - Pieter van der Meer (Dataworkz)
120. **41 likes** — Java Next - From Valhalla to Leyden, from Babylon to Panama, from Amber to Detroit - Nicolai Parlog (Oracle)
121. **41 likes** — Introduction to Spring AI - Timo Salm (Broadcom)
122. **40 likes** — Beyond encryption at rest: computing on encrypted data - Andrea Iacono
123. **38 likes** — Getting started with speaking: Your first conference talk - Bert Jan Schrijver (OpenValue)
124. **37 likes** — The Java Story | The Official Documentary - Georges Saab (Oracle)
125. **37 likes** — The day we stopped publishing Kafka event from our API... - Virginie Zinck (Decathlon)
126. **36 likes** — The Quarkus advantage: Turning build-time metaprogramming into runtime performances - Mario Fusco (IBM), Georgios Andrianakis (IBM), Francesco Nigro (IBM)
127. **36 likes** — Embabel Agent v1.5 - Rod Johnson (Embabel)
128. **36 likes** — Ask the Architects - Gavin Bierman (Oracle), Maurizio Cimadamore (Oracle), Per-Ake Minborg (Oracle), Viktor Klang (Oracle), Alan Bateman (Oracle), Georges Saab (Oracle)
129. **36 likes** — AI in the Dark: Running LLMs in Air-Gapped Production Environments - Mihaela Gheorghe-Roman (Systematic)
130. **35 likes** — Run Frontier Open Models on consumer hardware - Prince Canuma (Neywa Labs)
131. **35 likes** — Knocking on the Wrong Door: The Six Developers You'll Meet in Security - Enrique Larios Vargas (OWASP)
132. **35 likes** — Big Runtimes Make Efficient Programs - Ron Pressler (Oracle)
133. **34 likes** — "You May Now Optimize the Wedding": Optimizing the Seating, Bachelor Party, and Honeymoon with Constraint AI - Geoffrey De Smet (Timefold), Tom Cools (Timefold)
134. **34 likes** — Solving Multimodal and Long-Context Challenges - Laurent Picard (Google Cloud)
135. **34 likes** — Green Maven builds: sustainable CI in practice - Jan Boonen (the/experts.)
136. **34 likes** — 🏠 Gateway API, 10 years of maturation for a new Kubernetes network API - Kevin Davin (Gradle Technologies)
137. **33 likes** — Taming the Chaos: Security and Predictability in LLM-Powered Applications - Rustam Mehmandarov (Miles)
138. **33 likes** — Safety, speed, and governance in the agentic era - Oleg Šelajev (Docker)
139. **33 likes** — No Country For Old APIs. Wrapping legacy Java services as MCP tools without rewriting them. - Željko Kozina (Chronomill)
140. **32 likes** — What rules the virtual? How our systems obey physical laws. - Marianne Hoornenborg (NLJUG and KVK (Dutch Chamber of Commerce))
141. **32 likes** — Java Script (No, Not That One): Modern Automation with Java - Loïc Magnette (Oniryx)
142. **32 likes** — High-Performance Java-Native AI with CUDA and the Vector API - Zoran Sevarac (Deep Netts)

143. **32 likes** — From code to control: master deployments with Feature Flagging and OpenFeature - Alexandre Touret (Magellan), Philippe Duval (Magellan)
144. **32 likes** — From a startup stack to 5 microseconds: inside a crypto trading engine - Oleg Lobanov (Bitvavo)
145. **31 likes** — Rewriting the rules: How AI transforms engineering and inspiring young minds - Ayoub Hammou Ahabchane (ING), Kamel Zaraoui (ING)
146. **31 likes** — Open Source in the Age of AI: Where's the value? - Trisha Gee (Digital Aguacates)
147. **31 likes** — Exquisite Evals for Skills & MCPs - Christian Tzolov (Spring Team @ Broadcom), James Ward (AWS)
148. **30 likes** — Build a private cluster for the office - John Davies (Incept5)
149. **29 likes** — Specialized AI Agents: from concept to production - David Gageot (Docker)
150. **29 likes** — Building an Agent Ready Platform - Timo Salm (Broadcom)
151. **29 likes** — 🏠 Developing with AI: What if it were as simple as adding a library? 🧑‍💻 - Stéphane Philippart (OVHcloud), Matthieu Vincent (Sopra Steria)
152. **27 likes** — Reflect, Transform, Accelerate: Bringing GPU Computing to Java - Juan Fumero (Java Platform Group - Oracle)
153. **27 likes** — Project Detroit: From Foreign Libraries to Foreign Language Runtimes - Maurizio Cimadamore (Oracle)
154. **27 likes** — Production-Ready Java Containers: Smaller, Faster, Smarter - Albert Attard (Oracle)
155. **27 likes** — GraalVM Next: Layers, Crema, and WebAssembly in Action - Alina Yurenko (Oracle)
156. **27 likes** — Expanding Vector Search Beyond Similarity - Alina Yurenko (Oracle)
157. **27 likes** — Beyond assertEquals: Probabilistic Security and Bias Testing for Java LLM Applications - Iryna Dohndorf (Karakun)
158. **26 likes** — Codepocalypse Now: LangChain4j vs JetBrains Koog - Viktor Gamov (Confluent), Baruch Sadogursky (Port.io)
159. **25 likes** — Who will build software after AI? - Eddy Vos (Devovx4Kids Netherlands)
160. **25 likes** — Surviving the "AI Slopageddon": How AI shakes the foundations of Open Source - Raphael Semeteys (Worldline)
161. **25 likes** — Java is for Data Science, Too: Building an End-to-End ML Pipeline Without Leaving the JVM - Sven Reimers (Airbus), Zoran Sevarac (Deep Netts)
162. **24 likes** — How I built my own intelligent Robot Arm from Scratch - Iulia Feroli (Back To Engineering)
163. **24 likes** — From Developer to Story Builder: Engineering a Novel, an ARG, and a Transmedia World with AI - Raphael Semeteys (Worldline)
164. **23 likes** — The Rise of Agent Enablement: Coding Agents Don't Scale Themselves. Neither Do Your Teams. - Patrick Debois (Tessl)
165. **23 likes** — Building the Trusted Agent Ecosystem - Ivan Petrov (Google DeepMind), Patrick McGrath (Google DeepMind)
166. **23 likes** — Building Production-Ready Agentic Systems with LangChain4j and Quarkus - Mario Fusco (IBM), Georgios Andrianakis (IBM), Kevin Dubois (IBM)
167. **22 likes** — Say Goodbye to LLM API keys with Workload Identity Federation - Siarhei Biarozkin (IBM / Red Hat)
168. **22 likes** — Pragmatic multi-cloud architecture: designing for resilience and portability beyond the hype - Alexandre Touret (Magellan)
169. **21 likes** — From Laptop to Lakehouse: Analytical SQL with DuckDB - Oliver Geisser (Geisser Consulting)

170. **21 likes** — Do We Need a Build Language? Java Builds Java - Rafael Winterhalter (Scienta)
171. **21 likes** — 30 minutes to build your first Vidocq app, the 100% European Sovereign Java stack with zero external dependencies - Sebastien Blanc (SCIAM)
172. **20 likes** — Quixotic: Pure Java Inference at Native Speed - Alfonso² Peterssen (Quixotic AI)
173. **20 likes** — My old trains have a second life, with TinyGo! - Florian FORESTIER (Zenika), Justine Bachelard (BeYs Cloud)
174. **20 likes** — Faster Development with Java, Python, and Micronaut - Graeme Rocher (Oracle), Thomas Wuerthinger (Oracle)
175. **20 likes** — Engineering Lessons from Working on Software Older Than Me - Guust Ysebie (Apryse)
176. **20 likes** — Building LLM Inference Engines in Java with TornadoVM and the NVIDIA Ecosystem - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j), Orion Papadakis (TornadoVM)
177. **20 likes** — Beyond the Chatbox: Ship On-Device AI in Your Browser - Marcel Bagemihl (Consid), Stefan Ludwig (Consid)
178. **19 likes** — SIMD for Java: how Elasticsearch already benefits from the Panama Vector API - Piotr Przybyl (Elastic)
179. **19 likes** — Introducing Agent Control Theory: The System Runs the Model - Mark Pollack (Tuvium)
180. **19 likes** — Hi, Belgian Java Community, we want to meet you! - Frank Delporte (Azul), Tom Cools (Timefold)
181. **18 likes** — Wiring Up the AI Mesh: Building A2A-Compliant Java Agents - Emmanuel Hugonnet (IBM), Mario Fusco (IBM), Kevin Dubois (IBM)
182. **18 likes** — Owning the inference layer: When and how to run your own models - Maarten Vandeperre (Red Hat), Camille Nigon (Red Hat)
183. **18 likes** — A Deserter Returns: What the Java community helped me rediscover - Thierry Chantier (Dataiku)
184. **17 likes** — Underneath the Black Marker: AI Techniques for Detecting and Reversing Redactions - David vonThenen (NetApp)
185. **17 likes** — Tap into the NVIDIA Ecosystem from Java with TornadoVM's Hybrid API - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j), Mary Xekalaki (beestream.ai | TornadoVM)
186. **17 likes** — From Install to Insight: A Hands-On GPU Lab for Java Developers - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Christos Kotselidis (Beestream.ai, University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j)
187. **17 likes** — Beyond the Pod: Architecting and Scaling AI Agents on Kubernetes - Abdellfetah SGHIOUAR (Google Cloud)
188. **17 likes** — Beyond Code: The Intent-Driven IDE for the Agentic Age - Bruno Borges (GitHub)
189. **16 likes** — The Praxis proxy or: How I Learned to Stop Worrying and Love AI workloads - Alex Snaps (Red Hat)
190. **16 likes** — Quarkus Meets Leyden at the JVM Performance Edge - Georgios Andrianakis (IBM), Ana-Maria Mihalceanu (Oracle)
191. **16 likes** — LangChain4j Community BOF - Dimitris Andreadis (IBM)
192. **16 likes** — Keeping Spring Applications Secure in the Age of AI - Neven Cvetkovic (VMware Tanzu)
193. **16 likes** — Dream Machines & Walled Gardens - Anders Norås (Indipendant)
194. **16 likes** — Agents Shouldn't Control Control Flow - Jeremy Adams (Neo4j)

195. **14 likes** — Let's dance! – Teaching your robot some moves with reinforcement learning - Thomas Endres (TNG Technology Consulting GmbH), Martin F. (TNG Technology Consulting GmbH), Tobias Lübke (TNG Technology Consulting GmbH)
196. **14 likes** — Hey Belfius! Meet our new bank AI assistant—and discover how we're building and securing AI across Belfius. - Nicolas Goosse (Belfius)
197. **14 likes** — From User Prompt to JPA Query: Comparing Tool Calling, Structured Output & Hybrid Approach - Sebastian Kühnau (Vaadin)
198. **13 likes** — Building, Shipping and Governing AI Agents on Kubernetes - Tom O'Rourke (Solo.io), Ep Heijting (Solo.io)
199. **12 likes** — Can AI Build a Jakarta EE Runtime? The Vidocq Experiment - Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM), Sebastien Blanc (SCIAM)
200. **11 likes** — Quarkus Community BOF - Dimitris Andreadis (IBM)
201. **11 likes** — Don't burn your fingers in the heat of the AI (r)evolution. (And get an OpenClaw). - Maarten Vandepierre (Red Hat)
202. **10 likes** — Hardwood: Building a Parquet Parser From Scratch (With a Little Help From AI) - Gunnar Morling (Confluent)
203. **9 likes** — GraalVM Community BOF - Thomas Wuerthinger (Oracle), Fabio Niephaus (Oracle), Alina Yurenko (Oracle)
204. **9 likes** — Engineering for the Long Haul: Operating Open Source at Scale - Sven Sellen (TuxCare Inc.)
205. **5 likes** — The Devovx Robot Games - Stephan Janssen (Devovx)