

Devoxx Belgium 2026 Talks sorted by Likes

Source: [Devoxx Belgium 2026 talks](#)


Snapshot date: 2026-10-07

Speaker Stats

- Speaker filter: **Juan Antonio Breña Moral OR Leandro Loureiro**

The source lists the filtered speakers as **Juan Antonio Breña** 🇪🇸 🇵🇹 **(IG)** (Juan Antonio Breña Moral) and **Leandro Loureiro (ING)**. Talks matching both speakers are included only once. Percentile rank is tie-aware and uses the midpoint of all talks with the same number of likes within each subsection; a higher percentage indicates a stronger relative position.


Likes distribution with Outliers



The likes distribution across all **205 talks** is **right-skewed** (skewness **+1.42**, standard error 0.17; excess kurtosis **+1.84**): mean **136.7 likes** is above the median **110 likes**, with quartiles Q1 **63** and Q3 **183** (IQR 120), **8 outlier talks** above the Tukey fence of **363.0 likes** ($Q3 + 1.5 \text{ IQR}$) and **0 super outliers** above **543.0 likes** ($Q3 + 3 \text{ IQR}$); there are no low outliers, and a long tail up to **523 likes** (minimum **7**). A normal curve is therefore not a suitable model; the chart uses a log-normal fit instead (log-likes skewness -0.25, $\mu=4.67$, $\sigma=0.73$). The Technical Workshop is at **84 likes** (percentile **37.1%**) and the HITL talk is at **98 likes** (percentile **44.4%**), just below the median.

Likes distribution without Outliers

Likes across all non-outlier talks: histogram, log-normal fit and boxplot



Excluding the **8 outlier talks** above **363.0 likes**, the distribution across the remaining **197 talks** is **right-skewed** but clearly milder (skewness **+1.03**, standard error 0.17; excess kurtosis **+0.47**): mean **124.6 likes** vs median **103 likes**, population standard deviation **80.4 likes**, quartiles Q1 **62** and Q3 **168** (IQR 106), and values from **7** to **360 likes**. The recalculated Tukey fence is **327.0 likes** and flags **6 further talks** (331, 336, 336, 341, 350, 360 likes); outliers are removed in a single pass, so they stay in this subsection. The log-normal fit is kept for comparison with the previous chart (log-likes skewness -0.41, $\mu=4.61$, $\sigma=0.69$). Within these 197 talks the Technical Workshop at **84 likes** has percentile **38.6%** and the HITL talk at **98 likes** has percentile **46.2%**, just below the median of **103 likes**.

Hands-on Lab Talks

- Session type: **Hands-on Lab**
- Total talks in cohort: **12**
- Matching talks: **1**
- **Technical Workshop on AI-Native Tooling for Java Development** - Juan Antonio Breña 🇪🇸 🇧🇪 (IG), Leandro Loureiro (ING) — 84 likes; current row **4 of 12**; tied position range **4–4**; percentile rank **70.8%**.


Tools-in-Action talks

- Session type: **Tools-in-Action**
- Total talks in cohort: **24**
- Matching talks: **1**
- **The Importance of HITL to Avoid Chaos and EU Regulations for AI** - Juan Antonio Breña 🇪🇸 🇵🇹 (IG) — 98 likes; current row **14 of 24**; tied position range **14–15**; percentile rank **41.7%**.

All talks

- Scope: **All session types**
- Total talks in cohort: **205**
- Matching talks: **2**
- **Technical Workshop on AI-Native Tooling for Java Development** - Juan Antonio Breña 🇪🇸 🇵🇹 (IG), Leandro Loureiro (ING) — 84 likes; current row **130 of 205**; tied position range **129–130**; percentile rank **37.1%**.
- **The Importance of HITL to Avoid Chaos and EU Regulations for AI** - Juan Antonio Breña 🇪🇸 🇵🇹 (IG) — 98 likes; current row **114 of 205**; tied position range **114–115**; percentile rank **44.4%**.


Talks grouped by Likes



Technical Workshop: 84 likes (75–99) · HITL talk: 98 likes (75–99)


The **205 talks** are grouped into fixed likes bands so changes remain comparable between daily snapshots. The Technical Workshop (**84 likes**) falls in the **75–99 likes** band and the HITL talk (**98 likes**) in the **75–99 likes** band.

Likes grouped by Companies




All **28031 likes** are allocated by speaker company. For a talk whose speakers represent multiple distinct companies, its likes are split equally between those companies, preventing double counting. IG receives **140 allocated likes**, including both filtered talks; ING receives **118 allocated likes** overall, including its share of the Technical Workshop.

Talks grouped by Company




The same equal-allocation rule is applied to talk counts: each talk contributes a total weight of one across its represented companies. IG accounts for **1.5 allocated talks** and ING for **1.5 allocated talks** in the full 205-talk cohort.

Likes grouped by Market




Each speaker company is mapped to a market, for example Oracle to **Technology & Cloud** and IG and ING to **Financial Services**. All **28031 likes** are allocated by market; when a talk's speakers represent several markets, its likes are split equally between those markets. **Financial Services**, which includes both IG and ING, receives **1568.5 allocated likes (5.6%)**, while **Technology & Cloud** receives **13184 (47.0%)**. Speakers without a company are shown as Unspecified, and 11 companies that could not be placed in a market are grouped as Unclassified.

Talks grouped by Market



The same equal-allocation rule is applied to talk counts: each talk contributes a total weight of one across the markets of its speakers' companies. **Financial Services** accounts for **13 allocated talks** and **Technology & Cloud** for **107.5 allocated talks** in the full 205-talk cohort.

Likes grouped by Speaker country



Likes are split equally across the distinct speaker countries represented by each talk. Spain receives **1005 allocated likes** and the Netherlands **5364.5 allocated likes** across the full cohort; the filtered talks contribute to Spain, and the Technical Workshop also contributes to the Netherlands.

Hands-on Lab Talks

- Session type: **Hands-on Lab**
- Matching talks: **12**

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)** . Talks matching the speaker filter are highlighted in bold and color.

1. **121 likes** — Building Autonomous AI Agents with Spring - Timo Salm (Broadcom), Sandra Ahlgrimm (Microsoft / GitHub)
2. **102 likes** — Analyze and Optimize Your Applications with JFR - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
3. **96 likes** — 🚀 From Java to AI: Build Your First Intelligent Agent System! - Emmanuel Hugonnet (IBM), Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM)
4. **84 likes** — **Technical Workshop on AI-Native Tooling for Java Development - Juan Antonio Breña 🇪🇸 (IG), Leandro Loureiro (ING)**
5. **78 likes** — Using Structured Concurrency and Scoped Values to Create a Virtual Threads Based Asynchronous Application - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
6. **68 likes** — From code to control: master deployments with Feature Flagging and OpenFeature - Alexandre Touret (Magellan), Philippe Duval (Magellan)
7. **51 likes** — Building Production-Ready Agentic Systems with LangChain4j and Quarkus - Mario Fusco (IBM), Georgios Andrianakis (IBM), Kevin Dubois (IBM)
8. **51 likes** — 🤖 Developing with AI: What if it were as simple as adding a library? 🧑‍💻 - Stéphane Philippart (OVHcloud), Matthieu Vincent (Sopra Steria)
9. **50 likes** — Java is for Data Science, Too: Building an End-to-End ML Pipeline Without Leaving the JVM - Sven Reimers (Airbus), Zoran Sevarac (Deep Netts)
10. **45 likes** — Wiring Up the AI Mesh: Building A2A-Compliant Java Agents - Emmanuel Hugonnet (IBM), Mario Fusco (IBM), Kevin Dubois (IBM)
11. **31 likes** — From Install to Insight: A Hands-On GPU Lab for Java Developers - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Christos Kotselidis (Beestream.ai, University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j | University of Manchester)
12. **24 likes** — Beyond the Chatbox: Ship On-Device AI in Your Browser - Marcel Bagemihl (Consid), Stefan Ludwig (Consid)

Tools-in-Action talks

- Session type: **Tools-in-Action**
- Matching talks: **24**

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)**. Talks matching the speaker filter are highlighted in bold and color.

1. **331 likes** — Secure Your Coding Agent Like It's Malware - Richard Gross (MaibornWolff GmbH)
2. **316 likes** —  Dev Containers: the ultimate toolbox for developers? - Stéphane Philippart (OVHcloud)
3. **265 likes** — Stopping AI-Generated Architectural Drift: Deterministic Guardrails for Agentic Coding - Sasha Podlesniuk (INSHUR)
4. **196 likes** — Your AI Agent Trusts Strangers. Let Me Show You. - Elder Moraes (IBM)
5. **195 likes** — The Magic of OpenTelemetry: Rewriting Your App in Production - Bruce Bujon (Datadog)
6. **193 likes** — AsyncAPI in action: OpenAPI for event-driven applications - Michel Schudel (Craftsmen)
7. **186 likes** — Teaching a New Dog Old Tricks: Give the Agent a Debugger - Anton Arhipov (JetBrains)
8. **173 likes** — Testing Architecture Made Simple - Gunter Rotsaert (ICT TriOpSys)
9. **159 likes** — One tool to rule them all: bash, a tiny LLM, and the birth of a coding agent - Philippe Charrière (Docker)
10. **144 likes** — Solving Distributed Transactions with the Saga Pattern and Temporal - Andrei Sulyz (Skyro)
11. **124 likes** — In the loop, not in the dark: staying in control in the era of dark software factories - Alex Gavrilescu (Backlog.md)
12. **104 likes** — Java Script (No, Not That One): Modern Automation with Java - Loïc Magnette (Oniryx)
13. **103 likes** — The day we stopped publishing Kafka event from our API... - Virginie Zinck (Decathlon)
14. **98 likes** — **The Importance of HITL to Avoid Chaos and EU Regulations for AI - Juan Antonio Breña   (IG)**
15. **98 likes** — Exquisite Evals for Skills & MCPs - Christian Tzolov (Spring Team @ Broadcom), James Ward (AWS)
16. **94 likes** — BootUI, the missing developer console for Spring Boot and Quarkus - Julien Dubois (GitHub)
17. **90 likes** — Building the Trusted Agent Ecosystem - Ivan Petrov (Google DeepMind), Patrick McGrath (Google DeepMind)
18. **90 likes** — Beyond Code: The Intent-Driven IDE for the Agentic Age - Bruno Borges (GitHub)
19. **89 likes** — Expanding Vector Search Beyond Similarity - Alina Yurenko (Oracle)
20. **68 likes** — Beyond assertEquals: Probabilistic Security and Bias Testing for Java LLM Applications - Iryna Dohndorf (Karakun)
21. **60 likes** — 30 minutes to build your first Vidocq app, the 100% European Sovereign Java stack with zero external dependencies - Sebastien Blanc (SCIAM)
22. **53 likes** — From Laptop to Lakehouse: Analytical SQL with DuckDB - Oliver Geisser (Geisser Consulting)
23. **52 likes** — Tap into the NVIDIA Ecosystem from Java with TornadoVM's Hybrid API - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j | University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM)
24. **47 likes** — Do We Need a Build Language? Java Builds Java - Rafael Winterhalter (Scienta)

All talks

Sorted by likes in descending order. Each entry uses the format **TITLE – SPEAKER (COMPANY)**. Talks matching the speaker filter are highlighted in bold and color.

1. **523 likes** — From Developer to Builder: A Spec-Driven Development Deep Dive - Simon Martinelli (Martinelli GmbH)
2. **463 likes** — Architecture Observability and Guardrails - Victor Rentea (Freelance)
3. **462 likes** — Responsibly Dimming the Lights in the Software Factory - Victor Rentea (Freelance)
4. **443 likes** — Welcome to Devox - Stephan Janssen (Devox)
5. **431 likes** — Loop Engineering, beyond prompt, context, and harness engineering - Guillaume Laforge (Google), Wietse Venema (Google Cloud)
6. **397 likes** — Agentic Engineering Reconversion - Victor Rentea (Freelance)
7. **379 likes** — From Autocomplete to Autopilot: How AI Is Changing the Developer Experience - Tugdual Grall (GitHub)
8. **378 likes** — A Fleet of AI Agents, Each in Its Own Sandbox: Inside Docker's Agentic Platform - Jean-Laurent de Morlhon (Docker)
9. **360 likes** — Modern Java in Practice - The Features That Matter - Nicolai Parlog (Oracle), Falk Sippach (embarc Software Consulting GmbH)
10. **350 likes** — The Year of the Runtime - Ron Pressler (Oracle)
11. **341 likes** — From Brainless to Brilliant — Giving an Open-Source Robot a Mind of Its Own - Jan Van Wassenhove (Sopra Steria)
12. **336 likes** — Half of a billion Idle GPUs: The Case for On-Device AI - Prince Canuma (Neywa Labs)
13. **336 likes** — Bootiful Spring Boot 4 - Josh Long (the Spring team)
14. **331 likes** — Secure Your Coding Agent Like It's Malware - Richard Gross (MaibornWolff GmbH)
15. **327 likes** — How to survive and thrive as a dev (team) in the exponential age of AI. Real-world AI adoption, smarter ways of working, and lessons from the front lines - Sander Hoogendoorn (ibood.com)
16. **323 likes** — A Year of Agentic AI Evolution: Lessons Learned Building Production-grade Agentic Systems - Mario Fusco (IBM), Kevin Dubois (IBM)
17. **316 likes** — 📦 Dev Containers: the ultimate toolbox for developers? - Stéphane Philippart (OVHcloud)
18. **312 likes** — ADRs: The Why and How - Venkat Subramaniam
19. **304 likes** — Life in the Ivory Tower: Confessions of a Former Developer Who Turned Into an Architect - Robin Custers (Cegeka)
20. **300 likes** — Harness Engineering: Building the System Around Your AI Coding Agent - JI Darwish (Xomnia)
21. **298 likes** — 223 Pull Requests in 11 Days: The Recipe for Building Real Software with AI Agents - Julien Dubois (GitHub)
22. **278 likes** — AI Security Deep Dive, Securing Agents and AI Applications - Brian Vermeer (Snyk)
23. **270 likes** — Integration patterns for distributed systems - Dirk Fröhner (Amazon Web Services), Sabarish Sekar (Amazon Web Services)
24. **265 likes** — Stopping AI-Generated Architectural Drift: Deterministic Guardrails for Agentic Coding - Sasha Podlesniuk (INSHUR)
25. **258 likes** — Write Java Code Like a Seasoned Hacker: 2026 Edition - Soroosh Khodami (Rabobank)
26. **254 likes** — Consistency Patterns in Event-Driven Architecture - Emanuel Trandafir
27. **241 likes** — 0 to 350 Engineers on Claude Code: What Could Go Wrong? - Nicolas Martignole (Back Market)
28. **233 likes** — The Dark Secrets of Computer Science - Fabien Marsaud (Nonstatic)
29. **233 likes** — Build the Builder: A Java Coding Agent in Your IDE with ACP - Vadim Briliantov (JetBrains)

30. **226 likes** — Agents With Seatbelts: Practical Ways to Keep AI Code Gen Under Control - Jonathan Vila López (GK Software)
31. **223 likes** — Kubernetes for Developers - Alain Regnier (SCIAM)
32. **221 likes** — The Hexagonal Hangover - Ties van de Ven (Alliander)
33. **219 likes** — MCP 2.0 - Stateless, New Auth (CIMD), and Exciting Extensions - James Ward (AWS)
34. **219 likes** — From vibe coding to harness engineering: modernizing a regulated environment with AI - Anyul Rivas (GFT)
35. **215 likes** — You thought technical debt was bad? Meet design debt! - Julien Topçu (Shodo Group), Josian Chevalier (Shodo)
36. **208 likes** — Software engineering in the age of AI agents: who's in control? - Bert Jan Schrijver (OpenValue)
37. **208 likes** — Agent Loops, Decoded: Fundamentals to Agentic Patterns in Spring AI - Christian Tzolov (Spring Team @ Broadcom)
38. **205 likes** — Fun with Flags: How OpenFeature Solves Your Feature Flag Headaches - Simon Schrottner (Flagsmith)
39. **204 likes** — AI Made Building Cheap. Now Decisions Are the Bottleneck. - Dave Sammut (Equal Experts), João Rosa (João Rosa Consulting)
40. **200 likes** — All you need to know about Maven 4! - Matthias Bünger (ITZBund)
41. **199 likes** — I Hired a Real Robot as My Junior Dev — and Now My Kids Don't Want to Learn Java Anymore - Jan Van Wassenhove (Sopra Steria)
42. **198 likes** — Structured Concurrency Looms - Alan Bateman (Oracle), Viktor Klang (Oracle)
43. **197 likes** — Taming Microservice Overload: Our Journey to Modular Monoliths - Mario Klaver (Port of Rotterdam)
44. **196 likes** — Your AI Agent Trusts Strangers. Let Me Show You. - Elder Moraes (IBM)
45. **195 likes** — The Magic of OpenTelemetry: Rewriting Your App in Production - Bruce Bujon (Datadog)
46. **193 likes** — AsyncAPI in action: OpenAPI for event-driven applications - Michel Schudel (Craftsmen)
47. **188 likes** — Learning modern Java the playful way - Marit van Dijk (JetBrains), Piotr Przybyl (Elastic)
48. **186 likes** — Teaching a New Dog Old Tricks: Give the Agent a Debugger - Anton Arhipov (JetBrains)
49. **184 likes** — Will Valhalla Fix Tony's Billion-Dollar Mistake? - José Paumard (Oracle), Remi Forax (University Gustave Eiffel)
50. **184 likes** — `rm -rf` self-doubt: Debugging Impostor Syndrome for Developers - Vincent Mayers (Neo4j)
51. **183 likes** — Measuring the Unmeasurable: Evaluating Generative AI in Practice - Erin Pacquetet (SCIAM)
52. **183 likes** — Destructoring is the future of Javas Encapsulation - Richard Gross (MaibornWolff GmbH)
53. **180 likes** — The pizza party of the future 🍕 software teams and product value in the age of coding agents - Katie Clark (Comsyssto Reply), Simon Rohrer (Saxo Bank)
54. **180 likes** — F*ck The System, and other bad ideas for the future - Jo Caudron
55. **173 likes** — Testing Architecture Made Simple - Gunter Rotsaert (ICT TriOpSys)
56. **171 likes** — Post-Quantum Today: How Your Passwords Will Be Safe in a Quantum Future - Julian Burr (Sonar AI)
57. **169 likes** — State of Agentic Coding - Daniela Petruzalek (Google Cloud)
58. **168 likes** — Owning the Code You Didn't Type - Renato Guerra Cavalcanti (Octo Cogito)
59. **167 likes** — Is the IDE dead ? - Martin Lippert (Broadcom)
60. **167 likes** — Bootiful Security - Daniel Garnier-Moiroux (Spring), Josh Long (the Spring team)
61. **166 likes** — The Yearly Java Performance Update for 2026 - Per-Ake Minborg (Oracle)
62. **164 likes** — Prompt It Right: Spring Boot Testing in the AI Era - Philip Riecks (PragmaTech GmbH)
63. **162 likes** — Java, Raspberry Pi, and the Art of Overengineering Everyday Life - Matti Tahvonen (Vaadin)
64. **159 likes** — One tool to rule them all: bash, a tiny LLM, and the birth of a coding agent - Philippe Charrière (Docker)
65. **156 likes** — Help! I hate my team mate! - Jessica Siewert (Het ConsultancyHuis)

66. **155 likes** — Modernizing legacy code with AI: hands-on examples & lessons learned - Koen Vanderkimpen (Smals), Wim Lambrecht (Smals)
67. **154 likes** — Eval Driven Development: Why you need it to make your Agentic Application survive Production - Urs Peter (Xebia)
68. **153 likes** — Coder, Coach, Catalyst - using questions to make people grow - Martin Mazur (Mazur & Co)
69. **150 likes** — When benchmarks go bad - what we learned from measuring performance wrong - Francesco Nigro (IBM), Holly Cummins (IBM)
70. **147 likes** — Wrap, Reshape, or Redesign: Retrofitting Your APIs for a World of Agents - Horacio Gonzalez (Clever Cloud)
71. **146 likes** — Strangling the dragon: modernizing legacy systems with the Strangler Fig pattern - Daniel Raneland (factor10)
72. **145 likes** — Escaping Java's Allocation Gravity with Value Classes - Clément de Tastes (SCIAM), Remi Forax (University Gustave Eiffel)
73. **144 likes** — Solving Distributed Transactions with the Saga Pattern and Temporal - Andrei Sulyz (Skyro)
74. **143 likes** — Java and the Next Generation of Programming Models - Ana-Maria Mihalceanu (Oracle)
75. **141 likes** — Mission Possible: The 45-Minute Path to Bullet-Proof Java Container Images - Pasha Finkelshtein (Bellsoft)
76. **141 likes** — Introduction to Spring AI - Timo Salm (Broadcom)
77. **140 likes** — Beyond system.out.println: Applying a Debugging Mindset at Scale - Cees Bos (OpenValue)
78. **139 likes** — 10 boring reasons why Java is the best ecosystem for agentic development - Ed Burns (GitHub)
79. **138 likes** — Create your own AI Agents without code - David Gageot (Docker)
80. **134 likes** — Kill All Mutants! (Intro to Mutation Testing) - Dave Aronson (Codosaurus)
81. **132 likes** — Why Documentation Won't Write Itself—and AI Won't Save You - Christian Heitzmann (SimplexaCode AG)
82. **131 likes** — Cheaper or Better? The Strategic Choice Behind AI Adoption - Miriam Sasse (S&N Invent)
83. **128 likes** — Why Java Is Perfect for AI - Just Not the AI You're Thinking Of - Trisha Gee (Digital Aguacates), Andrey Santosyan (Redouble AI)
84. **128 likes** — Java, LEGO & AI: Teaching the Next Generation to Build, Not Just Prompt - Eddy Vos (Devoxx4Kids Netherlands)
85. **127 likes** — Toxic Flows in MCP Servers and Skills: What Your Agent Blindly Trusts - Brian Vermeer (Snyk)
86. **125 likes** — Java on Kubernetes Without Container Images: The WebAssembly Way - Bruno Borges (GitHub)
87. **125 likes** — Is AI killing XP practices? (Or are we letting it?) - Nacho Cougil (Dynatrace)
88. **125 likes** — Emergent DevEx: The Good, the Bad, and the Legacy - Makan Sepehrifar (Productboard), Soroosh Khodami (Rabobank)
89. **124 likes** — When ORM Becomes OMG: Performance Pitfalls in JPA and Friends - Jos Roseboom (EasingYou)
90. **124 likes** — In the loop, not in the dark: staying in control in the era of dark software factories - Alex Gavrilescu (Backlog.md)
91. **122 likes** — Java Next - From Valhalla to Leyden, from Babylon to Panama, from Amber to Detroit - Nicolai Parlog (Oracle)
92. **121 likes** — Building Autonomous AI Agents with Spring - Timo Salm (Broadcom), Sandra Ahlgrimm (Microsoft / GitHub)
93. **120 likes** — Everyday JSON - Viktor Klang (Oracle), Alan Bateman (Oracle)
94. **120 likes** — Building AI Agents from First Principles - Adib Saikali (Broadcom)
95. **118 likes** — Conquest, time travel and explosions using Git - Alexander Chatzizacharias (JDriven)
96. **117 likes** — Microservices Without the Distributed Mess - Steven Hillaert (Sofico)
97. **115 likes** — Making sense of vector databases - Balkrishna Rawool (ING Bank)
98. **113 likes** — Run Frontier Open Models on consumer hardware - Prince Canuma (Neywa Labs)

99. **113 likes** — From AI to Agent: A Field Guide to Agentic Patterns in LangChain4j - Loïc Magnette (Oniryx)
100. **113 likes** — 10 Billion Records vs. The Regulator: An Architectural Post-Mortem of an 11TB Exadata Failure - Martin Ladecky (Commerzbank)
101. **111 likes** — CRACKing Compliance - The EU Cyber Resilience Act - Christian Schabetsberger (Finxit IT Solutions)
102. **111 likes** — Choose your own adventure in agentic design patterns - Guillaume Laforge (Google)
103. **110 likes** — Software Monuments - Architectural Lessons from the Systems That Shaped Computing - Tobias Voss (viadee Consultancy)
104. **110 likes** — How to Architect Green Software - Ioannis Kolaxis (Accenture)
105. **104 likes** — JavaScript (No, Not That One): Modern Automation with Java - Loïc Magnette (Oniryx)
106. **103 likes** — The Quantum Tech Lead: Hands-On and Abstract at the Same Time - Cristian Schusztzer (CERN)
107. **103 likes** — The day we stopped publishing Kafka event from our API... - Virginie Zinck (Decathlon)
108. **103 likes** — Safety, speed, and governance in the agentic era - Oleg Šelajev (Docker)
109. **103 likes** — G1, ZGC, Shenandoah, ... with all these GCs in Java, which one do I choose? - Antoine DESSAIGNE (Axway)
110. **102 likes** — Analyze and Optimize Your Applications with JFR - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
111. **101 likes** — The Java Story | The Official Documentary - Georges Saab (Oracle)
112. **100 likes** — No Country For Old APIs. Wrapping legacy Java services as MCP tools without rewriting them. - Željko Kozina (Chronomill)
113. **99 likes** — Snake in 10 Lines: Learning More by Coding Less - Guus de Wit (adesso)
114. **98 likes** — **The Importance of HITL to Avoid Chaos and EU Regulations for AI - Juan Antonio Breña** 🇪🇺 🇩🇪 (IG)
115. **98 likes** — Exquisite Evals for Skills & MCPs - Christian Tzolov (Spring Team @ Broadcom), James Ward (AWS)
116. **96 likes** — We created our own AI orchestrator and it became so much more! - Ricky van Rijn (MetaFactory)
117. **96 likes** — 🚀 From Java to AI: Build Your First Intelligent Agent System! - Emmanuel Hugonnet (IBM), Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM)
118. **94 likes** — Who to blame? The AI, The Programmer, or The Prompt? - Makan Sepehrifar (Productboard)
119. **94 likes** — Teaching an Old Handle New Tricks: From Core Reflection to FFM - Maurizio Cimadamore (Oracle), Viktor Klang (Oracle)
120. **94 likes** — BootUI, the missing developer console for Spring Boot and Quarkus - Julien Dubois (GitHub)
121. **93 likes** — Deterministic by Design - Achieving Reproducible Builds with Maven - Maarten Mulders (Info Support)
122. **91 likes** — Why it takes 3000 commits to bring Valhalla's value objects to the JDK - David Simms (Java Platform Group - Oracle)
123. **90 likes** — Building the Trusted Agent Ecosystem - Ivan Petrov (Google DeepMind), Patrick McGrath (Google DeepMind)
124. **90 likes** — Beyond Code: The Intent-Driven IDE for the Agentic Age - Bruno Borges (GitHub)
125. **89 likes** — Expanding Vector Search Beyond Similarity - Alina Yurenko (Oracle)
126. **88 likes** — Beyond encryption at rest: computing on encrypted data - Andrea Iacono
127. **87 likes** — What's happening with Project Amber? - Gavin Bierman (Oracle)
128. **87 likes** — Big Runtimes Make Efficient Programs - Ron Pressler (Oracle)
129. **84 likes** — Their API Went Down. So Why Is My App on Fire? - Ines Panker
130. **84 likes** — **Technical Workshop on AI-Native Tooling for Java Development - Juan Antonio Breña** 🇪🇺 (IG), Leandro Loureiro (ING)
131. **83 likes** — Specialized AI Agents: from concept to production - David Gageot (Docker)

132. **80 likes** — Surviving the "AI Slopageddon": How AI shakes the foundations of Open Source - Raphael Semeteys (Worldline)
133. **78 likes** — What rules the virtual? How our systems obey physical laws. - Marianne Hoornenborg (NLJUG and KVK (Dutch Chamber of Commerce))
134. **78 likes** — Using Structured Concurrency and Scoped Values to Create a Virtual Threads Based Asynchronous Application - Ana-Maria Mihalceanu (Oracle), José Paumard (Oracle)
135. **78 likes** — Green Maven builds: sustainable CI in practice - Jan Boonen (the/experts.)
136. **77 likes** — Ask the Architects - Gavin Bierman (Oracle), Maurizio Cimadamore (Oracle), Per-Ake Minborg (Oracle), Viktor Klang (Oracle), Alan Bateman (Oracle), Georges Saab (Oracle)
137. **76 likes** — The Rise of Agent Enablement: Coding Agents Don't Scale Themselves. Neither Do Your Teams. - Patrick Debois (Tessl)
138. **76 likes** — The Quarkus advantage: Turning build-time metaprogramming into runtime performances - Mario Fusco (IBM), Georgios Andrianakis (IBM), Francesco Nigro (IBM)
139. **76 likes** — Rewriting the rules: How AI transforms engineering and inspiring young minds - Ayoub Hammou Ahabchane (ING), Kamel Zaraoui (ING)
140. **75 likes** — Knocking on the Wrong Door: The Six Developers You'll Meet in Security - Enrique Larios Vargas (OWASP)
141. **74 likes** — Taming the Chaos: Security and Predictability in LLM-Powered Applications - Rustam Mehmandarov (Miles)
142. **73 likes** — Decoding the Cosmos: Voyager's 1970s Algorithms Meet Today's Cutting-Edge Tech - Pieter van der Meer (Dataworkz)
143. **70 likes** — GraalVM Next: Layers, Crema, and WebAssembly in Action - Alina Yurenko (Oracle)
144. **70 likes** — Building an Agent Ready Platform - Timo Salm (Broadcom)
145. **70 likes** — AI in the Dark: Running LLMs in Air-Gapped Production Environments - Mihaela Gheorghe-Roman (Systematic)
146. **68 likes** — Production-Ready Java Containers: Smaller, Faster, Smarter - Albert Attard (Oracle)
147. **68 likes** — From code to control: master deployments with Feature Flagging and OpenFeature - Alexandre Touret (Magellan), Philippe Duval (Magellan)
148. **68 likes** — Beyond assertEquals: Probabilistic Security and Bias Testing for Java LLM Applications - Iryna Dohndorf (Karakun)
149. **66 likes** — What Does it Print? The Java Quiz (Hard Edition 🤖) - Clément de Tastes (SCIAM)
150. **66 likes** — From a startup stack to 5 microseconds: inside a crypto trading engine - Oleg Lobanov (Bitvavo)
151. **66 likes** — Embabel Agent v1.5 - Rod Johnson (Embabel)
152. **65 likes** — Getting started with speaking: Your first conference talk - Bert Jan Schrijver (OpenValue)
153. **64 likes** — Open Source in the Age of AI: Where's the value? - Trisha Gee (Digital Aguacates)
154. **63 likes** — From Developer to Story Builder: Engineering a Novel, an ARG, and a Transmedia World with AI - Raphael Semeteys (Worldline)
155. **63 likes** — Build a private cluster for the office - John Davies (Incept5)
156. **62 likes** — AI Doesn't Click Buttons: Building APIs for the Agentic Age - Kim Lauwers (Quality Coders BV)
157. **61 likes** — High-Performance Java-Native AI with CUDA and the Vector API - Zoran Sevarac (Deep Netts)
158. **60 likes** — Solving Multimodal and Long-Context Challenges - Laurent Picard (Google Cloud)
159. **60 likes** — Let's dance! — Teaching your robot some moves with reinforcement learning - Thomas Endres (TNG Technology Consulting GmbH), Martin F. (TNG Technology Consulting GmbH), Tobias Lübke (TNG Technology Consulting GmbH)
160. **60 likes** — Keeping Spring Applications Secure in the Age of AI - Neven Cvetkovic (VMware Tanzu)
161. **60 likes** — 30 minutes to build your first Vidocq app, the 100% European Sovereign Java stack with zero external dependencies - Sebastien Blanc (SCIAM)
162. **57 likes** — "You May Now Optimize the Wedding": Optimizing the Seating, Bachelor Party, and Honeymoon with Constraint AI - Geoffrey De Smet (Timefold), Tom Cools (Timefold)
163. **57 likes** — The Devox Robot Games - Stephan Janssen (Devox)

164. **55 likes** — Don't burn your fingers in the heat of the AI (r)evolution. (And get an OpenClaw). - Maarten Vandeperre (Red Hat)
165. **54 likes** — Hey Belfius! Meet our new bank AI assistant—and discover how we're building and securing AI across Belfius. - Nicolas Goose (Belfius)
166. **53 likes** — From Laptop to Lakehouse: Analytical SQL with DuckDB - Oliver Geisser (Geisser Consulting)
167. **52 likes** — Tap into the NVIDIA Ecosystem from Java with TornadoVM's Hybrid API - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j | University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM)
168. **52 likes** — Codepocalypse Now: LangChain4j vs JetBrains Koog - Viktor Gamov (Confluent), Baruch Sadogursky (Port.io)
169. **51 likes** — Reflect, Transform, Accelerate: Bringing GPU Computing to Java - Juan Fumero (Java Platform Group - Oracle)
170. **51 likes** — Project Detroit: From Foreign Libraries to Foreign Language Runtimes - Maurizio Cimadamore (Oracle)
171. **51 likes** — Building Production-Ready Agentic Systems with LangChain4j and Quarkus - Mario Fusco (IBM), Georgios Andrianakis (IBM), Kevin Dubois (IBM)
172. **51 likes** — 🏡 Developing with AI: What if it were as simple as adding a library? 🏡 - Stéphane Philippart (OVHcloud), Matthieu Vincent (Sopra Steria)
173. **50 likes** — Owning the inference layer: When and how to run your own models - Maarten Vandeperre (Red Hat), Camille Nigon (Red Hat)
174. **50 likes** — Java is for Data Science, Too: Building an End-to-End ML Pipeline Without Leaving the JVM - Sven Reimers (Airbus), Zoran Sevarac (Deep Netts)
175. **50 likes** — Beyond the Pod: Architecting and Scaling AI Agents on Kubernetes - Abdelfetah SGHIOUAR (Google Cloud)
176. **47 likes** — Say Goodbye to LLM API keys with Workload Identity Federation - Siarhei Biarozkin (IBM / Red Hat)
177. **47 likes** — Pragmatic multi-cloud architecture: designing for resilience and portability beyond the hype - Alexandre Touret (Magellan)
178. **47 likes** — Do We Need a Build Language? Java Builds Java - Rafael Winterhalter (Scienta)
179. **46 likes** — Who will build software after AI? - Eddy Vos (Devoxx4Kids Netherlands)
180. **46 likes** — Faster Development with Java, Python, and Micronaut - Graeme Rocher (Oracle), Thomas Wuerthinger (Oracle)
181. **45 likes** — Wiring Up the AI Mesh: Building A2A-Compliant Java Agents - Emmanuel Hugonnet (IBM), Mario Fusco (IBM), Kevin Dubois (IBM)
182. **45 likes** — From User Prompt to JPA Query: Comparing Tool Calling, Structured Output & Hybrid Approach - Sebastian Kühnau (Vaadin)
183. **45 likes** — Engineering Lessons from Working on Software Older Than Me - Guust Ysebie (Apryse)
184. **44 likes** — Building, Shipping and Governing AI Agents on Kubernetes - Tom O'Rourke (Solo.io), Ep Heijting (Solo.io)
185. **43 likes** — Introducing Agent Control Theory: The System Runs the Model - Mark Pollack (Tuvium)
186. **42 likes** — SIMD for Java: how Elasticsearch already benefits from the Panama Vector API - Piotr Przybyl (Elastic)
187. **42 likes** — Building LLM Inference Engines in Java with TornadoVM and the NVIDIA Ecosystem - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j | University of Manchester), Orion Papadakis (TornadoVM)
188. **40 likes** — Quarkus Meets Leyden at the JVM Performance Edge - Georgios Andrianakis (IBM), Ana-Maria Mihalceanu (Oracle)
189. **39 likes** — How I built my own intelligent Robot Arm from Scratch - Iulia Feroli (Back To Engineering)
190. **38 likes** — Agents Shouldn't Control Control Flow - Jeremy Adams (Neo4j)
191. **38 likes** — A Deserted Returns: What the Java community helped me rediscover - Thierry Chantier (Dataiku)

192. **34 likes** — My old trains have a second life, with TinyGo! - Florian FORESTIER (Zenika), Justine Bachelard (BeYs Cloud)
193. **33 likes** — Dream Machines & Walled Gardens - Anders Norås (Indipendant)
194. **32 likes** — Underneath the Black Marker: AI Techniques for Detecting and Reversing Redactions - David vonThenen (NetApp)
195. **32 likes** — Quixotic: Pure Java Inference at Native Speed - Alfonso² Peterssen (Quixotic AI)
196. **32 likes** — Hi, Belgian Java Community, we want to meet you! - Frank Delporte (Azul), Tom Cools (Timefold)
197. **31 likes** — From Install to Insight: A Hands-On GPU Lab for Java Developers - Thanos Stratikopoulos (Beestream.ai | TornadoVM), Christos Kotselidis (Beestream.ai, University of Manchester), Mary Xekalaki (beestream.ai | TornadoVM), Michalis Papadimitriou (Neo4j | University of Manchester)
198. **28 likes** — Engineering for the Long Haul: Operating Open Source at Scale - Sven Sellen (TuxCare Inc.)
199. **25 likes** — LangChain4j Community BOF - Dimitris Andreadis (IBM)
200. **25 likes** — GraalVM Community BOF - Thomas Wuerthinger (Oracle), Fabio Niephaus (Oracle), Alina Yurenko (Oracle)
201. **25 likes** — Can AI Build a Jakarta EE Runtime? The Vidocq Experiment - Antoine Sabot-Durand (SCIAM), yann Blazart (SCIAM), Sebastien Blanc (SCIAM)
202. **24 likes** — Beyond the Chatbox: Ship On-Device AI in Your Browser - Marcel Bagemihl (Consid), Stefan Ludwig (Consid)
203. **21 likes** — Quarkus Community BOF - Dimitris Andreadis (IBM)
204. **18 likes** — Hardwood: Building a Parquet Parser From Scratch (With a Little Help From AI) - Gunnar Morling (Confluent)
205. **7 likes** — In the loop, not in the dark: staying in control in the era of dark software factories - Alex Gavrilescu (Backlog.md)