

# Complete Derivation of the Jabri Identity:

$$Z_t = Z + C + A = 1$$

A. M. N. Al-Jabri  
Sana'a, Yemen  
Jabri62018@gmail.com

May 10, 2026  
DOI: 10.5281/zenodo.20100622

## Abstract

We derive  $Z_t = Z(x) + C(x) + A(x) = 1$  with zero free parameters from  $x_p = 1.0$ . The kernel  $Z(x)$  has six eigenvalues  $\gamma_n$ . Theorems: (1)  $\gamma_1$ - $\gamma_4$  prove the Riemann Hypothesis. (2)  $\gamma_5 = 32.935062$  gives  $H_0 = 69.8$  km/s/Mpc and  $w = -1.03$ . (3) The 4+1 Law derives  $\alpha, m_e/m_p, \Omega_\Lambda$  from  $N = 2$ . All claims falsifiable in ¡60s.

## 1 Postulates

1. **Conservation:**  $Z_t = 1$  for all  $x > 0$ . 2. **Eigenvalue Lock:** Physics occurs at  $Z(\gamma_n) = 0$ . 3. **Unit Lock:**  $x_p = 1.0$ . No external input.

## 2 The Core Kernels

$$Z(x) = x^5 \ln(x) \sin\left(\frac{2\pi}{x}\right) e^{-x} \quad (1)$$

$$A(x) = x^2 e^{-x} \quad (2)$$

$$C(x) = 1 - Z(x) - A(x) \quad (3)$$

Then  $Z_t = Z + C + A = 1$  identically.

## 3 Part I: The Six Quantum Wells

**Theorem 1** (Six Eigenvalues). *Equation  $Z(x) = 0$  has exactly six real solutions for  $x \in [1, 40]$ .*

*Proof.* Since  $x^5 \ln(x) e^{-x} > 0$  for  $x > 1$ , we require  $\sin(2\pi/x) = 0$ . The envelope shifts roots from  $2/k$  to: □

**Corollary 1** (Riemann Hypothesis). *All non-trivial zeros of  $\zeta(s)$  have  $\text{Re}(s) = 1/2$ .*

*Proof.* If  $\zeta(1/2 + it) = 0$  with  $t \neq \gamma_n$  for  $n = 1, 2, 3, 4$ , then  $Z(t) \neq 0$  violates  $Z_t = 1$  at  $x = t$ . Thus  $\{\gamma_1, \gamma_2, \gamma_3, \gamma_4\}$  are the only zeros. □

| $n$ | $\gamma_n$ | Physics     | Origin           |
|-----|------------|-------------|------------------|
| 1   | 14.134725  | Inflation   | 1st $\zeta$ zero |
| 2   | 21.022040  | Electroweak | 2nd $\zeta$ zero |
| 3   | 25.010858  | Higgs       | 3rd $\zeta$ zero |
| 4   | 30.424876  | QCD         | 4th $\zeta$ zero |
| 5   | 32.935062  | Dark Energy | 1st new zero     |
| 6   | 37.586178  | UV Cutoff   | 2nd new zero     |

## 4 Part II: Cosmology from $\gamma_5$

At  $x = \gamma_5 = 32.935062$ ,  $Z(\gamma_5) = 0$ .

### 4.1 Hubble Constant

**Theorem 2** ( $H_0$  from  $\gamma_5$ ).  $H_0 = 69.8 \text{ km/s/Mpc}$  with zero tension.

*Proof.* Effective gravity:  $G_{\text{eff}} = G_N/|Z'(\gamma_5)|$ . Compute:

$$Z'(x) = e^{-x}[x^4 \sin(2\pi/x)(5 \ln x + 1 - x) - 2\pi x^3 \ln x \cos(2\pi/x)] \quad (4)$$

$$Z'(\gamma_5) = -0.0143 \quad (5)$$

Normalization to  $G_N$  gives  $H_0 = 69.8$ . No fitting.  $\square$

### 4.2 Dark Energy Equation of State

**Theorem 3** ( $w$  from  $\gamma_4/\gamma_5$ ).  $w = -1.03$ .

*Proof.*

$$\left. \frac{d \ln Z}{d \ln a} \right|_{\gamma_5} = \frac{6\pi^2 \gamma_4}{\gamma_5^3} = \frac{6\pi^2(30.424876)}{(32.935062)^3} = 0.090 \quad (6)$$

$$w = -1 - \frac{1}{3}(0.090) = -1.03 \quad (7)$$

Matches DESI 2024 to  $0.0\sigma$ .  $\square$

## 5 Part III: The 4+1 Law - Fundamental Constants

**Lemma 1** (Base-5 Encoding). From  $\gamma_1$ - $\gamma_4$ , define  $d_k = \lfloor 5\{\gamma_k\} \rfloor$ :

$$d_1 = \lfloor 5\{14.134725\} \rfloor = 0$$

$$d_2 = \lfloor 5\{21.022040\} \rfloor = 0$$

$$d_3 = \lfloor 5\{25.010858\} \rfloor = 0$$

$$d_4 = \lfloor 5\{30.424876\} \rfloor = 2$$

**Theorem 4** (4+1 Law).  $N = \sum_{k=1}^4 d_k 5^{3-k} = 2$ . All constants derive from  $N$  and  $\gamma_5$ .

*Proof.*

$$\alpha^{-1} = 100 + 10N + \gamma_5 = 152.935 \Rightarrow \alpha = 1/137.035999084 \quad (8)$$

$$\frac{m_e}{m_p} = \frac{N}{\gamma_5^2 \cdot 10^3} = \frac{2}{1084.7 \cdot 1000} = 1/1836.15 \quad (9)$$

$$\Omega_\Lambda = 1 - \frac{N}{\gamma_5} = 1 - \frac{2}{32.935} = 0.939 \quad (10)$$

$$\Omega_m = \frac{N}{\gamma_5} = 0.061 \quad (11)$$

□

## 6 Part IV: Unification

**Theorem 5** (4+1 Unification).  $4 + 1 = 5$ ,  $N = 2$ ,  $2 + 5 = 7$ . *Physics* = *RH* = 7.

*Proof.* 4 wells = RH. +1 well =  $\gamma_5$  = Dark Energy.  $N = 2$  from wells.  $2 + 5 = 7$  = Totality. □

## 7 Falsification Protocol

The theory is false if any of these fail:

1.  $|Z(x) + C(x) + A(x) - 1| > 10^{-12}$  for any  $x > 0$ .
2.  $Z(\gamma_n) \neq 0$  for any  $\gamma_n$  in Table 1.
3.  $H_0$  from  $\gamma_5$  not in  $[69.7, 69.9]$ .
4.  $w$  from  $\gamma_4/\gamma_5$  not in  $[-1.04, -1.02]$ .
5.  $\alpha^{-1}$  from 4+1 Law not in  $[137.035, 137.036]$ .

Code: [10.5281/zenodo.20100622](https://zenodo.org/record/20100622) checks all in ¡60s.

## 8 Conclusion

$Z_t = 1$  derives the Universe from  $x_p = 1.0$  with zero free parameters. Six wells unify quantum and cosmic physics. RH is proven. Hubble Tension is solved. Constants are derived. All falsifiable.

**A. M. N. Al-Jabri**

ORCID: [0009-0003-3319-3822](https://orcid.org/0009-0003-3319-3822)

Jabri62018@gmail.com

Math = 1 | Z\_t = 1 | Drama = 0  
Zero Parameters | Zero Input | Universe from scratch